



Open, Close, Live



O P E R A
S M A R T

SMART LOCKS FOR HOTEL DOORS

PRICE LIST 2022



O P E R A **BIT**

ACCESS CONTROL SYSTEM
FOR HOTELS



O P E R A **iCONTROL**

ELECTRONIC LOCK
FOR HOTELS



O P E R A **TWIN**

ANTIPANIC MAGNETIC LOCK
FOR HOTELS



O P E R A **XT**

MAGNETIC LOCK WITH
ELECTRIC STRIKER FOR HOTELS



S I C U R E Z Z A **XT**

MAGNETIC LOCK
WITHOUT PANIC EXIT

1. Orders

All the orders forwarded to Alban Giacomo spa and the discount and supply conditions thereof are subject to the approval of the Company, also in the case which they are issued by Agents of Auxiliary Staff operating on behalf of Alban Giacomo spa. Telephone or voice orders shall be deemed as accepted exclusively when the relevant order confirmation has been forwarded to the Client. The possibility to make additions to orders that have been already forwarded shall be subject to the processing status of the order and shall be from time to time verified by contacting our Sales Office.

Alban Giacomo spa shall not be responsible of eventual errors in the processing of the orders due to incomplete, missing or wrong indication of the Item Code. With regards to not listed products, the Client shall pre-emptively request a written offer from our Sales Office.

The contractual relationship arising from the stipulation of the order is governed by the present general sale conditions.

Eventual derogations or added conditions shall be effective only if agreed in writing.

The execution of the sale shall be subject, in any case, to the acceptance of the general conditions as set forth hereinafter, that the Client, by means of the issue of the order, declares to know.

Changes to the systems orders will be accepted only if they will be requested to AGB Commercial Office within 10.00AM of the working day next to the order confirmation date; otherwise, please contact our Commercial Office to check modification possibility.

2. Modifications to the products and validity of information

In order to guarantee a constant improvement of the products, Alban Giacomo spa reserves the right to apply the required modifications to the product, in any moment and without prior notice. Data and images contained in the list and in the whole AGB documentation shall be therefore deemed to be valid, print errors and any modification made by the company excepted.

3. Prices

The listed prices are expressed in Euro, net of VAT and may be subject to modifications, also upon delivery, due to sudden modifications of the cost elements.

4. Out of package

The prices always refer to products in standard package and packaging, the quantities thereof are stated in the List. For orders amounting to smaller quantities than the package, Alban Giacomo spa reserves the right, under its discretion and without prior notice, to increase the order up to the quantity of the package, or to apply a 10% price increase depending on the Item and on the packaging features. Moreover, all the orders the ordered quantity thereof is close to the standard packaging may be rounded to the package quantity.

5. Packaging

The original packaging is included in the price. The packaging for postal deliveries or eventual special packaging shall be charged at cost. The pallets and the hinges chargers included for shipping the goods are property of Alban Giacomo spa and they shall be made available for collection, by our forwarders, according to the times and procedures set forth by the AGB Sales Office: if you will not return them within the end of the year, we will charge the costs. The hinges chargers must be returned in the dedicated packaging which we supplied, in case of missed return, or damaged chargers, we will debit 0.50 € per piece. On the other hand, packaging returns are not accepted.

6. Delivery Dates

The delivery time eventually agreed shall be deemed as a non-essential term, and, as such, it shall not bind the seller. The delivery date, even if confirmed, represents a mere indication and it shall always be understood as the best estimate. No warranty and no indemnity are due for the failed or late delivery of the goods within the limits provided by the company or requested by the Client.

With regards to the items marked in the list with an appropriate sign, the Client is obliged to pre-emptively verify the availability thereof and the minimum order quantity by contacting the AGB Sales Office.

7. Balances

Eventual balances of the order shall be processed, as soon as they are available, with the first following order of the Client. Alban Giacomo spa reserves the right to round up the balance to the standard package quantity or to cancel the balance in the case that no order or delivery remainder is forwarded within four months.

8. Minimum order value

The minimum order value is 2000 Euro. For orders of a lower amount, a 20 Euro surcharge shall be invoiced for order handling costs.

9. Delivery

Ex-works AGB Cassola.

10. Transport Risks

The goods, even if transported by a freighter, are shipped always on behalf, at risk and danger of the Client. Alban Giacomo spa shall not take any responsibility for delays, tampering, or for any other fault occurred during the shipping. Any responsibility of Alban Giacomo spa ceases upon delivery of the goods to the Freightier. It shall be interest of the Client to verify the condition and the compliance of the goods upon delivery, forwarding any eventual complaint as provided in the following point.

11. Complaints

Eventual complaints regarding the shipping data of the received supply shall be forwarded to the Alban Giacomo spa headquarters by fax, e-mail or registered letter, not later than the eight day from reception of the goods by the Client. Eventual complaints forwarded later than the set term and differently than the ways provided above shall not be taken in consideration.

12. Returns

Eventual returns of goods shall be pre-emptively authorised in writing and accompanied

by the communications of the Client referring to the invoice or the delivery note subject to verification of the goods arriving to Alban Giacomo spa.

An authorization copy must be attached on a visible position, otherwise the returned goods will be not accepted.

13. Payments and interests - termination

The terms and conditions for payment are listed in the special sale conditions and thus shown in the invoices. Only the payments made directly to Alban Giacomo spa or through extinction of drafts issued thereby, always intended with the "subject to collection" clause, shall be effective.

In case of delayed payment with respect to the agreed deadlines, unless differently agreed, an interest on arrears calculated according to the rate provided by art. 5 Legislative Decree October 9th 2002 no 231 shall accrue automatically without any formal warning.

In the case which the sale of the goods implies an extended payment, the sale thereof is performed subject to retention of title in favour of the selling Company up to full payment of the agreed price, in addition to the ancillary expenses, also as set forth by art. 1523 Italian Civil Code.

From the date of delivery, therefore, the Client shall be charged with the risks, dangers and consequences deriving from eventual thefts, fire, Acts of God, damages to persons, goods or whatever and the Client himself, notwithstanding the occurring thereof, shall comply with the agreed obligations and payment modes.

The extension of the payment of the full due price is granted - if requested - under discretion of the selling Company and - if agreed - against suitable guarantee. The failed payment within the agreed terms even of one instalment only that exceeds the eight part of the sale price, or the failed payment of two instalments within the agreed terms shall entitle the selling Company to hold this agreement as legally terminated.

14. Suspension or cancellation of the orders

In case of breach, also partial, of one of the general conditions provided for the supply, as well as in case of acknowledged difficulty in the payments or may the guarantees for the solvency of the Client or, more generally, the economic capacity thereof become missing or diminish, the selling Company shall have the unquestionable right to suspend or cancel the orders, even if confirmed.

15. Warranty

Alban Giacomo spa guarantees that the sold product is free from faults and is suitable for the use it has been intended (art. 1490 Italian Civil Code), provided that the Client strictly follows the assembly, adjusting and use instructions contained in the technical documentation that could be requested from the AGB Sales Office. The warranty shall not apply if the improper use or conservation of the product is assessed, or if it has been damaged, modified or not installed up to standard. The warranty covers exclusively the functioning of the hardware components excluding any other cause or fault, aesthetic included.

The guarantee has a duration of 1 year starting from the date of invoicing and it shall be effective provided that the complaint is forwarded as laid out in the "Complaints" point. The warranty covers exclusively the replacement of the product with another having a similar operation excluding any further or different damage.

16. Extension of the warranty

Without prejudice to the covenants of point 15, only for the producers of doors and windows that may have used AGB tilt&turn products installed on rectangular windows with one or two sashes, the warranty shall extend for 10 years from the date of invoicing. This warranty extension covers exclusively the functioning of the hardware components excluding any other cause or fault, aesthetic included. Electronic or magnetic components are in any case excluded.

17. Governing Law

This agreement is governed by the Italian Laws. For whatever is not expressly agreed, the parties shall jointly refer to the rules and regulations currently in force.

18. Jurisdiction and venue

The Vicenza Court shall have the exclusive jurisdiction on any dispute.

19. Personal Data processing

Alban Giacomo spa informs that the acquired identification data of the Client, operation required for the purposes of the order confirmation and stipulation of the agreement, are subject to processing, automated as well, aimed to the execution of the agreement and of all the obligations strictly functional thereto, as better specified in the provided information note. The Client authorises therefore the processing thereof as set forth by Legislative Decree 196/2003.


(Stamp and Signature of the Buyer)

Date

As provided by articles 1341 and 1342 Italian Civil Code, the Client declares to expressly accept the following general conditions 1. Orders; 2. Modifications to the products and validity of information; 3. Prices; 6. Delivery Dates; 8 Minimum order value; 9. Delivery; 10. Transport Risks; 11. Complaints; 12. Returns; 13. Payments and interests - termination; 14. Suspension or cancellation of the orders; 15. Warranty; 16. Extension of the warranty; 17. Governing Law; 18. Jurisdiction and venue.

(Stamp and Signature of the Buyer)


Date




(*) Specifications change in relation to the class and the belonging group.

Examples:

Locks - cod. B00591.50.03



Cylinders - cod. C65516.30.30



KEY LEGEND



Locks



New products

r.

Price on demand



Contact our Commercial Office for availability



No. of pcs for inner box



No. of pcs for outer box



Outer box without surcharge



Euro

DC

Discount Class

The main finishes available can be displayed at www.agb.it

Finish	Finish code	Material						
		Steel	Brass	Stainless steel	Aluminium	Nylon	ABS	Zamak
Plain / Anodized silver	01	NAT	ONT	INT	AF1	NYL	ABS	
Bronze plated	02	BRO	OBR		AF5		PF5	ZBR
Enamelled brass plated	03	AOV			AF8		ABO	ZOT
Bichromated	04	ZTR						ZZT
White zinc plated	05	ZBI						
Nickel plated	06	NIK	ONK				ABK	ZNK
Anthracite	07	ANT	OAN					ZAN
Satin	08		OST	INS				
Black zinc plated	09	ZNE						
Enamelled polished	10		OLV					
Antique brass plated	12	OTA	OOT					
Satin nickel plated	13	ANS	ONS				ASN	
Light bronze plated / Beige	14				AF4	NY4	ABC	
Silver finish	15	ZSL						ZZS
Matt nickel plated	16	NKO	ONO		AON			ZNO
Champagne	17	ACH			AF2			ZCH
Matt Silver / Silver Powerage	21	ARG				NAR	AAG	ZAG
Enamelled bronze plated	22	ABR	OBV					
Matt brass plated	23	AOO					AOP	
Light bronze plated	24						ABH	
Silver Activeage	25	ACT						
Chromium plated	30	CRO	OCR				ACR	ZCR
Glided	31	DOR	ODO		AF3		ADO	ZDO
Satin chromium plated	32	ACS	OCS	CRS				
Matt chromium plated	34	ACO	OCO	ICO	ALC	NCO		ZCO
Brass plated PVD	35	OPV		INP	ALO			
Brushed stainless steel	36	AIN	OIN				AIX	
Varnished Silver	41	AGT						
Dark bronze plated	42	BRS						
Grey	44	AGR				NGR		
Black enam. zinc plated	49	ZNV						
Brass plated	50	OTT					AOT	ZOV
Blue RAL 5002	52					NYU		
Green RAL 6026	62					NYV		
Varnished matt black	63	AN9						ZOP
Titanium	70				ATI			
Matt antique brass plated	72	AAO	OAD					
White RAL 9016	76				AL6			
Grey RAL 7036	78					NG6		
Dark red RAL 3011	82					NRS		
Matt black	84						ABE	
Grey RAL 7035	86					NGR	AGR	
Grey RAL 7016	87					NYG		
White	91	AVB	OVB		ALB	NYB	ABB	ZVB
Red	92	AVR	OVR			NYR	ABR	ZVR
Matt black / Black Powerage	93	AVN	OVN	INE		NYN	ABN	ZVN
Brown	94	AVM	OVM		ALM	NYM	ABM	ZVM
Light blue	95					NYA	ABA	
White RAL 9001	98						ABP	
Blacktech Powerage	99	ANG						
Black titanium	F9	ATN				NYT		
Matt white	FM	AB6						



MANAGEMENT SYSTEM CERTIFICATE

Certificate no.:
CERT-00861-96-AQ-VEN-SINCERT

Initial certification date:
12 March 1996

Valid:
12 December 2021 – 11 December 2024

This is to certify that the management system of
ALBAN GIACOMO S.p.A. - Sede Legale e Operativa

Via A. De Gasperi, 75 - 36060 Romano d'Ezzelino (VI) - Italy
and the sites as mentioned in the appendix accompanying this certificate

has been found to conform to the Quality Management System standard:
ISO 9001:2015

This certificate is valid for the following scope:
Design, development, manufacture of fittings for closing systems and other devices for window and door frames
(IAF 17, 14)

Place and date:
Vimercate (MB), 07 September 2021



SDQ N° 003 A
SGA N° 003 D
SSE N° 007 M
SER N° 004 F

ENAS N° 009 P
PRD N° 003 B
PRS N° 004 C
SSI N° 002 G

Membro di MLA EA per gli schemi di accreditamento
SDQ, SGA, PRD, PRS, ISO, GHG, LNB e LAT, di MLA IAF
per gli schemi di accreditamento SDQ, SGA, SSI, FSP
e PRD e di MLA ILAC per gli schemi di accreditamento
LAB, MED, LAT e ISP

For the issuing office:
DNV - Business Assurance
Via Energy Park, 14, - 20871 Vimercate (MB) - Italy



Zeno Beltrami
Management Representative

Lack of fulfilment of conditions as set out in the Certification Agreement may render this Certificate invalid.

ACCREDITED UNIT: DNV Business Assurance Italy S.r.l., Via Energy Park, 14 - 20871 Vimercate (MB) - Italy - TEL: +39 68 99 905. www.dnv.it



Certificate no.: CERT-00861-96-AQ-VEN-SINCERT
Place and date: Vimercate (MB), 07 September 2021

Appendix to Certificate

ALBAN GIACOMO S.p.A. - Sede Legale e Operativa

Locations included in the certification are as follows:

Site Name	Site Address	Site Scope
ALBAN GIACOMO S.p.A. - Sede Legale e Operativa	Via A. De Gasperi, 75 - 36060 Romano d'Ezzelino (VI) - Italy	Design, development, purchasing, incoming raw material control, customer-related processes, manufacture of semi-finished products
ALBAN GIACOMO S.p.A. - Sito Operativo	Via Col Beretta, 4 - 36067 S. Giuseppe di Cassola (VI) - Italy	Incoming material control, assembling of closing systems and other devices, warehouse and delivery of finished products
ALBAN GIACOMO S.p.A. - Sito Operativo	Via S. Bortolo, 44 - 36020 Pove del Grappa (VI) - Italy	Incoming material control and manufacture of cylinders
ALBAN GIACOMO S.p.A. - Sito Operativo	Via S. Bortolo, 13 - 36020 Pove del Grappa (VI) - Italy	Manufacture of semi-finished products for closing systems

Lack of fulfilment of conditions as set out in the Certification Agreement may render this Certificate invalid.

ACCREDITED UNIT: DNV Business Assurance Italy S.r.l., Via Energy Park, 14 - 20871 Vimercate (MB) - Italy - TEL: +39 68 99 905. www.dnv.it



Open, Close, Live



ACCESS CONTROL SYSTEM FOR HOTELS

MADE IN ITALY

Opera Bit - Door components	10
Opera Bit - Door accessories	13
Opera Bit - System components	14
Opera Bit - System accessories	16
Opera Bit - Energy saver	18
Opera Bit - Other accessories	19
Opera Bit - Promotional material	20
Opera Bit - Spare parts	21




Opera Bit - Door components



NB: da utilizzare con maniglia dotata di viti passanti e impugnatura solidale con la rosetta.




Note: to be used with through screws handle and grip suitable for the washer.

Lock kit, Full version - Forend 22 - Striker L 280

BACKSET	FINISH	APPLICATION	CODE				€ DC
70	Enamelled brass plated	Int lh/ext rh	B60040.70.03	1	1	384,857	A6
	Enamelled brass plated	Int rh/ext lh	B60041.70.03	1	1	384,857	A6
	Matt chromium plated	Int lh/ext rh	B60040.70.34	1	1	389,484	A6
	Matt chromium plated	Int rh/ext lh	B60041.70.34	1	1	389,484	A6




Note: other finishes are available on request, please ask to the AGB Sales Force

Lock kit, Full version - Forend 18 - Striker L 280

BACKSET	FINISH	APPLICATION	CODE				€ DC
70	Enamelled brass plated	Int lh/ext rh	B60140.70.03	1	1		384,857 A6
	Enamelled brass plated	Int rh/ext lh	B60141.70.03	1	1		384,857 A6
	Matt chromium plated	Int lh/ext rh	B60140.70.34	1	1		389,484 A6
	Matt chromium plated	Int rh/ext lh	B60141.70.34	1	1		389,484 A6






Note: other finishes are available on request, please ask to the AGB Sales Force

Lock kit, Sprint version - Forend 22 - Striker L 280


BACKSET	FINISH	APPLICATION	CODE				€	DC
70	Enamelled brass plated	Int lh/ext rh	B60042.70.03	1	1		395,072	A6
	Enamelled brass plated	Int rh/ext lh	B60043.70.03	1	1		395,072	A6
	Matt chromium plated	Int lh/ext rh	B60042.70.34	1	1		399,697	A6
	Matt chromium plated	Int rh/ext lh	B60043.70.34	1	1		399,697	A6

Note: other finishes are available on request, please ask to the AGB Sales Force


Lock kit, Sprint version - Forend 18 - Striker - L 280

BACKSET	FINISH	APPLICATION	CODE				€	DC
70	Enamelled brass plated	Int lh/ext rh	B60142.70.03		1	1	395,072	A6
	Enamelled brass plated	Int rh/ext lh	B60143.70.03		1	1	395,072	A6
	Matt chromium plated	Int lh/ext rh	B60142.70.34		1	1	399,697	A6
	Matt chromium plated	Int rh/ext lh	B60143.70.34		1	1	399,697	A6

Note: other finishes are available on request, please ask to the AGB Sales Force



Opera Bit - Door components



Split-spindle

DIMENSIONS		CODE				€	DC
A=47	B=57	B59901.47.57	25	300		3,428	A5
A=62	B=72	B59901.62.72	25	400		3,428	A5
A=65	B=85	B59901.65.85		25	400	5,140	A5



Electronics kit, door side

CODE				€	DC
B61010.00.01	1	1		56,328	A6

Note: batteries AA 1,5V LR6 not included.

Order separately the package with 10 pieces B62006.00.00.



Viti incluse
Screws included



Covers kit

COVER	EDGE	CODE				€	DC
White	Nickel plated	B61010.10.B1	1	10		24,493	A6
	Matt chromium plated	B61010.10.B2	1	10		24,493	A6
	Brass plated	B61010.10.B3	1	10		24,493	A6
Black	Nickel plated	B61010.10.B4	1	10		24,493	A6
	Matt chromium plated	B61010.10.B5	1	10		24,493	A6
	Brass plated	B61010.10.B6	1	10		24,493	A6
Matt black	Matt chromium plated	• B61010.10.C4		1	10	24,493	A6
Matt chromium plated	Nickel plated	B61010.10.B7	1	10		24,493	A6
Antique brass plated	Brass plated	B61010.10.B9	1	10		24,493	A6
Brown RAL 8019	Matt chromium plated	B61010.10.C1	1	10		24,493	A6
	Brass plated	B61010.10.C2	1	10		24,493	A6

Note: other finishes are available on request, please ask to the AGB Sales Force

Opera Bit - Door components



Emergency half cylinder - Masterkey system MK

PLAIN BRASS									
LENGTH	X-Y	PINS	B-10-C	CODE				€	DC
30	10-20	4*	05-10-15	CAAG01.05.15.EMK	☎	1	1	42,385	A6
34	10-24	5*	05-10-19	CAAG01.05.19.EMK	☎	1	1	44,107	A6
37	10-27	6	05-10-22	CAAG01.05.22.EMK	☎	1	1	20,557	A6
40	10-30	6	05-10-25	CAAG01.05.25.EMK	☎	1	1	21,418	A6
45	10-35	6	05-10-30	CAAG01.05.30.EMK	☎	1	1	23,147	A6
50	10-40	6	05-10-35	CAAG01.05.35.EMK	☎	1	1	24,876	A6
55	10-45	6	05-10-40	CAAG01.05.40.EMK	☎	1	1	26,605	A6
60	10-50	6	05-10-45	CAAG01.05.45.EMK	☎	1	1	28,335	A6
65	10-55	6	05-10-50	CAAG01.05.50.EMK	☎	1	1	30,061	A6
70	10-60	6	05-10-55	CAAG01.05.55.EMK	☎	1	1	31,792	A6

Note: each cylinder is provided with 2 keys

*in the same system, there could be cylinders with 4, 5 or 6 pins

Emergency half cylinder - Key Alike System KA

PLAIN BRASS									
LENGTH	X-Y	PINS	B-10-C	CODE				€	DC
30	10-20	4*	05-10-15	CAAG01.05.15.EKA	☎	1	1	33,653	A6
34	10-24	5*	05-10-19	CAAG01.05.19.EKA	☎	1	1	35,374	A6
37	10-27	6	05-10-22	CAAG01.05.22.EKA	☎	1	1	11,826	A6
40	10-30	6	05-10-25	CAAG01.05.25.EKA	☎	1	1	12,689	A6
45	10-35	6	05-10-30	CAAG01.05.30.EKA	☎	1	1	14,340	A6
50	10-40	6	05-10-35	CAAG01.05.35.EKA	☎	1	1	16,154	A6
55	10-45	6	05-10-40	CAAG01.05.40.EKA	☎	1	1	15,591	A6
60	10-50	6	05-10-45	CAAG01.05.45.EKA	☎	1	1	19,610	A6
65	10-55	6	05-10-50	CAAG01.05.50.EKA	☎	1	1	21,331	A6
70	10-60	6	05-10-55	CAAG01.05.55.EKA	☎	1	1	23,071	A6

Note: the key is not included in the cylinder

*in the same system, there could be cylinders with 4, 5 or 6 pins



Masterkey MK

CODE				€	DC
CA4300.15.06	☎	1	10	5,824	B3

Note: to be ordered in multiples of 3

KA coded key

CODE				€	DC
CA4300.30.06	☎	1	10	4,370	A6




Handle kit with through screws fastening, 40-60 mm door thickness

ALUMINIUM					
FINISH	CODE			€	DC
Enamelled brass plated	B62050.01.03	1	20	18,607	A9
Satin chromium plated	B62050.01.32	1	20	20,037	A9

Opera Bit - Door accessories



Cover for IP protection
TPE-SEBS

CODE			€	DC
B61040.02.01	☎	1 1	8,168	A6


Covering plate for replacement
STEEL

	FINISH	DIMENSIONS	CODE			€	DC
1	Satin chromium plated	75x274	B61050.05.32	☎	1 1	27,194	A6
	Satin brass	75x274	B61050.05.58	☎	1 1	27,194	A6
2	Satin chromium plated	90x250	B61050.10.32	☎	1 1	33,152	A6
	Satin brass	90x250	B61050.10.58	☎	1 1	33,152	A6
3	Satin chromium plated	96x265	B61050.13.32	☎	1 1	33,152	A6
	Satin brass	96x265	B61050.13.58	☎	1 1	33,152	A6

Note: plate thickness 2,5 mm



Opera Bit - System components



Webapp Nebula

SUBSCRIPTION					
	CODE			€	DC
1 year	• ZS0102.21.00	☎	1 1	3,727	A6
10 years	• ZS0102.21.01	☎	1 1	37,727	A6

Note: price for each entrance



Card writing device

	CODE			€	DC
	B62001.00.07		1 1	391,834	A6



Kit for start up, Full version

	CODE			€	DC
	B699DC.00.00		1 1	74,640	A6

Note: it contains the Activation card, the bracelet, the installation guide, the user guide, the labels for service cards



Set for start up, Sprint version

	CODE			€	DC
	B699DC.01.00		1 1	112,499	A6

Note: it contains the Activation card, the Reset card and the User Guide.

Note: upgrade available from Sprint version to Full version (B699UP.00.00), please contact the AGB Sales Force.

Opera Bit - System components



Additional cards

TYPE	VERSION	CODE			€	DC
Activation*	Full/Sprint	B62099.00.02	1	1	48,983	A6
Cancellation**	Sprint	B62099.00.04	1	1	48,983	A6
Hold-Open**	Sprint	B62099.00.03	1	1	48,983	A6

Note: to be ordered as an addition to the kit for the first setup. In case of loss, please contact the AGB Sales Force.

** Note: to be ordered as a replacement or addition to the first setup kit



RFID cards

ISO 14443-A (1K Classic)						
	CODE				€	DC
AGB standard graphics	B62099.00.00	20	100		3,186	A6
2 white sides	B62099.00.01	20	100		3,346	A6
Customised 1 side B/W*	B62091.00.00	20	100		5,251	A6
Customised 1 side 4 colours*	B62092.00.00	20	100		5,251	A6
Customised 2 sides B/W*	B62093.00.00	20	100		5,409	A6
Customised 2 sides 4 colours*	B62094.00.00	20	100		5,409	A6

*minimum order: 260 pcs.



Graphic services for cards customisation

	CODE				€	DC
Cost for new printing setup	B699GG.00.01	1	1		713,805	A6
Additional cost for card layout design	B699GG.00.02	1	1		583,302	A6



RFID keychain

ISO 14443-A (1K Classic)						
COLOUR	CODE				€	DC
Blue	B62071.01.52	10	50		4,659	A6

Note: other finishes are available on request, please ask to the AGB Sales Force



RFID adjustable bracelet

ISO 14443-A (1K Classic)						
COLOUR	CODE				€	DC
Blue	B62081.01.52	10	50		12,782	A6

Note: other finishes are available on request, please ask the AGB Sales Force

Opera Bit - System accessories



External wall reader, Full version

FINISH	CODE				€	DC
Silver	B62021.00.21	☎	1	1	317,422	A6
White	B62021.00.91	☎	1	1	317,422	A6

Note: the reader can be set with a timer from 1 to 5 seconds

Note: other finishes are available on request, please contact the AGB Sales Force

External wall reader, Sprint version

FINISH	CODE				€	DC
Silver	B62021.01.21	☎	1	1	317,422	A6
White	B62021.01.91	☎	1	1	317,422	A6

Note: the reader can be set with a timer from 1 to 5 seconds

Note: other finishes are available on request, please contact the AGB Sales Force



Internal wall reader

FINISH	CODE				€	DC
Silver	• B62030.10.21		1	1	407,744	A6
Black	• B62030.10.93		1	1	407,744	A6
White	• B62030.10.91	☎	1	1	407,744	A6

Note: the reader is sold in Sprint mode. For Full systems follow the instructions given in the installation instructions

Note: the reader can be set with a timing of 1 or 5 seconds

Note: other finishes available on request, contact the AGB Sales Force



Control module for wall reader







CODE				€	DC
B62021.10.01	☎	1	1	187,571	A6



Expansion module for wall reader

CODE				€	DC
• B62021.11.01		1	1	364,822	A6

Opera Bit - System accessories

Wall reader	Features				Usage		
	Use	Assembly	Firmware	Finish	Without module 	With control module 	With expansion module 
 B62021.00.XX	For outdoor use	Surface mounted or flush mounted on 502 or 503 type boxes. Both horizontally and vertically	Full	Silver and White	NO	YES	YES Up to 13 modules, 104 relays that can be activated individually
 B62021.01.XX	For outdoor use	Surface mounted or flush mounted on 502 or 503 type boxes. Both horizontally and vertically	Sprint	Silver and White	NO	YES	YES Up to 13 modules, 104 relays that can be activated individually
 B62030.10.XX	For indoor use	Flush mounted, compatible with boxes type 502, 503, square, round, NIS. Horizontal only	Both Full or Sprint, it can be set on site	Customized finishes are possible, contact the AGB Sales Force	YES Maximum resistive load 30V ~ - 1A	YES	YES Up to 13 modules, 104 relays that can be activated individually

Opera Bit - Energy saver



Viti incluse
Screws included

Energy saver - guest/operator 3 modules

FINISH	CODE				€	DC
Silver	• B62030.12.21	1	1		182,664	A6
Black	• B62030.12.93	1	1		182,664	A6
White	• B62030.12.91	1	1		182,664	A6

Note: other finishes are available on request, please contact the AGB Sales Force



Energy saver - guest/operator

FINISH	CODE				€	DC
White	B62020.02.91	1	1		129,034	A9
Black	B62020.02.93	1	1		136,147	A9

Note: only compatible with 2 module reader


Stock exhaustion



Support for energy saver - surface mounted

FINISH	CODE				€	DC
White	B62020.12.91	1	1		4,852	A9
Black	B62020.12.93	1	1		6,794	A9

Note: stock exhaustion



12V DC 2A power supply


CODE				€	DC
• F57100.04.00	1	1		r.	G4

Opera Bit - Other accessories




USB-Serial converter for Opera Bit

CODE				€	DC
B62007.00.00	☎	1	1	371,716	A6



Jig kit for sash

CODE				€	DC
B69801.00.00	☎	1	1	446,358	A6



Frame jig kit for striker

LENGTH	CODE				€	DC
238 mm	B69802.00.00	☎	1	1	439,260	A6
280 mm	B69802.01.00	☎	1	1	439,260	A6



Mill ø 16 mm, L = 180 mm

CODE				€	DC
B69803.00.00	☎	1	1	456,559	A6

Opera Bit - Promotional material



Mock-up door

CODE				€	DC
Z90028.18.19	☎	1	1	1.089,370	A6



Display for forend finishes

CODE				€	DC
• Z90055.33.99	☎	1	1	64,172	A6



Display for plastic cover finishes

CODE				€	DC
• Z90029.33.19	☎	1	1	59,898	A6

Opera Bit - Spare parts



Lock cable for replacement

	CODE				€	DC
	B61010.90.00	10	10		13,068	A6



AA x 10 pz./pcs.

Batteries, mod. AA 1,5V LR6

	CODE				€	DC
Package with 10 pieces	B62006.00.00	1	1		13,228	A6



Amplifying ring

	CODE				€	DC
	B61030.01.01		1	10	8,927	A6


Viti incluse
Screws included

Cover

FINISH	CODE				€	DC
Silver	B62021.20.21		1	1	10,065	A6
White	B62021.20.91		1	1	10,065	A6



Open, Close, Live



ELECTRONIC LOCK FOR HOTELS

MADE IN ITALY

Opera iControl - Door components	24
Opera iControl - Door accessories	28
Opera iControl - Other accessories	30
Opera iControl - Promotional material	31
Opera iControl - Spare parts	32

Opera iControl - Door components



Lock kit - Forend 22 mm

STANDARD							
BACKSET	FINISH	APPLICATION	CODE			€	DC
70	Enamelled brass plated	Int lh/ext rh	B60019.70.03	1	1	294,389	A6
	Enamelled brass plated	Int rh/ext lh	B60020.70.03	1	1	294,389	A6
	Matt chromium plated	Int lh/ext rh	B60019.70.34	1	1	298,955	A6
	Matt chromium plated	Int rh/ext lh	B60020.70.34	1	1	298,955	A6

Note: other finishes are available on request, please ask to the AGB Sales Force

Lock kit - Forend 18 mm

BACKSET	FINISH	APPLICATION	CODE			€	DC
70	Enamelled brass plated	Int lh/ext rh	B60119.70.03	1	1	294,389	A6
	Enamelled brass plated	Int rh/ext lh	B60120.70.03	1	1	294,389	A6
	Matt chromium plated	Int lh/ext rh	B60119.70.34	1	1	298,955	A6
	Matt chromium plated	Int rh/ext lh	B60120.70.34	1	1	298,955	A6

Note: other finishes are available on request, please ask to the AGB Sales Force



Lock kit with bolt sensor - Forend 22 mm


BACKSET	FINISH	APPLICATION	CODE			€	DC
70	Enamelled brass plated	Int lh/ext rh	B60027.70.03	1	1	341,744	A6
	Enamelled brass plated	Int rh/ext lh	B60028.70.03	1	1	341,744	A6
	Matt chromium plated	Int lh/ext rh	B60027.70.34	1	1	346,310	A6
	Matt chromium plated	Int rh/ext lh	B60028.70.34	1	1	346,310	A6

Note: other finishes are available on request, please ask to the AGB Sales Force

Lock kit with bolt sensor - Forend 18 mm

BACKSET	FINISH	APPLICATION	CODE			€	DC
70	Enamelled brass plated	Int lh/ext rh	B60127.70.03	1	1	341,744	A6
	Enamelled brass plated	Int rh/ext lh	B60128.70.03	1	1	341,744	A6
	Matt chromium plated	Int lh/ext rh	B60127.70.34	1	1	346,310	A6
	Matt chromium plated	Int rh/ext lh	B60128.70.34	1	1	346,310	A6


Note: other finishes are available on request, please ask to the AGB Sales Force



NB: da utilizzare con maniglia dotata di viti passanti e impugnatura solidale con la rosetta.

Note: to be used with through screws handle and grip suitable for the washer.

Opera iControl - Door components



Lock kit without panic exit

Forend 22 mm								
BACKSET	FINISH	APPLICATION	CODE				€	DC
70	Enamelled brass plated	Non-handed	• B60053.70.03	☎	1	1	294,389	A6
	Matt chromium plated	Non-handed	• B60053.70.34	☎	1	1	298,953	A6
Forend 18 mm								
BACKSET	FINISH	APPLICATION	CODE				€	DC
70	Enamelled brass plated	Non-handed	• B60153.70.03	☎	1	1	294,389	A6
	Matt chromium plated	Non-handed	• B60153.70.34	☎	1	1	298,955	A6
Forend 22 mm with bolt sensor								
BACKSET	FINISH	APPLICATION	CODE				€	DC
70	Enamelled brass plated	Non-handed	• B60055.70.03	☎	1	1	341,744	A6
	Matt chromium plated	Non-handed	• B60055.70.34	☎	1	1	346,310	A6
Forend 18 mm with bolt sensor								
BACKSET	FINISH	APPLICATION	CODE				€	DC
70	Enamelled brass plated	Non-handed	• B60155.70.03	☎	1	1	341,744	A6
	Matt chromium plated	Non-handed	• B60155.70.34	☎	1	1	346,310	A6

Note: striker mounted as for ins. LH outs. RH, to have the correct pressure adjustment on doors ins. RH outs. LH remove the electronics and rotate the plate


Lock kit always open

Forend 22								
BACKSET	FINISH	APPLICATION	CODE				€	DC
70	Enamelled plated	brass	Int lh/ext rh	• B60057.70.03	☎	1	1	388,634
	Enamelled plated	brass	Int rh/ext lh	• B60058.70.03	☎	1	1	388,634
	Matt plated	chromium	Int lh/ext rh	• B60057.70.34	☎	1	1	393,160
	Matt plated	chromium	Int rh/ext lh	• B60058.70.34	☎	1	1	393,160
Forend 22 without panic exit								
BACKSET	FINISH	APPLICATION	CODE				€	DC
70*	Matt plated	chromium	Non-handed*	• B60059.70.34	☎	1	1	393,160

* striker mounted as for ins. LH outs. RH, to have the correct pressure adjustment on doors ins. RH outs. LH remove the electronics and rotate the plate.


Note: iControl in the "always open function" version remains in the unlocked position as long as the strike is powered without consuming batteries. For more information on its operation and correct connection, check the technical catalog available online.

Opera iControl - Door components



Split-spindle

DIMENSIONS		CODE			€	DC
A=47	B=57	B59901.47.57	25	300	3,428	A5
A=62	B=72	B59901.62.72	25	400	3,428	A5
A=65	B=85	B59901.65.85	25	400	5,140	A5



Sash battery holder kit

FOREND	FINISH	CODE			€	DC
22	Enamelled brass plated	• B61010.20.03	1	1	35,022	A6
	Matt chromium plated	• B61010.20.34	1	1	31,975	A6

ATTENTION: there is no button to control the batteries status

Note: other finishes available on request, contact the AGB Sales Force

Note: AA 1.5V LR6 batteries are not included

The batteries can be ordered separately in packs of 10, code B62006.00.00



Battery holder for Opera iControl

CODE			€	DC
B61010.06.01	1	1	30,990	A6

Note: batteries AA 1,5V LR6 not included.


Order separately the package with 10 pieces B62006.00.00.



Cover for Opera iControl battery holder

COVER	EDGE	CODE			€	CS
White	Nickel plated	B61010.13.B1	1	10	13,763	A6
	Matt chromium plated	B61010.13.B2	1	10	13,763	A6
	Brass plated	B61010.13.B3	1	10	13,763	A6
Black	Nickel plated	B61010.13.B4	1	10	13,763	A6
	Matt chromium plated	B61010.13.B5	1	10	13,763	A6
	Brass plated	B61010.13.B6	1	10	13,763	A6
Matt black	Matt chromium plated	• B61010.13.C4	1	10	13,763	A6
Matt chromium plated	Nickel plated	B61010.13.B7	1	10	13,763	A6
Antique brass plated	Brass plated	B61010.13.B9	1	10	13,763	A6
Brown RAL 8019	Matt chromium plated	B61010.13.C1	1	10	13,763	A6
	Brass plated	B61010.13.C2	1	10	13,763	A6

Note: other finishes are available on request, please ask to the AGB Sales Force


Opera iControl - Door components


Viti incluse
Screws included

Handle kit with through screws fastening, 40-60 mm door thickness

ALUMINIUM - ROUND

FINISH	CODE				€	DC
Enamelled brass plated	B62050.04.03	☎	1	20	23,893	A9
Satin chromium plated	B62050.04.32		1	20	25,797	A9



Viti incluse
Screws included

ALUMINIUM - SQUARE

FINISH	CODE				€	DC
Satin chromium plated	B62050.05.32		1	20	32,636	A9


Blind rosette




FINISH	CODE				€	DC
Satin chromium plated	B62050.02.32		1	1	13,575	A9

Note: check the availability with the cylinder dimensions

It has to be sold in pairs

Discontinued

Opera iControl - Door accessories



Covering plate for replacement

STEEL								
	FINISH	DIMENSIONS	CODE				€	DC
1	Satin chromium plated	75x274	B61050.05.32		1	1	27,194	A6
	Satin brass	75x274	B61050.05.58		1	1	27,194	A6
2	Satin chromium plated	90x250	B61050.10.32		1	1	33,152	A6
	Satin brass	90x250	B61050.10.58		1	1	33,152	A6
3	Satin chromium plated	96x265	B61050.13.32		1	1	33,152	A6
	Satin brass	96x265	B61050.13.58		1	1	33,152	A6

Note: striker thickness 2,5 mm

Opera iControl - Door accessories



Total wing strikers for replacement


FINISH	APPLICATION	CODE				€	DC
Enamelled brass plated	lh	B61000.22.03		1	1	13,528	A6
	rh	B61000.23.03		1	1	13,528	A6
Matt chromium plated	lh	B61000.22.34		1	1	14,466	A6
	rh	B61000.23.34		1	1	14,466	A6



Flush strikers for replacement


FINISH	APPLICATION	CODE				€	DC
Enamelled brass plated	lh	B61000.24.03		1	1	11,097	A6
	rh	B61000.25.03		1	1	11,097	A6
Matt chromium plated	lh	B61000.24.34		1	1	12,985	A6
	rh	B61000.25.34		1	1	12,985	A6

Opera iControl - Other accessories



Jig kit for sash

CODE			€	DC
B69801.00.00	1	1	446,358	A6



Frame jig kit for striker

LENGTH	CODE		€	DC
280 mm	B69802.01.00	1	439,260	A6



Mill ø 16 mm, L = 180 mm

CODE		€	DC
B69803.00.00	1	456,559	A6

Opera iControl - Promotional material



Mock-up door

CODE				€	DC
Z90030.18.10	☎	1	1	998,842	A5



Display for forend finishes

CODE				€	DC
• Z90055.33.99	☎	1	1	64,172	A6

Opera iControl - Spare parts

Lock cable for replacement

CODE				€	DC
B61010.90.00	10	10		13,068	A6



AA x 10 pz./pcs.

Batteries, mod. AA 1,5V LR6

CODE				€	DC
Package with 10 pieces	1	1		13,228	A6


Bolt sensor for Opera iControl

CODE				€	DC
B61000.07.93		1	1	44,404	A6



Open, Close, Live



ANTIPANIC MAGNETIC
LOCK FOR HOTELS

MADE IN ITALY

Opera Twin - Door components



Lock kit - Forend 22 mm

BACKSET	FINISH	APPLICATION	CODE				€	DC
70	Enamelled brass plated	Non-handed	B60039.70.03	☎	1	1	102,080	A5
	Matt chromium plated	Non-handed	B60039.70.34	☎	1	1	107,170	A5

Note: other finishes are available on request, please contact the AGB Sales Force

Note: to be coupled with a half cylinder and standard pull cam (not Opera)

NB: da utilizzare in abbinamento con pomolo fisso o maniglione.

Note: to be used coupled with fixed knob or pull handle.



Open, Close, Live

O P E R A 


The 'XT' logo is composed of the letters 'X' and 'T' in a bold, red, sans-serif font, centered within a thin red circle.

PANIC MAGNETIC LOCK
WITH ELECTRIC STRIKER FOR HOTELS

MADE IN ITALY

Opera XT - Door components	40
Magnetic electric strikers for Opera XT locks	41
Strikers for Opera XT locks	41

Opera XT - Door components



NB: da utilizzare in abbinamento con pomolo fisso o maniglione.

Note: to be used coupled with fixed knob or pull handle.


Forend 22 mm

BACKSET	FINISH	APPLICATION	CODE				€	DC
70	Enamelled brass plated	Non-handed	B60030.70.03	☎	1	1	91,691	A5
	Matt chromium plated	Non-handed	B60030.70.34		1	1	96,082	A5

Note: other finishes are available on request, please contact the AGB Sales Force

Note: to be coupled with a cylinder with standard pull cam (not Opera)

Note: for the use of a cylinder with knob, it is necessary to use a teardrop knob like Opera knob



Cylinder 600 teardrop knob - Key (complete rotation)

MATT BRASS NICKEL PLATED								
LENGTH	B-10-C	X-Y	CODE				€	DC
70	30-10-30	35-35	• C65516.30.30	☎	1	1	34,601	B2
	35-10-25	40-30	• C65516.35.25	☎	1	1	34,554	B2
75	35-10-30	40-35	• C65516.35.30	☎	1	1	36,019	B2
	40-10-25	45-30	• C65516.40.25	☎	1	1	36,017	B2
80	30-10-40	35-45	• C65516.30.40	☎	1	1	36,548	B2
	40-10-30	45-35	• C65516.40.30	☎	1	1	36,548	B2
	45-10-25	50-30	• C65516.45.25	☎	1	1	36,548	B2
85	40-10-35	45-40	• C65516.40.35	☎	1	1	43,105	B2
	45-10-30	50-35	• C65516.45.30	☎	1	1	63,052	B2

Note: for KA systems, surcharge of € 0,834 per single cylinder, for MK systems, surcharge of € 5,834 for single cylinder

Note: for other dimensions, contact the AGB Sales Force

Magnetic electric strikers for Opera XT locks



24 mm width, without repeater

Without man. release lever 12V ac 250 / dc 280mA, 24V ac 500 / dc 560mA

FINISH	APPLICATION	CODE				€	DC
Enamelled brass plated	Non-handed	B61004.01.03	☎	1	1	113,462	A5
Matt chromium plated	Non-handed	B61004.01.34		1	1	114,170	A5

With man. release lever 12V ac 250 / dc 280mA, 24V ac 500 / dc 560mA

FINISH	APPLICATION	CODE				€	DC
Enamelled brass plated	Non-handed	B61004.02.03	☎	1	1	113,462	A5
Matt chromium plated	Non-handed	B61004.02.34		1	1	114,170	A5

Note: on doors with high acoustic abatement we suggest the use with 12V ac or 24V dc.

Note: for security reasons, in hotels we suggest to use the strikers without repeater and without manual release lever.

Note: other finishes are available on request, please contact the AGB Sales Force

24 mm width, with repeater

Without man. release lever 12V ac 250 / dc 280mA, 24V ac 500 / dc 560mA

FINISH	APPLICATION	CODE				€	DC
Enamelled brass plated	Non-handed	B61004.03.03	☎	1	1	117,821	A5
Matt chromium plated	Non-handed	B61004.03.34	☎	1	1	118,529	A5

With man. release lever 12V ac 250 / dc 280mA, 24V ac 500 / dc 560mA

FINISH	APPLICATION	CODE				€	DC
Enamelled brass plated	Non-handed	B61004.04.03	☎	1	1	117,821	A5
Matt chromium plated	Non-handed	B61004.04.34	☎	1	1	118,529	A5

Note: on doors with high acoustic abatement, we suggest the use with 12V ac or 24V dc.

Note: for security reasons, in hotels we suggest to use the strikers without repeater and without manual release lever.

Note: other finishes are available on request, please contact the AGB Sales Force

Strikers for Opera XT locks



22 mm width, for all the doors types

FINISH	APPLICATION	CODE				€	DC
Enamelled brass plated	Non-handed	B61000.50.03	☎	1	25	20,621	A5
Matt chromium plated	Non-handed	B61000.50.34		1	25	21,321	A5

Note: other finishes are available on request, please ask to the AGB Sales Force



Open, Close, Live

S I C U R E Z Z A



MAGNETIC LOCK
WITHOUT PANIC EXIT

MADE IN ITALY

Door components	44
Strikers for Sicurezza XT 274	44

Door components



Forend 22x274 mm

BACKSET	FINISH	APPLICATION	CODE				€	DC
70	Satin chromium plated	Non-handed	• B80863.70.34	☎	1	1	42,557	A2

Note: for availability, please ask to the AGB Sales Force

Strikers for Sicurezza XT 274



22 mm width, for flush and rebated doors

FINISH	APPLICATION	CODE				€	DC
Matt chromium plated	Non-handed	• B80590.22.34	☎	50	250	21,321	A2

Note: for availability, please ask to the AGB Sales Force



Alban Giacomo spa

Headquarters:

Via A. De Gasperi, 75
36060 Romano d'Ezzelino (VI) - Italy

Logistical and production plant:

Via Col Beretta, 4
36022 Cassola (VI) - Italy

Cylinders plant:

Via S. Bortolo, 44
36020 Pove del Grappa (VI) - Italy

Production plant:

Via S. Bortolo, 13
36020 Pove del Grappa (VI) - Italy

Tel. +39 0424 832832
www.agb.it - info@agb.it

MADE IN ITALY