AGB®

Open, Close, Live

PRICE LIST 2022

PVC | Aluminium-Wood | European groove aluminium

MADE IN ITALY

HARDWARE FOR ARTECH WINDOWS

MULTIPOINT LOCKS

SLIDING SYSTEMS

HARDWARE FOR SHUTTERS

HINGES

ANALYTICAL INDEX

1. Orders

All the orders forwarded to Alban Giacomo spa and the discount and supply conditions thereof are subject to the approval of the Company, also in the case which they are issued by Agents of Auxiliary Staff operating on behalf of Alban Giacomo spa. Telephone or voice orders shall be deemed as accepted exclusively when the relevant order confirmation has been forwarded to the Client The possibility to make additions to orders that have been already forwarded shall be subject to the processing status of the order and shall be from time to time verified by contacting our Sales Office.
Alban Giacomo spa shall not be responsible of eventual errors in the processing of the orders due to incomplete, missing or wrong indication of the Item Code. With regards to not listed products, the Client shall pre-emptively request a written offer from our Sales Office.
The contractual relationship arising from the stipulation of the order is governed by the present general sale conditions.
Eventual derogations or added conditions shall be effective only if agreed in writing.
The execution of the sale shall be subject, in any case, to the acceptance of the general conditions as set forth hereinafter, that the Client, by means of the issue of the order, declares to know.

Changes to the systems orders will be accepted only if they will be requested to AGB Commercial Office within 10.00AM of the working day next to the order confirmation date; otherwise, please contact our Commercial Office to check modification possibility.

2. Modifications to the products and validity of information

In order to guarantee a constant improvement of the products, Alban Giacomo spa reserves the right to apply the required modifications to the product, in any moment and without prior notice. Data and images contained in the list and in the whole AGB documentation shall be therefore deemed to be valid, print errors and any modification made by the company excepted.

3. Prices

The listed prices are expressed in Euro, net of VAT and may be subject to modifications, also upon delivery, due to sudden modifications of the cost elements.

4. Out of package

The prices always refer to products in standard package and packaging, the quantities thereof are stated in the List. For orders amounting to smaller quantities than the package, Alban Giacomo spa reserves the right, under its discretion and without prior notice, to increase the order up to the quantity of the package, or to apply a 10% price increase depending on the Item and on the packaging features. Moreover, all the orders the ordered quantity thereof is close to the standard packaging may be rounded to the package quantity.

5. Packaging

The original packaging is included in the price. The packaging for postal deliveries or eventual special packaging shall be charged at cost. The pallets and the hinges chargers included for shipping the goods are property of Alban Giacomo spa and they shall be made available for collection, by our forwarders, according to the times and procedures set forth by the AGB Sales Office: if you will not return them within the end of the year, we will charge the costs. The hinges chargers must be returned in the dedicated packaging which we supplied, in case of missed return, or damaged chargers, we will debit 0.50 € per piece. On the other hand, packaging returns are not accepted.

6. Delivery Dates

The delivery time eventually agreed shall be deemed as a non-essential term, and, as such, it shall not bind the seller. The delivery date, even if confirmed, represents a mere indication and it shall always be understood as the best estimate. No warranty and no indemnity are due for the failed or late delivery of the goods within the limits provided by the company or requested by the Client.
With regards to the items marked in the list with an appropriate sign, the Client is obliged to pre-emptively verify the availability thereof and the minimum order quantity by contacting the AGB Sales Office.

7. Balances

Eventual balances of the order shall be processed, as soon as they are available, with the first following order of the Client. Alban Giacomo spa reserves the right to round up the balance to the standard package quantity or to cancel the balance in the case that no order or delivery remainder is forwarded within four months.

8. Minimum order value

The minimum order value is 2000 Euro. For orders of a lower amount, a 20 Euro surcharge shall be invoiced for order handling costs.

9. Delivery

Ex-works AGB Cassola.

10. Transport Risks

The goods, even if transported by a freighter, are shipped always on behalf, at risk and danger of the Client. Alban Giacomo spa shall not take any responsibility for delays, tampering, or for any other fault occurred during the shipping. Any responsibility of Alban Giacomo spa ceases upon delivery of the goods to the Freighter. It shall be interest of the Client to verify the condition and the compliance of the goods upon delivery, forwarding any eventual complaint as provided in the following point.

11. Complaints

Eventual complaints regarding the shipping data of the received supply shall be forwarded to the Alban Giacomo spa headquarters by fax, e-mail or registered letter, not later than the eight day from reception of the goods by the Client. Eventual complaints forwarded later than the set term and differently than the ways provided above shall not be taken in consideration.

12. Returns

Eventual returns of goods shall be pre-emptively authorised in writing and accompanied by the communications of the Client referring to the invoice or the delivery note subject to verification of the goods arriving to Alban Giacomo spa.
An authorization copy must be attached on a visible position, otherwise the returned gods will be not accepted.

13. Payments and interests - termination

The terms and conditions for payment are listed in the special sale conditions and thus shown in the invoices. Only the payments made directly to Alban Giacomo spa or through extinction of drafts issued thereby, always intended with the "subject to collection" clause, shall be effective.
In case of delayed payment with respect to the agreed deadlines, unless differently agreed, an interest on arrears calculated according to the rate provided by art. 5 Legislative Decree October 9th 2002 no 231 shall accrue automatically without any formal warning.
In the case which the sale of the goods implies an extended payment, the sale thereof is performed subject to retention of title in favour of the selling Company up to full payment of the agreed price, in addition to the ancillary expenses, also as set forth by art. 1523 Italian Civil Code.
From the date of delivery, therefore, the Client shall be charged with the risks, dangers and consequences deriving from eventual thefts, fire, Acts of God, damages to persons, goods or whatever and the Client himself, notwithstanding the occurring thereof, shall comply with the agreed obligations and payment modes.
The extension of the payment of the full due price is granted - if requested - under discretion of the selling Company and - if agreed - against suitable guarantee. The failed payment within the agreed terms even of one instalment only that exceeds the eight part of the sale price, or the failed payment of two instalments within the agreed terms shall entitle the selling Company to hold this agreement as legally terminated.

14. Suspension or cancellation of the orders

In case of breach, also partial, of one of the general conditions provided for the supply, as well as in case of acknowledged difficulty in the payments or may the guarantees for the solvency of the Client or, more generally, the economic capacity thereof become missing or diminish, the selling Company shall have the unquestionable right to suspend or cancel the orders, even if confirmed.

15. Warranty

Alban Giacomo spa guarantees that the sold product is free from faults and is suitable for the use it has been intended (art. 1490 Italian Civil Code), provided that the Client strictly follows the assembly, adjusting and use instructions contained in the technical documentation that could be requested from the AGB Sales Office. The warranty shall not apply if the improper use or conservation of the product is assessed, or if it has been damaged, modified or not installed up to standard. The warranty covers exclusively the functioning of the hardware components excluding any other cause or fault, aesthetic included.
The guarantee has a duration of 1 year starting from the date of invoicing and it shall be effective provided that the complaint is forwarded as laid out in the "Complaints" point.
The warranty covers exclusively the replacement of the product with another having a similar operation excluding any further or different damage.

16. Extension of the warranty

Without prejudice to the covenants of point 15, only for the producers of doors and windows that may have used AGB tilt&turn products installed on rectangular windows with one or two sashes, the warranty shall extend for 10 years from the date of invoicing. This warranty extension covers exclusively the functioning of the hardware components excluding any other cause or fault, aesthetic included.
Electronic or magnetic components are in any case excluded.

17. Governing Law

This agreement is governed by the Italian Laws. For whatever is not expressly agreed, the parties shall jointly refer to the rules and regulations currently in force.

18. Jurisdiction and venue

The Vicenza Court shall have the exclusive jurisdiction on any dispute.

19. Personal Data processing

Alban Giacomo spa informs that the acquired identification data of the Client, operation required for the purposes of the order confirmation and stipulation of the agreement, are subject to processing, automated as well, aimed to the execution of the agreement and of all the obligations strictly functional thereto, as better specified in the provided information note The Client authorises therefore the processing thereof as set forth by Legislative Decree 196/2003.

(Stamp and Signature of the Buyer) Date

As provided by articles 1341 and 1342 Italian Civil Code, the Client declares to expressly accept the following general conditions 1. Orders; 2. Modifications to the products and validity of information; 3. Prices; 6. Delivery Dates; 8 Minimum order value; 9. Delivery; 10. Transport Risks; 11. Complaints; 12. Returns; 13. Payments and interests - termination; 14. Suspension or cancellation of the orders; 15. Warranty; 16. Extension of the warranty; 17. Governing Law; 18. Jurisdiction and venue.

(Stamp and Signature of the Buyer) Date

(*) Specifications change in relation to the class and the belonging group.
Examples:

Multipoint locks Unitop
Hardware for windows - *cod. A40457.25.10*

Hinges - *cod. E00119.14.03*

Multipoint locks Sicurtop - *cod. W01685.50.10*

Lift&Slide - *cod. G03927.03.01*

Galileo - *cod. M02022.01.02*

	Hardware for Artech windows
	Multipoint Locks
	Sliding systems
	Hardware for coplanar sliding systems
	Hardware for shutters
	Hinges

●	New products
r.	Price on demand
☎	Contact our Commercial Office for availability
	No. of pcs for inner box
	No. of pcs for outer box
	Outer box without surcharge
€	Euro
DC	Discount Class

The main finishes available can be displayed at www.agb.it

Finish	Finish code	Material						
		Steel	Brass	Stainless steel	Aluminium	Nylon	ABS	Zamak
Plain / Anodized silver	01	NAT	ONT	INT	AF1	NYL	ABS	
Bronze plated	02	BRO	OBR		AF5		PF5	ZBR
Enamelled brass plated	03	AOV			AF8		ABO	ZOT
Bichromated	04	ZTR						ZZT
White zinc plated	05	ZBI						
Nickel plated	06	NIK	ONK				ABK	ZNK
Anthracite	07	ANT	OAN					ZAN
Satin	08		OST	INS				
Black zinc plated	09	ZNE						
Enamelled polished	10		OLV					
Antique brass plated	12	OTA	OOT					
Satin nickel plated	13	ANS	ONS				ASN	
Light bronze plated / Beige	14				AF4	NY4	ABC	
Silver finish	15	ZSL						ZZS
Matt nickel plated	16	NKO	ONO		AON			ZNO
Champagne	17	ACH			AF2			ZCH
Matt Silver / Silver Powerage	21	ARG				NAR	AAG	ZAG
Enamelled bronze plated	22	ABR	OBV					
Matt brass plated	23	AOO					AOP	
Light bronze plated	24						ABH	
Silver Activeage	25	ACT						
Chromium plated	30	CRO	OCR				ACR	ZCR
Glided	31	DOR	ODO		AF3		ADO	ZDO
Satin chromium plated	32	ACS	OCS	CRS				
Matt chromium plated	34	ACO	OCO	ICO	ALC	NCO		ZCO
Brass plated PVD	35	OPV		INP	ALO			
Brushed stainless steel	36	AIN	OIN				AIX	
Varnished Silver	41	AGT						
Dark bronze plated	42	BRS						
Grey	44	AGR				NGR		
Black enam. zinc plated	49	ZNV						
Brass plated	50	OTT					AOT	ZOV
Blue RAL 5002	52					NYU		
Green RAL 6026	62					NYV		
Varnished matt black	63	AN9						ZOP
Titanium	70				ATI			
Matt antique brass plated	72	AAO	OAO					
White RAL 9016	76				AL6			
Grey RAL 7036	78					NG6		
Dark red RAL 3011	82					NRS		
Matt black	84						ABE	
Grey RAL 7035	86					NGR	AGR	
Grey RAL 7016	87					NYG		
White	91	AVB	OVB		ALB	NYB	ABB	ZVB
Red	92	AVR	OVR			NYR	ABR	ZVR
Matt black / Black Powerage	93	AVN	OVN	INE		NYN	ABN	ZVN
Brown	94	AVM	OVM		ALM	NYM	ABM	ZVM
Light blue	95					NYA	ABA	
White RAL 9001	98						ABP	
Blacktech Powerage	99	ANG						
Black titanium	F9	ATN				NYT		
Matt white	FM	AB6						

DNV

MANAGEMENT SYSTEM CERTIFICATE

Certificate no.:
CERT-00861-96-AQ-VEN-SINCERT

Initial certification date:
12 March 1996

Valid:
12 December 2021 – 11 December 2024

This is to certify that the management system of

ALBAN GIACOMO S.p.A. - Sede Legale e Operativa

Via A. De Gasperi, 75 - 36060 Romano d'Ezzelino (VI) - Italy

and the sites as mentioned in the appendix accompanying this certificate

has been found to conform to the Quality Management System standard:

ISO 9001:2015

This certificate is valid for the following scope:

Design, development, manufacture of fittings for closing systems and other devices for window and door frames
(IAF 17, 14)

Place and date:
Vimercate (MB), 07 September 2021

ACCREDIA
L'ENTE ITALIANO DI ACCREDITAMENTO

SGQ N° 003 A
SGA N° 003 D
SGE N° 007 M
SCR N° 004 F
EMAS N° 009 P
PRD N° 003 B
PRS N° 094 C
SSI N° 002 G

Membro di MLA EA per gli schemi di accreditamento SGQ, SGA, PRD, PRS, ISP, GHG, LAB e LAT, di MLA IAF per gli schemi di accreditamento SGQ, SGA, SSI, FSM e PRD e di MRA ILAC per gli schemi di accreditamento LAB, MED, LAT e ISP

For the issuing office:
DNV - Business Assurance
Via Energy Park, 14, - 20871 Vimercate (MB) - Italy

Zeno Beltrami
Management Representative

Lack of fulfilment of conditions as set out in the Certification Agreement may render this Certificate invalid.
ACCREDITED UNIT: DNV Business Assurance Italy S.r.l., Via Energy Park, 14 - 20871 Vimercate (MB) - Italy - TEL: +39 68 99 905. www.dnv.it

Certificate no.: CERT-00861-96-AQ-VEN-SINCERT
Place and date: Vimercate (MB), 07 September 2021

Appendix to Certificate

ALBAN GIACOMO S.p.A. - Sede Legale e Operativa

Locations included in the certification are as follows:

Site Name	Site Address	Site Scope
ALBAN GIACOMO S.p.A. - Sede Legale e Operativa	Via A. De Gasperi, 75 - 36060 Romano d'Ezzelino (VI) - Italy	Design, development, purchasing, incoming raw material control, customer-related processes, manufacture of semi-finished products
ALBAN GIACOMO S.p.A. - Sito Operativo	Via Col Beretta, 4 - 36067 S. Giuseppe di Cassola (VI) - Italy	Incoming material control, assembling of closing systems and other devices, warehouse and delivery of finished products
ALBAN GIACOMO S.p.A. - Sito Operativo	Via S. Bortolo, 44 - 36020 Pove del Grappa (VI) - Italy	Incoming material control and manufacture of cylinders
ALBAN GIACOMO S.p.A. - Sito Operativo	Via S. Bortolo, 13 - 36020 Pove del Grappa (VI) - Italy	Manufacture of semi-finished products for closing systems

Lack of fulfilment of conditions as set out in the Certification Agreement may render this Certificate invalid.
ACCREDITED UNIT: DNV Business Assurance Italy S.r.l., Via Energy Park, 14 - 20871 Vimercate (MB) - Italy - TEL: +39 68 99 905. www.dnv.it

Zertifikat / *Certificate*

Zertifikatsnr. / *Certificate No.*: 228-6026531-1-12

Dreh- und Drehkippbeschläge für Fenster und Fenstertüren

Turn and tilt-turn hardware for windows and casement doors

Produkt
product
ARTech

max. Flügelgewicht
max. casement weight
150 kg

Einsatzbereich
field of application
Systeme mit entsprechender Beschlagaufnahmenut
Systems with suitable hardware groove

Hersteller
manufacturer
ALBAN GIACOMO spa
Via De Gasperi 75, IT 36060 Romano D'Ezzellino VI

Produktionsstandort
production site

Alban Giacomo spa
Via A. De Gasperi 75,
I-36060 Romano D`Ezzelino

Alban Giacomo spa
Via Col Beretta 4,
I-36022 Cassola VI

Alban Giacomo spa
Via S.Bortolo 13,
36020 Pove del Grappa(VI)

Mit diesem Zertifikat wird bescheinigt, dass das benannte Bauprodukt den Anforderungen des zugrundeliegenden ift-Zertifizierungsprogramms in der aktuellen Fassung entspricht.

- Erstellung von Produktfamilien des aufgeführten Bauproduktes und Erstprüfung durch eine akkreditierte Prüfstelle nach EN 13126-8:2017 unter Berücksichtigung der Anwendungsdiagramme
- Einführung und Aufrechterhaltung einer werkseigenen Produktionskontrolle durch den Hersteller
- Erstinspektion des Werkes und der werkeigenen Produktionskontrolle durch ift-Q-Zert
- kontinuierliche Fremdüberwachung des Werkes und der werkseigenen Produktionskontrolle durch ift-Q-Zert

Dieses Zertifikat wurde erstmals am 09.11.2011 ausgestellt und gilt 5 Jahre, wenn sich zwischenzeitlich die Festlegungen in der oben angeführten technischen Spezifikation oder die Herstellbedingungen im Werk oder in der werkseigenen Produktionskontrolle selbst nicht wesentlich verändert haben.

Das Zertifikat darf nur unverändert vervielfältigt werden. Alle Änderungen der Voraussetzungen für die Zertifizierung sind dem ift-Q-Zert mit den erforderlichen Nachweisen unverzüglich schriftlich anzuzeigen.

Das Unternehmen ist berechtigt, das benannte Bauprodukt gemäß der ift-Zeichensatzung mit dem „ift-zertifiziert"-Zeichen zu kennzeichnen.

Dieses Zertifikat enthält 2 Anlage/n.

This certificate attests that the building product mentioned fulfils the requirements of the underlying ift-certification scheme in its current version.

- compilation of product families of the building product listed and initial type-testing by an accredited testing body as per EN 13126:8:2017 based on the application diagrams
- implementation and maintenance of a factory production control by the manufacturer
- initial inspection of the production site and the factory production control by ift-Q-Zert
- continuous third-party control of the production site and the factory production control by ift-Q-Zert

This certificate was first issued on 09.11.2011 and will remain valid for 5 years, as long as neither the conditions laid down in the technical specification listed above nor the manufacturing conditions in the production site nor the factory production control itself are modified significantly.

The reproduction of the certificate without any change from the original is permitted. Any changes to the prerequisites applicable to certification shall be immediately communicated in writing to ift-Q-Zert accompanied by the necessary evidence.

The company is authorized to affix the "ift-certified"-mark to the building product mentioned according to the ift-rules for use of the "ift-certified"-mark.

This certificate contains 2 annexes.

Grundlage(n) /
Basis:

ift-Zertifizierungsprogramm für Beschläge
ift-certification scheme for hardware
(QM 328)
Ausgabe/*issue* 2018

EN 1191
EN 12400
Klasse 2

Dauerfunktion
resistance to repeated opening and closing

EN ISO 9227
EN 1670
Klasse 5

Korrosionsschutz
corrosion protection

ift Rosenheim
16.11.2020

Christian Kehrer
Leiter der ift-Zertifizierungs- und Überwachungsstelle
Head of ift Certification and Surveillance Body

Prof. Jörn P. Lass
Institutsleiter
Director of Institute

Gültig bis /
Valid until:
23.03.2025

Vertragsnr. /
Contract No.:
228 6026531

Ve-Zer-5172-de / 01.12.2019

www.ift-rosenheim.de

ift Rosenheim GmbH
Theodor-Gietl-Str. 7-9
D-83026 Rosenheim

Kontakt
Tel.: +49 8031 261-0
Fax: +49 8031 261-290
www.ift-rosenheim.de

Prüfung und Kalibrierung – EN ISO/IEC 17025
Inspektion – EN ISO/IEC 17020
Zertifizierung Produkte – EN ISO/IEC 17065
Zertifizierung Managementsysteme – EN ISO/IEC 17021

Notified Body 0757
PUZ-Stelle: BAY 18

DAkkS Deutsche Akkreditierungsstelle D-ZE-11349-01-00

Anlage / *annex* **1**
Hersteller / *manufacturer:*
Ausgabedatum / *date of issue:*

Seite / *page* **1 von** / *of* **1**
Alban Giacomo spa
16.11.2020

Zertifikatsnr. / *Certificate No.:* 228-6026531-1-12

In der Zertifizierung enthaltene Produktfamilien für Fenster- und Fenstertürsysteme mit geeigneter Beschlagaufnahmenut.

Product families for window and casement door systems with groove designed for accommodation of hardware, covered by certification.

lfd. Nr./ *no.*	Ausführung Bandseite/ *type hinge side*	Ausführung Flügelbe-schlag/ *type casement hardware*	**Beschreibung der Ausführung der blendrahmenseitigen Beschlagausführung** ***detail description of frame member hardware type***				**Klassifizierung nach EN 13126-8:2017** ***classification as per EN 13126-8:2017***			
							1	**2**	**3**	**4**
			Winkelband/ *top stay connecting part*	Scherenlager/ *stay arm support*	Eckband/ *corner hinge FRM*	Ecklager/ corner pivot MAS	Dauerfunktionsfähigkeit/ durability	Masse (in kg)/ *mass*	Korrosionsbeständigkeit/ *corrosion resistance*	Prüfgrößen (in mm)/ *test sizes*
1	ARTech PVC	ARTech	A51921.36.04	A50712.00.00	A50922.07.00	A50815.07 00	H2	100 kg	5	1300/1200
2	ARTech Legno	ARTech	A51911.36.04	A50702.05.00	A50904.36.01	A50805.05 DX	H2	150 kg	5	900/2300
3	ARTech PVC	ARTech	A51921.36.04	A50711.00.00	A50922.07.00	A50811.07.00	H2	100 kg	5	1300/1200
4	ARTech PVC	ARTech	A51921.36.04	A50720.07.00	A50922.07.00	A50820.07.01	H2	100 kg	5	1300/1200
5	ARTech PVC	ARTech	A51921.36.04	A50713.00.00	A50911.36.01	A50815.07.00	H2	130 kg	5	1300/1200
6	ARTech PLANA Legno	ARTech	A52911.02.02	-	A52900.02.01	A52901.02.01	H2	150 kg	5	900/2300
7	ARTech PLANA PVC	ARTech	A52911.10.02	-	A52900.02.01	A52901.10.01	H2	130 kg	5	1300/1200
8	Artech 34x20 axis 9 hinges	ARTech	A51950.01.04	A40041.06.05		A400400601	H3	130 kg	5	1300/1200
9	ARTech PLANA 150 kg	ARTech	A52911.10.02		A52900.02.01	A529011002	H3	150 kg	5	900/2300

Die Ergebnisse sind auf folgende Ausführungsvarianten übertragbar: Beschlagausführung links/rechts, alle zulässigen Größen gemäß Anwendungsdiagramm sowie andere Falz- und Profilgeometrien. Die technische Dokumentation des Beschlagherstellers, insbesondere die entsprechenden Anwendungsdiagramme, ist zu beachten.

The results can be applied to the following design variants: hardware type left/right, all permissible sizes in accordance with the application diagram as well as other rebate and profile geometries. Observe technical documents of hardware manufacturer, in particular the relevant diagrams.

Activeage: active hi-protection finish

Activeage

High corrosion resistance even in difficult weather conditions.

More than 2000 hours in salt spray test*

* according to the regulation EN ISO 9227 without any notch of the surface from red rust.

Above the law

Activeage reaches extraordinary anti-corrosion standards, much higher than the regulation requirements of the EN 13126-1 and outclasses the measurement scale of corrosion resistance indicated in the EN 1670.

PRÜFZEUGNIS

EN 13126-1: requirement and test methods for accessories for windows and doors.

EN 1670: resistance against corrosion of accessories for windows and doors.

Performances of Activeage finish are guaranteed only if screws with same or higher corrosion resistance are used, except for stainless steel screws.

Three-layer cover

1. **Zinc**
   Protects the metal by creating a first barrier which interposes itself between corrosion agents and product.

2. **Chromic passivation with nano particles of silica**
   Actively acts with electrochemical reaction for the protection of the Zinc layer and thus the product.

3. ***Active* hermetic protection**
   Organic-mineral chromating cover.
   Maintain the anti-corrosive characteristics even in case of thermal shocks and dynamic stress.

Steel

Zamak

RESEARCH

In association with research studies and technology developed with partner producers of paint was born **Activeage.**

PERFORMANCES

The research for materials protection done in accredited institutes prove excellent results of resistance against salt spray, humidity and ageing.

TOP PRODUCT MASS-PRODUCED

Activeage is the standard finish for all windows components, entrance doors and sliding systems in Silver finish.

PIV Prüfinstitut Schlösser und Beschläge Velbert
Wallstraße 41
D-42551 Velbert
Fon +49(0)2051/9506-5
Fax +49(0)2051/9506-69
piv.velbert@t-online.de
www.piv-velbert.de

PRÜFZEUGNIS DIN EN 1670:2007-06

Test Certificate

Nr./ No. 20-60/10.1

Der Firma We confirm, that the manufacturer	AGB Alban Giacomo S.p.A 36060 Romano d´Ezzelino Italien/ Italy
wird bescheinigt, dass sie am at the date of	12. November 2010

die Anforderungen der DIN EN 1670
Salzsprühnebelprüfung nach EN ISO 9227
meets the requirements of DIN EN 1670
salt spray test according to EN ISO 9227

für das Produkt for the product	Dreh/Kipp-Beschlagteile/ Tilt and turn hardware
mit der Oberfläche with the surface	ActiveAge
in der Klasse in the class	5

erfüllt hat.

Diesem Prüfzeugnis liegt der Prüfbericht Nr. 20-60/10 des PIV als Beurteilungsgrundlage zugrunde. Die Gültigkeit des Prüfzeugnisses bleibt so lange erhalten, wie sich die Prüfgrundlage und /oder das geprüfte Produkt nicht ändern.
This certificate is based on the evaluation of test report No. 20-60/10 by PIV.
The validity of the test certificate will persist as long as the testing-base and the products are not changed.

D-42551 Velbert, den 29. Oktober/ October 2015

O. Troska, Dipl.-Ing. (FH)
Institutsleiter/
Director of Institute

PRÜFINSTITUT PIV SCHLÖSSER & BESCHLÄGE

O. Lechte
Prüftechnik/
Testing Technology

Dies ist eine Urkundenseite.
Teilweise Veröffentlichung oder veränderte Wiedergabe ist untersagt. Missachtung bedeutet Urkundenfälschung.
This is a document page. Partly publications or changes is forbidden. Disregard means document forgery.

Akkreditierte Prüfstelle nach DIN EN ISO/IEC 17025
Akkreditierte Zertifizierungsstelle nach DIN EN ISO/IEC 17065
Prüf-, Überwachungs- und Zertifizierungsstelle nach dem Bauproduktengesetz (BauPG)
RAL-Prüfstelle für Schlösser und Beschläge nach RAL-RG/GZ 607 / ff
Überwachungs- und Zertifizierungsstelle nach Landesbauordnung (LBO)
Bau-BG-Prüfstelle für Fahrwerkrollen - DIN CERTCO anerkannte Prüfstelle

Institutsleitung:
Oliver Troska, Dipl.-Ing. (FH)

Es gelten unsere Geschäftsbedingungen

DAkkS Deutsche Akkreditierungsstelle D-PL-11024-01-00

PIV Prüfinstitut Schlösser und Beschläge Velbert
Wallstraße 41
D-42551 Velbert
Fon +49(0)2051/9506-5
Fax +49(0)2051/9506-69
piv.velbert@t-online.de
www.piv-velbert.de

Prüfbescheinigung
Verification certificate

Nr. / No. 20-60/10

Der Firma
We confirm, that the manufacturer

AGB Alban Giacomo S.p.A
36060 Romano d´Ezzelino
Italy

wird bescheinigt, dass sie am
at the date of

12. November 2010

die Anforderungen der DIN EN 1670,
Salzsprühnebelprüfung nach EN ISO 9227 über 2000 Stunden
meet the requirements of DIN EN 1670, salt spray test according to EN ISO 9227 over 2000 hours

für das Produkt
for the product

Dreh/Kipp-Beschlagteile
Tilt and turn hardware

mit der Oberfläche
with the surface

ActiveAge

Dieser Prüfbescheinigung liegt der Prüfbericht Nr. 20-60/10 des PIV als Beurteilungsgrundlage zugrunde. Die Gültigkeit der Prüfbescheinigung bleibt so lange erhalten, wie sich die Prüfgrundlage und /oder das geprüfte Produkt nicht ändern.
This verification certificate is based on the evaluation of test report No. 20-60/10 by PIV Velbert.
The validity of the verification certificate will persist as long as the testing-base and the products are not changed.

D-42551 Velbert, den 18. November 2010

R. Ehle
Dipl.-Ing.

Dies ist eine Urkundenseite.
Teilweise Veröffentlichung oder veränderte Wiedergabe ist untersagt. Missachtung bedeutet Urkundenfälschung.
This is a document page. Partly publications or changes are forbidden. Disregard means document forgery.

Akkreditierte Prüfstelle nach DIN EN ISO/IEC 17025
Akkreditierte Zertifizierungsstelle nach DIN EN 45011 (PIV CERT)
Prüf-, Überwachungs- und Zertifizierungsstelle nach dem Bauproduktengesetz (BauPG)
RAL-Prüfstelle für Schlösser und Beschläge nach RAL-RG 607 / ff
Überwachungs- und Zertifizierungsstelle nach Landesbauordnung (LBO)
Bau-BG-Prüfstelle für Fahrwerkrollen · DIN CERTCO anerkannte Prüfstelle

Institutsleitung: Rainer Ehle, Dipl.- Ing.

Es gelten unsere Geschäftsbedingungen

ALUMINIUM/WOOD AND EUROPEAN GROOVE ALUMINIUM PROFILE LIST

PRODUCER	SERIES	Axis	Rebate	STRIKER FRAME SEAT	STRIKER TYPE FOR CENTRAL JAMB
AGNELLI METALLI	65 Atlas	9	18	european groove	groove 16/12
ALCAN ABITHAL	Eurowood FE Eurowood TT FE	26	20	"flat width 35 mm"	groove 16/12
All.Co	AllcoTEC 72	9	18	european groove	groove 16/12
	AllcoTEC Wood	13	18	"flat width 22 mm"	groove 16/12
	Allcowood	13	18	"flat width 22 mm"	"flat width 22 mm" groove 16/12
	K Wood T Alu 12	13	18	"flat width 22 mm"	groove 16/12
	K45 - Export 68 TT Alu 12	9	20	european groove	groove 16/12
	Wood Style	13	18	"flat width 22 mm"	groove 16/12
ALLUSISTEMI	CX600-CX700	9	18	european groove	groove 16/12
	RX600-RX700	9	18	"R type" groove	groove 16/12
	WX 710	13	18	"flat width 24 mm"	groove 16/12
ALSISTEM	3G Matic Matic 62 Plus	9	18	european groove	groove 16/12
	Concept	9	18	european groove	groove 16/12
	Nathura 70-82	13	18	"flat width 24 mm"	groove 16/12
	Planet 45 - 50 TT - 62 TT	9	18	european groove	groove 16/12
ALUMIL	M9660	9	18	european groove	groove 16/12
ALUK	C67S	9	18	groove 10 x 5	groove 16/12
B.B.C.	Kaptur 75/84 - 80/89	9	18	european groove	groove 16/12
	Self	13	20	european groove	groove 16/12
DE.MAL	Prestige 73TT	9	18	european groove	groove 16/12
ECOWIN	TH 72	9	18	european groove	groove 16/12
	W87	13	20	"flat width 22 mm"	groove 16/12
EKU	64TT / 76TT	9	18	european groove	groove 16/12
	WoodArt WoodArt TT	13	20	"flat width 22 mm"	groove 16/12
	Perfektion Wood	13	18	"flat width 24 mm"	groove 16/12
ETA ALLUMINIO	Start 420W	12,5	20	"flat width 22 mm"	groove 16/12
	Start 470 TTW Start 580 TTW	13	20	"flat width 22 mm"	groove 16/12
	Road 520TT Road 600TT Start SF560TI Start SF640AI Start SF760AI	13	18	european groove	groove 16/12
F.lli FERRO	Alulen Alulen Superthermic	9	18	gap 11 (8+7)	gap 11 (8+7)
	Alulen Plus *	9	18	"flat width 18 mm"	groove 16/12
	Alulen Super Plus	26	18	"flat width 37 mm"	groove 16/12
GASTALDELLO	Ecotherm 68	9	18	european groove	groove 16/12
	EL 72 Wood / EL 75 Wood	13	18	"flat width 22 mm"	groove 16/12
	EL 65 / EL 65P / EL 72P	9	18	european groove	groove 16/12
GEAL	HP 850	9	18	gap 11 (8+7)	groove 16/12
	HP 600 / HP 700	9	18	european groove	groove 16/12

ALUMINIUM/WOOD AND EUROPEAN GROOVE ALUMINIUM PROFILE LIST

PRODUCER	SERIES	Axis	Rebate	STRIKER FRAME SEAT	STRIKER TYPE FOR CENTRAL JAMB
HYDRO	*Domal AS TB 65*	*13*	*18*	*groove 10 x 4,5*	*groove 16/12*
	Domal TB 65 Wood	*13*	*18*	*"flat width 22 mm"*	*groove 16/12*
	Domal Wood	*9*	*18*	*"flat width 18 mm"*	*"flat width 18 mm"*
	Domal Wood 85 *Domal Wood PA100*	*13*	*18*	*"flat width 22 mm"*	*groove 16/12*
	Domal Bright *Domal Break* *Extrathermic* *Top TB 65*	*9*	*18*	*european groove*	*groove 16/12*
INDINVEST	*Dogma 65 TT*	*9*	*18*	*european groove*	*groove 16/12*
	Gold 600HC	*9*	*18*	*european groove*	*groove 16/12*
	Gold Country	*9*	*18*	*gap 11 (8+7)*	*gap 11 (8+7)*
	Plathina 69	*13*	*20*	*european groove*	*groove 16/12*
IRLANDO	*Woodline*	*13*	*18*	*CY*	*groove 16/12*
JOINTHERMIC	*JT Thermic* *JT Mega Thermic*	*26*	*18*	*"flat width 35 mm"*	*groove 16/12*
MERAL	*Planet Matic*	*9*	*18*	*european groove*	*groove 16/12*
	3F Italia, Elisir, Lis	*13*	*18*	*"flat width 22 mm"*	*groove 16/12*
Meridionale alluminio	*MA72NP*	*9*	*20*	*european groove*	*groove 16/12*
	MA850TT	*9*	*18*	*gap 11 (8+7)*	*groove 16/12*
METRA	*Aelle 65I / 100 STH / 80 STH*	*9*	*18*	*gap 11 (8+7)*	*gap 11 (8+7)* *groove 16/12*
	NC50I / NC50 STH	*9*	*18*	*european groove*	*groove 16/12*
	NC65 STH / NC75 STH	*9*	*18*	*groove 13,5 x 5*	*groove 16/12*
MEXALL	*MX 70 FP*	*13*	*18*	*european groove*	*groove 16/12*
	MX 90 FP	*13*	*18*	*"flat width 22 mm"*	*groove 16/12*
MIXALL	*LunaTT* *Perla TT*	*26*	*18*	*"flat width 35 mm"*	*groove 16/12*
	Dream 80 Alu 16 TT	*9*	*18*	*european groove*	*groove 16/12*
OCMA	*FC80 WoodAll*	*9*	*20*	*gap 11 (8+7)*	*gap 11 (8+7)*
PASSERINI	*Ekip TH76*	*13*	*18*	*european groove*	*groove 16/12*
PEZZULLO	*PZ 85 Wood* *PZ 95 TT Wood*	*9*	*18*	*"flat width 18 mm"*	*groove 16/12*
PONZIO	*Windstop* *45 TT / 55 TT / 65 TT / 73 TT*	*9*	*18*	*european groove*	*groove 16/12*
	Al.Wood 85 / 85 TT / 93 TT	*12*	*18*	*"flat width 22 mm"*	*groove 16/12*
	WS 65 THI	*9*	*18*	*european groove*	*groove 16/12*
JOINTHERMIC	*"JT Thermic* *JT Mega Thermic"*	*26*	*18*	*"flat width 35 mm"*	*groove 16/12*
SAEL	*Futura*	*9*	*18*	*gap 11 (8+7)*	*gap 11 (8+7)*
SAPA	*Linea R72 TT*	*9*	*18*	*"R type" groove*	*groove 16/12*
STRATO	*Poker*	*13*	*18*	*"flat width 22 mm"*	*groove 16/12*
TO.MA	*Atlantis Wood*	*13*	*18*	*"flat width 22 mm"*	*groove 16/12*
	Atlantis 68TT - 80TT	*9*	*18*	*european groove*	*groove 16/12*
	TR 450-550-600 TT	*9*	*18*	*european groove*	*groove 16/12*

** Use the hardware for rebate 20 and drill with the suitable jig on rebate 20.*

STRIKER FRAME SEAT TYPES

Aluminium / wood - Axis 9 Seat 18 mm

Aluminium / wood - Axis 9 Gap 11 (8+7)

Aluminium / wood - Axis 13 Seat 22 mm

Aluminium / wood - Axis 13 Seat 24 mm

Aluminium / wood - Axis 26 Seat 35 mm

Aluminium / wood - Axis 26 Seat 37 mm

Aluminium / wood - Central node - Gro. 16/12

Aluminium / wood - Central node - Gap11 (8+7)

STRIKER FRAME SEAT TYPES

Aluminium European Groove - Axis 9

Aluminium European Groove - Axis 13

Aluminium R groove - Axis 9

Aluminium European Groove - Central node - Gro. 16/12

STEEL PROFILE LIST

PRODUCER	SERIES	Axis	Rebate	STRIKER FRAME SEAT	STRIKER TYPE FOR CENTRAL JAMB
Forster	*Unico*	*9*	*20*	*"flat width 18 mm"*	*"flat width 18 mm" and groove 16/12*
Palladio	*Monotype*	*9*	*20*	*"flat width 18 mm"*	*groove 16/12*
	SERIES 20/10 Opificium	*9*	*20*	*"flat width 18 mm"*	*groove 16/12*
	SERIES 20/10 Opificium	*13*	*20*	*"flat width 24 mm"*	*groove 16/12*
Jansen	*Economy 50*	*9*	*18*	*"flat width 18 mm"*	*groove 16/12*
Secco sistemi	*EBE 65*	*9*	*20*	*"flat width 18 mm"*	*"flat width 18 mm"*
	Sistemacciaio	*13*	*20*	*"flat width 24 mm"*	*"flat width 24 mm"*
	Sistemacciaio inox	*13*	*20*	*"flat width 24 mm"*	*"flat width 24 mm"*

STRIKER FRAME SEAT TYPES

Steel - Axis 9 Seat 18 mm

Steel - Axis 13 Seat 24 mm

Steel - Central node - Axis 9

Steel - Central node - Grov. 16/12

Open, Close, Live

ADVANCED SOFTWARE FOR THE 4.0 MANAGEMENT OF WINDOWS

MADE IN ITALY

Order form for annual subscription to AGB 4K software updating, maintenance and support 23
AGB 4K 25

DISCOVER ALL THE FUNCTIONS!

Hardware calculation

Interface with your management system

Budgeting and orders

Assistance and update

www.agb.it/4k

Order form for annual subscription to AGB 4K software updating, maintenance and support

PRO

Z90867.09.99 PRO SOFTWARE

ACTIVE MODULES IN THE PRO VERSION

Annual subscription fee for service
€ 180,00 + VAT

- ORDER MANAGEMENT: *possibility to generate door and window orders.*
- SALES MANAGEMENT: *possibility to create offers / orders.*
- PRICE LIST INFORMATION: *possibility to consult the entire AGB price list.*
- INTEGRATED TECHNICAL DOCUMENTATION: *the information you need is always right at your fingertips.*
- ONLINE UPDATES: *software, price list and product system updates for each release throughout the annual subscription.*
- SUPPORT: *the AGB 4K development team is at your service for telephone support and remote support via Internet.*

CONNECT

Z90868.09.99 CONNECT SOFTWARE

ACTIVE MODULES IN THE CONNECT VERSION

Annual subscription fee for service
€ 280,00 + VAT

- ORDER MANAGEMENT: *possibility to generate door and window orders.*
- SALES MANAGEMENT: *possibility to create offers / orders.*
- PRICE LIST INFORMATION: *possibility to consult the entire AGB price list.*
- INTEGRATED TECHNICAL DOCUMENTATION: *the information you need is always right at your fingertips.*
- ONLINE UPDATES: *software, price list and product system updates for each release throughout the annual subscription.*
- SUPPORT: *the AGB 4K development team is at your service for telephone support and remote support via Internet.*
- BATCH PROCESSING MODULE: *connection with third party systems for processing and exporting hardware parts lists.*

CONNECT PLUS

Z90869.09.99 CONNECT PLUS SOFTWARE

ACTIVE MODULES IN THE CONNECT PLUS VERSION

Annual subscription fee for service
€ 480,00 + VAT

- ORDER MANAGEMENT: *possibility to generate door and window orders.*
- SALES MANAGEMENT: *possibility to create offers / orders.*
- PRICE LIST INFORMATION: *possibility to consult the entire AGB price list.*
- INTEGRATED TECHNICAL DOCUMENTATION: *the information you need is always right at your fingertips.*
- ON-LINE UPDATES: *software, price list and product system updates for each release throughout the annual subscription.*
- SUPPORT: *the AGB 4K development team is at your service for telephone support and remote support via Internet.*
- BATCH PROCESSING MODULE: *connection with third party systems for processing and exporting hardware parts lists.*
- CNC BATCH PROCESSING MODULE: *connection with systems for CNC machining.*

1/2

ADDITIONAL CLIENT

☐ **Z90870.09.99 CLIENT SOFTWARE**

- Additional license that implies the possession of one of other licenses such as PRO, CONNECT or CONNECT PLUS.
- The active modules are the same of the license where it has been added.

Annual subscription fee for service per unit	No. of Clients required
€ 80,00 + VAT	Total € .....

UPGRADE

VERSION UPGRADE *(The actual price of the version upgrade is calculated by taking the cost of the upgrade divided by 365 times the number of days left before the current subscription expires)*

	Total cost of service with annual subscription	Number of days left on subscription
☐ **Z90867.10.99** Upgrade from **PRO** to **CONNECT**	**€ 100,00 + VAT**	Total € .....
☐ **Z90867.11.99** Upgrade from **PRO** to **CONNECT PLUS**	**€ 300,00 + VAT**	Total € .....
☐ **Z90868.10.99** Upgrade from **CONNECT** to **CONNECT PLUS**	**€ 200,00 + VAT**	Total € .....

RENEW EXISTING LICENSES

☐ **ALL**

☐ **ONLY COMPUTER CODE:** .....

Total € .....

TOTAL AMOUNT OF ORDER, VAT included (22%) € .....

Please attach your receipt of advanced payment, which is your order confirmation, payable by bank transfer to:
Alban Giacomo Spa - via A. De Gasperi 75 - 36060 Romano d'Ezzelino (VI) Italy
Bank details: UNICREDIT S.p.A. **IBAN: IT 88 U 02008 05364 000003520841**

Billing details:

Company .....

Address .....

Postal code ..... Country .....

VAT number .....

Mr./Ms. .....

Tel. ..... e-mail .....

Date ..... Signature and Company stamp .....

Send the Order Form together with the copy of the bank transfer to the following address: **amministrazione@agb.it**

2/2

AGB 4K

Annual fee for update, maintenance and support services

NET PRICE					
VERSION	CODE			€	DC
PRO	Z90867.09.99	1	1	180,000	F9
CONNECT*	Z90868.09.99	1	1	280,000	F9
CONNECT PLUS**	Z90869.09.99	1	1	480,000	F9
ADDITIONAL CLIENT***	Z90870.09.99	1	1	80,000	F9

Note: distribution via Internet download
* Connection to third-party management systems for hardware list.
** Connection to third-party management systems for hardware list and millings.
*** Requires possession of a license already installed.

Version upgrade

NET PRICE					
	CODE			€	DC
from PRO to CONNECT	Z90867.10.99	1	1	100,000	F9
from PRO to CONNECT PLUS	Z90867.11.99	1	1	300,000	F9
from CONNECT to CONNECT PLUS	Z90868.10.99	1	1	200,000	F9

Open, Close, Live

HARDWARE FOR ARTECH WINDOWS

MADE IN ITALY

Note: to realise anti-burglar hardware configurations, please consult the matrix tables available on the website www.agb.it or develop the calculations using the favorites in AGB 4K.

Artech PVC, Aluminium-wood, European groove aluminium - Operation and maintenance manual 30
Application fields for Artech Tilt&Turn, surface mounted systems, rectangular window 34
Application fields for Artech Tilt&Turn, surface mounted systems, angled windows and balcony doors 37
Application fields for Artech Tilt&Turn, surface mounted systems, arched windows and balcony doors 39

PVC rectangular window - single sash, Turn only 40
PVC rectangular window - double sash, Turn only 41
PVC rectangular window - single sash, Tilt&Turn, standard security 42
PVC rectangular window - double sash, Tilt&Turn, standard security 43
PVC arched window - single sash, Tilt&Turn, anti-burglar configuration RC1/RC2 44
PVC arched window - double sash, Tilt&Turn, anti-burglar configuration RC1/RC2 45
PVC angled window - single sash, Tilt&Turn, configuration Poseidon TT 46
PVC angled window - double sash, Tilt&Turn, configuration Poseidon TT 47
PVC arched window - Tilt&Turn, single sash 48
PVC arched window - Tilt&Turn, double sash 49
PVC angled window - Tilt&Turn, single sash 50
PVC angled window - double sash, Tilt&Turn 51
PVC rectangular window - Tilt Before Turn (TBT) opening, single sash 52
PVC rectangular window - Tilt only 53

Aluminium rectangular window - single sash, Turn only 54
Aluminium rectangular window - double sash, Turn only 55
Aluminium rectangular window - single sash, Tilt&Turn, standard security 56
Aluminium rectangular window - double sash, Tilt&Turn, standard security 57
Aluminium rectangular window - single sash, Tilt&Turn, anti-burglar configuration RC1/RC2 58
Aluminium rectangular window - double sash, Tilt&Turn, anti-burglar configuration RC1/RC2 59
Aluminium rectangular window - Tilt&Turn, single sash, configuration Poseidon TT 60
Aluminium rectangular window - Tilt&Turn, double sash, configuration Poseidon TT 61
Aluminium arched window - Tilt&Turn, single sash 62
Aluminium arched window - Tilt&Turn, double sash 63
Aluminium angled window - Tilt&Turn, single sash 64
Aluminium angled window - Tilt&Turn, double sash 65
Aluminium rectangular window - Tilt Before Turn (TBT) opening, single sash 66
Aluminium rectangular window - Tilt only windows 67

Espagnolettes	68
Espagnolettes - Accessories	75
Corner drives	78
Stay-arms - surface mounted	82
Central locks, terminals and extensions	90
Stay supports - Surface mounted	97
Hinges - Surface mounted	98
Hinges for inactive sash - surface mounted	101
Concealed central hinges	103
Bolt for 16/12 Eurogroove with pre-assembled strikers	105
Safety devices	109
Strikers	114
Magnétique: magnetic contacts for control and alarm systems	142
Covers - Surface mounted	152
Accessories	156
Hardware cutting accessories	157
Hardware cutting accessories	157
Jigs	158
Handles	164

DISCOVER MORE!

Compatible with Artech standard hinges and Artech Plana.

Easy to install, no millings required

TESTED

20,000 cycles of tilt opening and turn opening

www.agb.it

ARTech PVC, Aluminium-wood, European groove aluminium - Operation and maintenance manual

Cam pressure adjustment

Cam vertical adjustment

Note: the cam can be unsrewed and removed.

DSS adjustment

Adjustment effect

Allows to recover eventual sash collapse, by lifting it on closing position.

Inserting pin on stay support

Check the position of the pin on the stay support.

Stay arm adjustment

Artech

Artech Plana

Horizontal stay arm adjustment

Pull (tighten clockwise)
A) Movement of upper part of sash.
B) Lifting and movement of upper corner.
C) Lifting and movement of lower corner.
D) Pintle.

Push (loosen counter-clockwise)
A) Movement of upper part of sash.
B) Lowering and movement of upper corner.
C) Lowering and movement of lower corner.
D) Pintle.

ARTech PVC, Aluminium-wood, European groove aluminium - Operation and maintenance manual

Lower hinge adjustment

Artech

Artech Plana

Effect of vertical lower hinge adjustment

With the vertical adjustment of the lower hinge you obtain the parallel movement of the sash along its vertical axis.

Effect of horizontal lower hinge adjustment

Pull (tighten clockwise)
A) Lowering of upper corner.
B) Lowering and movement of lower corner.
C) Movement of lower part of sash.
D) Pintle.

Push (loosen counter-clockwise)
A) Lifting of upper corner.
B) Lifting and movement of lower corner.
C) Movement of lower part of sash.
D) Pintle.

Simultaneous horizontal adjustment of lower hinge and stay arm

With the horizontal adjustment of the stay arm and lower hinge you obtain the parallel movement of the sash along its horizontal axis.

Pressure adjustment of central hinge with adapter

With an allen wrench completely unscrew the angle, rotate the zamak adapter 180° and screw it back to the position desired; this will increase the pressure by 1 mm.

Pressure adjustment effect of central hinge with adapter

It is possible to increase or reduce the pressure of the sash on the frame.

Effect of vertical central hinge adjustment

With the vertical adjustment of the central hinge you obtain the parallel movement of the sash along its vertical axis.

Effect of horizontal central hinge adjustment

With the horizontal adjustment of the central hinge you obtain the parallel movement of 2nd sash along its horizontal axis.

ARTech PVC, Aluminium-wood, European groove aluminium - Operation and maintenance manual

Lubrication of the hardware

To guarantee good functioning of the hardware system, we recommend to control at least once a year the mechanisms of the components by doing the following:

- control and lubricate with greases and oils (acid and resins free) all the movable parts;
- do not use products that can compromise the protection of the finishes (aggressive and abrasive detergents);
- verify the fastening and the wear degree of the hardware and if necessary, restore the correct functioning by adjusting the components.

Warning

All the adjusting, replacing, unhooking and assembly operations must be done by qualified personnel.

The hardware system must be composed by AGB components only.
It the assembly of the hardware is not executed under conformity or not original AGB components are used, AGB declines any responsibility.

ARTech PVC, Aluminium-wood, European groove aluminium - Operation and maintenance manual

Use and safety indications for wooden doors and windows

Use

Note. Open and close with all due care.

Notices

Do not add further weights to the sash.

Do not slam the sash. Do not push the sash against the wall parapet.

Close the sash against wind, breezes etc.

Do not allow parts of your body to come between the sash and the frame (this may lead to personal injury).

Do not allow foreign bodies to obstruct opening or closing of doors or windows.

Perform periodic maintenance tasks.

Application fields for Artech Tilt&Turn, surface mounted systems, rectangular window

- Stay support with ø3 mm and ø6 mm pins and auto-jig
- Corner hinge with ø3 mm and ø6 mm pins and auto-jig

Sash surface ≤ 3 m²

Supplementary stay arm mandatory.

Application fields for Artech Tilt&Turn, surface mounted systems, rectangular window

- Stay support with pins ø6x15 mm (art. A50713.00.00).
- Corner hinge (art. A50911.XX.XX) with hinge support, ø6 pins (art. A50815.07.00).

Max sash weight 130 kg

Sash surface ≤ 3 m²

Supplementary stay arm mandatory; add the shims and blew the glass in order to strain it on all the surface.

- ***For Aluminium-wood windows and doors, the sash weight can change according to the profile.***

Application filds for Artech Tilt&Turn, surface mounted systems, for rectangular windows

- Stay support with pins ø6x15 mm (art. A50713.00.00).
- Corner hinge (art. A50911.XX.XX) with hinge support, ø6 pins (art. A50815.07.00).
- Lifting devices A52903.02.PA and A52903.XX.0X.

Max. sash weight 150 kg - PVC

Sash surface ≤ 3 m²

Application field of the supplementary stay arm; add the shims and blew the glass in order to strain it on all the surface.

- ***Please use the opening limiter with loading capacity device.***

Application fields for Artech Tilt&Turn, surface mounted systems, angled windows and balcony doors

Max sash weight 80 kg

Max sash weight 80 kg

Application fields for Artech Tilt&Turn, surface mounted systems, angled windows and balcony doors

Max sash weight
80 kg

Application fields for Artech Tilt&Turn, surface mounted systems, arched windows and balcony doors

Max sash weight
80 kg

PVC rectangular window - single sash, Turn only

1. Espagnolettes » **Turn only sash - mod. 502 / Variable handle height**
2. Espagnolettes - Accessories » **DSS**
3. Espagnolettes - Accessories » Tilt only terminal » **With cam, 18 stroke**
4. Espagnolettes - Accessories » Tilt only terminal » **With cam, 18+18 stroke**
5. Hinges for inactive sash » **Stay hinge, sash part**
6. Hinges for inactive sash » **Stay hinge, frame part**
7. Stay supports » **With Ø3 / Ø6 mm pins**
8. Stay supports » **Pin**
9. Hinges » **Corner hinge with adapter**
10. Hinges » **Corner support with Ø3 /Ø6 mm pins**
11. Hinges » **For PVC**
12. Concealed central hinges » **PVC - Sash part, universal**
13. Concealed central hinges » **PVC - Frame part, fix**
14. Hinges for inactive sash » **Central adj. loading hinge**
15. Covers » Stay arm » **Frame part**
16. Covers » Stay arm » **Support**
17. Covers » Corner hinge » **PVC**
18. Covers » Corner support » **Top part, non handed**
19. Covers » Corner support » **Bottom part, non handed**
20. Covers » Corner support » **Right/Left**
21. Covers » Corner support » **Right/Left**
22. Strikers » **DSS for PVC**
23. Strikers » **Cam for PVC**

PVC rectangular window - double sash, Turn only

1. Espagnolettes » **Turn only sash - mod. 508/Variable handle height**
2. Espagnolettes - Accessories » **DSS**
3. Espagnolettes - Accessories » Tilt only terminal » **With cam, 18 stroke**
4. Espagnolettes - Accessories » Tilt only terminal » **With cam, 18+18 stroke**
5. Corner drive » **Lower - For inactive sash**
6. Bolt » **Opening lever**
7. Espagnolettes - Accessories » **Lower bolt for turn only sash**
8. Espagnolettes - Accessories » **Upper bolt for turn only sash**
9. Hinges » **Corner hinge with adapter**
10. Hinges » **Corner support with Ø3 /Ø6 mm pins**
11. Hinges » **For PVC**
12. Stay supports » **With Ø3 / Ø6 mm pins**
13. Stay supports » **Pin**
14. Hinges for inactive sash » **Stay hinge, frame part**
15. Hinges for inactive sash » **Stay hinge, sash part**
16. Concealed central hinges » **PVC - Sash part, universal**
17. Concealed central hinges » **PVC - Frame part, fix**
18. Hinges for inactive sash » **Central adj. loading hinge**
19. Bolt » **Fixed handle height**
20. Strikers » **Cam for PVC**
21. Strikers » **Cam for 16/12 groove**
22. Strikers » **DSS for 16/12 groove**
23. Strikers » **Shoot bolt for PVC**
24. Covers » Stay arm » **Frame part**
25. Covers » Stay arm » **Support**
26. Covers » **kits stay support + corner hinge**
27. Covers » Corner support » **Right/Left**
28. Covers » Corner hinge » **PVC**
29. Covers » Corner support » **Top part, non handed**
30. Covers » Corner support » **Bottom part, non handed**

PVC rectangular window - single sash, Tilt&Turn, standard security

PVC rectangular window - double sash, Tilt&Turn, standard security

PVC arched window - single sash, Tilt&Turn, anti-burglar configuration RC1/RC2

PVC arched window - double sash, Tilt&Turn, anti-burglar configuration RC1/RC2

PVC angled window - single sash, Tilt&Turn, configuration Poseidon TT

PVC angled window - double sash, Tilt&Turn, configuration Poseidon TT

PVC arched window - Tilt&Turn, single sash

PVC arched window - Tilt&Turn, double sash

PVC angled window - Tilt&Turn, single sash

PVC angled window - double sash, Tilt&Turn

PVC rectangular window - Tilt Before Turn (TBT) opening, single sash

PVC rectangular window - Tilt only

Aluminium rectangular window - single sash, Turn only

1. Espagnolettes » **Turn only sash - mod. 502 / Variable handle height**
2. Espagnolettes - Accessories » **DSS**
3. Espagnolettes - Accessories » Tilt only terminal » **With cam, 18 stroke**
4. Espagnolettes - Accessories » Tilt only terminal » **With cam, 18+18 stroke**
5. Hinges for inactive sash » **Stay hinge, sash part**
6. Hinges for inactive sash » **Stay hinge, frame part**
7. Stay supports » **With Ø3 / Ø6 mm pins**
8. Stay supports » **Stay support pin**
9. Hinges » **Corner hinge with adapter**
10. Hinges » **Corner support with Ø3 /Ø6 mm pins**
11. Concealed central hinges » **Aluminium-wood**
12. Concealed central hinges » **European groove aluminium**
13. Hinges for inactive sash » **Central adj. loading hinge**
14. Covers » Stay arm » **Frame part**
15. Covers » Stay arm » **Support**
16. Covers » Corner support » **Right/Left**
17. Covers » Hinge » **Corner hinge**
18. Strikers » **DSS for aluminium-wood**
19. Strikers » **DSS for european groove aluminium**
20. Strikers » **Cam for aluminium-wood**
21. Strikers » **Cam for european groove aluminium**

Aluminium rectangular window - double sash, Turn only

1. Espagnolettes » **Turn only sash - mod. 508/Variable handle height**
2. Espagnolettes - Accessories » **DSS**
3. Espagnolettes - Accessories » Tilt only terminal » **With cam, 18 stroke**
4. Espagnolettes - Accessories » Tilt only terminal » **With cam, 18+18 stroke**
5. Corner drive » **Lower - For inactive sash**
6. Bolt » **Opening lever**
7. Espagnolettes - Accessories » **Lower bolt for turn only sash**
8. Espagnolettes - Accessories » **Upper bolt for turn only sash**
9. Hinges » **Corner hinge with adapter**
10. Hinges » **Corner support with Ø3 /Ø6 mm pins**
11. Concealed central hinges » **Aluminium-wood**
12. Concealed central hinges » **European groove aluminium**
13. Hinges for inactive sash » **Central adj. loading hinge**
14. Stay supports » **With Ø3 / Ø6 mm pins**
15. Stay supports » **Pin**
16. Hinges for inactive sash » **Stay hinge, sash part**
17. Hinges for inactive sash » **Stay hinge, frame part**
18. Bolt » **Fixed handle height**
19. Strikers » **Cam for aluminium-wood**
20. Strikers » **Cam for european groove aluminium**
21. Strikers » **Cam for 16/12 groove**
22. Strikers » **DSS for 16/12 groove**
23. Strikers » **Shoot bolt for aluminium-wood**
24. Strikers » **Shoot bolt for european groove aluminium**
25. Covers » Stay arm » **Frame part**
26. Covers » Stay arm » **Support**
27. Covers » Corner support » **Right/Left**
28. Covers » Hinge » **Corner hinge**

Aluminium rectangular window - single sash, Tilt&Turn, standard security

1. Espagnolettes » **Tilt & Turn - Fixed/Variable handle height**
2. Espagnolettes - Accessories » **DSS**
3. Corner drives » **For rectangular sashes**
4. Stay arms » **Sash part**
5. Stay arms » **Frame part, surface mounted**
6. Stay arms » **Supplementary**
7. Stay arms » **Adapter for suppl. stay-arm and Tilt only for aluminium-wood**
8. Stay arms » **Adapter for suppl. stay-arm and Tilt only for european groove alum.**
9. Central locks » **Vertical angular**
10. Central locks » **Extension 600**
11. Central locks » **Terminal 600**
12. Hinges » **Corner hinge with adapter**
13. Stay supports » **With Ø3 / Ø6 mm pins**
14. Stay supports » **Pin**
15. Hinges » **Corner support with Ø3 /Ø6 mm pins**
16. Strikers » **DSS for aluminium-wood**
17. Strikers » **DSS for european groove aluminium**
18. Strikers » **Cam for aluminium-wood**
19. Strikers » **Cam for european groove aluminium**
20. Strikers » **Anti-burglar for aluminium-wood**
21. Strikers » **Anti-burglar for european groove aluminium**
22. Strikers » **Tilt/Anti-burglar for aluminium-wood**
23. Strikers » **Tilt/Anti-burglar for european groove aluminium**
24. Corner drives » **Lifting shim for single cam**
25. Covers » Stay arm » **Frame part**
26. Covers » Stay arm » **Support**
27. Covers » Hinge » **Corner hinge**
28. Covers » Corner Support » **Right/Left**

Aluminium rectangular window - double sash, Tilt&Turn, standard security

Aluminium rectangular window - single sash, Tilt&Turn, anti-burglar configuration RC1/RC2

Aluminium rectangular window - double sash, Tilt&Turn, anti-burglar configuration RC1/RC2

Aluminium rectangular window - Tilt&Turn, single sash, configuration Poseidon TT

Aluminium rectangular window - Tilt&Turn, double sash, configuration Poseidon TT

Aluminium arched window - Tilt&Turn, single sash

Aluminium arched window - Tilt&Turn, double sash

Aluminium angled window - Tilt&Turn, single sash

Aluminium angled window - Tilt&Turn, double sash

Aluminium rectangular window - Tilt Before Turn (TBT) opening, single sash

1. Espagnolettes » **Tilt & Turn - Fixed/Variable handle height**
2. Espagnolettes - Accessories » **DSS**
3. Corner drives » **For rectangular sashes**
4. Stay arms » **Sash part**
5. Stay arms » **Stay arms, TBT surface mounted**
6. Stay arms » **Supplementary stay arms fot TBT**
7. Stay arms » **Adapt. for suppl. and tilt only wind. for aluminium-wood**
8. Stay arms » **Adapt. for suppl. and tilt only wind. for european groove alum.**
9. Central locks » **Vertical angular**
10. Central locks » **Extension 600**
11. Central locks » **Terminal 600**
12. Hinges » **Corner hinge with adapter**
13. Stay supports » **With Ø3 / Ø6 mm pins**
14. Stay supports » **Pin**
15. Hinges » **Corner support with Ø3 /Ø6 mm pins**
16. Strikers » **DSS for aluminium-wood**
17. Strikers » **DSS for European groove aluminium**
18. Strikers » **Cam for aluminium-wood**
19. Strikers » **Cam for European groove aluminium**
20. Strikers » **Anti-burglar for aluminium-wood**
21. Strikers » **Anti-burglar for European groove aluminium**
22. Strikers » **Tilt/Anti-burglar TBT for aluminium-wood**
23. Strikers » **Tilt/Anti-burglar TBT for European groove aluminium**
24. Corner drives » **Lifting shim for single cam**
25. Covers » Stay arm » **Frame part**
26. Covers » Stay arm » **Support**
27. Covers » Hinge » **Corner hinge**
28. Covers » Corner Support » **Right/Left**
29. Handles » **Handles for TBT**

Aluminium rectangular window - Tilt only windows

1. Espagnolettes » **Tilt & Turn/Tilt only - Variable/Central handle height**
2. Stay arms » **For tilt only window**
3. Stay arms » **For tilt only window, without screw**
4. Stay arms » **Adapter for suppl. stay-arm and Tilt only for european groove alu.**
5. Espagnolettes - Accessories » Tilt only terminal » **With cam, 18+18 stroke**
6. Espagnolettes - Accessories » Tilt only terminal » **With cam, 18 stroke**
7. Corner drives » **For rectangular sashes**
8. Corner drives » **18 mm stroke limiting device**
9. Central locks » **Terminal**
10. Stay supports » **With Ø3 / Ø6 mm pins**
11. Stay supports » **Pin**
12. Hinges for inactive sash » **Central adjustable loading hinge**
13. Hinges for inactive sash » **Stay hinge, frame part**
14. Hinges for inactive sash » **Stay hinge, sash part**
15. Strikers » **Cam for aluminium-wood**
16. Strikers » **Cam for european groove aluminium**
17. Covers » Stay arm » **Frame part**
18. Covers » Stay arm » **Support**

▲ Note **With sashes weight between 70 kg and 80 kg, please add the hinge in the middle 12**

∗ Note **Turn only stay arms with sash hold-open for cleaning or maintenance. For safety reasons, the stay arm is compulsory for SRW between: 274÷540 and 861÷2510.**

★ Note **Only stay arms with standard opening (microventilation) in safety conditions. The max. capacity fr security stay-arms is 40 kg each.**

❖ **Component only for windows european groove aluminum**

Note **Max. 2 m²**

Stay arm positioning

Espagnolettes

Tilt&Turn - Fixed handle height

BACKSET	SRH	GR	CAM	HANDLE H	CODE				€	DC
1) 7,5	610-810	02	0	280	A50122.08.02	10	10		15,513	F3
	794-1010**	03	0	400	A50122.08.03	10	10		15,691	F3
	994-1210	04	1	500	A50122.08.04	10	10		16,290	F3
	1194-1410	05	1	500	A50122.08.05	10	10		17,379	F3
	1394-1610	06	2	500	A50122.08.06	10	10		18,084	F3
	1594-1810	07	2	500	A50122.08.07	10	10		20,076	F3
	1634-1810	07bis	2	1050	A50122.08.17	10	10		20,076	F3
	1794-2110	08	2	1050	A50122.08.08	10	10		21,762	F3
	1994-2310	09	3	1050	A50122.08.09	10	10		24,563	F3
	2194-2510	10	3	1050	A50122.08.10	10	10		26,270	F3
2) 15	610-810	02	0	280	A50122.15.02	10	10		11,242	F3
	794-1010	03	1	400	A50122.15.03	10	10		11,454	F3
	994-1210	04	1	500	A50122.15.04	10	10		11,802	F3
	1194-1410	05	1	500	A50122.15.05	10	10		12,504	F3
	1394-1610	06	2	500	A50122.15.06	10	10		13,200	F3
	1594-1810	07	2	500	A50122.15.07	10	10		14,543	F3
	1634-1810	07bis	2	1050	A50122.15.17	10	10		14,543	F3
	1794-2110	08	2	1050	A50122.15.08	10	10		15,886	F3
	1994-2310	09	3	1050	A50122.15.09	10	10		17,589	F3
	2194-2510	10	3	1050	A50122.15.10	10	10		19,296	F3
3) Rod*	610-810	02	0	280	A50122.00.02	10	10	✔	6,418	F3
	794-1010	03	1	400	A50122.00.03	10	10	✔	6,634	F3
	994-1210	04	1	500	A50122.00.04	10	10	✔	6,990	F3
	1194-1410	05	1	500	A50122.00.05	10	10	✔	7,705	F3
	1394-1610	06	2	500	A50122.00.06	10	10	✔	8,413	F3
	1594-1810	07	2	500	A50122.00.07	10	10	✔	9,781	F3

Note: for rods of GR 7 bis, 8, 9, 10 use A50104.00.xx on the following pages.
Note: the DSS is always present on each GR.
*in rod version the DSS and the handle monobloc are not included.
**the espagnolette, backset 7,5 GR3 can be used on windows with 2 sashes with lever rods A51504.19.13.

Tilt&Turn - Fixed handle height, without DSS

BACKSET	SRH	GR	CAM	HANDLE H	CODE			€	DC
1) 7,5	610-810	02	0	280	A50125.08.02	10	10	11,789	F3
	794-1010**	03**	0	400	A50125.08.03	10	10	11,455	F3
	994-1210	04	1	500	A50125.08.04	10	10	12,544	F3
	1194-1410	05	1	500	A50125.08.05	10	10	13,635	F3
	1394-1610	06	2	500	A50125.08.06	10	10	14,339	F3
	1594-1810	07	2	500	A50125.08.07	10	10	16,330	F3
	1634-1810	07bis	2	1050	A50125.08.17	10	10	16,330	F3
	1794-2110	08	2	1050	A50125.08.08	10	10	18,016	F3
	1994-2310	09	3	1050	A50125.08.09	10	10	20,817	F3
	2194-2510	10	3	1050	A50125.08.10	10	10	22,524	F3
2) 15	610-810	02	0	280	A50125.15.02	10	10	7,496	F3
	794-1010	03	1	400	A50125.15.03	10	10	7,709	F3
	994-1210	04	1	500	A50125.15.04	10	10	8,056	F3
	1194-1410	05	1	500	A50125.15.05	10	10	8,758	F3
	1394-1610	06	2	500	A50125.15.06	10	10	9,456	F3
	1594-1810	07	2	500	A50125.15.07	10	10	10,800	F3
	1634-1810	07bis	2	1050	A50125.15.17	10	10	10,797	F3
	1794-2110	08	2	1050	A50125.15.08	10	10	12,141	F3
	1994-2310	09	3	1050	A50125.15.09	10	10	13,844	F3
	2194-2510	10	3	1050	A50125.15.10	10	10	15,552	F3

**the espagnolette backset 7,5 GR3 has to be used in the 2 sashes with lever rods A51504.19.13

Espagnolettes

Tilt&Turn - Single cam

BACKSET	SRH	SRW	GR	CAM	HANDLE H	CODE			€	DC
1) 15	357-620	362-1200	01	1	170	A50122.15.31	20	20	19,838	F3
2) 15	357-620	277-1200	01	1	170	A50122.15.41	20	20	21,052	F3
3) 7,5	369-620	362-1200	01	1	170	A50122.08.31	20	20	26,139	F3
4) 7,5	369-620	277-1200	01	1	170	A50122.08.41	20	20	27,524	F3

Note: A50122.15.41 is extensible on jamb side only.
Note: SRH espagnolette from 369 to 440 achievable with angle GR1 A50302.01.01.
Under SRH 357mm use the espagnolette A50111.15.10

Tilt&Turn - Double cam

BACKSET	SRH	SRW	GR	CAM	HANDLE H	CODE			€	DC
1) 15	357-620	362-1200	01	1	170	A50122.15.01	20	20	20,529	F3
2) 15	357-620	277-1200	01	1	170	A50122.15.21	20	20	21,812	F3
3) 7,5	369-620	362-1200	01	1	170	A50122.08.01	20	20	27,270	F3
4) 7,5	369-620	277-1200	01	1	170	A50122.08.21	20	20	28,827	F3

Note: A50122.15.21 is extensible on jamb side only.
Note: SRH espagnolette from 369 to 440 achievable with angle GR1 A50302.01.01.
Under SRH 357mm use the espagnolette A50111.15.10

Espagnolettes

Tilt&Turn/Tilt only - variable/central handle height

BACKSET	SRH	GR	CAM	HANDLE H	CODE				€	DC
1) 7,5	540-712	01		270-356	A50111.08.11	20	20		14,317	F3
	660-860	02	1	330-430	A50111.08.12	20	20		14,317	F3
	820-1220	03	1	394-610	A50111.08.13	20	20		14,888	F3
	1190-1610	04	2	589-805	A50111.08.14	20	20		16,312	F3
	1590-2010	05	2	789-1005	A50111.08.15	10	10		19,049	F3
	1890-2510	06	4	939-1255	A50111.08.16	10	10		22,524	F3
2) 15	274-662**	00		137-331	A50111.15.10	20	20		7,023	F3
	540-712	01		270-356	A50111.15.11	20	20		7,498	F3
	660-860	02	1	330-430	A50111.15.12	20	20		7,498	F3
	820-1220	03	1	394-610	A50111.15.13	20	20		8,057	F3
	1190-1610	04	2	589-805	A50111.15.14	20	20		9,455	F3
	1590-2010	05	2	789-1005	A50111.15.15	20	20		12,139	F3
	1890-2510	06	4	939-1255	A50111.15.16	10	10		15,552	F3
3) Rod*	540-712	01		270-356	A50111.00.11	10	10	✔	2,603	F3
	660-860	02	1	330-430	A50111.00.12	10	10	✔	2,882	F3
	820-1220	03	1	394-610	A50111.00.13	10	10	✔	3,174	F3
	1190-1610	04	2	589-805	A50111.00.14	10	10	✔	4,598	F3

Note: in rod version of GR5 and 6 use A50114.00.xx in following pages.
Note: The DSS has to be ordered separately art. A50190.00.00.
Note: GR 1-2-3 backset 15 require a tilt stay arm A50545.00.00. On backset 7,5 the tilt stay arms can't be applied
Note: GR 4-5-6 backset 15 require 2 tilt stay arms A50545.00.00. On backset 7,5 tilt stay arm only on GR5 and 6
*in the rod version there isn't the handle monobloc
**for application field SRH < 470 mm use 2 corner drives A50302.01.01
**to reduce the appl. field under 312 mm please see the specific page of espagnolette into the Technical Catalogue

Tilt&Turn - with cylinder hole above the handle, fixed handle height

BACKSET	SRH	GR	CAM	HANDLE H	CODE			€	DC
1) 40	1634-1810	07bis	2	1050	A50104.40.17	5	5	61,322	F3
	1794-2110	08	2	1050	A50104.40.08	5	5	62,805	F3
	1994-2310	09	3	1050	A50104.40.09	5	5	64,541	F3
	2194-2510	10	3	1050	A50104.40.10	5	5	66,888	F3
2) Rod*	1634-1810	07bis	2	1050	A50104.00.17	10	10	11,408	F3
	1794-2110	08	2	1050	A50104.00.08	10	10	12,751	F3
	1994-2310	09	3	1050	A50104.00.09	10	10	14,454	F3
	2194-2510	10	3	1050	A50104.00.10	10	10	16,163	F3
3) 40, without DSS	1634-1810	07bis	2	1050	A50126.40.17	5	5	57,577	F3
	1794-2110	08	2	1050	A50126.40.08	5	5	59,059	F3
	1994-2310	09	3	1050	A50126.40.09	5	5	60,795	F3
	2194-2510	10	3	1050	A50126.40.10	5	5	63,143	F3

*in rod version, there aren't the DSS, the handle monobloc and the cylinder

Espagnolettes

Tilt&Turn - with cylinder hole under the handle, fixed handle height

BACKSET	SRH	GR	CAM	HANDLE H	CODE				€	DC
1) 40	1634-1810	07bis	2	1050	A50107.40.17	☎	5	5	62,488	F3
	1794-2110	08	2	1050	A50107.40.08	☎	5	5	63,998	F3
	1994-2310	09	3	1050	A50107.40.09	☎	5	5	65,767	F3
	2194-2510	10	3	1050	A50107.40.10	☎	5	5	68,159	F3
2) Rod*	1634-1810	07bis	2	1050	A50107.00.17	☎	10	10	11,408	F3
	1794-2110	08	2	1050	A50107.00.08	☎	10	10	12,751	F3
	1994-2310	09	3	1050	A50107.00.09	☎	10	10	14,454	F3
	2194-2510	10	3	1050	A50107.00.10	☎	10	10	16,163	F3
3) 40, without DSS	1634-1810	07bis	2	1050	A50127.40.17		5	5	58,743	F3
	1794-2110	08	2	1050	A50127.40.08		5	5	60,253	F3
	1994-2310	09	3	1050	A50127.40.09		5	5	62,022	F3
	2194-2510	10	3	1050	A50127.40.10		5	5	64,415	F3

*in rod version the DSS, the handle and the cylinder monoblocs are not included

Tilt&Turn - with cylinder hole above the handle, central/variable handle height

BACKSET	SRH	GR	CAM	HANDLE H	CODE			€	DC
1) 40	1590-2010	05	2	790-1000	A50114.40.15	5	5	59,061	F3
	1890-2510	06	4	940-1250	A50114.40.16	5	5	67,762	F3
2) Rod*	1590-2010	05	2	790-1000	A50114.00.15	20	20	9,005	F3
	1890-2510	06	4	940-1250	A50114.00.16	10	10	12,417	F3

*in rod version the cylinder and the handle monobloc are not included.
Note: DSS to be ordered separately art. A50190.00.00

Espagnolettes

Tilt&Turn - with cylinder hole under the handle, variable/central handle height

BACKSET	SRH	GR	CAM	HANDLE H	CODE			€	DC
1) 40	1590-2010	05	2	790-1000	A50115.40.15 ☎	5	5	60,184	F3
	1890-2510	06	4	940-1250	A50115.40.16 ☎	5	5	69,051	F3
2) Rod*	1590-2010	05	2	790-1000	A50115.00.15 ☎	20	20	9,005	F3
	1890-2510	06	4	940-1250	A50115.00.16 ☎	10	10	12,417	F3

*in rod version the cylinder and the handle monobloc are not included.
Note: DSS to be ordered separately art. A50190.00.00

Turn only - Mod. 502 for single sash window and 1 or 2 sashes balcony door

BACKSET	SRH	GR	CAM	HANDLE H	CODE			€	DC
15	360-610	01	2	170	A50200.15.01	20	20	7,332	F3
	600-810	02	2	280	A50200.15.02	20	20	7,677	F3
	800-1010	03	2	400	A50200.15.03	20	20	8,126	F3
	1000-1210	04	3	500	A50200.15.04	20	20	9,053	F3
	1200-1410	05	3	500	A50200.15.05	20	20	9,687	F3
	1400-1610	06	3	500	A50200.15.06	20	20	10,529	F3
	1600-1810	07	3	500	A50200.15.07	20	20	12,102	F3
	1600-1810	07bis	3	1050	A50200.15.17	20	20	12,102	F3
	1800-2110	08	4	1050	A50200.15.08	10	10	14,313	F3
	2000-2310	09	4	1050	A50200.15.09	10	10	16,108	F3
	2200-2510	10	4	1050	A50200.15.10	10	10	17,427	F3

Note: the DSS can be applied from GR4
Note: magnetic sash catcher and with spring can't be applied with lever rods for second sash

Espagnolettes

Turn opening sash with central handle mod. 506 for windows and balcony-doors with single sash, double sash and tilt only windows

BACKSET	SRH	GR	CAM	HANDLE H	LENGTH	CODE			€	DC
15	300-600	01	2	central	600	A50600.15.01	20	20	7,699	F3
	601-900	02	2	central	900	A50600.15.02	20	20	8,147	F3
	901-1300	03bis	2	central	1300	A50600.15.3B	20	20	9,370	F3
	1301-1700	04	3	central	1700	A50600.15.04	20	20	10,818	F3
	1701-2100	05	4	central	2100	A50600.15.05	20	20	13,279	F3
	2101-2400	06	4	central	2400	A50600.15.06	10	10	15,951	F3

Espagnolettes

Turn only - Mod. 588 extensible for U11/U14 double sash

BACKSET	SRH	GR	CAM	HANDLE H	CODE			€	DC
15	400-620	01	-	170	A58811.15.01	20	20	9,166	F3
	610-810	02	-	280	A58811.15.02	20	20	9,473	F3
	794-1010	03	1	400	A58811.15.03	20	20	10,026	F3
	994-1210	04	1	500	A58811.15.04	20	20	10,373	F3
	1194-1410	05	1	500	A58811.15.05	20	20	11,064	F3
	1394-1610	06	1	500	A58811.15.06	20	20	11,894	F3
	1594-1810	07	2	500	A58811.15.07	20	20	12,791	F3
	1370-1810	07bis	2	1050	A58811.15.17	20	20	12,791	F3
	1794-2110	08	2	1050	A58811.15.08	10	10	14,533	F3
	1994-2310	09	2	1050	A58811.15.09	10	10	17,558	F3
	2194-2510	10	2	1050	A58811.15.10	10	10	17,639	F3

Note: the DSS can be applied from GR2

Note: magnetic sash catcher and with spring can't be applied with lever rods for second sash

Espagnolettes - Accessories

DSS (Safety and lifting device)

HAND	CODE			€	DC
1) non-handed	A50190.00.00	50	300	3,746	F3
2) trilobal screw	G01809.10.00	50	300	0,235	F3

Handle monobloc

BACKSET	CODE			€	DC
15	A50191.15.00	20	20	5,929	F3
25	A50191.25.00	20	20	8,427	F3
30	A50191.30.00	20	20	10,000	F3
35	A50191.35.00	20	20	10,770	F3
40	A50191.40.00	20	20	11,221	F3
45	A50191.45.00	20	20	13,807	F3
50	A50191.50.00	20	20	15,876	F3

Cylinder monobloc

BACKSET	CODE			€	DC
30	A50192.30.00	20	20	35,390	F3
35	A50192.35.00	20	20	36,576	F3
40	A50192.40.00	20	20	36,679	F3
50	A50192.50.00	20	20	38,629	F3

Movement diverter - 6 mm

ALPHACAN - System In'Alpha Prestigio - Luce	CODE			€	DC
	A50185.00.00	50	50	29,958	F3
ALUPLAST - Ideal 4000/5000, Energeto	CODE			€	DC
	A50185.00.00	50	50	29,958	F3
DECEUNINCK - Zendow	CODE			€	DC
	A50185.00.00	50	50	29,958	F3
GARGIULO - Wingo MD 80	CODE			€	DC
	A50185.00.00	50	50	29,958	F3
GEALAN - 8000	CODE			€	DC
	A50185.01.00	50	50	32,733	F3
KOMMERLING - Eurodur 3S, Eurofutur MD	CODE			€	DC
	A50185.00.00	50	50	29,958	F3
KOMMERLING - MD 76	CODE			€	DC
	A50185.02.00	50	50	29,958	F3
REHAU - Neferia	CODE			€	DC
	A50185.02.00	50	50	29,958	F3
REHAU - Piattaforma 70	CODE			€	DC
	A40002.00.02	50	50	24,237	F3
REHAU - Synego	CODE			€	DC
	A50185.00.00	50	50	29,958	F3
SALAMANDER - bluEvolution 82	CODE			€	DC
	A50185.00.00	50	50	29,958	F3
SALAMANDER - Streamline 76	CODE			€	DC
	A50185.02.00	50	50	29,958	F3
VEKA - Softline AD, Softline 82	CODE			€	DC
	A50185.00.00	50	50	29,958	F3

Espagnolettes - Accessories

Adapter for diverter

	CODE			€	DC
0,5 mm	A50184.05.00 ☎	50	50	0,807	F3
1 mm	A50184.10.00 ☎	50	50	0,807	F3

Terminal for tilt only windows

	CODE			€	DC
1) Without cam, stroke 18+18	A50193.00.00	20	20	3,402	F3
2) With cam, stroke 18+18	A50193.00.02	20	20	3,965	F3
3) With cam, stroke 18	A50193.00.03	20	20	2,880	F3

Lower inverter terminal for tilt only windows

THROW	CODE			€	DC
11 mm	A50195.01.11	20	20	8,760	F3
15 mm	A50195.01.15	20	20	8,760	F3

Upper terminal for turn only sash

THROW	HAND	CODE			€	DC
11/15 mm	rh	A50193.02.DX	20	20	2,928	F3
	lh	A50193.02.SX	20	20	2,928	F3

Note: in the picture, there is the right-hand shootbolt

Covering plate for hardware cut

	CODE			€	DC
	A50194.02.00	100	100	0,527	F3

Covering plate for parallel cut

	CODE			€	DC
	A50194.01.00	100	100	0,523	F3

Espagnolettes - Accessories

Forend covering plate for 502 espagnolette

CODE			€	DC
A40403.00.01	50	1000	0,297	F1

Handle shield

BACKSET	CODE			€	DC
7,5	A50194.00.01	10	100	2,878	F3
15	A20050.00.02	10	100	2,435	F3

Anti-burglar handles

ALUMINIUM					
FINISH	CODE			€	DC
Silver	A30905.03.01	1	20	61,451	F4
Light bronze plated	A30905.03.14	1	20	50,311	F4
Champagne	A30905.03.17	1	20	43,798	F4
Glided	A30905.03.31	1	20	50,311	F4
White RAL 9010	A30905.03.91	1	20	43,798	F4

Note: handles fulfill the necessary requirements provided by the UNI ENV 1627÷30:2011

Handles for TBT device (Tilt Before Turn)

FINISH	CODE			€	DC
Silver	A50199.00.21 ☎	1	1	55,874	F4

Corner drives

For rectangular sashes

DIMENSIONS	SRW	SRH	CAM	CODE			€	DC
1) 30x125	277-1204	357-2510	1	A50302.01.01	50	50	7,548	F3
2) 125x125	362-1204	440-2510	1	A50302.01.02	50	50	6,040	F3
3) 125x125	362-1204	440-2510	2	A50302.02.02	50	50	8,825	F3
4) 125x125	216-1204	610-2510	1	A50320.01.00	50	50	8,936	F3
5) 125x125	216-1204	610-2510	2	A50302.02.04	50	50	14,968	F3

Note: art. A50320.01.00 and A50302.02.04 are extensible on jamb side only.
Note: minimum values SRW=277 mm and SRH=357 mm are reachable separately according with the direction of the corner drive.

For microventilation by step

DIMENSIONS	HAND	CODE			€	DC
125x125	rh	A50302.03.02	50	50	10,389	F3
	lh	A50302.04.02	50	50	10,389	F3

With shootbolt, for asymmetric and even cuts, for turn and second sashes

DIMENSIONS	SRW	CODE			€	DC
30x125	277-362	A50300.00.05	50	50	23,160	F3

For rectangular sashes, even cut

DIMENSIONS	SRW	SRH	CAM	CODE			€	DC
30x125	310-1204	357-2510	1	A50302.01.03	50	50	9,828	F3

Corner drives

Double cam for PVC

DIMENSIONS	SRW	SRH	CAM	CODE			€	DC
1) 185x125	347-1204	610-2510	1	A50320.02.01	50	50	6,871	F3
2) 185x125	347-1204	610-2510	2	A50321.02.01	50	50	9,451	F3
3) 185x125	277-1204	610-2510	1	A50320.02.00	50	50	9,975	F3

Note: art. 3 is extensible on jamb side only.

For gap 18 transom for balcony door

DIMENSIONS	SRW	SRH	CAM	CODE			€	DC
1) 125x125	287-1204	610-2510	1	A50309.01.02	50	50	9,859	F3
2) 125x125	287-1204	610-2510	2	A50309.02.02	50	50	13,445	F3
3) 30x125	287-1204		1	A50309.01.03	50	50	10,088	F3
4) 185x125	347-1204	610-2510	1	A50322.01.01	50	50	9,859	F3
5) 185x125	347-1204	610-2510	2	A50323.01.01	50	50	13,445	F3

Upper - For second sash

DIMENSIONS	SRW	SRH	CAM	CODE			€	DC
1) 30x125	277-1204	610-2510		A51701.19.01	50	50	11,848	F3
2) 125x125	362-1204	610-2510	1	A51701.19.02	50	50	12,265	F3
3) 125x125	216-1200	610-2510	1	A51704.19.02	50	50	18,475	F3

*minimum SRW regarding the use of the stay arm

Corner drives

Upper - for second sash, parallel cut

DIMENSIONS	SRW	SRH	CAM	CODE			€	DC
30x125	310-1204	610-2510	1	A51701.19.03	50	50	14,127	F3

Lower - For second sash

DIMENSIONS	SRW	SRH	CAM	CODE			€	DC
1) 125x125	216-1204	610-2510	1	A51575.19.02	50	50	18,475	F3
2) 125x125	287-1204	610-2510	1	A51571.19.00	50	50	12,265	F3
3) 185x125	347-1204	610-2510	1	A51572.19.00	50	50	12,265	F3

Lower - for second sash, gap 18 mm

DIMENSIONS	SRW	SRH	CAM	CODE			€	DC
1) 125x125	287-1204	610-2510	1	A51574.19.00	50	50	16,653	F3
2) 185x125	347-1204	610-2510	1	A51579.19.00	50	50	16,312	F3

For arched and angled windows

DIMENSIONS	SRW	SRH	CAM	CODE			€	DC
125x125	362-1204	440-2510	1	A50304.01.01	50	50	14,923	F3

For arched and angled window hinge

DIMENSIONS	SRW	CODE			€	DC
125x125	456-766	A50320.00.01	50	50	13,652	F3

Note: when coupled with double cam corner drive. Min. SRW = 516 mm

Corner drives

Lifting adapter for single cam

	CODE			€	DC
	A50390.00.01	50	1250	0,571	F3

Lifting adapter for double cam

	CODE			€	DC
	A50390.00.00	50	1250	0,571	F3

Lifting adapter

	GAP	CODE			€	DC
1) Hardware hole	12	A50390.00.03	50	50	1,158	F3
2) Groove 16/12	12	A50390.00.04	50	50	1,158	F3
3) Hardware hole	18	A50390.00.05	50	50	1,158	F3
4) Groove 16/12	18	A50390.00.06	50	50	1,158	F3

18 mm stroke limiting device

	CODE			€	DC
	A50196.00.18	100	100	0,668	F3

Note: to be used only with corner drives

Stay-arms - surface mounted

Stay-arm

SRW	GR	CAM	CODE			€	DC
277-490	01		A50510.00.01	20	20	6,111	F3
476-604	02		A50510.00.02	20	20	6,201	F3
594-804	03		A50510.00.03	20	20	6,839	F3
794-1004	04	1	A50510.00.04	20	20	7,871	F3
994-1204	05	1	A50510.00.05	20	20	9,184	F3

Note: application field within 277 and 362 achievable with GR1 angle A50302.01.01

Stay-arms - surface mounted

Frame part, surface mounted - Rebate 18

AXIS	SRW	GR	HAND	CODE			€	DC
9	277-490	01	rh	A51921.24.01	10	10	5,394	F3
	277-490	01	lh	A51922.24.01	10	10	5,394	F3
	476-604	02	rh	A51921.24.02	10	10	5,472	F3
	476-604	02	lh	A51922.24.02	10	10	5,472	F3
	594-804	03	rh	A51921.24.03	10	10	6,036	F3
	594-804	03	lh	A51922.24.03	10	10	6,036	F3
	794-1204	04	rh	A51921.24.04	10	10	6,949	F3
	794-1204	04	lh	A51922.24.04	10	10	6,949	F3
13	277-490	01	rh	A51921.34.01	10	10	5,394	F3
	277-490	01	lh	A51922.34.01	10	10	5,394	F3
	476-604	02	rh	A51921.34.02	10	10	5,472	F3
	476-604	02	lh	A51922.34.02	10	10	5,472	F3
	594-804	03	rh	A51921.34.03	10	10	6,036	F3
	594-804	03	lh	A51922.34.03	10	10	6,036	F3
	794-1204	04	rh	A51921.34.04	10	10	6,949	F3
	794-1204	04	lh	A51922.34.04	10	10	6,949	F3

Frame part, surface mounted - Rebate 20

AXIS	SRW	GR	HAND	CODE			€	DC
9	277-490	01	rh	A51921.26.01	10	10	5,394	F3
	277-490	01	lh	A51922.26.01	10	10	5,394	F3
	476-604	02	rh	A51921.26.02	10	10	5,472	F3
	476-604	02	lh	A51922.26.02	10	10	5,472	F3
	594-804	03	rh	A51921.26.03	10	10	6,036	F3
	594-804	03	lh	A51922.26.03	10	10	6,036	F3
	794-1204	04	rh	A51921.26.04	10	10	6,949	F3
	794-1204	04	lh	A51922.26.04	10	10	6,949	F3
13	277-490	01	rh	A51921.36.01	10	10	5,394	F3
	277-490	01	lh	A51922.36.01	10	10	5,394	F3
	476-604	02	rh	A51921.36.02	10	10	5,472	F3
	476-604	02	lh	A51922.36.02	10	10	5,472	F3
	594-804	03	rh	A51921.36.03	10	10	6,036	F3
	594-804	03	lh	A51922.36.03	10	10	6,036	F3
	794-1204	04	rh	A51921.36.04	10	10	6,949	F3
	794-1204	04	lh	A51922.36.04	10	10	6,949	F3
26	277-490	01	rh	A51921.46.01	10	10	5,394	F3
	277-490	01	lh	A51922.46.01	10	10	5,394	F3
	476-604	02	rh	A51921.46.02	10	10	5,472	F3
	476-604	02	lh	A51922.46.02	10	10	5,472	F3
	594-804	03	rh	A51921.46.03	10	10	6,036	F3
	594-804	03	lh	A51922.46.03	10	10	6,036	F3
	794-1204	04	rh	A51921.46.04	10	10	6,949	F3
	794-1204	04	lh	A51922.46.04	10	10	6,949	F3

Stay-arms - surface mounted

Frame part, surface mounted - Rebate 22

AXIS	SRW	GR	HAND	CODE			€	DC
9	277-490	01	rh	A51921.28.01 ☎	10	10	5,394	F3
	277-490	01	lh	A51922.28.01 ☎	10	10	5,394	F3
	476-604	02	rh	A51921.28.02 ☎	10	10	5,472	F3
	476-604	02	lh	A51922.28.02 ☎	10	10	5,472	F3
	594-804	03	rh	A51921.28.03 ☎	10	10	6,036	F3
	594-804	03	lh	A51922.28.03 ☎	10	10	6,036	F3
	794-1204	04	rh	A51921.28.04 ☎	10	10	6,949	F3
	794-1204	04	lh	A51922.28.04 ☎	10	10	6,949	F3
13	277-490	01	rh	A51921.38.01 ☎	10	10	5,394	F3
	277-490	01	lh	A51922.38.01 ☎	10	10	5,394	F3
	476-604	02	rh	A51921.38.02 ☎	10	10	5,472	F3
	476-604	02	lh	A51922.38.02 ☎	10	10	5,472	F3
	594-804	03	rh	A51921.38.03 ☎	10	10	6,036	F3
	594-804	03	lh	A51922.38.03 ☎	10	10	6,036	F3
	794-1204	04	rh	A51921.38.04 ☎	10	10	6,949	F3
	794-1204	04	lh	A51922.38.04 ☎	10	10	6,949	F3

Stay arm for Tilt Before Turn (TBT) - Rebate 18

AXIS	SRW	GR	HAND	CODE			€	DC
9	277-490	01	rh	A51941.24.01	10	10	11,189	F3
	277-490	01	lh	A51942.24.01	10	10	11,189	F3
	476-604	02	rh	A51941.24.02	10	10	11,268	F3
	476-604	02	lh	A51942.24.02	10	10	11,268	F3
	594-804	03	rh	A51941.24.03	10	10	11,530	F3
	594-804	03	lh	A51942.24.03	10	10	11,530	F3
	794-1204	04	rh	A51941.24.04	10	10	12,747	F3
	794-1204	04	lh	A51942.24.04	10	10	12,747	F3

Stay arm for Tilt Before Turn (TBT) - Rebate 20

AXIS	SRW	GR	HAND	CODE			€	DC
9	277-490	01	rh	A51941.26.01	10	10	11,189	F3
	277-490	01	lh	A51942.26.01	10	10	11,189	F3
	476-604	02	rh	A51941.26.02	10	10	11,268	F3
	476-604	02	lh	A51942.26.02	10	10	11,268	F3
	594-804	03	rh	A51941.26.03	10	10	11,530	F3
	594-804	03	lh	A51942.26.03	10	10	11,530	F3
	794-1204	04	rh	A51941.26.04	10	10	12,747	F3
	794-1204	04	lh	A51942.26.04	10	10	12,747	F3
13	277-490	01	rh	A51941.36.01	10	10	11,189	F3
	277-490	01	lh	A51942.36.01	10	10	11,189	F3
	476-604	02	rh	A51941.36.02	10	10	11,268	F3
	476-604	02	lh	A51942.36.02	10	10	11,268	F3
	594-804	03	rh	A51941.36.03	10	10	11,530	F3
	594-804	03	lh	A51942.36.03	10	10	11,530	F3
	794-1204	04	rh	A51941.36.04	10	10	12,747	F3
	794-1204	04	lh	A51942.36.04	10	10	12,747	F3

Stay-arms - surface mounted

Frame part for angled window, surface mounted - Rebate 18

AXIS	SRW	GR	HAND	CODE			€	DC
9	277-490	01	rh	A51923.24.01	10	10	26,903	F3
	277-490	01	lh	A51924.24.01	10	10	26,903	F3
	476-604	02	rh	A51923.24.02	10	10	28,284	F3
	476-604	02	lh	A51924.24.02	10	10	28,284	F3
	594-804	03	rh	A51923.24.03	10	10	30,092	F3
	594-804	03	lh	A51924.24.03	10	10	30,092	F3
	794-1204	04	rh	A51923.24.04	10	10	35,854	F3
	794-1204	04	lh	A51924.24.04	10	10	35,854	F3
13	277-490	01	rh	A51923.34.01	10	10	26,903	F3
	277-490	01	lh	A51924.34.01	10	10	26,903	F3
	476-604	02	rh	A51923.34.02	10	10	28,284	F3
	476-604	02	lh	A51924.34.02	10	10	28,284	F3
	594-804	03	rh	A51923.34.03	10	10	30,092	F3
	594-804	03	lh	A51924.34.03	10	10	30,092	F3
	794-1204	04	rh	A51923.34.04	10	10	35,854	F3
	794-1204	04	lh	A51924.34.04	10	10	35,854	F3

Note: according to the profile and the window inclination, it could be necessary to mill the frame upper transom near the stay support

Frame part for angled window, surface mounted - Rebate 20

AXIS	SRW	GR	HAND	CODE			€	DC
9	277-490	01	rh	A51923.26.01	10	10	26,903	F3
	277-490	01	lh	A51924.26.01	10	10	26,903	F3
	476-604	02	rh	A51923.26.02	10	10	28,284	F3
	476-604	02	lh	A51924.26.02	10	10	28,284	F3
	594-804	03	rh	A51923.26.03	10	10	30,092	F3
	594-804	03	lh	A51924.26.03	10	10	30,092	F3
	794-1204	04	rh	A51923.26.04	10	10	35,854	F3
	794-1204	04	lh	A51924.26.04	10	10	35,854	F3
13	277-490	01	rh	A51923.36.01	10	10	26,903	F3
	277-490	01	lh	A51924.36.01	10	10	26,903	F3
	476-604	02	rh	A51923.36.02	10	10	28,284	F3
	476-604	02	lh	A51924.36.02	10	10	28,284	F3
	594-804	03	rh	A51923.36.03	10	10	30,092	F3
	594-804	03	lh	A51924.36.03	10	10	30,092	F3
	794-1204	04	rh	A51923.36.04	10	10	35,854	F3
	794-1204	04	lh	A51924.36.04	10	10	35,854	F3
26	277-490	01	rh	A51923.46.01	10	10	26,903	F3
	277-490	01	lh	A51924.46.01	10	10	26,903	F3
	476-604	02	rh	A51923.46.02	10	10	28,284	F3
	476-604	02	lh	A51924.46.02	10	10	28,284	F3
	594-804	03	rh	A51923.46.03	10	10	30,092	F3
	594-804	03	lh	A51924.46.03	10	10	30,092	F3
	794-1204	04	rh	A51923.46.04	10	10	35,854	F3
	794-1204	04	lh	A51924.46.04	10	10	35,854	F3

Note: according to the profile and the window inclination, it could be necessary to mill the frame upper transom near the stay support

Stay-arms - surface mounted

Frame part for angled window, surface mounted - Rebate 22

AXIS	SRW	GR	HAND	CODE				€	DC
9	277-490	01	rh	A51923.28.01	☎	10	10	26,903	F3
	277-490	01	lh	A51924.28.01	☎	10	10	26,903	F3
	476-604	02	rh	A51923.28.02	☎	10	10	28,284	F3
	476-604	02	lh	A51924.28.02	☎	10	10	28,284	F3
	594-804	03	rh	A51923.28.03	☎	10	10	30,092	F3
	594-804	03	lh	A51924.28.03	☎	10	10	30,092	F3
	794-1204	04	rh	A51923.28.04	☎	10	10	35,854	F3
	794-1204	04	lh	A51924.28.04	☎	10	10	35,854	F3
13	277-490	01	rh	A51923.38.01	☎	10	10	26,903	F3
	277-490	01	lh	A51924.38.01	☎	10	10	26,903	F3
	476-604	02	rh	A51923.38.02	☎	10	10	28,284	F3
	476-604	02	lh	A51924.38.02	☎	10	10	28,284	F3
	594-804	03	rh	A51923.38.03	☎	10	10	30,092	F3
	594-804	03	lh	A51924.38.03	☎	10	10	30,092	F3
	794-1204	04	rh	A51923.38.04	☎	10	10	35,854	F3
	794-1204	04	lh	A51924.38.04	☎	10	10	35,854	F3

Note: according to the profile and the window inclination, it could be necessary to mill the frame upper transom near the stay support

For arched window, surface mounted - Rebate 18

AXIS	LENGTH	CAM	CODE				€	DC
9	675	1	A50540.24.01		10	10	35,206	F3
13	675	1	A50540.34.01		10	10	35,206	F3

Note: 216 mm cuttable length

For arched window, surface mounted - Rebate 20

AXIS	LENGTH	CAM	CODE				€	DC
9	675	1	A50540.26.01		10	10	35,206	F3
13	675	1	A50540.36.01		10	10	35,206	F3
26	675	1	A50540.46.01		10	10	35,206	F3

Note: 216 mm cuttable length

For arched window, surface mounted - Rebate 22

AXIS	LENGTH	CAM	CODE				€	DC
9	675	1	A50540.28.01	☎	10	10	41,496	F3
13	675	1	A50540.38.01	☎	10	10	41,496	F3

Note: 216 mm cuttable length

Supplementary stay arm for rectangular window

1)								
LENGTH		CODE					€	DC
200 mm		A50543.25.00		20	20		12,144	F3
2) Tilt opening limiter for supplementary stay-arm								
		CODE					€	DC
		A50546.00.00		100	100		2,247	F3

Stay-arms - surface mounted

Supplementary stay arm for rectangular window TBT

LENGTH	CODE			€	DC
200 mm	A50542.20.00	20	20	21,931	F3

For Tilt only window

	CODE			€	DC
1) For variable espagnolette	A50545.00.00	20	20	8,155	F3
2) With security without screws for variable espagnolette	A40158.00.03	20	20	9,280	F3

Note: to fasten the frame part, use the adapters for the supplementary stay-arm, Tilt only

Stay-arms - surface mounted

Adapter for supplementary stay-arm and Tilt only for PVC

	CODE			€	DC
ALPHACAN - System In'Alpha 70, Prestigio, Luce	A50543.BB.00	20	20	1,080	F3
ALUPLAST - Ideal 2000	A50543.BF.00	20	20	1,080	F3
ALUPLAST - Ideal 4000/8000, Energeto	A50543.BB.00	20	20	1,080	F3
BRUGMANN - AD, MD	A50543.BF.00	20	20	1,080	F3
DECEUNINCK - Zendow, Zendow#neo, Elegance, Premiere	A50543.CD.00	20	20	1,080	F3
GARGIULO - Wingo AD 70, Wingo MD 80	A50543.BF.00	20	20	1,080	F3
GEALAN - 3000, 7000, 8000, 9000	A50543.DF.00	20	20	1,080	F3
GEALAN - Kubus	A50543.HZ.00	20	20	1,953	F3
ITALPLASTICK - Giotto Plus	A50543.GB.00	20	20	1,080	F3
ITALPLASTICK - Seven, Seven Plus	A50543.BF.00	20	20	1,080	F3
KBE - AD 70 mm, MD 70 mm, Select 70 mm, System 88 mm	A50543.CD.00	20	20	1,080	F3
KOMMERLING - AD 76, MD 76	A50543.CD.00	20	20	1,080	F3
KOMMERLING - Eurodur 3S, Eurofutur elegance, Eurofutur MD	A50543.30.00	20	20	1,080	F3
REHAU - Geneo, Synego	A50543.DF.00	20	20	1,080	F3
REHAU - Piattaforma 70	A50543.BF.00	20	20	1,080	F3
SALAMANDER - 2D, 3D, Streamline	A50543.AZ.00	20	20	1,080	F3
SALAMANDER - bluEvolution 82	A50543.BF.00	20	20	1,080	F3
SALAMANDER - bluEvolution 92	A50543.DF.00	20	20	1,080	F3
SCHUCO - Corona SI 82, SI 82+, CT 70 MD, CT 70 AS	A50543.BF.00	20	20	1,080	F3
TROCAL - Innonova 70 A5, Innonova 70 M5	A50543.FR.00	20	20	1,080	F3
VEKA - Softline 70-76-82, Topline AD, Swingline, Alphaline 90	A50543.BF.00	20	20	1,080	F3
WEISS PROFIL - WP5000	A50543.BF.00	20	20	1,080	F3

Adapter for supplementary stay-arm and Tilt only for aluminium-wood

	FRAME SEAT	CODE			€	DC
1	24/37 mm	A50543.CR.00	50	50	1,003	F3
2	8+7	A50547.ND.00 ☎	50	50	5,754	F3

Stay-arms - surface mounted

Adapter for supplementary stay-arm and Tilt only for European groove aluminium

EUROPEAN GROOVE ALUMINIUM						
AXIS	GROOVE	CODE			€	DC
9	14x5	A50547.DT.00	50	50	5,754	F3
13	14x5	A50547.CP.00	50	50	5,754	F3
CUSTOMISED PROFILES						
AXIS	GROOVE	CODE			€	DC
9	10x5	A50547.MU.00	50	50	5,754	F3
	13,5x5	A50547.MR.00	50	50	5,754	F3
13	10x4,5	A50547.MS.00	50	50	5,754	F3

Central locks, terminals and extensions

Vertical corner

APPLICATION	CODE			€	DC
1) Without cam	A50330.00.00	50	50	4,851	F3
2) With cam	A50330.01.00	50	50	5,238	F3

Extension

LENGTH	CAM	CODE			€	DC
200		A51801.00.01	20	20	3,593	F3
	1	A51803.00.01	20	20	3,724	F3
320		A51801.01.11	20	20	3,901	F3
400	1	A51803.00.02	20	20	4,090	F3
600	1	A51803.00.03	20	20	4,374	F3
800	1	A51803.00.04	20	20	5,264	F3

Note: 320 mm extension with 200 mm cuttable length

Extension and terminal with flat magnet

	LENGTH	CODE			€	DC
1) Extension	200	A51804.00.01	20	20	6,328	F3
2) Terminal	200	A50404.00.01	20	20	5,528	F3

Extension with magnetic mushroom cam

CODE			€	DC
A51808.00.02	20	20	10,025	F3

Terminal with magnetic mushroom cam

CODE			€	DC
A50408.00.01	20	20	8,798	F3

Central locks, terminals and extensions

Extension female-female

LENGTH	CODE			€	DC
50 mm	A51806.50.00	10	100	11,393	F3

Extension for jamb, gap 18 mm

LENGTH	CAM	CODE			€	DC
200	1	A51805.00.01	20	20	5,886	F3
400	1	A51805.00.02	20	20	6,253	F3
600	1	A51805.00.03	20	20	6,536	F3

Terminal

LENGTH	CAM	CODE			€	DC
125	1	A50193.00.02	20	20	3,965	F3
200	1	A50401.00.01	20	20	2,880	F3
400	1	A50401.00.02	20	20	3,396	F3
600	1	A50401.00.03	20	20	3,565	F3
800	1	A50401.00.04	20	20	4,456	F3

Cuttable terminal

LENGTH	CAM	CODE			€	DC
400	1	A50411.00.02	20	20	4,263	F3
600	1	A50411.00.03	20	20	4,438	F3

Note: for both lengths, 200 mm can be cut

Central locks, terminals and extensions

Terminal for transom, gap 18 mm

LENGTH	CAM	CODE			€	DC
400	1	A50405.00.02	20	20	7,784	F3
600	1	A50405.00.03	20	20	7,953	F3

Note: for both lengths, 200 mm can be cut

Cuttable terminal for transom, gap 18 mm

LENGTH	CAM	CODE			€	DC
400	1	A50412.00.02	20	20	7,964	F3
600	1	A50412.00.03	20	20	7,964	F3

Note: for both lengths, 200 mm can be cut

Central locks, terminals and extensions

PATENTED

Locking element Poseidon TT

	CODE				€	DC
1) Male-Male L 555 (A)	A50415.00.01	5	5	✔	28,181	F3
2) Male-Female L 272,5 (B)	A50415.01.00	5	5	✔	31,385	F3
3) Female-Male L 272,5 (C)	A50415.02.00	5	5	✔	31,385	F3
4) Male, non-extensible L 555 (D)	A50416.01.00	5	5	✔	28,181	F3

Rear fastening plate for Poseidon TT

	CODE				€	DC
	A50423.25.00	15	15	✔	4,644	F3

Note: the plate includes the trilobal screws ø5x25 mm

Central locks, terminals and extensions

Covering forend for Eurogroove

LENGTH		CODE			€	DC
1) 2000		A50198.20.00	10	10	6,331	F3
2) 105	covering plate for corner drives	A50390.00.07	100	500	0,686	F3

Covering gasket for Eurogroove

FINISH	CODE			€	DC
Beige	A39407.00.90	150	150	4,186	F3
White	A39407.00.91	150	150	4,186	F3
Black	A39407.00.93	150	150	4,186	F3
Brown	A39407.00.94	150	150	4,186	F3
Grey	A39407.00.97	150	150	4,186	F3

Extension with striker for lever rod

LENGTH	STRIK.	CODE			€	DC
200	1	A51581.19.01	20	20	12,033	F3
400	1	A51581.19.00	20	20	12,477	F3

Central locks, terminals and extensions

Extension with Poseidon TT striker - for lever rod

LENGTH	CODE				€	DC
275	A50417.01.00	5	5	✔	29,492	F3

Arched window terminal for espagnolette

DIMENSIONS	LENGTH	GR	CAM	CODE			€	DC
550-900	822	1	2	A50193.21.01	10	10	18,730	F3
901-1250	1422	2	3	A50193.21.02	10	10	21,337	F3

Note: SRW application range for ROUND arch

Central locks, terminals and extensions

Arched window terminal for corner drive

LENGTH	GR	CAM	CODE			€	DC
200	1	1	A50423.00.01	20	20	9,002	F3
400	2	1	A50423.00.02	20	20	9,290	F3
600	3	1	A50423.00.03	10	10	11,028	F3

Connecting element for arched and angled window

LENGTH	CODE				€	DC
459	A50420.00.01	20	20	✔	10,158	F3

Stay supports - Surface mounted

Pin

	CODE			€	DC
	A50790.00.00	50	50	0,315	F3

Stay support

	CODE			€	DC
1) pins Ø 3x3 mm	A50711.00.00	50	50	2,110	F3
2) pins Ø 6x3 mm	A50712.00.00	50	50	2,110	F3
3) pins Ø 6x15 mm	A50713.00.00	50	50	2,170	F3

With resting plates

REBATE	CODE			€	DC
18	A50718.07.00	50	50	2,596	F3
20	A50720.07.00	50	50	2,596	F3

For arched window

	CODE			€	DC
	A50711.00.01	10	100	5,726	F3

Note: pin included with the stay support

Hinges - Surface mounted

Corner support with Ø 3x3 mm pins

	CODE			€	DC
	A50811.07.00	50	50	3,173	F3

Corner support with Ø 6 mm pins

	CODE			€	DC
1) Pin length: upper 3 mm, lower 3 mm	A50812.07.00	50	50	3,173	F3
2) Pin length: upper 33 mm, lower 15.5 mm	A50814.07.00	50	50	3,979	F3
3) Pin length: upper 3 mm, lower 15.5 mm	A50815.07.00	50	50	3,576	F3

Corner support with resting plates

REBATE	HAND	CODE			€	DC
18	rh	A50818.07.01	50	50	5,704	F3
	lh	A50818.07.02	50	50	5,704	F3
20	rh	A50820.07.01	50	50	5,704	F3
	lh	A50820.07.02	50	50	5,704	F3

For PVC

	CODE			€	DC
	A50922.07.00	50	50	3,304	F3

Hinges - Surface mounted

Corner hinge with adapter - Rebate 18

AXIS	HAND	CODE				€	DC
9	rh	A50911.24.01		50	50	7,442	F3
	lh	A50911.24.02		50	50	7,442	F3
13	rh	A50911.34.01		50	50	7,442	F3
	lh	A50911.34.02		50	50	7,442	F3

Corner hinge with adapter - Rebate 20

AXIS	HAND	CODE				€	DC
9	rh	A50911.26.01		50	50	7,442	F3
	lh	A50911.26.02		50	50	7,442	F3
13	rh	A50911.36.01		50	50	7,442	F3
	lh	A50911.36.02		50	50	7,442	F3
26	rh	A50911.46.01		50	50	7,442	F3
	lh	A50911.46.02		50	50	7,442	F3

Corner hinge with adapter - Rebate 22

AXIS	HAND	CODE				€	DC
9	rh	A50911.28.01	☎	50	50	7,442	F3
	lh	A50911.28.02	☎	50	50	7,442	F3
13	rh	A50911.38.01	☎	50	50	7,442	F3
	lh	A50911.38.02	☎	50	50	7,442	F3

Corner hinge for arched and angled window - Rebate 18

AXIS	HAND	CODE				€	DC
9	rh	A50915.24.01		50	50	7,442	F3
	lh	A50915.24.02		50	50	7,442	F3
13	rh	A50915.34.01		50	50	7,442	F3
	lh	A50915.34.02		50	50	7,442	F3

Corner hinge for arched and angled window - Rebate 20

AXIS	HAND	CODE				€	DC
9	rh	A50915.26.01		50	50	7,442	F3
	lh	A50915.26.02		50	50	7,442	F3
13	rh	A50915.36.01		50	50	7,442	F3
	lh	A50915.36.02		50	50	7,442	F3
26	rh	A50915.46.01		50	50	7,442	F3
	lh	A50915.46.02		50	50	7,442	F3

Corner hinge for arched and angled window - Rebate 22

AXIS	HAND	CODE				€	DC
9	rh	A50915.28.01	☎	50	50	7,442	F3
	lh	A50915.28.02	☎	50	50	7,442	F3
13	rh	A50915.38.01	☎	50	50	7,442	F3
	lh	A50915.38.02	☎	50	50	7,442	F3

Hinges - Surface mounted

Corner drive for arched and angled window hinge

DIMENSIONS	SRW	CODE			€	DC
125x125	456-766	A50320.00.01	50	50	13,652	F3

Note: when coupled with double cam corner drive. Min. SRW = 516 mm

Hinges for inactive sash - surface mounted

Upper hinge body

	CODE			€	DC
1)	A51050.16.12	50	50	1,862	F3
2) only for upper transom side	A51051.16.12	50	50	1,556	F3

Stay hinge, semi-fixed sash - Rebate 18

AXIS	HAND	CODE			€	DC
9	rh	A51007.24.01	50	50	7,229	F3
	lh	A51007.24.02	50	50	7,229	F3
13	rh	A51007.34.01	50	50	7,229	F3
	lh	A51007.34.02	50	50	7,229	F3

Stay hinge, semi-fixed sash - Rebate 20

AXIS	HAND	CODE			€	DC
9	rh	A51007.26.01	50	50	7,229	F3
	lh	A51007.26.02	50	50	7,229	F3
13	rh	A51007.36.01	50	50	7,229	F3
	lh	A51007.36.02	50	50	7,229	F3
26	rh	A51007.46.01	50	50	7,229	F3
	lh	A51007.46.02	50	50	7,229	F3

Stay hinge, semi-fixed sash - Rebate 22

AXIS	HAND	CODE				€	DC
9	rh	A51007.28.01	☎	50	50	7,229	F3
	lh	A51007.28.02	☎	50	50	7,229	F3
13	rh	A51007.38.01	☎	50	50	7,229	F3
	lh	A51007.38.02	☎	50	50	7,229	F3

Hinges for inactive sash - surface mounted

Central adjustable loading hinge

AXIS	REBATE	CODE			€	DC
9	18	A51111.24.02	25	25	8,810	F3
	20	A51111.26.02	25	25	8,810	F3
	22	A51111.28.02 ☎	25	25	8,810	F3
13	18	A51111.34.02	25	25	8,810	F3
	20	A51111.36.02	25	25	8,810	F3
	22	A51111.38.02 ☎	25	25	8,810	F3
26	20	A51111.46.02	25	25	8,810	F3

Central adjustable loading hinge for arched window

AXIS	REBATE	CODE			€	DC
9	18	A51113.24.02	25	25	11,456	F3
	20	A51113.26.02	25	25	11,456	F3
	22	A51113.28.02 ☎	25	25	11,456	F3
13	18	A51113.34.02	25	25	11,456	F3
	20	A51113.36.02	25	25	11,456	F3
	22	A51113.38.02 ☎	25	25	11,456	F3
26	20	A51113.46.02	25	25	11,456	F3

Concealed central hinges

PVC - Sash part, universal

	CODE			€	DC
	A44811.19.00	50	50	2,337	F3

PVC - Frame part, fix

	CODE			€	DC
ALPHACAN - System In'Alpha 70, Prestigio, Luce	A44812.BB.00	50	50	1,208	F3
ALUPLAST - Ideal 2000	A44812.BF.00	50	50	1,208	F3
ALUPLAST - Ideal 4000/8000, Energeto	A44812.BB.00	50	50	1,208	F3
BRUGMANN - AD, MD	A44812.BF.00	50	50	1,208	F3
DECEUNINCK - Zendow, Zendow#neo, Elegance, Premiere	A44812.DF.00	50	50	1,208	F3
GARGIULO - Wingo AD 70, Wingo MD 80	A44812.BF.00	50	50	1,208	F3
GEALAN - 3000, 7000, 8000, 9000	A44812.DF.00	50	50	1,208	F3
ITALPLASTICK - Seven, Seven Plus	A44812.BF.00	50	50	1,208	F3
KBE - AD 70 mm, MD 70 mm, Select 70 mm, System 88 mm	A44812.DF.00	50	50	1,208	F3
KOMMERLING - AD 76, MD 76	A44812.DF.00	50	50	1,208	F3
KOMMERLING - Eurodur 3S, Eurofutur elegance, Eurofutur MD	A44812.30.00	50	50	1,208	F3
REHAU - Geneo, Synego	A44812.BF.00	50	50	1,208	F3
REHAU - Piattaforma 70	A44812.35.00	50	50	1,208	F3
SALAMANDER - 2D, 3D, Streamline	A44812.AZ.00	50	50	1,208	F3
SALAMANDER - bluEvolution 82	A44812.BF.00	50	50	1,208	F3
SALAMANDER - bluEvolution 92	A44812.BF.00	50	50	1,208	F3
SCHUCO - Corona SI 82, SI 82+, CT 70 MD, CT 70 AS	A44812.BF.00	50	50	1,208	F3
TROCAL - Innonova 70 A5, Innonova 70 M5	A44812.BF.00	50	50	1,208	F3
VEKA - Softline 70-76-82, Topline AD, Swingline, Alphaline 90	A44812.BF.00	50	50	1,208	F3
WEISS PROFIL - WP5000	A44812.BF.00	50	50	1,208	F3

Concealed central hinges

PVC - Frame and sash parts

GEALAN - Kubus					
	CODE			€	DC
	A44805.HZ.00	20	20	5,382	F3

INOUTIC - Arcade, Eforte, Prestige					
	CODE			€	DC
	A44805.GN.00	20	20	5,382	F3

ITALPLASTICK - Giotto Plus					
	CODE			€	DC
	A44805.GB.00	20	20	5,382	F3

Aluminium-wood

FRAME SEAT	CODE			€	DC
18/22/35 mm	A44807.05.00	20	20	5,291	F3
24/37 mm	A44805.EB.00	20	20	5,291	F3
8+7	A44805.ND.00	20	20	5,382	F3

European groove aluminium

EUROPEAN GROOVE ALUMINIUM						
AXIS	GROOVE	CODE			€	DC
9	14x5	A44805.BN.00	20	20	5,406	F3
13	14x5	A44805.CP.00	20	20	5,406	F3

CUSTOMISED PROFILES						
AXIS	GROOVE	CODE			€	DC
9	10x5	A44805.MU.00	20	20	5,316	F3
	13,5x5	A44805.MR.00	20	20	5,406	F3
	R groove	A44805.FA.00	20	20	5,406	F3
13	10x4,5	A44805.MS.00	20	20	5,316	F3

Bolt for 16/12 Eurogroove with pre-assembled strikers

Fixed handle height

1)							
SRH	GR	STRIK.	CODE			€	DC
610-810	2		A51504.19.02	20	20	14,863	F3
794-1010*	3		A51504.19.13	20	20	18,216	F3
794-1010	3	1	A51504.19.03	20	20	18,429	F3
994-1210	4	1	A51504.19.04	20	20	19,917	F3
1194-1410	5	1	A51504.19.05	20	20	21,662	F3
1394-1610	6	2	A51504.19.06	20	20	23,258	F3
1594-1810	7	2	A51504.19.07	10	10	24,670	F3
1634-1810	7bis	2	A51504.19.17	10	10	24,670	F3
1794-2110	8	2	A51504.19.08	10	10	28,950	F3
1994-2310	9	3	A51504.19.09	10	10	31,421	F3
2194-2510	10	3	A51504.19.10	10	10	33,005	F3

*to be used necessarily with A50122.08.03

Protective component for DSS device

2)					
APPLICATION	CODE			€	DC
For PVC and aluminium lever rod	A51599.00.02	100	100	0,986	F3

Magnetic sash catcher, frame part

3) PVC					
	CODE			€	DC
	A52300.19.00	50	250	5,134	F3
3) Aluminium-wood					
FRAME SEAT	CODE			€	DC
18/22/35 mm	A51400.19.05	50	250	5,134	F3
24/37 mm	A51400.20.05	50	250	5,134	F3
3) European groove aluminium					
AXIS	CODE			€	DC
9	A51400.19.05	50	250	5,134	F3
13	A51400.20.05	50	250	5,134	F3

Magnetic sash catcher, sash part

4) For PVC					
AXIS	CODE			€	DC
13	A50197.14.00	50	500	1,519	F3
4) For aluminium-wood					
FRAME SEAT	CODE			€	DC
18/22/35 mm	A50197.09.00	50	500	1,519	F3
24/37 mm	A50197.13.00	50	500	1,519	F3
4) For European groove aluminium					
AXIS	CODE			€	DC
9	A50197.09.00	50	500	1,519	F3
13	A50197.13.00	50	500	1,519	F3

Bolt for 16/12 Eurogroove with pre-assembled strikers

Connecting rod, variable bolt

1)							
SRH	GR	STRIK.	CODE			€	DC
540-710	1		A51515.19.11	20	20	7,900	F3
660-860	2	1	A51515.19.12	20	20	10,331	F3
820-1220	3	1	A51515.19.13	20	20	12,562	F3
1190-1610	4	2	A51515.19.14	20	20	15,094	F3

Protective component for DSS device

2)					
APPLICATION	CODE			€	DC
For PVC and aluminium lever rod	A51599.00.02	100	100	0,986	F3

Corner drive with lever for bolt connecting rod - single cam

DIMENSIONS	SRW	CODE			€	DC
125x125	347-1200	A51573.19.00	50	50	13,555	F3

Corner drive with lever for bolt connecting rod - double cam

DIMENSIONS	SRW	CODE			€	DC
185x125	362-1200	A51573.19.01	50	50	14,420	F3

Bolt for 16/12 Eurogroove with pre-assembled strikers

Variable handle height

1)							
SRH	GR	STRIK.	CODE			€	DC
1590-2010	5	2	A51509.19.15	10	10	30,667	F3
1890-2510	6	4	A51509.19.16	10	10	34,633	F3

Protective component for DSS device

2)					
APPLICATION	CODE			€	DC
For PVC and aluminium lever rod	A51599.00.02	100	100	0,986	F3

Magnetic sash catcher, frame part

3) PVC					
	CODE			€	DC
	A52300.19.00	50	250	5,134	F3
3) Aluminium-wood					
FRAME SEAT	CODE			€	DC
18/22/35 mm	A51400.19.05	50	250	5,134	F3
24/37 mm	A51400.20.05	50	250	5,134	F3
3) European groove aluminium					
AXIS	CODE			€	DC
9	A51400.19.05	50	250	5,134	F3
13	A51400.20.05	50	250	5,134	F3

Magnetic sash catcher, sash part

4) For PVC					
AXIS	CODE			€	DC
13	A50197.14.00	50	500	1,519	F3
4) For aluminium-wood					
FRAME SEAT	CODE			€	DC
18/22/35 mm	A50197.09.00	50	500	1,519	F3
24/37 mm	A50197.13.00	50	500	1,519	F3
4) For European groove aluminium					
AXIS	CODE			€	DC
9	A50197.09.00	50	500	1,519	F3
13	A50197.13.00	50	500	1,519	F3

Bolt for 16/12 Eurogroove with pre-assembled strikers

Upper - For second sash

DIMENSIONS	SRW	SRH	CODE			€	DC
1) 30x125	277-1204	610-2510	A51701.19.01	50	50	11,848	F3
2) 125x125	362-1204	610-2510	A51701.19.02	50	50	12,265	F3
3) 125x125	216-1200	610-2510	A51704.19.02	50	50	18,475	F3

*minimum SRW regarding the use of the stay arm

Upper - For second sash, even cut

DIMENSIONS	SRW	SRH	CODE			€	DC
30x125	310-1204	610-2510	A51701.19.03	50	50	14,127	F3

Lower - For second sash

DIMENSIONS	SRW	SRH	CODE			€	DC
1) 125x125	216-1204	610-2510	A51575.19.02	50	50	18,475	F3
2) 125x125	287-1204	610-2510	A51571.19.00	50	50	12,265	F3
3) 185x125	347-1204	610-2510	A51572.19.00	50	50	12,265	F3

Lower - For second sash, gap 18 mm

DIMENSIONS	SRW	SRH	CODE			€	DC
125x125	287-1204	610-2510	A51574.19.00	50	50	16,653	F3

Opening lever

	CODE			€	DC
	A51513.29.01	25	125	6,092	F3

Safety devices

Settable frictioned opening limiter

	CODE			€	DC
	A52508.00.00	20	20	15,102	F3

Note: it can't be used in arched and angled windows.
Note: for the frame part fastening, use the adapters for supplementary stay arm/Tilt only windows cutting them to the extremities.
Note: for the sash part fastening, order separately the art. A48902.19.01

Settable opening limiter with handle command

SRW	CODE			€	DC
650-800	A52507.01.01	1	1	46,110	F4
801-1600	A52507.01.02	1	1	46,110	F4

Note: use only with Artech female hinge on rebate A50922.07.00

Security device for rebated opening

1) Security device kit					
	CODE			€	DC
	A52590.00.15	1	1	6,847	F3

2) Key for security device					
	CODE			€	DC
	A52590.05.15	10	10	0,545	F3

3) 2,5 mm thickness					
	CODE			€	DC
	A52590.03.44	10	10	1,206	F3

Safety devices

Opening limiter - sash part

	CODE			€	DC
	A49601.00.05	10	10	5,626	F4

Opening limiter - frame part for PVC

ALPHACAN - System In'Alpha Prestigio - Luce	CODE			€	DC
rh	A49601.14.07	20	20	4,330	F4
lh	A49601.14.08	20	20	4,330	F4
ALUPLAST - Ideal 2000	**CODE**			**€**	**DC**
rh	A49601.14.01	20	20	2,600	F4
lh	A49601.14.02	20	20	2,600	F4
ALUPLAST - Ideal 4000/8000, Energeto	**CODE**			**€**	**DC**
rh	A49601.14.11	20	20	4,330	F4
lh	A49601.14.12	20	20	4,330	F4
BRUGMANN - AD, MD	**CODE**			**€**	**DC**
rh	A49601.14.03	20	20	2,600	F4
lh	A49601.14.04	20	20	2,600	F4
DECEUNINCK - Zendow, Zendow#neo, Elegance, Premiere	**CODE**			**€**	**DC**
rh	A49601.14.05	20	20	4,330	F4
lh	A49601.14.06	20	20	4,330	F4
GARGIULO - Wingo AD 70, Wingo MD 80	**CODE**			**€**	**DC**
rh	A49601.14.01	20	20	2,600	F4
lh	A49601.14.02	20	20	2,600	F4
GEALAN - 3000, 7000, 8000, 9000	**CODE**			**€**	**DC**
rh	A49601.14.13	20	20	4,330	F4
lh	A49601.14.14	20	20	4,330	F4
GEALAN - Kubus*	**CODE**			**€**	**DC**
non-handed	A49601.14.00	20	20	4,641	F4
ITALPLASTICK - Seven, Seven Plus	**CODE**			**€**	**DC**
rh	A49601.14.03	20	20	2,600	F4
lh	A49601.14.04	20	20	2,600	F4
KBE - AD 70 mm, MD 70 mm, Select 70 mm, System 88 mm	**CODE**			**€**	**DC**
rh	A49601.14.05	20	20	4,330	F4
lh	A49601.14.06	20	20	4,330	F4
KOMMERLING - AD 76, MD 76	**CODE**			**€**	**DC**
rh	A49601.14.05	20	20	4,330	F4
lh	A49601.14.06	20	20	4,330	F4
KOMMERLING - Eurodur 3S, Eurofutur elegance, Eurofutur MD	**CODE**			**€**	**DC**
rh	A49601.14.07	20	20	4,330	F4
lh	A49601.14.08	20	20	4,330	F4
REHAU - Geneo, Synego	**CODE**			**€**	**DC**
rh	A49601.14.11	20	20	4,330	F4
lh	A49601.14.12	20	20	4,330	F4
REHAU - Piattaforma 70	**CODE**			**€**	**DC**
rh	A49601.14.15	20	20	4,330	F4
lh	A49601.14.16	20	20	4,330	F4
SALAMANDER - 2D, 3D, Streamline	**CODE**			**€**	**DC**
rh	A49601.14.15	20	20	4,330	F4
lh	A49601.14.16	20	20	4,330	F4
SALAMANDER - bluEvolution 82	**CODE**			**€**	**DC**
rh	A49601.14.03	20	20	2,600	F4
lh	A49601.14.04	20	20	2,600	F4
SALAMANDER - bluEvolution 92	**CODE**			**€**	**DC**
rh	A49601.14.11	20	20	4,330	F4
lh	A49601.14.12	20	20	4,330	F4

Safety devices

SCHUCO - Corona SI 82, SI 82+, CT 70 MD, CT 70 AS	CODE			€	DC
rh	A49601.14.01	20	20	2,600	F4
lh	A49601.14.02	20	20	2,600	F4
TROCAL - Innonova 70 A5, Innonova 70 M5	**CODE**			**€**	**DC**
rh	A49601.14.11	20	20	4,330	F4
lh	A49601.14.12	20	20	4,330	F4
VEKA - Softline 70-76-82, Topline AD, Swingline, Alphaline 90	**CODE**			**€**	**DC**
rh	A49601.14.03	20	20	2,600	F4
lh	A49601.14.04	20	20	2,600	F4
WEISS PROFIL - WP5000	**CODE**			**€**	**DC**
rh	A49601.14.01	20	20	2,600	F4
lh	A49601.14.02	20	20	2,600	F4

Adapter for threshold opening limiter, gap 18

	CODE			€	DC
	A52945.00.01	20	20	16,471	F3

Opening limiter - frame part for aluminium-wood and European groove aluminium

AXIS	HAND	CODE			€	DC
1) 9-13	non-handed	A49601.14.00	20	20	4,641	F4
2) 9*	rh	A49601.14.17	20	20	5,952	F4
	lh	A49601.14.18	20	20	5,952	F4

*discontinued

Adapter for opening limiter for European groove aluminium

AXIS	HAND	CODE			€	DC
9-13	non-handed	A48901.BN.08	50	500	3,052	F2

Note: to be used coupled with the art. A49601.14.00

Safety devices

Lifting rod for loading capacity device (sash part)

	CODE			€	DC
non-handed	A52903.02.PA	1	20	20,290	F3

Note: it must be used with opening limiter

Frame part component for PVC - 150 kg

ALPHACAN - System In'Alpha 70, Prestigio, Luce	CODE			€	DC
rh	A52903.BB.01	1	10	34,557	F3
lh	A52903.BB.02	1	10	34,557	F3
ALUPLAST - Ideal 2000	**CODE**			**€**	**DC**
rh	A52903.BF.01	1	10	34,557	F3
lh	A52903.BF.02	1	10	34,557	F3
ALUPLAST - Ideal 4000/8000, Energeto	**CODE**			**€**	**DC**
rh	A52903.BB.01	1	10	34,557	F3
lh	A52903.BB.02	1	10	34,557	F3
BRUGMANN - AD, MD	**CODE**			**€**	**DC**
rh	A52903.BF.01	1	10	34,557	F3
lh	A52903.BF.02	1	10	34,557	F3
DECEUNINCK - Zendow, Zendow#neo, Elegance, Premiere	**CODE**			**€**	**DC**
rh	A52903.CD.01	1	10	r.	F3
lh	A52903.CD.02	1	10	r.	F3
GARGIULO - Wingo AD 70, Wingo MD 80	**CODE**			**€**	**DC**
rh	A52903.BF.01	1	10	34,557	F3
lh	A52903.BF.02	1	10	34,557	F3
GEALAN - 3000, 7000, 8000, 9000	**CODE**			**€**	**DC**
rh	A52903.DF.01	1	10	34,557	F3
lh	A52903.DF.02	1	10	34,557	F3
GEALAN - Kubus	**CODE**			**€**	**DC**
rh	A52903.HZ.01	1	10	34,557	F3
lh	A52903.HZ.02	1	10	34,557	F3
INOUTIC - Arcade, Eforte, Prestige	**CODE**			**€**	**DC**
rh	A52903.GN.01	1	10	34,557	F3
lh	A52903.GN.02	1	10	34,557	F3
ITALPLASTICK - Seven, Seven Plus	**CODE**			**€**	**DC**
rh	A52903.BF.01	1	10	34,557	F3
lh	A52903.BF.02	1	10	34,557	F3
KBE - AD 70 mm, MD 70 mm, Select 70 mm, System 88 mm	**CODE**			**€**	**DC**
rh	A52903.DF.01	1	10	34,557	F3
lh	A52903.DF.02	1	10	34,557	F3
KOMMERLING - AD 76, MD 76	**CODE**			**€**	**DC**
rh	A52903.DF.01	1	10	34,557	F3
lh	A52903.DF.02	1	10	34,557	F3

Safety devices

KOMMERLING - Eurodur 3S, Eurofutur elegance, Eurofutur MD	CODE			€	DC
rh	A52903.AZ.01	1	10	34,557	F3
lh	A52903.AZ.02	1	10	34,557	F3
REHAU - Geneo, Synego	CODE			€	DC
rh	A52903.FH.01	1	10	34,557	F3
lh	A52903.FH.02	1	10	34,557	F3
REHAU - Piattaforma 70	CODE			€	DC
rh	A52903.FH.01	1	10	34,557	F3
lh	A52903.FH.02	1	10	34,557	F3
SALAMANDER - 2D, 3D, Streamline	CODE			€	DC
rh	A52903.AZ.01	1	10	34,557	F3
lh	A52903.AZ.02	1	10	34,557	F3
SALAMANDER - bluEvolution 82	CODE			€	DC
rh	A52903.BF.01	1	10	34,557	F3
lh	A52903.BF.02	1	10	34,557	F3
SALAMANDER - bluEvolution 92	CODE			€	DC
rh	A52903.DF.01	1	10	34,557	F3
lh	A52903.DF.02	1	10	34,557	F3
SCHUCO - Corona SI 82, SI 82+, CT 70 MD, CT 70 AS	CODE			€	DC
rh	A52903.BF.01	1	10	34,557	F3
lh	A52903.BF.02	1	10	34,557	F3
TROCAL - Innonova 70 A5, Innonova 70 M5	CODE			€	DC
rh	A52903.FR.01	1	10	34,557	F3
lh	A52903.FR.02	1	10	34,557	F3
VEKA - Softline 70-76-82, Topline AD, Swingline, Alphaline 90	CODE			€	DC
rh	A52903.BF.01	1	10	34,557	F3
lh	A52903.BF.02	1	10	34,557	F3
WEISS PROFIL - WP5000	CODE			€	DC
rh	A52903.BF.01	1	10	34,557	F3
lh	A52903.BF.02	1	10	34,557	F3

Note: to be ordered together with A52903.02.PA for the sash part

Frame part component for loading capacity device, for aluminium-wood

SEAT	CODE			€	DC
22/35	A52903.05.00	1	20	33,188	F3
24/37	A52903.02.PT	1	20	30,751	F3

Note: to be ordered together with A52903.02.PA for the sash part
Note: it must be used with opening limiter

Adapters for frame part component for European groove aluminium

EUROPEAN GROOVE ALUMINIUM							
AXIS	GROOVE	CODE				€	DC
9-13	14x5	A52944.DT.00		50	50	4,309	F3
CUSTOMISED PROFILES							
AXIS	GROOVE	CODE				€	DC
9	10x5	A52944.MU.00	☎	50	50	4,309	F3
	13,5x5	A52944.MR.00		50	50	4,309	F3
	16,5x5	A52944.HN.00	☎	50	50	4,309	F3
13	10x4,5	A52944.MS.00	☎	50	50	4,309	F3

Note: to be ordered together with A52903.02.PA for the sash part and A52903.02.PT for the frame part

Strikers

Cam for PVC

ALPHACAN - System In'Alpha 70, Prestigio, Luce	CODE			€	DC
	A52300.FI.02	50	500	0,826	F3
ALUPLAST - Ideal 2000	CODE			€	DC
	A52300.BA.02	50	500	0,826	F3
ALUPLAST - Ideal 4000/8000, Energeto	CODE			€	DC
	A52300.BB.02	50	500	0,826	F3
BRUGMANN - AD, MD	CODE			€	DC
	A52300.BF.02	50	500	0,826	F3
DECEUNINCK - Zendow, Zendow#neo, Elegance, Premiere	CODE			€	DC
	A52300.CD.02	50	500	0,826	F3
GARGIULO - Wingo AD 70, Wingo MD 80	CODE			€	DC
	A52300.BA.02	50	500	0,826	F3
GEALAN - 3000, 7000, 8000, 9000	CODE			€	DC
	A52300.DF.02	50	500	0,826	F3
GEALAN - Kubus	CODE			€	DC
	A52300.HZ.02	50	500	1,646	F3
INOUTIC - Arcade, Eforte, Prestige	CODE			€	DC
	A52300.GN.02	50	500	0,826	F3
INOUTIC - Elegante	CODE			€	DC
	A52300.CD.02	50	500	0,826	F3
ITALPLASTICK - Giotto Plus	CODE			€	DC
	A52300.FI.02	50	500	0,826	F3
ITALPLASTICK - Seven, Seven Plus	CODE			€	DC
	A52300.BF.02	50	500	0,826	F3
KBE - AD 70 mm, MD 70 mm, Select 70 mm, System 88 mm	CODE			€	DC
	A52300.CN.02	50	500	0,826	F3
KOMMERLING - AD 76, MD 76	CODE			€	DC
	A52300.CN.02	50	500	0,826	F3
KOMMERLING - Eurodur 3S, Eurofutur elegance, Eurofutur MD	CODE			€	DC
	A52300.CN.02	50	500	0,826	F3
REHAU - Geneo, Synego	CODE			€	DC
	A52300.FH.02	50	500	0,826	F3
REHAU - Piattaforma 70	CODE			€	DC
	A52300.BA.02	50	500	0,826	F3
-0,5 mm	A52300.MP.02	50	500	0,826	F3
SALAMANDER - 2D, 3D, Streamline	CODE			€	DC
	A52300.AZ.02	50	500	0,826	F3
SALAMANDER - bluEvolution 82	CODE			€	DC
	A52300.BF.02	50	500	0,826	F3
SALAMANDER - bluEvolution 92	CODE			€	DC
	A52300.FH.02	50	500	0,826	F3
SCHUCO - Corona SI 82, SI 82+, CT 70 MD, CT 70 AS	CODE			€	DC
	A52300.BA.02	50	500	0,826	F3
TROCAL - Innonova 70 A5, Innonova 70 M5	CODE			€	DC
	A52300.FR.02	50	500	0,722	F3
VEKA - Softline 70-76-82, Topline AD, Swingline, Alphaline 90	CODE			€	DC
	A52300.BF.02	50	500	0,826	F3
WEISS PROFIL - WP5000	CODE			€	DC
	A52300.BA.02	50	500	0,826	F3

Strikers

Cam for aluminium-wood

FRAME SEAT	CODE			€	DC
18/22/35 mm	A51401.05.02	50	500	0,722	F3
24/37 mm	A51401.EB.02	50	500	0,722	F3
8+7	A52600.ND.02	50	500	0,955	F3

Immagine indicativa / *Sample image*

Cam for European groove aluminium

EUROPEAN GROOVE ALUMINIUM							
AXIS	GROOVE		CODE			€	DC
9	14x5		A52600.DT.02	50	500	0,955	F3
	14x5	-0,5 mm of pressure	A52300.GT.02	50	500	0,826	F3
	14x5	+0,3 mm of pressure	A52600.GY.02	50	500	0,826	F3
13	14x5		A52600.CP.02	50	500	0,955	F3
CUSTOMISED PROFILES							
AXIS	GROOVE		CODE			€	DC
9	10x5		A52600.MU.02	50	500	0,955	F3
	13,5x5		A52600.DT.02	50	500	0,955	F3
	R groove		A48010.FA.02	50	500	1,006	F3
13	10x4,5		A52600.MS.02	50	500	0,955	F3

Cam for 16/12 groove

	CODE			€	DC
	A40017.25.32	50	50	0,989	F3

Strikers

Anti-burglar for PVC

ALPHACAN - System In'Alpha 70, Prestigio, Luce	CODE			€	DC
	A52300.FI.22	50	250	2,186	F3
ALUPLAST - Ideal 2000	CODE			€	DC
	A52300.BA.22	50	250	2,186	F3
ALUPLAST - Ideal 4000/8000, Energeto	CODE			€	DC
	A52300.BB.22	50	250	2,186	F3
BRUGMANN - AD, MD	CODE			€	DC
	A52300.BF.22	50	250	2,186	F3
DECEUNINCK - Zendow, Zendow#neo, Elegance, Premiere	CODE			€	DC
	A52300.CD.22	50	250	2,186	F3
GARGIULO - Wingo AD 70, Wingo MD 80	CODE			€	DC
	A52300.BA.22	50	250	2,186	F3
GEALAN - 3000, 7000, 8000, 9000	CODE			€	DC
	A52300.DF.22	50	250	2,186	F3
GEALAN - Kubus	CODE			€	DC
	A52300.HZ.22	50	250	2,186	F3
INOUTIC - Arcade, Eforte, Prestige	CODE			€	DC
	A52300.GN.22	50	250	2,186	F3
INOUTIC - Elegante	CODE			€	DC
	A52300.CD.22	50	250	2,186	F3
ITALPLASTICK - Giotto Plus	CODE			€	DC
	A48013.GB.22	50	250	2,794	F3
ITALPLASTICK - Seven, Seven Plus	CODE			€	DC
	A52300.BF.22	50	250	2,186	F3
KBE - AD 70 mm, MD 70 mm, Select 70 mm, System 88 mm	CODE			€	DC
	A52300.CN.22	50	250	2,186	F3
KOMMERLING - AD 76, MD 76	CODE			€	DC
	A52300.CN.22	50	250	2,186	F3
KOMMERLING - Eurodur 3S, Eurofutur elegance, Eurofutur MD	CODE			€	DC
	A52300.30.22	50	250	2,186	F3
REHAU - Geneo, Synego	CODE			€	DC
	A52300.BB.22	50	250	2,186	F3
REHAU - Piattaforma 70	CODE			€	DC
	A52300.BA.22	50	250	2,186	F3
SALAMANDER - 2D, 3D, Streamline	CODE			€	DC
	A52300.AZ.22	50	250	2,186	F3
SALAMANDER - bluEvolution 82	CODE			€	DC
	A52300.BF.22	50	250	2,186	F3
SALAMANDER - bluEvolution 92	CODE			€	DC
	A52300.BB.22	50	250	2,186	F3
SCHUCO - Corona SI 82, SI 82+, CT 70 MD, CT 70 AS	CODE			€	DC
	A52300.BA.22	50	250	2,186	F3
TROCAL - Innonova 70 A5, Innonova 70 M5	CODE			€	DC
	A52300.FR.22	50	250	2,186	F3
VEKA - Softline 70-76-82, Topline AD, Swingline, Alphaline 90	CODE			€	DC
	A52300.BF.22	50	250	2,186	F3
WEISS PROFIL - WP5000	CODE			€	DC
	A52300.BA.22	50	250	2,186	F3

Strikers

Anti-burglar for PVC, suitable for cover

	CODE			€	DC
ALPHACAN - System In'Alpha 70, Prestigio, Luce	A52300.FI.76	50	50	1,528	F3
ALUPLAST - Ideal 2000	A52300.BA.76	50	50	1,528	F3
DECEUNINCK - Zendow, Zendow#neo, Elegance, Premiere	A52300.CD.76	50	50	1,528	F3
GARGIULO - Wingo AD 70, Wingo MD 80	A52300.BA.76	50	50	1,528	F3
GEALAN - 3000, 7000, 8000, 9000	A52300.DF.76	50	50	1,528	F3
GEALAN - Kubus	A52300.HZ.76	50	50	1,528	F3
INOUTIC - Arcade, Eforte, Prestige	A52300.GN.76	50	50	1,528	F3
INOUTIC - Elegante	A52300.CD.76	50	50	1,528	F3
KBE - AD 70 mm, MD 70 mm, Select 70 mm, System 88 mm	A52300.CN.76	50	50	1,528	F3
KOMMERLING - AD 76, MD 76	A52300.CN.76	50	50	1,528	F3
REHAU - Geneo, Synego	A52300.35.76	50	50	1,528	F3
REHAU - Piattaforma 70	A52300.35.76	50	50	1,528	F3
SALAMANDER - bluEvolution 82	A52300.BA.76	50	50	1,528	F3
SHUCO - Corona SI 82, SI 82+, CT 70 MD, CT 70 AS	A52300.BA.76	50	50	1,528	F3
VEKA - Softline 70-76-82, Topline AD, Swingline, Alphaline 90	A52300.BA.76	50	50	1,528	F3

Cover for screws

FINISH	CODE			€	DC
Silver	A52102.03.44	50	1500	0,367	F3

Note: compatible with striker A52300.XX.76

Anti-burglar for European groove aluminium, suitable for cover

AXIS	GROOVE	CODE	€	DC
9	14X5	A52600.DT.76	r.	
13	14X5	A52600.CP.76	r.	

Note: available from September 2022

Cover for screws

FINISH	CODE	€	DC
Silver	A52102.04.44	r.	

Note: available from September 2022

Strikers

Anti-burglar for aluminium-wood

FRAME SEAT	HAND	CODE			€	DC
18/22/35 mm	rh	A514DX.05.68	50	300	2,742	F3
	lh	A514SX.05.68	50	300	2,742	F3
24/37 mm	rh	A514DX.CR.68	50	300	2,742	F3
	lh	A514SX.CR.68	50	300	2,742	F3
8+7	rh	A526DX.ND.68	50	50	3,050	F3
	lh	A526SX.ND.68	50	50	3,050	F3

Anti-burglar for European groove aluminium

EUROPEAN GROOVE ALUMINIUM							
AXIS	GROOVE	HAND	CODE			€	DC
9	14x5	rh	A526DX.DT.68	50	300	3,050	F3
	14x5	lh	A526SX.DT.68	50	300	3,050	F3
13	14x5	rh	A526DX.CP.68	50	50	3,050	F3
	14x5	lh	A526SX.CP.68	50	50	3,050	F3
CUSTOMISED PROFILES							
AXIS	GROOVE	HAND	CODE			€	DC
9	10x5	rh	A526DX.MU.68	50	300	3,050	F3
	10x5	lh	A526SX.MU.68	50	300	3,050	F3
	13,5x5	rh	A526DX.DT.68	50	300	3,050	F3
	13,5x5	lh	A526SX.DT.68	50	300	3,050	F3
	R groove	rh	A526DX.FA.68	50	300	3,050	F3
	R groove	lh	A526SX.FA.68	50	300	3,050	F3
13	10x4,5	rh	A526DX.MS.68	50	300	3,050	F3
	10x4,5	lh	A526SX.MS.68	50	300	3,050	F3

Anti-burglar for European groove aluminium

EUROPEAN GROOVE ALUMINIUM						
AXIS	GROOVE	CODE			€	DC
13	14x5	A48013.CP.22	50	250	2,942	F3

Note: discontinued

Strikers

Poseidon TT for PVC

ALPHACAN - System In'Alpha 70, Prestigio, Luce	CODE			€	DC
	A52300.FI.75	10	10	7,116	F3
ALUPLAST - Ideal 2000	CODE			€	DC
	A52300.BF.75	10	10	7,116	F3
ALUPLAST - Ideal 4000/8000, Energeto	CODE			€	DC
	A52300.FI.75	10	10	7,116	F3
BRUGMANN - AD, MD	CODE			€	DC
	A52300.BF.75	10	10	7,116	F3
DECEUNINCK - Zendow, Zendow#neo, Elegance, Premiere	CODE			€	DC
	A52300.CD.75	10	10	7,116	F3
GARGIULO - Wingo AD 70, Wingo MD 80	CODE			€	DC
	A52300.BF.75	10	10	7,116	F3
GEALAN - 3000, 7000, 8000, 9000	CODE			€	DC
	A52300.DF.75	10	10	7,116	F3
INOUTIC - Elegante	CODE			€	DC
	A52300.CD.75	10	10	7,116	F3
ITALPLASTICK - Seven, Seven Plus	CODE			€	DC
	A52300.BF.75	10	10	7,116	F3
KBE - AD 70 mm, MD 70 mm, Select 70 mm, System 88 mm	CODE			€	DC
	A52300.CD.75	10	10	7,116	F3
KOMMERLING - AD 76, MD 76	CODE			€	DC
	A52300.CD.75	10	10	7,116	F3
KOMMERLING - Eurodur 3S, Eurofutur elegance, Eurofutur MD	CODE			€	DC
	A52300.30.75	10	10	7,116	F3
REHAU - Geneo, Synego	CODE			€	DC
	A52300.DF.75	10	10	7,116	F3
REHAU - Piattaforma 70	CODE			€	DC
	A52300.BF.75	10	10	7,116	F3
SALAMANDER - 2D, 3D, Streamline	CODE			€	DC
	A52300.AZ.75	10	10	7,116	F3
SALAMANDER - bluEvolution 82	CODE			€	DC
	A52300.BF.75	10	10	7,116	F3
SALAMANDER - bluEvolution 92	CODE			€	DC
	A52300.DF.75	10	10	7,116	F3
SCHUCO - Corona SI 82, SI 82+, CT 70 MD, CT 70 AS	CODE			€	DC
	A52300.BF.75	10	10	7,116	F3
TROCAL - Innonova 70 A5, Innonova 70 M5	CODE			€	DC
	A52300.BF.75	10	10	7,116	F3
VEKA - Softline 70-76-82, Topline AD, Swingline, Alphaline 90	CODE			€	DC
	A52300.BF.75	10	10	7,116	F3
WEISS PROFIL - WP5000	CODE			€	DC
	A52300.BF.75	10	10	7,116	F3

Strikers

Poseidon TT for aluminium-wood

FRAME SEAT	CODE			€	DC
24/37	A51400.CR.75	15	75	6,842	F3

Strikers

Tilt/Anti-burglar for BKV threshold

HAND	CODE			€	DC
rh	A523DX.GD.04	100	100	14,824	F3
lh	A523SX.GD.04	100	100	14,824	F3

Tilt/Anti-burglar for DKS threshold

HAND	CODE			€	DC
rh	A523DX.GC.04	100	100	14,824	F3
lh	A523SX.GC.04	100	100	14,824	F3

Tilt/Anti-burglar for 22x8 mm GKG threshold

HAND	CODE			€	DC
rh	A514DX.FM.65	50	50	14,824	F3
lh	A514SX.FM.65	50	50	14,824	F3

Tilt/Anti-burglar for SCHUCO LIVING threshold

HAND	CODE			€	DC
rh	A523DX.MH.04	100	100	14,824	F3
lh	A523SX.MH.04	100	100	14,824	F3

Tilt/Anti-burglar for Unitermo threshold

HAND	CODE			€	DC
rh	A523DX.ME.04	50	50	2,742	F3
lh	A523SX.ME.04	50	50	2,742	F3

Strikers

Tilt/Anti-burglar for Veka threshold

VEKA threshold 104.427					
HAND	CODE			€	DC
rh	A523DX.BF.04	100	100	14,824	F3
lh	A523SX.BF.04	100	100	14,824	F3

VEKA threshold 104.235					
HAND	CODE			€	DC
rh	A523DX.GS.04	100	100	14,824	F3
lh	A523SX.GS.04	100	100	14,824	F3

Tilt/anti-burglar for Veka threshold, black adapter

VEKA threshold 104.427					
HAND	CODE			€	DC
rh	A523DX.BF.04.093	100	100	14,824	F3
lh	A523SX.BF.04.093	100	100	14,824	F3

Tilt/Anti-burglar for aluminium-wood

FRAME SEAT	HAND	CODE			€	DC
18/22/35 mm	rh	A514DX.05.65	50	250	2,742	F3
	lh	A514SX.05.65	50	250	2,742	F3
24/37 mm	rh	A514DX.CR.65	50	300	2,742	F3
	lh	A514SX.CR.65	50	300	2,742	F3
8+7	rh	A526DX.ND.65	50	50	3,050	F3
	lh	A526SX.ND.65	50	50	3,050	F3

Tilt/Anti-burglar for European groove aluminium

EUROPEAN GROOVE ALUMINIUM							
AXIS	GROOVE	HAND	CODE			€	DC
9	14x5	rh	A526DX.DT.65	50	50	3,050	F3
	14x5	lh	A526SX.DT.65	50	50	3,050	F3
13	14x5	rh	A526DX.CP.65	50	50	3,050	F3
	14x5	lh	A526SX.CP.65	50	50	3,050	F3

CUSTOMISED PROFILES							
AXIS	GROOVE	HAND	CODE			€	DC
9	10x5	rh	A526DX.MU.65	50	50	3,050	F3
	10x5	lh	A526SX.MU.65	50	50	3,050	F3
	13,5x5	rh	A526DX.DT.65	50	50	3,050	F3
	13,5x5	lh	A526SX.DT.65	50	50	3,050	F3
	R groove	rh	A526DX.FA.65	50	50	3,050	F3
	R groove	lh	A526SX.FA.65	50	50	3,050	F3
13	10x4,5	rh	A526DX.MS.65	50	50	3,050	F3
	10x4,5	lh	A526SX.MS.65	50	50	3,050	F3

Strikers

Tilt/Anti-burglar for European groove aluminium

EUROPEAN GROOVE ALUMINIUM					
AXIS	GROOVE	CODE		€	DC
9	14X5	A52600.DT.65		r.	
13	14X5	A52600.CP.65		r.	

Note: available from September 2022

Screws cover

FINISH	CODE			€	DC
Silver	A52102.02.44	50	1500	0,339	F3
Anthracite	A52102.02.87	50	1500	0,339	F3

Strikers

Tilt/TBT anti-burglar for PVC

ALPHACAN - System In'Alpha 70, Prestigio, Luce	CODE				€	DC
	A52300.FI.58	50	50		7,616	F3
ALUPLAST - Ideal 2000	CODE				€	DC
	A52300.BA.58	50	50		7,616	F3
ALUPLAST - Ideal 4000/8000, Energeto	CODE				€	DC
	A52300.BB.58	50	50		7,616	F3
BRUGMANN - AD, MD	CODE				€	DC
	A52300.BF.58	50	50		7,616	F3
DECEUNINCK - Zendow, Zendow#neo, Elegance, Premiere	CODE				€	DC
	A52300.CD.58	50	50		7,616	F3
GARGIULO - Wingo AD 70, Wingo MD 80	CODE				€	DC
	A52300.BA.58	50	50		7,616	F3
GEALAN - 3000, 7000, 8000, 9000	CODE				€	DC
	A52300.DF.58	50	50		7,616	F3
GEALAN - Kubus	CODE				€	DC
	A52300.HZ.58	50	50		7,616	F3
INOUTIC - Arcade, Eforte, Prestige	CODE				€	DC
	A52300.GN.58	50	50		7,616	F3
INOUTIC - Elegante	CODE				€	DC
	A52300.CD.58	50	50		7,616	F3
ITALPLASTICK - Seven, Seven Plus	CODE				€	DC
	A52300.BF.58	50	50		7,616	F3
KBE - AD 70 mm, MD 70 mm, Select 70 mm, System 88 mm	CODE				€	DC
	A52300.CN.58	50	50		7,616	F3
KOMMERLING - AD 76, MD 76	CODE				€	DC
	A52300.CN.58	50	50		7,616	F3
KOMMERLING - Eurodur 3S, Eurofutur elegance, Eurofutur MD	CODE				€	DC
	A52300.30.58	50	50		7,616	F3
REHAU - Geneo, Synego	CODE				€	DC
	A52300.BB.58	50	50		7,616	F3
REHAU - Piattaforma 70	CODE				€	DC
	A52300.BA.58	50	50		7,616	F3
SALAMANDER - 2D, 3D, Streamline	CODE				€	DC
	A52300.AZ.58	50	50		7,616	F3
SALAMANDER - bluEvolution 82	CODE				€	DC
	A52300.BF.58	50	50		7,616	F3
SALAMANDER - bluEvolution 92	CODE				€	DC
	A52300.BB.58	50	50		7,616	F3
SCHUCO - Corona SI 82, SI 82+, CT 70 MD, CT 70 AS	CODE				€	DC
	A52300.BA.58	50	50		7,616	F3
TROCAL - Innonova 70 A5, Innonova 70 M5	CODE				€	DC
	A52300.FR.58	50	50		7,616	F3
VEKA - Softline 70-76-82, Topline AD, Swingline, Alphaline 90	CODE				€	DC
	A52300.BF.58	50	50		7,616	F3
WEISS PROFIL - WP5000	CODE				€	DC
	A52300.BA.58	50	50		7,616	F3

Strikers

Tilt/Anti-burglar TBT for aluminium-wood

FRAME SEAT	HAND	CODE			€	DC
18/22/35 mm	rh	A514DX.05.58 ☎	50	300	7,616	F3
	lh	A514SX.05.58 ☎	50	300	7,616	F3
24/37 mm	rh	A514DX.CR.58	50	50	7,616	F3
	lh	A514SX.CR.58	50	50	7,616	F3
8+7	rh	A526DX.ND.58 ☎	50	50	7,616	F3
	lh	A526SX.ND.58 ☎	50	50	7,616	F3

Tilt/Anti-burglar TBT for European groove aluminium

EUROPEAN GROOVE ALUMINIUM						€	DC
AXIS	GROOVE	HAND	CODE			€	DC
9	14x5	rh	A526DX.DT.58	50	50	7,616	F3
	14x5	lh	A526SX.DT.58	50	50	7,616	F3
13	14x5	rh	A526DX.CP.58	50	50	7,616	F3
	14x5	lh	A526SX.CP.58	50	50	7,616	F3
CUSTOMISED PROFILES							
AXIS	GROOVE	HAND	CODE			€	DC
9	10x5	rh	A526DX.MU.58 ☎	50	50	7,616	F3
	10x5	lh	A526SX.MU.58 ☎	50	50	7,616	F3
	13,5x5	rh	A526DX.MR.58 ☎	50	50	7,616	F3
	13,5x5	lh	A526SX.MR.58 ☎	50	50	7,616	F3
13	10x4,5	rh	A526DX.MS.58 ☎	50	50	7,616	F3
	10x4,5	lh	A526SX.MS.58 ☎	50	50	7,616	F3

Lifting wedge

FINISH	CODE			€	DC
Silver	A52103.01.44	50	500	0,863	F3
Anthracite	A52103.01.87	50	500	0,863	F3

Screws cover

FINISH	CODE			€	DC
Silver	A52102.02.44	50	1500	0,339	F3
Anthracite	A52102.02.87	50	1500	0,339	F3

Strikers

DSS for PVC

ALPHACAN - System In'Alpha 70, Prestigio, Luce	CODE			€	DC
	A52300.BB.03	50	50	0,826	F3
ALUPLAST - Ideal 2000	CODE			€	DC
	A52300.BF.03	50	50	0,826	F3
ALUPLAST - Ideal 4000/8000, Energeto	CODE			€	DC
	A52300.BB.03	50	50	0,826	F3
BRUGMANN - AD, MD	CODE			€	DC
	A52300.BF.03	50	50	0,826	F3
DECEUNINCK - Zendow, Zendow#neo, Elegance, Premiere	CODE			€	DC
	A52300.CD.03	50	500	0,826	F3
GARGIULO - Wingo AD 70, Wingo MD 80	CODE			€	DC
	A52300.BF.03	50	50	0,826	F3
GEALAN - 3000, 7000, 8000, 9000	CODE			€	DC
	A52300.DF.03	50	500	0,826	F3
GEALAN - Kubus	CODE			€	DC
	A52300.HZ.03	50	500	0,826	F3
INOUTIC - Arcade, Eforte, Prestige	CODE			€	DC
	A52300.GN.03	50	500	0,826	F3
INOUTIC - Elegante	CODE			€	DC
	A52300.CD.03	50	500	0,826	F3
ITALPLASTICK - Giotto Plus	CODE			€	DC
	A48010.GB.03	50	500	0,871	F3
ITALPLASTICK - Seven, Seven Plus	CODE			€	DC
	A52300.BF.03	50	50	0,826	F3
KBE - AD 70 mm, MD 70 mm, Select 70 mm, System 88 mm	CODE			€	DC
	A52300.FH.03	50	500	0,826	F3
KOMMERLING - AD 76, MD 76	CODE			€	DC
	A52300.FH.03	50	500	0,826	F3
KOMMERLING - Eurodur 3S, Eurofutur elegance, Eurofutur MD	CODE			€	DC
	A52300.DF.03	50	500	0,826	F3
REHAU - Piattaforma 70	CODE			€	DC
	A52300.BF.03	50	50	0,826	F3
REHAU - Geneo, Synego	CODE			€	DC
	A52300.FH.03	50	500	0,826	F3
SALAMANDER - 2D, 3D, Streamline	CODE			€	DC
	A52300.AZ.03	50	500	0,826	F3
SALAMANDER - bluEvolution 82	CODE			€	DC
	A52300.BF.03	50	50	0,826	F3
SALAMANDER - bluEvolution 92	CODE			€	DC
	A52300.FH.03	50	500	0,826	F3
SCHUCO - Corona SI 82, SI 82+, CT 70 MD, CT 70 AS	CODE			€	DC
	A52300.BF.03	50	50	0,826	F3
TROCAL - Innonova 70 A5, Innonova 70 M5	CODE			€	DC
	A52300.FR.03	50	50	0,826	F3
VEKA - Softline 70-76-82, Topline AD, Swingline, Alphaline 90	CODE			€	DC
	A52300.BF.03	50	50	0,826	F3
WEISS PROFIL - WP5000	CODE			€	DC
	A52300.BF.03	50	50	0,826	F3

DSS for aluminium-wood

FRAME SEAT	CODE			€	DC
18/22/35 mm	A51400.05.03	50	50	0,722	F3
24/37 mm	A48010.CR.03	50	500	0,747	F3
8+7	A52600.ND.03	50	500	0,747	F3

Strikers

DSS for European groove aluminium

EUROPEAN GROOVE ALUMINIUM						
AXIS	GROOVE	CODE			€	DC
9	14x5	A48010.DT.03	50	500	0,760	F3
9 and 13	14x5	A48010.BN.03	50	500	0,760	F3
CUSTOMISED PROFILES						
AXIS	GROOVE	CODE			€	DC
9	10x5	A52600.MU.03	50	500	0,747	F3
	13,5x5	A48010.DT.03	50	500	0,760	F3
	R groove	A48010.FA.03	50	500	2,059	F3
13	10x4,5	A52600.MS.03	50	500	0,955	F3

DSS for 16/12 groove

	CODE			€	DC
	A48010.19.03	50	500	0,760	F3

DSS for European groove aluminium

AXIS	GROOVE	CODE			€	DC
9	14X5	A52600.DT.03			r.	
13	14X5	A52600.CP.03			r.	

NB: available from September 2022

Strikers

Microventilation for PVC

				€	DC
ALPHACAN - System In'Alpha 70, Prestigio, Luce	CODE			€	DC
	A51400.BF.24	50	500	4,239	F3
ALUPLAST - Ideal 2000	CODE			€	DC
	A51400.BF.24	50	500	4,239	F3
ALUPLAST - Ideal 4000/8000, Energeto	CODE			€	DC
	A51400.BF.24	50	500	4,239	F3
BRUGMANN - AD, MD	CODE			€	DC
	A51400.BF.24	50	500	4,239	F3
DECEUNINCK - Zendow, Zendow#neo, Elegance, Premiere	CODE			€	DC
	A51400.CD.24	50	500	4,239	F3
GARGIULO - Wingo AD 70, Wingo MD 80	CODE			€	DC
	A51400.BF.24	50	500	4,239	F3
GEALAN - 3000, 7000, 8000, 9000	CODE			€	DC
	A51400.DF.24	50	500	4,239	F3
GEALAN - Kubus	CODE			€	DC
	A51400.HZ.24	50	500	3,718	F3
INOUTIC - Arcade, Eforte, Prestige	CODE			€	DC
	A51400.GN.24	50	500	4,239	F3
INOUTIC - Elegante	CODE			€	DC
	A51400.CD.24	50	500	4,239	F3
ITALPLASTICK - Giotto Plus	CODE			€	DC
	A51400.GB.24	50	500	4,239	F3
ITALPLASTICK - Seven, Seven Plus	CODE			€	DC
	A51400.BF.24	50	500	4,239	F3
KBE - AD 70 mm, MD 70 mm, Select 70 mm, System 88 mm	CODE			€	DC
	A51400.BF.24	50	500	4,239	F3
KOMMERLING - AD 76, MD 76	CODE			€	DC
	A51400.BF.24	50	500	4,239	F3
KOMMERLING - Eurodur 3S, Eurofutur elegance, Eurofutur MD	CODE			€	DC
	A51400.BF.24	50	500	4,239	F3
REHAU - Geneo, Synego	CODE			€	DC
	A51400.BF.24	50	500	4,239	F3
REHAU - Piattaforma 70	CODE			€	DC
	A51400.BF.24	50	500	4,239	F3
SALAMANDER - 2D, 3D, Streamline	CODE			€	DC
	A51400.BF.24	50	500	4,239	F3
SALAMANDER - bluEvolution 82	CODE			€	DC
	A51400.BF.24	50	500	4,239	F3
SALAMANDER - bluEvolution 92	CODE			€	DC
	A51400.BF.24	50	500	4,239	F3
SCHUCO - Corona SI 82, SI 82+, CT 70 MD, CT 70 AS	CODE			€	DC
	A51400.BF.24	50	500	4,239	F3
TROCAL - Innonova 70 A5, Innonova 70 M5	CODE			€	DC
	A51400.BF.24	50	500	4,239	F3
VEKA - Softline 70-76-82, Topline AD, Swingline, Alphaline 90	CODE			€	DC
	A51400.BF.24	50	500	4,239	F3
WEISS PROFIL - WP5000	CODE			€	DC
	A51400.BF.24	50	500	4,239	F3

Microventilation for aluminium-wood

				€	DC
FRAME SEAT	CODE			€	DC
18/22/35 mm	A51400.05.24	50	500	3,718	F3
24/37 mm	A51400.CR.24	50	500	3,718	F3

Strikers

Adapter for aluminium-wood

FRAME SEAT	CODE			€	DC
8+7	A52101.ND.05 ☎	50	50	1,646	F3

Note: to be coupled with the striker A51400.05.24 for axis 9

Microventilation for European groove aluminium

CUSTOMISED PROFILES						
AXIS	GROOVE	CODE			€	DC
13	10x4,5	A52600.MS.24	50	500	0,955	F3

Microventilation for Eurogroove aluminium - Adapter

EUROPEAN GROOVE ALUMINIUM						
AXIS	GROOVE	CODE			€	DC
9	14x5	A52101.DT.05	50	50	1,646	F3
13	14x5	A52101.CP.05	50	50	1,646	F3
CUSTOMISED PROFILES						
AXIS	GROOVE	CODE			€	DC
9	10x5	A52101.MU.05	50	50	1,646	F3
	13,5x5	A52101.MR.05	50	50	1,646	F3

Note: use with the striker A514000524 for axis 9 and A51400CR24 for axis 13

Strikers

Microventilation by step for PVC

ALPHACAN - System In'Alpha 70, Prestigio, Luce	CODE				€	DC
	A52300.BF.78	50	500		2,096	F3
ALUPLAST - Ideal 2000	CODE				€	DC
	A52300.BF.78	50	500		2,096	F3
ALUPLAST - Ideal 4000/8000, Energeto	CODE				€	DC
	A52300.BF.78	50	500		2,096	F3
BRUGMANN - AD, MD	CODE				€	DC
	A52300.BF.78	50	500		2,096	F3
GARGIULO - Wingo AD 70, Wingo MD 80	CODE				€	DC
	A52300.BF.78	50	500		2,096	F3
GEALAN - 3000, 7000, 8000, 9000	CODE				€	DC
	A52300.BF.78	50	500		2,096	F3
GEALAN - Kubus	CODE				€	DC
	A52300.BF.78	50	500		2,096	F3
ITALPLASTICK - Seven, Seven Plus	CODE				€	DC
	A52300.BF.78	50	500		2,096	F3
KBE - AD 70 mm, MD 70 mm, Select 70 mm, System 88 mm	CODE				€	DC
	A52300.BF.78	50	500		2,096	F3
KOMMERLING - AD 76, MD 76	CODE				€	DC
	A52300.BF.78	50	500		2,096	F3
KOMMERLING - Eurodur 3S, Eurofutur elegance, Eurofutur MD	CODE				€	DC
	A52300.BF.78	50	500		2,096	F3
REHAU - Geneo, Synego	CODE				€	DC
	A52300.BF.78	50	500		2,096	F3
REHAU - Piattaforma 70	CODE				€	DC
	A52300.BF.78	50	500		2,096	F3
SALAMANDER - 2D, 3D, Streamline	CODE				€	DC
	A52300.BF.78	50	500		2,096	F3
SALAMANDER - bluEvolution 82	CODE				€	DC
	A52300.BF.78	50	500		2,096	F3
SALAMANDER - bluEvolution 92	CODE				€	DC
	A52300.BF.78	50	500		2,096	F3
SCHUCO - Corona SI 82, SI 82+, CT 70 MD, CT 70 AS	CODE				€	DC
	A52300.BF.78	50	500		2,096	F3
VEKA - Softline 70-76-82, Topline AD, Swingline, Alphaline 90	CODE				€	DC
	A52300.BF.78	50	500		2,096	F3
WEISS PROFIL - WP5000	CODE				€	DC
	A52300.BF.78	50	500		2,096	F3

Strikers

Magnetic sash catcher, sash part

For PVC					
AXIS	CODE			€	DC
13	A50197.14.00	50	500	1,519	F3
For aluminium-wood					
FRAME SEAT	CODE			€	DC
18/22/35 mm	A50197.09.00	50	500	1,519	F3
24/37 mm	A50197.13.00	50	500	1,519	F3
For European groove aluminium					
AXIS	CODE			€	DC
9	A50197.09.00	50	500	1,519	F3
13	A50197.13.00	50	500	1,519	F3

Strikers

Magnetic sash catcher, frame part for PVC

ALPHACAN - System In'Alpha 70, Prestigio, Luce	CODE			€	DC
	A52300.BF.05	50	250	5,134	F3
ALUPLAST - Ideal 2000	CODE			€	DC
	A52300.BF.05	50	250	5,134	F3
ALUPLAST - Ideal 4000/8000, Energeto	CODE			€	DC
	A52300.BF.05	50	250	5,134	F3
BRUGMANN - AD, MD	CODE			€	DC
	A52300.BF.05	50	250	5,134	F3
DECEUNINCK - Zendow, Zendow#neo, Elegance, Premiere	CODE			€	DC
	A52300.CD.05	50	250	5,134	F3
GARGIULO - Wingo AD 70, Wingo MD 80	CODE			€	DC
	A52300.BF.05	50	250	5,134	F3
GEALAN - 3000, 7000, 8000, 9000	CODE			€	DC
	A52300.DF.05	50	250	5,134	F3
GEALAN - Kubus	CODE			€	DC
	A52300.HZ.05	50	250	5,134	F3
INOUTIC - Arcade, Eforte, Prestige	CODE			€	DC
	A52300.GN.05	50	250	5,134	F3
INOUTIC - Elegante	CODE			€	DC
	A52300.CD.05	50	250	5,134	F3
ITALPLASTICK - Seven, Seven Plus	CODE			€	DC
	A52300.BF.05	50	250	5,134	F3
KBE - AD 70 mm, MD 70 mm, Select 70 mm, System 88 mm	CODE			€	DC
	A52300.BF.05	50	250	5,134	F3
KOMMERLING - AD 76, MD 76	CODE			€	DC
	A52300.BF.05	50	250	5,134	F3
KOMMERLING - Eurodur 3S, Eurofutur elegance, Eurofutur MD	CODE			€	DC
	A52300.BF.05	50	250	5,134	F3
REHAU - Geneo, Synego	CODE			€	DC
	A52300.BF.05	50	250	5,134	F3
REHAU - Piattaforma 70	CODE			€	DC
	A52300.BF.05	50	250	5,134	F3
SALAMANDER - 2D, 3D, Streamline	CODE			€	DC
	A52300.BF.05	50	250	5,134	F3
SALAMANDER - bluEvolution 82	CODE			€	DC
	A52300.BF.05	50	250	5,134	F3
SALAMANDER - bluEvolution 92	CODE			€	DC
	A52300.BF.05	50	250	5,134	F3
SCHUCO - Corona SI 82, SI 82+, CT 70 MD, CT 70 AS	CODE			€	DC
	A52300.BF.05	50	250	5,134	F3
TROCAL - Innonova 70 A5, Innonova 70 M5	CODE			€	DC
	A52300.BF.05	50	250	5,134	F3
VEKA - Softline 70-76-82, Topline AD, Swingline, Alphaline 90	CODE			€	DC
	A52300.BF.05	50	250	5,134	F3
WEISS PROFIL - WP5000	CODE			€	DC
	A52300.BF.05	50	250	5,134	F3

Strikers

Magnetic sash catcher for PVC extensible bolt

CODE			€	DC
A52300.19.00	50	250	5,134	F3

Strikers

Magnetic sash catcher, frame part for aluminium-wood

FRAME SEAT	CODE			€	DC
18/22/35 mm	A51400.05.05	50	250	5,134	F3
24/37 mm	A51400.CR.05	50	250	5,134	F3

Adapter for sash catcher magnetic striker, for aluminium-wood

FRAME SEAT	CODE			€	DC
8+7	A52101.ND.07 ☎	50	50	2,307	F3

Note: to be coupled with the striker A51400.05.05 for axis 9

Magnetic sash catcher, bolt for aluminium-wood

FRAME SEAT	CODE			€	DC
18/22/35 mm	A51400.19.05	50	250	5,134	F3
24/37 mm	A51400.20.05	50	250	5,134	F3

Magnetic sash catcher, adapter for European groove aluminium - Adapter

EUROPEAN GROOVE ALUMINIUM						
AXIS	GROOVE	CODE			€	DC
9	14x5	A52101.DT.07	50	50	2,307	F3
13	14x5	A52101.CP.07	50	50	2,307	F3
CUSTOMISED PROFILES						
AXIS	GROOVE	CODE			€	DC
9	10x5	A52101.MU.07	50	50	2,307	F3
	13,5x5	A52101.MR.07	50	50	2,307	F3

Note: use with the striker A51400.05.05 for axis 9 and A51400.CR.05 for axis 13

Magnetic for temporary closing for European groove aluminium

CUSTOMISED PROFILES						
AXIS	GROOVE	CODE			€	DC
13	10x4,5	A52600.MS.05	50	250	5,134	F3

Strikers

Magnetic sash catcher, bolt for European groove aluminium

AXIS	CODE			€	DC
9	A51400.19.05	50	250	5,134	F3
13	A51400.20.05	50	250	5,134	F3

Strikers

Sash catcher for PVC

ALPHACAN - System In'Alpha 70, Prestigio, Luce	CODE			€	DC
	A48010.BB.18	50	50	4,573	F3
ALUPLAST - Ideal 2000	CODE			€	DC
	A48010.BF.18	50	50	4,573	F3
ALUPLAST - Ideal 4000/8000, Energeto	CODE			€	DC
	A48010.BB.18	50	50	4,573	F3
BRUGMANN - AD, MD	CODE			€	DC
	A48010.BF.18	50	50	4,573	F3
DECEUNINCK - Zendow, Zendow#neo, Elegance, Premiere	CODE			€	DC
	A48010.CD.18	50	50	4,573	F3
GARGIULO - Wingo AD 70, Wingo MD 80	CODE			€	DC
	A48010.BF.18	50	50	4,573	F3
GEALAN - 3000, 7000, 8000, 9000	CODE			€	DC
	A48010.DF.18	50	200	4,573	F3
GEALAN - Kubus	CODE			€	DC
	A40017.HZ.18	50	50	4,573	F3
INOUTIC - Arcade, Eforte, Prestige	CODE			€	DC
	A40017.67.18	50	50	4,573	F3
INOUTIC - Elegante	CODE			€	DC
	A48010.CD.18	50	50	4,573	F3
ITALPLASTICK - Giotto Plus	CODE			€	DC
	A48010.GB.18	50	50	4,573	F3
ITALPLASTICK - Seven, Seven Plus	CODE			€	DC
	A48010.BF.18	50	50	4,573	F3
KBE - AD 70 mm, MD 70 mm, Select 70 mm, System 88 mm	CODE			€	DC
	A48010.DF.18	50	200	4,573	F3
KOMMERLING - AD 76, MD 76	CODE			€	DC
	A48010.DF.18	50	200	4,573	F3
KOMMERLING - Eurodur 3S, Eurofutur elegance, Eurofutur MD	CODE			€	DC
screw on support	A40017.30.18	50	50	4,573	F3
	A48010.BF.18	50	50	4,573	F3
REHAU - Piattaforma 70	CODE			€	DC
	A40017.35.18	50	50	4,573	F3
REHAU - Geneo, Synego	CODE			€	DC
	A48010.BB.18	50	50	4,573	F3
SALAMANDER - 2D, 3D, Streamline	CODE			€	DC
	A40017.AZ.18	50	50	4,573	F3
SALAMANDER - bluEvolution 82	CODE			€	DC
	A48010.BF.18	50	50	4,573	F3
SALAMANDER - bluEvolution 92	CODE			€	DC
	A48010.BB.18	50	50	4,573	F3
SCHUCO - Corona SI 82, SI 82+, CT 70 MD, CT 70 AS	CODE			€	DC
	A48010.BF.18	50	50	4,573	F3
TROCAL - Innonova 70 A5, Innonova 70 M5	CODE			€	DC
	A48010.FR.18	50	50	4,573	F3
VEKA - Softline 70-76-82, Topline AD, Swingline, Alphaline 90	CODE			€	DC
	A48010.BF.18	50	50	4,573	F3
WEISS PROFIL - WP5000	CODE			€	DC
	A48010.BF.18	50	50	4,573	F3

Strikers

Sash catcher for aluminium-wood

FRAME SEAT	CODE				€	DC
18/22/35 mm	A40017.06.18		50	300	4,496	F3
24/37 mm	A48010.CR.18		50	250	4,496	F3
8+7	A48010.ND.18	☎	50	50	4,697	F2

Sash catcher for European groove aluminium

EUROPEAN GROOVE ALUMINIUM							
AXIS	GROOVE	CODE				€	DC
9	14x5	A48010.DT.18		50	250	4,596	F3
13	14x5	A48010.CP.18		50	50	4,596	F3
CUSTOMISED PROFILES							
AXIS	GROOVE	CODE				€	DC
9	10x5	A48010.MU.18	☎	50	50	4,573	F3
	13,5x5	A48010.DT.18		50	250	4,596	F3
	R groove	A48010.FA.18		50	50	4,596	F3
13	10x4,5	A48010.MS.18	☎	50	50	4,573	F3

Compensating adapter for 16/12 Eurogroove

	CODE			€	DC
	A48902.19.01	50	1000	0,625	F3

Strikers

Arched and angled window lifting wedge for PVC

				€	DC
ALPHACAN - System In'Alpha 70, Prestigio, Luce	CODE			€	DC
	A48010.BB.38	20	20	4,295	F3
ALUPLAST - Ideal 2000	CODE			€	DC
	A48010.BF.38	20	20	4,295	F3
ALUPLAST - Ideal 4000/8000, Energeto	CODE			€	DC
	A48010.BB.38	20	20	4,295	F3
BRUGMANN - AD, MD	CODE			€	DC
	A48010.BF.38	20	20	4,295	F3
DECEUNINCK - Zendow, Zendow#neo, Elegance, Premiere	CODE			€	DC
	A48010.CD.38	20	20	4,295	F3
GARGIULO - Wingo AD 70, Wingo MD 80	CODE			€	DC
	A48010.BF.38	20	20	4,295	F3
GEALAN - 3000, 7000, 8000, 9000	CODE			€	DC
	A48010.DF.38	20	20	4,295	F3
GEALAN - Kubus	CODE			€	DC
	A48010.HZ.38	20	20	4,295	F3
INOUTIC - Arcade, Eforte, Prestige	CODE			€	DC
	A48010.GN.38	20	20	4,295	F3
INOUTIC - Elegante	CODE			€	DC
	A48010.CD.38	20	20	4,295	F3
ITALPLASTICK - Giotto Plus	CODE			€	DC
	A48010.GB.38	20	20	4,295	F3
ITALPLASTICK - Seven, Seven Plus	CODE			€	DC
	A48010.BF.38	20	20	4,295	F3
KBE - AD 70 mm, MD 70 mm, Select 70 mm, System 88 mm	CODE			€	DC
	A48010.DF.38	20	20	4,295	F3
KOMMERLING - AD 76, MD 76	CODE			€	DC
	A48010.DF.38	20	20	4,295	F3
KOMMERLING - Eurodur 3S, Eurofutur elegance, Eurofutur MD	CODE			€	DC
	A48010.30.38	20	20	4,295	F3
REHAU - Geneo, Synego	CODE			€	DC
	A48010.BF.38	20	20	4,295	F3
REHAU - Piattaforma 70	CODE			€	DC
	A48010.BF.38	20	20	4,295	F3
SALAMANDER - 2D, 3D, Streamline	CODE			€	DC
	A48010.AZ.38	20	20	4,295	F3
SALAMANDER - bluEvolution 82	CODE			€	DC
	A48010.BF.38	20	20	4,295	F3
SALAMANDER - bluEvolution 92	CODE			€	DC
	A48010.BF.38	20	20	4,295	F3
SCHUCO - Corona SI 82, SI 82+, CT 70 MD, CT 70 AS	CODE			€	DC
	A48010.BF.38	20	20	4,295	F3
TROCAL - Innonova 70 A5, Innonova 70 M5	CODE			€	DC
	A48010.FR.38	20	20	4,295	F3
VEKA - Softline 70-76-82, Topline AD, Swingline, Alphaline 90	CODE			€	DC
	A48010.BF.38	20	20	4,295	F3
WEISS PROFIL - WP5000	CODE			€	DC
	A48010.BF.38	20	20	4,295	F3

Arched and angled window lifting wedge for aluminium-wood

FRAME SEAT	CODE			€	DC
18/22/35 mm	A48010.05.38	20	20	2,072	F3
24/37 mm	A48010.CR.16	20	20	2,072	F3
8+7	A48010.ND.38 ☎	20	20	4,295	F3

Strikers

Arched and angled window adapter for lifting striker for European groove aluminium

EUROPEAN GROOVE ALUMINIUM							
AXIS	GROOVE	CODE				€	DC
9 and 13	14x5	A48010.BN.38		20	20	2,108	F3
CUSTOMISED PROFILES							
AXIS	GROOVE	CODE				€	DC
9	10x5	A48010.MU.38	☎	20	20	4,222	F3
	13,5x5	A48010.BN.38		20	20	2,108	F3
	R groove	A48010.FA.38		20	20	2,108	F3
13	10x4,5	A48010.MS.38	☎	20	20	4,222	F3

Strikers

Shootbolt for PVC

ALPHACAN - System In'Alpha 70, Prestigio, Luce	CODE			€	DC
	A48010.DF.05	50	50	1,390	F3
ALUPLAST - Ideal 2000	CODE			€	DC
	A48010.BA.05	50	50	1,697	F3
ALUPLAST - Ideal 4000/8000, Energeto	CODE			€	DC
	A48010.BA.05	50	50	1,697	F3
BRUGMANN - AD, MD	CODE			€	DC
	A48010.BF.05	50	50	1,415	F3
DECEUNINCK - Zendow, Zendow#neo, Elegance, Premiere	CODE			€	DC
	A48010.CD.05	50	50	1,415	F3
GARGIULO - Wingo AD 70, Wingo MD 80	CODE			€	DC
	A48010.BA.05	50	50	1,697	F3
GEALAN - 3000, 7000, 8000, 9000	CODE			€	DC
	A48010.DF.05	50	50	1,390	F3
GEALAN - Kubus	CODE			€	DC
	A48010.HZ.05	50	50	1,558	F3
INOUTIC - Arcade, Eforte, Prestige	CODE			€	DC
	A40017.67.05	50	250	1,415	F3
INOUTIC - Elegante	CODE			€	DC
	A48010.CD.05	50	50	1,415	F3
ITALPLASTICK - Giotto Plus	CODE			€	DC
	A48010.GB.05	50	50	1,415	F3
ITALPLASTICK - Seven, Seven Plus	CODE			€	DC
	A48010.BF.05	50	50	1,415	F3
KBE - AD 70 mm, MD 70 mm, Select 70 mm, System 88 mm	CODE			€	DC
	A48010.BF.05	50	50	1,415	F3
KOMMERLING - AD 76, MD 76	CODE			€	DC
	A48010.BF.05	50	50	1,415	F3
KOMMERLING - Eurodur 3S, Eurofutur elegance, Eurofutur MD	CODE			€	DC
	A48010.BF.05	50	50	1,415	F3
REHAU - Geneo, Synego	CODE			€	DC
	A48010.BA.05	50	50	1,697	F3
REHAU - Piattaforma 70	CODE			€	DC
	A48010.BA.05	50	50	1,697	F3
SALAMANDER - 2D, 3D, Streamline	CODE			€	DC
	A48010.AZ.05	50	250	1,415	F3
SALAMANDER - bluEvolution 82	CODE			€	DC
	A48010.BF.05	50	50	1,415	F3
SALAMANDER - bluEvolution 92	CODE			€	DC
	A48010.BF.05	50	50	1,415	F3
SCHUCO - Corona SI 82, SI 82+, CT 70 MD, CT 70 AS	CODE			€	DC
	A48010.BA.05	50	50	1,697	F3
TROCAL - Innonova 70 A5, Innonova 70 M5	CODE			€	DC
	A48010.BA.05	50	50	1,697	F3
VEKA - Softline 70-76-82, Topline AD, Swingline, Alphaline 90	CODE			€	DC
	A48010.BF.05	50	50	1,415	F3
WEISS PROFIL - WP5000	CODE			€	DC
	A48010.BA.05	50	50	1,697	F3

Strikers

Shootbolt for aluminium-wood

FRAME SEAT	H	CODE			€	DC
18/22/35 mm	8 mm	A48010.05.55	50	500	1,558	F3
	7 mm	A48010.05.57	50	500	1,531	F3
24/37 mm	8 mm	A48010.CR.54	50	500	1,668	F3
	7 mm	A48010.CR.57	50	500	1,668	F3
8+7	7 mm	A48010.ND.04 ☎	50	500	1,593	F2

Immagine indicativa / *Sample image*

Shootbolt for European groove aluminium

EUROPEAN GROOVE ALUMINIUM								
AXIS	GROOVE		CODE				€	DC
9	14x5	1 hole	A48010.DT.04		50	500	1,558	F3
13	14x5	2 holes	A48010.CP.05		50	500	1,558	F3
CUSTOMISED PROFILES								
AXIS	GROOVE		CODE				€	DC
9	10x5	1 hole	A48010.MU.04	☎	50	500	1,558	F3
	13,5x5	1 hole	A48010.MR.04	☎	50	500	1,558	F3
	R groove	1 hole	A48010.FA.05		50	500	1,558	F3
13	10x4,5	2 holes	A48010.MS.05	☎	50	500	1,558	F3

Note: for axis 9 it is possible to use A48010.05.55with the adapter A48901.BN.07, in order to have a 8 mm height striker

Magnétique: magnetic contacts for control and alarm systems

Magnet

SURFACE MOUNTED MAGNET WITH SCREW HOLE						
DIAMETER	FINISH	CODE			€	DC
10x3	Silver	A39406.10.02	10	10	4,130	F4
12x4	Black cataph.	A53203.02.00	10	10	3,502	F4

Note: to be applied on screw hole or on 16/12 Eurogroove coupled with the adapters A48902.19.01 and A53202.19.01

WITH BIADHESIVE					
DIMENSIONS	CODE			€	DC
20x10x1	FX0100.00.00	10	10	0,900	G4

Corner drive 125x125 magnetic cam

	CODE			€	DC
	A50308.02.02	50	50	15,127	F3

Extension and terminal with magnetic flat cam

	LENGTH	CODE			€	DC
1) Extension	200	A51804.00.01	20	20	6,328	F3
2) Terminal	200	A50404.00.01	20	20	5,528	F3

Extension and terminal with magnetic cam

	LENGTH	CODE			€	DC
1) Extension	200	A51808.00.02	20	20	10,025	F3
2) Terminal	200	A50408.00.01	20	20	8,798	F3

Magnétique: magnetic contacts for control and alarm systems

Compensator adapter for 16/12 Eurogroove for magnet

	CODE			€	DC
1	A48902.19.01	50	1000	0,625	F3
2*	A53202.19.01	50	1000	1,026	F3

*for the application, consult the page of the Technical Catalogue

Magnétique: magnetic contacts for control and alarm systems

HD Sensor - for air-conditioning control

FLAT SURFACE MOUNTED SENSOR ON PLASTIC BOX							
DIMENSIONS		FINISH	CODE			€	DC
60x16x5	cable 3 m	White	A53204.05.91	10	50 ✔	20,409	F4
		Brown	A53204.05.94	10	50 ✔	19,969	F3

Note: the HD sensor is a specific version for inductive load. It is not appropriate for tamper circuit.

Working distance	20 mm in free gap
Commutable max tension	V = 42,2 V ~ / 60 V ⎓
Commutable max current	I = 500 mA
Commutable max power	10 W
Working temperature	- 10° C / + 50° C
Environmental class	II
Protection grade	IP 30

Sensor

FLAT SURFACE MOUNTED SENSOR ON PLASTIC BOX							
DIMENSIONS		FINISH	CODE			€	DC
60x16x5	cable 3 m	White	A53204.01.91	10	10	8,854	F4
		Brown	A53204.01.94	10	10	8,854	F4
		Grey	• A53204.01.44	10	10	8,854	F4
60x16x5	cable 10 m	White	A53204.02.91	5	50	25,519	F4
		Brown	A53204.02.94	5	50	25,519	F4

Attention! Only for alarm systems / electronic cards.
For different use, please contact the AGB staff

Working distance	20 mm in free gap
Compliance	EN50131-2-6 Grade 2
Commutable max tension	V = 60 V ⎓
Commutable max current	I = 500 mA
Commutable max power	10 W
Working temperature	- 10° C / + 50° C
Environmental class	II
Protection grade	IP 30

Adapter for sensor, for PVC

	FINISH	CODE			€	DC
Universal	Grey RAL 7036	• A53202.BF.78	50	50	1,900	F4
	White	• A53202.BF.91	50	50	1,900	F4
	Brown	• A53202.BF.94	50	50	1,900	F4

Adapter for sensor for European groove aluminium

AXIS	FINISH	CODE			€	DC
9-13	Grey RAL 7036	• A53202.DT.78	50	50	2,095	F4
	White	• A53202.DT.91	50	50	2,095	F4
	Brown	• A53202.DT.94	50	50	2,095	F4

Magnétique: magnetic contacts for control and alarm systems

Sensor

EMBEDDED SENSOR IN BRASS BODY						
	FINISH	CODE			€	DC
Hole ø 7,5x26,5 cable 3 m	Nickel plated	A53204.03.06	10	10	10,149	F4

Note: the embedded sensors can be placed under the zamak or steel strikers with plastic cover-tray and they can be read just the same.

Working distance	20 mm in free gap
Compliance	EN50131-2-6 Grade 2
Commutable max tension	V = 42,4 V ~ / 60 V ⎓
Commutable max current	1 A
Commutable max power	10 W
Working temperature	- 25° C / + 60° C
Environmental class	IV
Protection grade	IP 65

EMBEDDED IN PLASTIC BODY						
	FINISH	CODE			€	DC
Hole Ø 8x29	White	A53204.06.91	10	10	9,870	F3

Note: the embedded sensors can be placed under the zamak or steel strikers with plastic cover-tray and they can be read just the same.

Working distance	20 mm in free gap
Compliance	EN50131-2-6 Grade 2
Commutable max tension	V = 42,4 V ~ / 60 V ⎓
Commutable max current	1 A
Commutable max power	10 W
Working temperature	- 25° C / + 60° C
Environmental class	IV
Protection grade	IP 65

Jig for reed positioning

	CODE			€	DC
	A52098.12.00	1	1	14,707	F3

Magnétique: magnetic contacts for control and alarm systems

Magnetic cam adjustment tool

	CODE			€	DC
	A39405.01.06	20	20	10,071	F4

Strikers summary table for PVC profiles

	Alphacan	Aluplast		Brugmann	Deceuninck
	System In'Alpha 70 System In'Alpha Prestigio System Alpha Luce	Ideal 2000	Ideal 4000/8000 Energeto	AD MD	Zendow Zendow#neo
Cam striker	A52300.FI.02	A52300.BA.02 (A52300.MP.02 -0,5 mm)	A52300.BB.02 (A52300.MP.02 -0,5 mm)	A52300.BF.02 (A52300.BA.02 -0,5 mm)	A52300.CD.02
Anti-burglar striker in zamak	A52300.FI.76	A52300.BA.76	-	A52300.BA.76	A52300.CD.76
Anti-burglar striker in steel	A52300.FI.22	A52300.BA.22	A52300.BB.22	A52300.BF.22 (A52300.BA.22 -0,5 mm)	A52300.CD.22
Poseidon TT striker	A52300.FI.75	A52300.BF.75	A52300.FI.75	A52300.BF.75	A52300.CD.75
Anti-burglar TBT striker	A52300.FI.58	A52300.BA.58	A52300.BB.58	A52300.BF.58	A52300.CD.58
DSS striker	A52300.BB.03	A52300.BF.03	A52300.BB.03	A52300.BF.03	A52300.CD.03
Microventilation cam	A51400.BF.24	A51400.BF.24	A51400.BF.24	A51400.BF.24	A51400.CD.24
Microventilation by step	A52300.BF.78	A52300.BF.78	A52300.BF.78	A52300.BF.78	-
Magnetic sash catcher	A52300.BF.05	A52300.BF.05	A52300.BF.05	A52300.BF.05	A52300.CD.05
Sash catcher	A48010.BB.18	A48010.BF.18	A48010.BB.18	A48010.BF.18	A48010.CD.18
Lift striker for arched windows	A48010.BB.38	A48010.BF.38	A48010.BB.38	A48010.BF.38	A48010.CD.38
Striker for shootbolt throw	A48010.DF.05	A48010.BA.05	A48010.BA.05	A48010.BF.05	A48010.CD.05
Hidden central hinge, frame part	A44812.BB.00	A44812.BF.00	A44812.BB.00	A44812.BF.00	A44812.DF.00
Supplementary stay arm adapter and Tilt only	A50543.BB.00	A50543.BF.00	A50543.BB.00	A50543.BF.00	A50543.CD.00
Plana adapter	A52940.FI.00 (low. rh/upp. lh) A52940.FI.01 (low. lh/upp. rh)	A52940.BF.00 (low. rh/upp. lh) A52940.BF.01 (low. lh/upp. rh)	-	A52940.BF.00 (low. rh/upp. lh) A52940.BF.01 (low. lh/upp. rh)	A52940.CN.00 (low. rh/upp. lh) A52940.CN.01 (low. lh/upp. rh)
Loading capacity device - frame part	A52903.BB.01 (rh) A52903.BB.02 (lh)	A52903.BF.01 (rh) A52903.BF.02 (lh)	A52903.BB.01 (rh) A52903.BB.02 (lh)	A52903.BF.01 (rh) A52903.BF.02 (lh)	A52903.CD.01 (rh) A52903.CD.02 (lh)
Opening limiter, frame part for PVC	A49601.14.07 (rh) A49601.14.08 (lh)	A49601.14.01 (rh) A49601.14.02 (lh)	A49601.14.11 (rh) A49601.14.12 (lh)	A49601.14.03 (rh) A49601.14.04 (lh)	A49601.14.05 (rh) A49601.14.06 (lh)

Strikers summary table for PVC profiles

	Gargiulo	Gealan		Inoutic	
	Wingo AD 70 Wingo MD 80	3000 7000 8000 9000	Kubus	Arcade Eforte Prestige	Elegante
Cam striker	A52300.BA.02 (A52300.MP.02 - 0,5 mm)	A52300.DF.02 (A52300.CN.02 - 0,5 mm)	A52300.HZ.02	A52300.GN.02	A52300.CD.02
Anti-burglar striker in zamak	A52300.BA.76	A52300.DF.76 (A52300.CN.76 -0,5 mm)	A52300.HZ.76	-	A52300.CD.76
Anti-burglar striker in steel	A52300.BA.22	A52300.DF.22 (A52300.CN.22 -0,5 mm)	A52300.HZ.22	A52300.GN.22	A52300.CD.22
Poseidon TT striker	A52300.BF.75	A52300.DF.75	-	-	A52300.CD.75
Anti-burglar TBT striker	A52300.BA.58	A52300.DF.58	A52300.HZ.58	A52300.GN.58	A52300.CD.58
DSS striker	A52300.BF.03	A52300.DF.03	A52300.HZ.03	A52300.GN.03	A52300.CD.03
Microventilation cam	A51400.BF.24	A51400.DF.24	A51400.HZ.24	A51400.GN.24	A51400.CD.24
Microventilation by step	A52300.BF.78	A52300.BF.78	A52300.BF.78	-	-
Magnetic sash catcher	A52300.BF.05	A52300.DF.05	A52300.HZ.05	A52300.GN.05	A52300.CD.05
Sash catcher	A48010.BF.18	A48010.DF.18	A40017.HZ.18	A40017.67.18	A48010.CD.18
Lift striker for arched windows	A48010.BF.38	A48010.DF.38	A48010.HZ.38	A48010.GN.38	A48010.CD.38
Striker for shootbolt throw	A48010.BA.05	A48010.DF.05	A48010.HZ.05	A40017.67.05	A48010.CD.05
Hidden central hinge, frame part	A44812.BF.00	A44812.DF.00	A44805.HZ.00	A44805.GN.00	A44812.DF.00
Supplementary stay arm adapter and Tilt only	A50543.BF.00	A50543.DF.00	A50543.HZ.00	A50543.DF.00	A50543.CD.00
Plana adapter	A52940.BF.00 (low. rh/upp. lh) A52940.BF.01 (low. lh/upp. rh)	A52940.DF.00 (low. rh/upp. lh) A52940.DF.01 (low. lh/upp. rh)	-	-	A52940.CN.00 (low. rh/upp. lh) A52940.CN.01 (low. lh/upp. rh)
Loading capacity device - frame part	A52903.BF.01 (rh) A52903.BF.02 (lh)	A52903.DF.01 (rh) A52903.DF.02 (lh)	A52903.HZ.01 (rh) A52903.HZ.02 (lh)	A52903.GN.01 (rh) A52903.GN.02 (lh)	-
Opening limiter, frame part for PVC	A49601.14.01 (rh) A49601.14.02 (lh)	A49601.14.13 (rh) A49601.14.14 (lh)	A49601.14.00 (rh) A49601.14.00 (lh)	-	-

Strikers summary table for PVC profiles

		Italplastick		KBE	Kommerling	
		Giotto Plus	Seven Seven Plus	AD 70 mm MD 70 mm Select 70 mm System 88 mm	AD 76 mm MD 76 mm	Eurodur 3S Eurofutur elegance Eurofutur MD
Cam striker		A52300.FI.02	A52300.BF.02 (A52300.BA.02 -0,5 mm)	A52300.CN.02 (A52300.DF.02 +0,5 mm)	A52300.CN.02 (A52300.DF.02 +0,5 mm) (A52300.FT.02 -0,5 mm)	A52300.CN.02 (A52300.DF.02 +0,5 mm) (A52300.FT.02 -0,5 mm)
Anti-burglar striker in zamak		-	A52300.BA.76	A52300.CN.76	A52300.CN.76	-
Anti-burglar striker in steel		A48013.GB.22	A52300.BF.22 (A52300.BA.22 -0,5 mm)	A52300.CN.22 (A52300.DF.22 +0,5 mm)	A52300.CN.22 (A52300.DF.22 +0,5 mm)	A52300.30.22 (A52300.DF.22 +0,5 mm)
Poseidon TT striker		-	A52300.BF.75	A52300.CD.75	A52300.CD.75	A52300.30.75
Anti-burglar TBT striker		-	A52300.BF.58	A52300.CN.58	A52300.CN.58	A52300.30.58
DSS striker		A48010.GB.03	A52300.BF.03	A52300.FH.03	A52300.FH.03	A52300.DF.03
Microventilation cam		A51400.GB.24	A51400.BF.24	A51400.BF.24	A51400.BF.24	A51400.BF.24
Microventilation by step		-	A52300.BF.78	A52300.BF.78	A52300.BF.78	A52300.BF.78
Magnetic sash catcher		-	A52300.BF.05	A52300.BF.05	A52300.BF.05	A52300.BF.05
Sash catcher		A48010.GB.18	A48010.BF.18	A48010.DF.18	A48010.DF.18	A40017.30.18 supporting screw, A48010.BF.18
Lift striker for arched windows		A48010.GB.38	A48010.BF.38	A48010.DF.38	A48010.DF.38	A48010.30.38
Striker for shootbolt throw		A48010.GB.05	A48010.BF.05	A48010.BF.05	A48010.BF.05	A48010.BF.05
Hidden central hinge, frame part		A44805.GB.00	A44812.BF.00	A44812.DF.00	A44812.DF.00	A44812.30.00
Supplementary stay arm adapter and Tilt only		A50543.GB.00	A50543.BF.00	A50543.CD.00	A50543.CD.00	A50543.30.00
Plana adapter		-	A52940.BF.00 (low. rh/upp. lh) A52940.BF.01 (low. lh/upp. rh)	A52940.CN.00 (low. rh/upp. lh) A52940.CN.01 (low. lh/upp. rh)	A52940.CN.00 (low. rh/upp. lh) A52940.CN.01 (low. lh/upp. rh)	-
Loading capacity device - frame part		-	A52903.BF.01 (rh) A52903.BF.02 (lh)	A52903.DF.01 (rh) A52903.DF.02 (lh)	A52903.DF.01 (rh) A52903.DF.02 (lh)	A52903.AZ.01 (rh) A52903.AZ.02 (lh)
Opening limiter, frame part for PVC		-	A49601.14.03 (rh) A49601.14.04 (lh)	A49601.14.05 (rh) A49601.14.06 (lh)	A49601.14.05 (rh) A49601.14.06 (lh)	A49601.14.07 (rh) A49601.14.08 (lh)

Strikers summary table for PVC profiles

		Rehau		Salamander		
		Geneo Synego	Piattaforma 70	2D 3D Streamline	bluEvolution 82	bluEvolution 92
Cam striker		A52300.FH.02 (A52300.MP.02 -0,5 mm)	A52300.BA.02 (A52300.MP.02 -0,5 mm)	A52300.AZ.02	A52300.BF.02 (A52300.BA.02 -0,5 mm)	A52300.FH.02
Anti-burglar striker in zamak		A52300.35.76	A52300.35.76	-	A52300.BA.76	-
Anti-burglar striker in steel		A52300.BB.22	A52300.BA.22	A52300.AZ.22	A52300.BF.22 (A52300.BA.22 -0,5 mm)	A52300.BB.22
Poseidon TT striker		A52300.DF.75	A52300.BF.75	A52300.AZ.75	A52300.BF.75	A52300.DF.75
Anti-burglar TBT striker		A52300.BB.58	A52300.BA.58	A52300.AZ.58	A52300.BF.58	A52300.BB.58
DSS striker		A52300.FH.03	A52300.BF.03	A52300.AZ.03	A52300.BF.03	A52300.FH.03
Microventilation cam		A51400.BF.24	A51400.BF.24	A51400.BF.24	A51400.BF.24	A51400.BF.24
Microventilation by step		A52300.BF.78	A52300.BF.78	A52300.BF.78	A52300.BF.78	A52300.BF.78
Magnetic sash catcher		A52300.BF.05	A52300.BF.05	A52300.BF.05	A52300.BF.05	A52300.BF.05
Sash catcher		A48010.BB.18	A40017.35.18	A40017.AZ.18	A48010.BF.18	A48010.BB.18
Lift striker for arched windows		A48010.BF.38	A48010.BF.38	A48010.AZ.38	A48010.BF.38	A48010.BF.38
Striker for shootbolt throw		A48010.BA.05	A48010.BA.05	A48010.AZ.05	A48010.BF.05	A48010.BF.05
Hidden central hinge, frame part		A44812.BF.00	A44812.35.00	A44812.AZ.00	A44812.BF.00	A44812.BF.00
Supplementary stay arm adapter and Tilt only		A50543.DF.00	A50543.BF.00	A50543.AZ.00	A50543.BF.00	A50543.DF.00
Plana adapter		A52940.FH.00 (low. rh/upp. lh) A52940.FH.01 (low. lh/upp. rh)	-	-	A52940.BF.00 (low. rh/upp. lh) A52940.BF.01 (low. lh/upp. rh)	A52940.FH.00 (low. rh/upp. lh) A52940.FH.01 (low. lh/upp. rh)
Loading capacity device - frame part		A52903.FH.01 (rh) A52903.FH.02 (lh)	A52903.FH.01 (rh) A52903.FH.02 (lh)	A52903.AZ.01 (rh) A52903.AZ.02 (lh)	A52903.BF.01 (rh) A52903.BF.02 (lh)	A52903.DF.01 (rh) A52903.DF.02 (lh)
Opening limiter, frame part for PVC		A49601.14.11 (rh) A49601.14.12 (lh)	A49601.14.15 (rh) A49601.14.16 (lh)	A49601.14.15 (rh) A49601.14.16 (lh)	A49601.14.03 (rh) A49601.14.04 (lh)	A49601.14.11 (rh) A49601.14.12 (lh)

Strikers summary table for PVC profiles

	Schuco	Trocal	Veka	Weiss profil
	Corona SI 82 Corona SI 82+ Corona CT 70 MD Corona CT 70 AS	**Innonova 70 A5 Innonova 70 M5**	**Softline AD - MD 70 - 76 - 82 Topline AD Swingline Alphaline 90**	**WP5000**
Cam striker	A52300.BA.02	A52300.FR.02	A52300.BF.02 (A52300.BA.02 -0,5 mm)	A52300.BA.02
Anti-burglar striker in zamak	A52300.BA.76	-	A52300.BA.76	A52300.BA.76
Anti-burglar striker in steel	A52300.BA.22	A52300.FR.22	A52300.BF.22 (A52300.BA.22 -0,5 mm)	A52300.BA.22
Poseidon TT striker	A52300.BF.75	A52300.BF.75	A52300.BF.75	A52300.BF.75
Anti-burglar TBT striker	A52300.BA.58	A52300.FR.58	A52300.BF.58	A52300.BA.58
DSS striker	A52300.BF.03	A52300.FR.03	A52300.BF.03	A52300.BF.03
Microventilation cam	A51400.BF.24	A51400.BF.24	A51400.BF.24	A52300.BF.24
Microventilation by step	A52300.BF.78	-	A52300.BF.78	A52300.BF.78
Magnetic sash catcher	A52300.BF.05	A52300.BF.05	A52300.BF.05	A52300.BF.05
Sash catcher	A48010.BF.18	A48010.FR.18	A48010.BF.18	A48010.BF.18
Lift striker for arched windows	A48010.BF.38	A48010.FR.38	A48010.BF.38	A48010.BF.38
Striker for shootbolt throw	A48010.BA.05	A48010.BA.05	A48010.BF.05	A48010.BA.05
Hidden central hinge, frame part	A44812.BF.00	A44812.BF.00	A44812.BF.00	A44812.BF.00
Supplementary stay arm adapter and Tilt only	A50543.BF.00	A50543.FR.00	A50543.BF.00	A50543.BF.00
Plana adapter	A52940.BF.00 (low. rh/upp. lh) A52940.BF.01 (low. lh/upp. rh)	-	A52940.BF.00 (low. rh/upp. lh) A52940.BF.01 (low. lh/upp. rh)	A52940.BF.00 (low. rh/upp. lh) A52940.BF.01 (low. lh/upp. rh)
Loading capacity device - frame part	A52903.BF.01 (rh) A52903.BF.02 (lh)	A52903.FR.01 (rh) A52903.FR.02 (lh)	A52903.BF.01 (rh) A52903.BF.02 (lh)	A52903.BF.01 (rh) A52903.BF.02 (lh)
Opening limiter, frame part for PVC	A49601.14.01 (rh) A49601.14.02 (lh)	A49601.14.11 (rh) A49601.14.12 (lh)	A49601.14.03 (rh) A49601.14.04 (lh)	A49601.14.01 (rh) A49601.14.02 (lh)

Covers - Surface mounted

Corner support

1) Right

FINISH	CODE			€	DC
Nickel plated	A51324.01.06	50	500	1,304	F3
Light bronze plated	A51324.01.14	50	500	1,304	F3
Silver	A51324.01.21	50	500	1,304	F3
Matt brass plated	A51324.01.23	50	500	1,330	F3
Stainless steel	A51324.01.36	50	500	1,304	F3
Metal grey	A51324.01.44	50	500	0,619	F3
Brass plated	A51324.01.50	50	500	1,304	F3
Matt black	A51324.01.84	50	500	1,304	F3
White RAL 9010	A51324.01.91	50	500	0,619	F3
Brown	A51324.01.94	50	500	0,619	F3
White RAL 9001	A51324.01.98	50	500	1,304	F3

2) Left

FINISH	CODE			€	DC
Nickel plated	A51324.02.06	50	500	1,304	F3
Light bronze plated	A51324.02.14	50	500	1,304	F3
Silver	A51324.02.21	50	500	1,304	F3
Matt brass plated	A51324.02.23	50	500	1,330	F3
Stainless steel	A51324.02.36	50	500	1,304	F3
Metal grey	A51324.02.44	50	500	0,619	F3
Brass plated	A51324.02.50	50	500	1,304	F3
Matt black	A51324.02.84	50	500	1,304	F3
White RAL 9010	A51324.02.91	50	500	0,619	F3
Brown	A51324.02.94	50	500	0,619	F3
White RAL 9001	A51324.02.98	50	500	1,304	F3

3) Non-handed top part

FINISH	CODE			€	DC
Nickel plated	A51332.00.06	100	100	1,024	F3
Light bronze plated	A51332.00.14	100	100	1,024	F3
Silver	A51332.00.21	100	100	1,024	F3
Matt brass plated	A51332.00.23	100	100	1,024	F3
Stainless steel	A51332.00.36	100	100	1,023	F3
Metal grey	A51332.00.44	100	100	0,495	F3
Brass plated	A51332.00.50	100	100	1,024	F3
White RAL 9010	A51332.00.91	100	100	0,495	F3
Brown	A51332.00.94	100	100	0,495	F3
White RAL 9001	A51332.00.98	100	100	1,024	F3

4) Non-handed bottom part

FINISH	CODE			€	DC
Nickel plated	A51331.00.06	100	100	1,024	F3
Light bronze plated	A51331.00.14	100	100	1,024	F3
Silver	A51331.00.21	100	100	1,024	F3
Matt brass plated	A51331.00.23	100	100	1,024	F3
Stainless steel	A51331.00.36	100	100	1,023	F3
Metal grey	A51331.00.44	100	100	0,495	F3
Brass plated	A51331.00.50	100	100	1,024	F3
White RAL 9010	A51331.00.91	100	100	0,495	F3
Brown	A51331.00.94	100	100	0,495	F3
White RAL 9001	A51331.00.98	100	100	1,024	F3

Note: the covers 3 and 4 can be only used with the hinge A50922.07.00.
They aren't compatible with auto-jig supports.

Covers - Surface mounted

Hinge

Corner hinge

FINISH	HAND	CODE			€	DC
Nickel plated	rh	A51326.01.06	50	500	1,304	F3
	lh	A51326.02.06	50	500	1,304	F3
Light bronze plated	rh	A51326.01.14	50	500	1,304	F3
	lh	A51326.02.14	50	500	1,304	F3
Silver	rh	A51326.01.21	50	500	1,304	F3
	lh	A51326.02.21	50	500	1,304	F3
Matt brass plated	rh	A51326.01.23	50	500	1,304	F3
	lh	A51326.02.23	50	500	1,304	F3
Stainless steel	rh	A51326.01.36	50	500	1,304	F3
	lh	A51326.02.36	50	500	1,304	F3
Metal grey	rh	A51326.01.44	50	500	0,619	F3
	lh	A51326.02.44	50	500	0,619	F3
Brass plated	rh	A51326.01.50	50	500	1,304	F3
	lh	A51326.02.50	50	500	1,304	F3
Matt black	rh	A51326.01.84	50	500	1,304	F3
	lh	A51326.02.84	50	500	1,304	F3
White RAL 9010	rh	A51326.01.91	50	500	0,619	F3
	lh	A51326.02.91	50	500	0,619	F3
Brown	rh	A51326.01.94	50	500	0,619	F3
	lh	A51326.02.94	50	500	0,619	F3
White RAL 9001	rh	A51326.01.98	50	500	1,304	F3
	lh	A51326.02.98	50	500	1,304	F3

1) PVC

FINISH	CODE			€	DC
Nickel plated	A51327.01.06	100	100	1,304	F3
Light bronze plated	A51327.01.14	100	100	1,304	F3
Silver	A51327.01.21	100	100	1,304	F3
Matt brass plated	A51327.01.23	100	100	1,304	F3
Stainless steel	A51327.01.36	100	100	1,304	F3
Grey	A51327.01.44	100	100	0,619	F3
Brass plated	A51327.01.50	100	100	1,304	F3
White RAL 9010	A51327.01.91	100	100	0,619	F3
Brown	A51327.01.94	100	100	0,619	F3
White RAL 9001	A51327.01.98	100	100	1,304	F3

2) Cap for PVC central hole

	CODE			€	DC
	A50997.00.78	100	100	0,213	F3

Covers - Surface mounted

Stay-arm

1) Stay support					
FINISH	CODE			€	DC
Nickel plated	A51328.00.06	100	100	1,024	F3
Light bronze plated	A51328.00.14	100	100	1,024	F3
Silver	A51328.00.21	100	100	1,024	F3
Matt brass plated	A51328.00.23	100	100	1,044	F3
Stainless steel	A51328.00.36	100	100	1,024	F3
Grey	A51328.00.44	100	100	0,494	F3
Brass plated	A51328.00.50	100	100	1,024	F3
Matt black	A51328.00.84	100	100	1,023	F3
White RAL 9010	A51328.00.91	100	100	0,495	F3
Brown	A51328.00.94	100	100	0,495	F3
White RAL 9001	A51328.00.98	100	100	1,024	F3

2) Stay-arm					
FINISH	CODE			€	DC
Nickel plated	A51330.00.06	100	100	1,024	F3
Light bronze plated	A51330.00.14	100	100	1,024	F3
Silver	A51330.00.21	100	100	1,024	F3
Matt brass plated	A51330.00.23	100	100	1,044	F3
Stainless steel	A51330.00.36	100	100	1,239	F3
Grey	A51330.00.44	100	100	0,495	F3
Brass plated	A51330.00.50	100	100	1,024	F3
Matt black	A51330.00.84	100	100	1,023	F3
White RAL 9010	A51330.00.91	100	100	0,495	F3
Brown	A51330.00.94	100	100	0,495	F3
White RAL 9001	A51330.00.98	100	100	1,024	F3

Covers kit with corner hinge

Right-hand single sash					
FINISH	CODE			€	DC
Nickel plated	A51302.01.06	20	20	4,826	F3
Light bronze plated	A51302.01.14	20	20	4,826	F3
Silver	A51302.01.21	20	20	4,826	F3
Matt brass plated	A51302.01.23	20	20	4,826	F3
Stainless steel	A51302.01.36	20	20	4,826	F3
Grey	A51302.01.44 ☎	20	20	2,809	F3
Brass plated	A51302.01.50	20	20	4,826	F3
White RAL 9010	A51302.01.91	20	20	2,809	F3
Brown	A51302.01.94	20	20	2,809	F3
White RAL 9001	A51302.01.98 ☎	20	20	4,826	F3

Left-hand single sash					
FINISH	CODE			€	DC
Nickel plated	A51302.02.06	20	20	4,826	F3
Light bronze plated	A51302.02.14	20	20	4,826	F3
Silver	A51302.02.21	20	20	4,826	F3
Matt brass plated	A51302.02.23	20	20	4,826	F3
Stainless steel	A51302.02.36	20	20	4,826	F3
Grey	A51302.02.44 ☎	20	20	2,809	F3
Brass plated	A51302.02.50	20	20	4,826	F3
White RAL 9010	A51302.02.91	20	20	2,809	F3
Brown	A51302.02.94	20	20	2,809	F3
White RAL 9001	A51302.02.98 ☎	20	20	4,826	F3

Covers - Surface mounted

Covers kit for PVC hinge

RH-LH single sash					
FINISH	CODE			€	DC
Light bronze plated	A51303.00.14	20	20	4,374	F3
Silver	A51303.00.21	20	20	4,374	F3
Matt brass plated	A51303.00.23	20	20	4,374	F3
Brass plated	A51303.00.50	20	20	4,374	F3
Matt black	A51303.00.84	20	20	4,374	F3
White RAL 9010	A51303.00.91	20	20	4,374	F3
Brown	A51303.00.94	20	20	4,374	F3
White RAL 9001	A51303.00.98	20	20	4,374	F3

Stay support + angle for arched windows

FINISH	CODE			€	DC
Nickel plated	A37102.19.06	20	100	2,194	F3
Light bronze plated	A37102.19.14	20	100	2,194	F3
Silver	A37102.19.21	20	100	2,194	F3
Stainless steel	A37102.19.36	20	100	2,194	F3
Grey	A37102.19.44	20	100	1,056	F3
Brass plated	A37102.19.50	20	100	2,194	F3
White RAL 9010	A37102.19.91	20	100	1,056	F3
Brown	A37102.19.94	20	100	1,056	F3
White RAL 9001	A37102.19.98	20	100	2,194	F3

Accessories

Multi-key REGOLANTE

For Tilt & Turn windows					
	CODE			€	DC
	A39405.00.02	1	10	32,935	F3

4 mm Allen Key

	CODE			€	DC
	A39405.01.01 ☎	20	20	5,810	F3

2,5 mm Allen Key

	CODE			€	DC
	A39405.01.02 ☎	20	20	0,244	F3

Hardware cutting accessories

Manual cutter

	CODE			€	DC
	A52403.00.00	1	1	962,303	F4

LEFT oleopneumatic cutter and dedicated accessories

	CODE			€	CS
1) LEFT oleopneumatic cutter	A52400.04.00	1	1	2.675,618	F4
2) LEFT millimetric rod	A52401.04.00	1	1	383,048	F4
3) LEFT rubber insert for replacement	A52404.03.04	1	1	46,461	F4
4) Central mould with LEFT rubber holder	A52404.03.05	1	1	344,072	F4
5) Stamp for cut	A52404.03.06	1	1	168,742	F4
6) Stamp for screw hole	A52404.03.07	1	1	60,035	F4
7) Pin extraction	A52404.03.08	1	1	53,407	F4
8) Pressure regulator with gauge	A52404.03.02	1	1	r.	F4

Note: the pedal is included only in the A52400.04.00 kit

RIGHT oleopneumatic cutter and dedicated accessories

	CODE			€	CS
1) RIGHT oleopneumatic cutter	A52400.04.DX ☎	1	1	2.675,618	F4
2) RIGHT millimetric rod	A52401.04.DX ☎	1	1	383,048	F4
3) RIGHT rubber insert for replacement	A52404.03.14	1	1	46,461	F4
4) Central mould with RIGHT rubber holder	A52404.03.15	1	1	344,072	F4
5) Stamp for cut	A52404.03.06	1	1	168,742	F4
6) Stamp for screw hole	A52404.03.07	1	1	60,035	F4
7) Pin extraction	A52404.03.08	1	1	53,407	F4
8) Pressure regulator with gauge	A52404.03.02	1	1	r.	F4

Note: the pedal is included only in the A52400.04.DX kit

Jigs

For PVC female hinge

	CODE			€	DC
	A52099.01.01	1	1	40,393	F3

Replacement parts for PVC female hinge jig

HAND	CODE			€	DC
rh	A52099.01.02	1	1	6,733	F3
lh	A52099.01.03	1	1	6,733	F3

For hinge and stay supports

	CODE			€	DC
Pins Ø 3 mm	A52099.00.01	1	1	33,466	F3
Pins Ø 6 mm	A52099.00.02	1	1	33,466	F3

Clamp kit

	CODE			€	DC
	A52098.00.01	1	1	24,547	F3

Note: use with jig A52099.00.01/02

Jigs

For frame espagnolette strikers, fixed handle height

	CODE			€	DC
Strikers GR 2	A52099.07.00	1	1	49,158	F3
Strikers GR 3 - GR 7	A52099.07.01	1	1	155,635	F3
Strikers GR 7bis - GR 10	A52099.07.02	1	1	167,347	F3

For frame espagnolette strikers, variable handle height

	CODE			€	DC
Strikers GR 2 - GR 6	A52099.18.99	1	1	151,348	F3

For inactive sash - fixed handle height espagnolette

	CODE			€	DC
Strikers axis 9-13 GR 2	A52099.09.00	1	1	56,487	F3
Strikers axis 9-13 GR 3 - GR 7	A52099.09.01	1	1	182,817	F3
Strikers axis 9-13 GR 7 bis - GR 10	A52099.09.02	1	1	173,019	F3

For espagnolette strikers, variable handle height Mod. 506

	CODE			€	DC
GR 1-2	A52099.24.00	1	1	130,267	F3
GR 3-3BIS	A52099.24.01	1	1	70,647	F3
GR 4-5-6	A52099.24.02	1	1	301,282	F3

Jigs

Device for PVC DSS striker

	CODE			€	DC
	A52098.05.00	1	1	20,222	F3

For corner drive strikers

	CODE			€	DC
Upper L 46 mm	A52099.03.01	1	1	42,982	F3
Upper for double sash	A52099.08.00	1	1	52,876	F3
Lower single mushroom cam - Upp. 46 mm	A52099.06.01	1	1	52,876	F3
Lower double mushroom	A52099.06.02	1	1	51,869	F3

Note: for A52099.08.00 take the middle of the gap between the sashes, not the frame

For stay-arm strikers

	CODE			€	DC
	A52099.04.01	1	1	44,956	F3

For central lock strikers

	CODE			€	DC
	A52099.05.01	1	1	101,658	F3

Jigs

For anti-burglar strikers, espagnolette with fixed handle height for aluminium

	CODE			€	DC
Anti-burglar strikers - GR 2	A52099.12.00	1	1	54,303	F3
Anti-burglar strikers - GR 3 - GR 7	A52099.12.01	1	1	160,945	F3
Anti-burglar strikers - GR 7 bis - GR 10	A52099.12.02	1	1	171,245	F3

For anti-burglar strikers, espagnolette with variable handle height for aluminium

	CODE			€	DC
Anti-burglar strikers - GR 2 - GR 6	A52099.19.99	1	1	155,846	F3

Jigs

For tilt and anti-burglar strikers, horizontal central lock for aluminium

CODE			€	DC
A52099.16.01	1	1	67,624	F3

For anti-burglar strikers and Tilt&Turn double sash, horizontal supplementary closing for aluminium

CODE			€	DC
A52099.17.00	1	1	102,240	F3

Note: for reference, consider the centre of the gap between the 2 sashes, not the centre of the frame

For 85 mm anti-burglar/tilt strikers and 46 mm cam striker for lower corner drives, single cam, double sashes

CODE			€	DC
A52099.20.00	1	1	68,831	F3

For anti-burglar strikers, stay-arm for aluminium

CODE			€	DC
A52099.14.01	1	1	48,878	F3

Jigs

For anti-burglar strikers, supplementary vertical lock for aluminium

CODE			€	DC
A52099.15.01	1	1	158,120	F3

Handles

Handles

ALUMINIUM					
FINISH	CODE			€	DC
Bronze plated	A30905.05.14	100	100	5,420	F4
Silver	A30905.05.21	100	100	4,862	F4
White	A30905.05.91	100	100	3,579	F4

Note: they fulfill the necessary requirements of the European regulation UNI ENV 1627÷30:2011

Anti-burglar handles

ALUMINIUM					
FINISH	CODE			€	DC
Silver	A30905.03.01	1	20	61,451	F4
Light bronze plated	A30905.03.14	1	20	50,311	F4
Champagne	A30905.03.17	1	20	43,798	F4
Glided	A30905.03.31	1	20	50,311	F4
White RAL 9010	A30905.03.91	1	20	43,798	F4

Note: they fulfill the necessary requirements of the European regulation ENV 1627÷30:2011
Note: with unique differ.
Note: available on request many differs. For information on the min. order quantity, please contact the AGB Sales Office.

Handles for TBT device (Tilt Before Turn)

FINISH	CODE			€	DC
Silver	A50199.00.21 ☎	1	1	55,874	F4

Note: unique differ.
Note: available on request even with different differs. For information on the min. order quantity, contact the AGB Sales Office.

Open, Close, Live

ARTECH PLANA

CONCEALED HARDWARE SYSTEM
FOR TILT&TURN WINDOWS

MADE IN ITALY

Note: for information of use and maintenance, please see the first pages of the chapter *Hardware for windows Artech*.

Application fields for Artech Plana Tilt&Turn, surface mounted systems, rectangular window 170

Rectangular window for PVC - single sash, turn opening 172
Rectangular window for PVC - double sash, turn opening 173
Rectangular window for PVC - single sash, tilt&turn opening, standard security 174
Rectangular window for PVC - double sash, tilt&turn opening, standard security 175
Rectangular window for PVC - single sash, tilt&turn opening, anti-burglar configuration RC1/RC2 176
Rectangular window for PVC - double sash, tilt&turn opening, anti-burglar configuration RC1/RC2 177
Rectangular window for PVC - double sash, tilt&turn opening with double hardware turn 178
Rectangular window for PVC - single sash, Tilt Before Turn (TBT) opening 179
Rectangular window for PVC - three sashes, central opening with anti-mishandling device 180
Rectangular window for PVC - three sashes, central opening without anti-mishandling device 181
Rectangular window for PVC - Tilt only 182

Aluminium rectangular window - single sash, Turn opening 183
Aluminium rectangular window - double sash, Turn opening 184
Aluminium rectangular window - single sash, Tilt&Turn opening, standard security 185
Aluminium rectangular window - double sash, Tilt&Turn opening, standard security 186
Aluminium rectangular window - single sash, Tilt&Turn opening, anti-burglar configuration RC1/RC2 187
Aluminium-wood rectangular window - double sash, Tilt&Turn opening, anti-burglar configuration RC1/RC2 188
Aluminium rectangular window - double sash, Tilt&Turn opening with double hardware turn 189
Aluminium rectangular window - single sash, Tilt Before Turn (TBT) 190
Aluminium rectangular window - three sashes - central opening with anti-mishandling device 191
Aluminium rectangular window - three sashes - central opening without anti-mishandling device 192
Aluminium rectangular window - Tilt only windows 193

Stay-arms	194
TBT stay arms	195
Hinges	196
Hinges for second sash	197
Hinges for second sash with connecting element	198
Hinges for third sash	199
Accessories for third sash against mishandling	200
Frame part component adapter	203
Safety devices	205
Jigs	209
Handles	209

DISCOVER MORE!

Compatible with Artech standard hinges and Artech Plana.

Easy to install, no millings required

TESTED

20,000 cycles of tilt opening and turn opening

www.agb.it

Application fields for Artech Plana Tilt&Turn, surface mounted systems, rectangular window

Max. sash weight 130 kg

Sash surface ≤ 3 m²

Supplementary stay arm mandatory.

- ***For Aluminium-wood windows and doors, the sash weight can change according to the profile.***
- ***For Aluminium windows and doors, with weight higher than 100 kg, it is necessary to use screws with increased head neck, cod. A52952.01.00***

Application fields for Artech Plana Tilt&Turn, surface mounted systems, for rectangular windows

- It is necessary to use the lifting device A52903.02.PA and A52903.XX.0X.

Max. sash weight 150 kg - PVC

Sash surface ≤ 3 m²

Application field of the supplementary stay arm; add the shims and blew the glass in order to strain it on all the surface.

- ***Always use the opening limiter with loading capacity device.***
- ***In case of balcony-doors, for the correct lower hinge fastening, produce the window with frame on 4 sides.***

Rectangular window for PVC - single sash, turn opening

1. Espagnolettes » **Turn opening - mod. 502**
2. Espagnolettes » **Tilt&turn - Variable handle height**
3. Espagnolettes - Accessories » Terminal for turn opening » **With cam, stroke 18**
4. Espagnolettes - Accessories » **DSS**
5. Hinges for second sash » **Articulation, sash part**
6. Hinges for second sash » **Articulation, frame part**
7. Component adapters, frame part » **For PVC**
8. Concealed central hinges » **PVC - universal sash part**
9. Concealed central hinges » **PVC - fixed frame part**
10. Hinges » **Sash part**
11. Hinges » **Frame part**
12. Strikers » **DSS for PVC**
13. Strikers » **Cam**

Rectangular window for PVC - double sash, turn opening

Rectangular window for PVC - single sash, tilt&turn opening, standard security

Rectangular window for PVC - double sash, tilt&turn opening, standard security

Rectangular window for PVC - single sash, tilt&turn opening, anti-burglar configuration RC1/RC2

Rectangular window for PVC - double sash, tilt&turn opening, anti-burglar configuration RC1/RC2

Rectangular window for PVC - double sash, tilt&turn opening with double hardware turn

Rectangular window for PVC - single sash, Tilt Before Turn (TBT) opening

Rectangular window for PVC - three sashes, central opening with anti-mishandling device

Rectangular window for PVC - three sashes, central opening without anti-mishandling device

Rectangular window for PVC - Tilt only

Aluminium rectangular window - single sash, Turn opening

1. Espagnolettes » **Turn windows - mod. 502**
2. Espagnolettes » **Tilt&Turn - Variable handle height**
3. Espagnolettes - Accessories » Terminal for Tilt only » **With cam, stroke 18**
4. Espagnolettes - Accessories » **DSS**
5. Hinges for second sash » **Articulation for sash part**
6. Hinges for second sash » **Articulation for frame part**
7. Adapters » **For European groove aluminium**
8. Concealed central hinges » **Aluminium wood**
9. Concealed central hinges » **Europena groove aluminium**
10. Hinges » **Sash part**
11. Hinges » **Frame part**
12. Strikers » **DSS for aluminium wood**
13. Strikers » **DSS for European groove aluminium**
14. Strikers » **Cam for aluminium wood**
15. Strikers » **Cam for European groove aluminium**

Aluminium rectangular window - double sash, Turn opening

Aluminium rectangular window - single sash, Tilt&Turn opening, standard security

Aluminium rectangular window - double sash, Tilt&Turn opening, standard security

Aluminium rectangular window - single sash, Tilt&Turn opening, anti-burglar configuration RC1/RC2

Aluminium-wood rectangular window - double sash, Tilt&Turn opening, anti-burglar configuration RC1/RC2

Aluminium rectangular window - double sash, Tilt&Turn opening with double hardware turn

Aluminium rectangular window - single sash, Tilt Before Turn (TBT)

Aluminium rectangular window - three sashes - central opening with anti-mishandling device

Aluminium rectangular window - three sashes - central opening without anti-mishandling device

Aluminium rectangular window - Tilt only windows

Stay-arms

Stay-arm for frame part, PVC

AXIS	SRW	GR	HAND	CODE			€	DC
13	345-804	01/02	rh	A52911.10.01	10	10	38,358	F3
	345-804	01/02	lh	A52911.10.11	10	10	38,358	F3
	794-1204	03/04	rh	A52911.10.02	10	10	39,838	F3
	794-1204	03/04	lh	A52911.10.12	10	10	39,838	F3

Frame part for aluminium-wood and European groove aluminium

AXIS	SRW	GR	HAND	CODE			€	DC
9*	345-804	01/02	rh	A52911.01.01	10	10	29,535	F3
	345-804	01/02	lh	A52911.01.11	10	10	29,535	F3
	794-1204	03/04	rh	A52911.01.02	10	10	30,676	F3
	794-1204	03/04	lh	A52911.01.12	10	10	30,676	F3
13*	345-804	01/02	rh	A52911.02.01	10	10	29,535	F3
	345-804	01/02	lh	A52911.02.11	10	10	29,535	F3
	794-1204	03/04	rh	A52911.02.02	10	10	30,676	F3
	794-1204	03/04	lh	A52911.02.12	10	10	30,676	F3
13 Seat 22	345-804	01/02	rh	A52911.20.01	10	10	29,535	F3
	345-804	01/02	lh	A52911.20.11	10	10	29,535	F3
	794-1204	03/04	rh	A52911.20.02	10	10	30,676	F3
	794-1204	03/04	lh	A52911.20.12	10	10	30,676	F3

* the frame seat has to be 24 mm at least

Sash part for Tilt&Turn

SRW	GR	CAM	CODE			€	DC
345-610	01		A52910.02.01	20	20	7,812	F3
594-804	02		A52910.02.02	20	20	9,664	F3
794-1004	03	1	A52910.02.03	20	20	11,575	F3
994-1204	04	1	A52910.02.04	20	20	14,088	F3

Note: the applic. field between 345 and 440 mm can be obtained with a GR1 corner, cod. A50302.01.01

TBT stay arms

Frame part for Tilt Before Turn (TBT), for PVC

AXIS	SRW	GR	HAND	CODE			€	DC
13	345-804	01/02	rh	A52911.11.01	10	10	42,939	F3
	345-804	01/02	lh	A52911.11.11	10	10	42,939	F3
	794-1204	03/04	rh	A52911.11.02	10	10	44,421	F3
	794-1204	03/04	lh	A52911.11.12	10	10	44,421	F3

Frame part for Tilt Before Turn (TBT) for aluminium-wood and European groove aluminium

AXIS	SRW	GR	HAND	CODE				€	DC
9*	345-804	01/02	rh	A52911.04.01	☎	10	10	33,064	F3
	345-804	01/02	lh	A52911.04.11	☎	10	10	33,064	F3
	794-1204	03/04	rh	A52911.04.02	☎	10	10	34,204	F3
	794-1204	03/04	lh	A52911.04.12	☎	10	10	34,204	F3
13*	345-804	01/02	rh	A52911.03.01		10	10	33,064	F3
	345-804	01/02	lh	A52911.03.11		10	10	33,064	F3
	794-1204	03/04	rh	A52911.03.02		10	10	34,204	F3
	794-1204	03/04	lh	A52911.03.12		10	10	34,204	F3
13 Seat 22	345-804	01/02	rh	A52911.21.01		10	10	33,064	F3
	345-804	01/02	lh	A52911.21.11		10	10	33,064	F3
	794-1204	03/04	rh	A52911.21.02		10	10	34,204	F3
	794-1204	03/04	lh	A52911.21.12		10	10	34,204	F3

* the frame seat has to be 24 mm at least

Sash part for Tilt Before Turn (TBT)

SRW	GR	CAM	CODE			€	DC
345-610	01		A52910.02.01	20	20	7,812	F3
594-804	02		A52910.02.02	20	20	9,664	F3
794-1004	03	1	A52910.02.03	20	20	11,575	F3
994-1204	04	1	A52910.02.04	20	20	14,088	F3

Note: the applic. field between 345 and 440 mm can be obtained with a GR1 corner, cod. A50302.01.01

Hinges

Frame part for PVC

AXIS	HAND	CODE			€	DC
13	rh	A52901.10.01	20	20	18,085	F3
	lh	A52901.10.02	20	20	18,085	F3

Frame part for aluminium-wood and European groove aluminium

AXIS	HAND	CODE			€	DC
9*	rh	A52901.01.01	20	20	18,085	F3
	lh	A52901.01.02	20	20	18,085	F3
13*	rh	A52901.02.01	20	20	18,085	F3
	lh	A52901.02.02	20	20	18,085	F3
13 Seat 22	rh	A52901.20.01	20	20	18,085	F3
	lh	A52901.20.02	20	20	18,085	F3

* the frame seat has to be 24 mm at least

Frame part for threshold, gap 18 mm

AXIS	HAND	CODE			€	DC
13	rh	A52901.03.01	20	20	18,085	F3
	lh	A52901.03.02	20	20	18,085	F3

Note: the seat on threshold has to be 24 mm

Sash part

AXIS	HAND	CODE			€	DC
9	rh	A52900.01.01	20	20	13,395	F3
	lh	A52900.01.02	20	20	13,395	F3
13	rh	A52900.02.01	20	20	13,395	F3
	lh	A52900.02.02	20	20	13,395	F3

Sash part compensator

GAP	CODE			€	DC
18 mm	A52943.00.00	50	50	1,643	F3

Note: to be used with standard frame part hinge in case of gap 18 mm
Note: use only with version 4 or more recent of the sash part code: A52900.01.xx or A52900.02.xx

Hinges for second sash

Frame part for PVC

AXIS	HAND	CODE			€	DC
13	rh	A52921.10.01	10	10	39,677	F3
	lh	A52921.10.02	10	10	39,677	F3

Stay hinge, frame part, for aluminium-wood and European groove aluminium

AXIS	HAND	CODE			€	DC
9*	rh	A52921.01.01	10	10	31,742	F3
	lh	A52921.01.02	10	10	31,742	F3
13*	rh	A52921.02.01	10	10	31,742	F3
	lh	A52921.02.02	10	10	31,742	F3
13 Seat 22	rh	A52921.20.01	10	10	31,742	F3
	lh	A52921.20.02	10	10	31,742	F3

* the frame seat has to be 24 mm at least

Stay hinge, sash part

	CODE			€	DC
	A52920.02.00	10	10	11,597	F3

Hinges for second sash with connecting element

Frame part for PVC

AXIS	SRW	GR	HAND	CODE			€	DC
13	345-804	01/02	rh	A52911.10.01	10	10	38,358	F3
	345-804	01/02	lh	A52911.10.11	10	10	38,358	F3
	794-1204	03/04	rh	A52911.10.02	10	10	39,838	F3
	794-1204	03/04	lh	A52911.10.12	10	10	39,838	F3

Stay arm for frame part, aluminium-wood and European groove aluminium

AXIS	SRW	GR	HAND	CODE			€	DC
9*	345-804	01/02	rh	A52911.01.01	10	10	29,535	F3
	345-804	01/02	lh	A52911.01.11	10	10	29,535	F3
	794-1204	03/04	rh	A52911.01.02	10	10	30,676	F3
	794-1204	03/04	lh	A52911.01.12	10	10	30,676	F3
13*	345-804	01/02	rh	A52911.02.01	10	10	29,535	F3
	345-804	01/02	lh	A52911.02.11	10	10	29,535	F3
	794-1204	03/04	rh	A52911.02.02	10	10	30,676	F3
	794-1204	03/04	lh	A52911.02.12	10	10	30,676	F3
13 Seat 22	345-804	01/02	rh	A52911.20.01	10	10	29,535	F3
	345-804	01/02	lh	A52911.20.11	10	10	29,535	F3
	794-1204	03/04	rh	A52911.20.02	10	10	30,676	F3
	794-1204	03/04	lh	A52911.20.12	10	10	30,676	F3

* the frame seat has to be 24 mm at least

Stay-arm for second and third sash, sash part

SRW	GR	CAM	CODE			€	DC
345-610	01		A52910.03.01	20	20	7,916	F3
594-804	02		A52910.03.02	20	20	9,769	F3
794-1004	03	1	A52910.03.03	20	20	11,725	F3
994-1204	04	1	A52910.03.04	20	20	14,356	F3

Note: the applic. field between 345 and 440 mm can be obtained with a GR1 corner, cod. A50302.01.01.
Note: it can't be used for tilt only windows

Hinges for third sash

Frame part for PVC

AXIS	HAND	CODE			€	DC
13	rh	A52921.33.01	10	10	44,391	F3
	lh	A52921.33.02	10	10	44,391	F3

Stay hinge, frame part, for aluminium-wood and European groove aluminium

AXIS	HAND	CODE			€	DC
9*	rh	A52921.31.01	10	10	35,513	F3
	lh	A52921.31.02	10	10	35,513	F3
13*	rh	A52921.32.01	10	10	35,513	F3
	lh	A52921.32.02	10	10	35,513	F3

Note: the frame seat has to be 24 mm

Stay hinge, sash part

	CODE			€	DC
	A52920.02.00	10	10	11,597	F3

Frame part hinges for PVC

AXIS	HAND	CODE			€	DC
13	rh	A52901.33.01	10	10	22,063	F3
	lh	A52901.33.02	10	10	22,063	F3

Hinge, frame part for aluminium-wood and European groove aluminium

AXIS	HAND	CODE			€	DC
9*	rh	A52901.31.01	20	20	22,063	F3
	lh	A52901.31.02	20	20	22,063	F3
13*	rh	A52901.32.01	20	20	22,063	F3
	lh	A52901.32.02	20	20	22,063	F3

Note: the frame seat has to be 24 mm

Sash part hinge

AXIS	HAND	CODE			€	DC
9	rh	A52900.01.01	20	20	13,395	F3
	lh	A52900.01.02	20	20	13,395	F3
13	rh	A52900.02.01	20	20	13,395	F3
	lh	A52900.02.02	20	20	13,395	F3

Accessories for third sash against mishandling

Upper corner drive

1)							
LENGTH	SRW	SRH	CODE			€	DC
185	345-1204	670-2570	A50342.00.00	50	50	9,097	F3

Upper corner drive with cam for anti-mishandling device

2)						
LENGTH	SRH	CODE			€	DC
185	670-2570	A50342.00.01	50	50	9,451	F3

Espagnolette rod with soldered striker, fixed handle height

SRH	GR	HANDLE H	CODE				€	DC
854-1170	03	400	M40423.00.03 ☎	10	10	✔	13,046	H3
1054-1270	04	500	M40423.00.04 ☎	10	10	✔	13,999	H3
1254-1470	05	500	M40423.00.05 ☎	10	10	✔	14,822	H3
1454-1670	06	500	M40423.00.06 ☎	10	10	✔	10,580	H3
1654-1870	07	500	M40423.00.07 ☎	10	10	✔	12,003	H3
1694-1870	07bis	1050	M40423.00.17 ☎	10	10	✔	12,003	H3
1854-2170	08	1050	M40423.00.08 ☎	10	10	✔	15,088	H3
2054-2370	09	1050	M40423.00.09 ☎	10	10	✔	16,859	H3
2254-2570	10	1050	M40423.00.10 ☎	10	10	✔	18,635	H3

Accessories for third sash against mishandling

Extensible bolt for 16/12 eurogroove with pre-mounted strikers

1)							
SRH	GR	CAM	CODE			€	DC
610-810	2		A51504.19.02	20	20	14,863	F3
794-1010	3	1	A51504.19.03	20	20	18,429	F3
994-1210	4	1	A51504.19.04	20	20	19,917	F3
1194-1410	5	1	A51504.19.05	20	20	21,662	F3
1394-1610	6	2	A51504.19.06	20	20	23,258	F3
1594-1810	7	2	A51504.19.07	10	10	24,670	F3
1634-1810	7bis	2	A51504.19.17	10	10	24,670	F3
1794-2110	8	2	A51504.19.08	10	10	28,950	F3
1994-2310	9	3	A51504.19.09	10	10	31,421	F3
2194-2510	10	3	A51504.19.10	10	10	33,005	F3

Lower compensator for extensible bolt, third sash

2)					
	CODE			€	DC
	A50189.43.00	20	20	5,090	F3

Corner lock with anti-mishandling device

3)					
	CODE			€	DC
	A50330.02.00	50	50	8,299	F3

Accessories for third sash against mishandling

Frame part for third sash, for PVC

AXIS	SRW	GR	HAND	CODE			€	DC
13	345-804	01/02	rh	A52911.07.01	10	10	38,358	F3
	345-804	01/02	lh	A52911.07.11	10	10	38,358	F3
	794-1204	03/04	rh	A52911.07.02	10	10	39,838	F3
	794-1204	03/04	lh	A52911.07.12	10	10	39,838	F3

Stay-arm, frame part for third sash for aluminium-wood and European groove aluminium

AXIS	SRW	GR	HAND	CODE			€	DC
9	345-804	01/02	rh	A52911.06.01	10	10	29,535	F3
	345-804	01/02	lh	A52911.06.11	10	10	29,535	F3
	794-1204	03/04	rh	A52911.06.02	10	10	30,676	F3
	794-1204	03/04	lh	A52911.06.12	10	10	30,676	F3
13	345-804	01/02	rh	A52911.05.01	10	10	29,535	F3
	345-804	01/02	lh	A52911.05.11	10	10	29,535	F3
	794-1204	03/04	rh	A52911.05.02	10	10	30,676	F3
	794-1204	03/04	lh	A52911.05.12	10	10	30,676	F3

Stay-arm for second and third sash, sash part

SRW	GR	CAM	CODE			€	DC
345-610	01		A52910.03.01	20	20	7,916	F3
594-804	02		A52910.03.02	20	20	9,769	F3
794-1004	03	1	A52910.03.03	20	20	11,725	F3
994-1204	04	1	A52910.03.04	20	20	14,356	F3

Note: the applic. field between 345 and 440 mm can be obtained with a GR1 corner, cod. A50302.01.01

Frame part component adapter

For PVC

ALPHACAN - System In'Alpha 70, Prestigio, Luce	CODE			€	DC
Low. rh - Upp. lh	A52940.FI.00	50	50	2,372	F3
Low. lh - Upp. rh	A52940.FI.01	50	50	2,372	F3
ALUPLAST - Ideal 2000	**CODE**			**€**	**DC**
Low. rh - Upp. lh	A52940.BF.00	50	50	2,372	F3
Low. lh - Upp. rh	A52940.BF.01	50	50	2,372	F3
BRUGMANN - AD, MD	**CODE**			**€**	**DC**
Low. rh - Upp. lh	A52940.BF.00	50	50	2,372	F3
Low. lh - Upp. rh	A52940.BF.01	50	50	2,372	F3
DECEUNINCK - Zendow, Zendow#neo, Elegance, Premiere	**CODE**			**€**	**DC**
Low. rh - Upp. lh*	A52940.CN.00	50	50	2,372	F3
Low. lh - Upp. rh*	A52940.CN.01	50	50	2,372	F3
GARGIULO - Wingo AD 70, Wingo MD 80	**CODE**			**€**	**DC**
Low. rh - Upp. lh	A52940.BF.00	50	50	2,372	F3
Low. lh - Upp. rh	A52940.BF.01	50	50	2,372	F3
GEALAN - 3000, 7000, 8000, 9000	**CODE**			**€**	**DC**
Low. rh - Upp. lh	A52940.DF.00	50	50	2,372	F3
Low. lh - Upp. rh	A52940.DF.01	50	50	2,372	F3
INOUTIC - Arcade, Eforte, Prestige	**CODE**			**€**	**DC**
Low. rh - Up. Lh*	A52940.GN.00	50	50	2,372	F3
Low. lh - Up. Rh*	A52940.GN.01	50	50	2,372	F3
ITALPLASTICK - Seven, Seven Plus	**CODE**			**€**	**DC**
Low. rh - Upp. lh	A52940.BF.00	50	50	2,372	F3
Low. lh - Upp. rh	A52940.BF.01	50	50	2,372	F3
KBE - AD 70 mm, MD 70 mm, Select 70 mm, System 88 mm	**CODE**			**€**	**DC**
Low. rh - Upp. lh	A52940.CN.00	50	50	2,372	F3
Low. lh - Upp. rh	A52940.CN.01	50	50	2,372	F3
KOMMERLING - AD 76, MD 76	**CODE**			**€**	**DC**
Low. rh - Upp. lh	A52940.CN.00	50	50	2,372	F3
Low. lh - Upp. rh	A52940.CN.01	50	50	2,372	F3
REHAU - Piattaforma 70, Geneo, Synego	**CODE**			**€**	**DC**
Low. rh - Up. lh	A52940.FH.00	50	50	2,372	F3
Low. lh - Up. rh	A52940.FH.01	50	50	2,372	F3
SALAMANDER - bluEvolution 82	**CODE**			**€**	**DC**
Low. rh - Upp. lh	A52940.BF.00	50	50	2,372	F3
Low. lh - Upp. rh	A52940.BF.01	50	50	2,372	F3
SALAMANDER - bluEvolution 92	**CODE**			**€**	**DC**
Low. rh - Upp. lh	A52940.FH.00	50	50	2,372	F3
Low. lh - Upp. rh	A52940.FH.01	50	50	2,372	F3
SCHUCO - Corona SI 82, SI 82+, CT 70 MD, CT 70 AS	**CODE**			**€**	**DC**
Low. rh - Upp. lh	A52940.BF.00	50	50	2,372	F3
Low. lh - Upp. rh	A52940.BF.01	50	50	2,372	F3
VEKA - Softline 70-76-82, Topline AD, Swingline, Alphaline 90	**CODE**			**€**	**DC**
Low. rh - Upp. lh	A52940.BF.00	50	50	2,372	F3
Low. lh - Upp. rh	A52940.BF.01	50	50	2,372	F3
Low. rh - Upp. lh -1,5 mm of pressure	A52940.NB.00	50	50	2,372	F3
Low. lh - Upp. rh -1,5 mm of pressure	A52940.NB.01	50	50	2,372	F3
WEISS PROFIL - WP5000	**CODE**			**€**	**DC**
Low. rh - Upp. lh	A52940.BF.00	50	50	2,372	F3
Low. lh - Upp. rh	A52940.BF.01	50	50	2,372	F3

Note: for each sash, please order 1 pc A52940.xx.00 and 1 pc A52940.xx.01
*use the jig to pre-drill

Frame part component adapter

For PVC threshold

VEKA threshold						
HAND		CODE			€	DC
rh		A52941.BF.01	50	50	4,978	F3
lh		A52941.BF.02	50	50	4,978	F3

Note: to be coupled with the art. A52901.10.0X

For European groove aluminium

EUROPEAN GROOVE ALUMINIUM						
AXIS	GROOVE	CODE			€	DC
9-13	14x5	A52901.DT.00	50	50	4,309	F3
CUSTOMISED PROFILES						
AXIS	GROOVE	CODE			€	DC
9	10x5	A52901.MU.00	50	50	4,309	F3
	13,5x5	A52901.MR.00	50	50	4,309	F3
	16,5x5	A52901.HN.00	50	50	4,309	F3
13	10x4,5	A52901.MS.00	50	50	4,309	F3

Note: for each sash, please order 2 pieces A52901.DT.00

Anti-burglar screws

	CODE			€	DC
	A52952.01.00	100	100	0,144	F3

Note: to be used for sashes higher than 100 kg

Safety devices

Safety device for rebated opening

1) Security device kit					
	CODE			€	DC
	A52590.00.15	1	1	6,847	F3

2) Key for security device					
	CODE			€	DC
	A52590.05.15	10	10	0,545	F3

3) 2,5 mm thickness					
	CODE			€	DC
	A52590.03.44	10	10	1,206	F3

Opening limiter - sash part

	CODE			€	DC
	A49601.00.05	10	10	5,626	F4

Opening limiter - frame part for PVC

ALPHACAN - System In'Alpha Prestigio - Luce	CODE			€	DC
rh	A49601.14.07	20	20	4,330	F4
lh	A49601.14.08	20	20	4,330	F4
ALUPLAST - Ideal 2000	CODE			€	DC
rh	A49601.14.01	20	20	2,600	F4
lh	A49601.14.02	20	20	2,600	F4
ALUPLAST - Ideal 4000/8000, Energeto	CODE			€	DC
rh	A49601.14.11	20	20	4,330	F4
lh	A49601.14.12	20	20	4,330	F4
BRUGMANN - AD, MD	CODE			€	DC
rh	A49601.14.03	20	20	2,600	F4
lh	A49601.14.04	20	20	2,600	F4
DECEUNINCK - Zendow, Zendow#neo, Elegance, Premiere	CODE			€	DC
rh	A49601.14.05	20	20	4,330	F4
lh	A49601.14.06	20	20	4,330	F4
GARGIULO - Wingo AD 70, Wingo MD 80	CODE			€	DC
rh	A49601.14.01	20	20	2,600	F4
lh	A49601.14.02	20	20	2,600	F4
GEALAN - 3000, 7000, 8000, 9000	CODE			€	DC
rh	A49601.14.13	20	20	4,330	F4
lh	A49601.14.14	20	20	4,330	F4
GEALAN - Kubus*	CODE			€	DC
non-handed	A49601.14.00	20	20	4,641	F4
ITALPLASTICK - Seven, Seven Plus	CODE			€	DC
rh	A49601.14.03	20	20	2,600	F4
lh	A49601.14.04	20	20	2,600	F4
KBE - AD 70 mm, MD 70 mm, Select 70 mm, System 88 mm	CODE			€	DC
rh	A49601.14.05	20	20	4,330	F4
lh	A49601.14.06	20	20	4,330	F4
KOMMERLING - AD 76, MD 76	CODE			€	DC
rh	A49601.14.05	20	20	4,330	F4
lh	A49601.14.06	20	20	4,330	F4
KOMMERLING - Eurodur 3S, Eurofutur elegance, Eurofutur MD	CODE			€	DC
rh	A49601.14.07	20	20	4,330	F4
lh	A49601.14.08	20	20	4,330	F4
REHAU - Geneo, Synego	CODE			€	DC
rh	A49601.14.11	20	20	4,330	F4
lh	A49601.14.12	20	20	4,330	F4

Safety devices

REHAU - Piattaforma 70	CODE			€	DC
rh	A49601.14.15	20	20	4,330	F4
lh	A49601.14.16	20	20	4,330	F4
SALAMANDER - 2D, 3D, Streamline	**CODE**			**€**	**DC**
rh	A49601.14.15	20	20	4,330	F4
lh	A49601.14.16	20	20	4,330	F4
SALAMANDER - bluEvolution 82	**CODE**			**€**	**DC**
rh	A49601.14.03	20	20	2,600	F4
lh	A49601.14.04	20	20	2,600	F4
SALAMANDER - bluEvolution 92	**CODE**			**€**	**DC**
rh	A49601.14.11	20	20	4,330	F4
lh	A49601.14.12	20	20	4,330	F4
SCHUCO - Corona SI 82, SI 82+, CT 70 MD, CT 70 AS	**CODE**			**€**	**DC**
rh	A49601.14.01	20	20	2,600	F4
lh	A49601.14.02	20	20	2,600	F4
TROCAL - Innonova 70 A5, Innonova 70 M5	**CODE**			**€**	**DC**
rh	A49601.14.11	20	20	4,330	F4
lh	A49601.14.12	20	20	4,330	F4
VEKA - Softline 70-76-82, Topline AD, Swingline, Alphaline 90	**CODE**			**€**	**DC**
rh	A49601.14.03	20	20	2,600	F4
lh	A49601.14.04	20	20	2,600	F4
WEISS PROFIL - WP5000	**CODE**			**€**	**DC**
rh	A49601.14.01	20	20	2,600	F4
lh	A49601.14.02	20	20	2,600	F4

Adapter for opening limiter for threshold, gap 18

	CODE			€	DC
	A52945.00.01	20	20	16,471	F3

Opening limiter - frame part for aluminium-wood and European groove aluminium

AXIS	HAND	CODE			€	DC
1) 9-13	non-handed	A49601.14.00	20	20	4,641	F4
2) 9*	rh	A49601.14.17	20	20	5,952	F4
	lh	A49601.14.18	20	20	5,952	F4

*discontinued

Opening limiter adapter for European groove aluminium

AXIS	HAND	CODE			€	DC
9-13	non-handed	A48901.BN.08	50	500	3,052	F2

Note: to be used with the art. A49601.14.00

Safety devices

Lifting rod for loading capacity device (sash part)

	CODE			€	DC
non-handed	A52903.02.PA	1	20	20,290	F3

Note: it must be used with opening limiter

Frame part component for PVC - 150 kg

ALPHACAN - System In'Alpha 70, Prestigio, Luce	CODE			€	DC
rh	A52903.BB.01	1	10	34,557	F3
lh	A52903.BB.02	1	10	34,557	F3
ALUPLAST - Ideal 2000	**CODE**			**€**	**DC**
rh	A52903.BF.01	1	10	34,557	F3
lh	A52903.BF.02	1	10	34,557	F3
ALUPLAST - Ideal 4000/8000, Energeto	**CODE**			**€**	**DC**
rh	A52903.BB.01	1	10	34,557	F3
lh	A52903.BB.02	1	10	34,557	F3
BRUGMANN - AD, MD	**CODE**			**€**	**DC**
rh	A52903.BF.01	1	10	34,557	F3
lh	A52903.BF.02	1	10	34,557	F3
DECEUNINCK - Zendow, Zendow#neo, Elegance, Premiere	**CODE**			**€**	**DC**
rh	A52903.CD.01	1	10	r.	F3
lh	A52903.CD.02	1	10	r.	F3
GARGIULO - Wingo AD 70, Wingo MD 80	**CODE**			**€**	**DC**
rh	A52903.BF.01	1	10	34,557	F3
lh	A52903.BF.02	1	10	34,557	F3
GEALAN - 3000, 7000, 8000, 9000	**CODE**			**€**	**DC**
rh	A52903.DF.01	1	10	34,557	F3
lh	A52903.DF.02	1	10	34,557	F3
GEALAN - Kubus	**CODE**			**€**	**DC**
rh	A52903.HZ.01	1	10	34,557	F3
lh	A52903.HZ.02	1	10	34,557	F3
INOUTIC - Arcade, Eforte, Prestige	**CODE**			**€**	**DC**
rh	A52903.GN.01	1	10	34,557	F3
lh	A52903.GN.02	1	10	34,557	F3
ITALPLASTICK - Seven, Seven Plus	**CODE**			**€**	**DC**
rh	A52903.BF.01	1	10	34,557	F3
lh	A52903.BF.02	1	10	34,557	F3
KBE - AD 70 mm, MD 70 mm, Select 70 mm, System 88 mm	**CODE**			**€**	**DC**
rh	A52903.DF.01	1	10	34,557	F3
lh	A52903.DF.02	1	10	34,557	F3
KOMMERLING - AD 76, MD 76	**CODE**			**€**	**DC**
rh	A52903.DF.01	1	10	34,557	F3
lh	A52903.DF.02	1	10	34,557	F3

Safety devices

KOMMERLING - Eurodur 3S, Eurofutur elegance, Eurofutur MD	CODE			€	DC
rh	A52903.AZ.01	1	10	34,557	F3
lh	A52903.AZ.02	1	10	34,557	F3
REHAU - Geneo, Synego	CODE			€	DC
rh	A52903.FH.01	1	10	34,557	F3
lh	A52903.FH.02	1	10	34,557	F3
REHAU - Piattaforma 70	CODE			€	DC
rh	A52903.FH.01	1	10	34,557	F3
lh	A52903.FH.02	1	10	34,557	F3
SALAMANDER - 2D, 3D, Streamline	CODE			€	DC
rh	A52903.AZ.01	1	10	34,557	F3
lh	A52903.AZ.02	1	10	34,557	F3
SALAMANDER - bluEvolution 82	CODE			€	DC
rh	A52903.BF.01	1	10	34,557	F3
lh	A52903.BF.02	1	10	34,557	F3
SALAMANDER - bluEvolution 92	CODE			€	DC
rh	A52903.DF.01	1	10	34,557	F3
lh	A52903.DF.02	1	10	34,557	F3
SCHUCO - Corona SI 82, SI 82+, CT 70 MD, CT 70 AS	CODE			€	DC
rh	A52903.BF.01	1	10	34,557	F3
lh	A52903.BF.02	1	10	34,557	F3
TROCAL - Innonova 70 A5, Innonova 70 M5	CODE			€	DC
rh	A52903.FR.01	1	10	34,557	F3
lh	A52903.FR.02	1	10	34,557	F3
VEKA - Softline 70-76-82, Topline AD, Swingline, Alphaline 90	CODE			€	DC
rh	A52903.BF.01	1	10	34,557	F3
lh	A52903.BF.02	1	10	34,557	F3
WEISS PROFIL - WP5000	CODE			€	DC
rh	A52903.BF.01	1	10	34,557	F3
lh	A52903.BF.02	1	10	34,557	F3

Note: to be ordered together with the A52903.02.PA for sash part

Frame part component for loading capacity device, for aluminium-wood

SEAT	CODE			€	DC
22/35	A52903.05.00	1	20	33,188	F3
24/37	A52903.02.PT	1	20	30,751	F3

Note: to be ordered together with the A52903.02.PA for the sash part
Note: it must be used with opening limiter

Adapters for frame part component for European groove aluminium

EUROPEAN GROOVE ALUMINIUM							
AXIS	GROOVE	CODE				€	DC
9-13	14x5	A52944.DT.00		50	50	4,309	F3
CUSTOMISED PROFILES							
AXIS	GROOVE	CODE				€	DC
9	10x5	A52944.MU.00	☎	50	50	4,309	F3
	13,5x5	A52944.MR.00		50	50	4,309	F3
	16,5x5	A52944.HN.00	☎	50	50	4,309	F3
13	10x4,5	A52944.MS.00	☎	50	50	4,309	F3

Note: to be ordered together with the art. A52903.02.PA for the sash part and A52903.02.PT for the frame part

Jigs

Jig for PVC frame drilling

	CODE			€	DC
	A52950.10.00	1	1	123,085	F3

Jig for frame drilling for aluminium-wood and European groove aluminium

	CODE			€	DC
1) with front support	A52950.01.00	1	1	123,085	F3
2) with rear support	A52950.02.00	1	1	59,271	F3

Note: for aluminium-wood and European groove aluminium, please use the jigs with front support

Handles

Anti-burglar handles

ALUMINIUM					
FINISH	CODE			€	DC
Light bronze plated	A30905.03.14	1	20	50,311	F4
Champagne	A30905.03.17	1	20	43,798	F4
Glided	A30905.03.31	1	20	50,311	F4
White RAL 9010	A30905.03.91	1	20	43,798	F4

Note: handles fulfill the necessary requirements of UNI ENV 1627÷30:2011

Handles for TBT device (Tilt Before Turn)

FINISH	CODE			€	DC
Silver	A50199.00.21 ☎	1	1	55,874	F4

Open, Close, Live

MULTIPOINT LOCKS

MADE IN ITALY

Single sash PVC door - Sicurtop Poseidon	214
Double sash PVC door - Sicurtop Poseidon	215
Double sash PVC door - Sicurtop Poseidon, Ext. bolt for 16/12 eurogroove	216
Single sash PVC door - Sicurtop mod. 1688-89	217
Double sash PVC door - Sicurtop mod. 1688-89	218
Single sash PVC door - Sicurtop mod. 1686-87	219
Double sash PVC door - Sicurtop mod. 1686-87	220
Single sash PVC door - Sicurtop mod. 11400	221
Double sash PVC door - Sicurtop mod. 11400	222
Single sash PVC balcony door - Unitop mod. 457-458	223
Double sash PVC balcony door - Unitop mod. 457-458	224

Single sash Aluminium/Wood door - Sicurtop Poseidon	225
Double sash Aluminium/Wood door - Sicurtop Poseidon	226
Single sash Aluminium/Wood door - Sicurtop mod. 1688-89	227
Double sash Aluminium/Wood door - Sicurtop mod. 1688-89	228
Single sash Aluminium/Wood door - Sicurtop mod. 1685-86-87	229
Double sash Aluminium/Wood door - Sicurtop mod. 1685-86-87	230
Single sash Aluminium/Wood door - Unitop mod. 457-458	231
Double sash Aluminium/Wood balcony door - Unitop mod. 457-458	232

Sicurtop POSEIDON	233
Sicurtop mod. 1688 - 85 mm centre with bolts and cams	234
Sicurtop mod. 1685 - 85 mm centre with rollers - not extensible	235
Sicurtop mod. 1686 - with roller cams and terminals	236
Sicurtop mod. 11400 - 85mm centre with mushroom cams and terminals	237
Unitop mod. 457 - 2454 with rollers	238
Unitop mod. 458 with rollers and terminals	239
Adjustable striker for Poseidon, single sash	240
Sicurtop - One-piece striker for Poseidon, double sash	241
U-30 steel strikers	242
Sicurtop - Strikers	245
Strikers	246
Lever bolts for 16/12 eurogroove - 8 mm shootbolt	255
Roundbolts for 16/12 eurogroove - 9,5 mm throw	257

Symbols for the locking cams

P	CN	F	N
Poseidon	Bolt + roller cam	Telescopic mushroom cam	Adjustable roller cam

DIN 107 standard concerning door-hand

A door is defined as “right-handed” or “left-handed” when, from the opening side, the hinges are located on the “right” or “left”, respectively. AGB electrical strikers are defined right hand or left hand according to this rule:

DISCOVER ALL THE FUNCTIONS!

Hardware calculation

Interface with your management system

Budgeting and orders

Assistance and update

www.agb.it/4k

Single sash PVC door - Sicurtop Poseidon

Ref.	Description
1	Sicurtop Poseidon - 85 mm centre
2	U30 latch and bolt striker
3	Adapter
4	U30 striker for Poseidon
5	Adjustable latch striker
6	Deadbolt striker
7	Cartesio hinge
8	Cover for Cartesio hinge

N°. 1 cylinder according to DIN regulation.

Double sash PVC door - Sicurtop Poseidon

Ref.	Description
1	Sicurtop Mod. 1688 - 85 mm centre with bolts and cams
2	U30 latch and bolt striker without cover for 16/12 groove
3	Adapters for 16/12 central jamb
4	Adapter
5	Roller cam striker for 16/12 groove
6	Adjustable latch striker for 16/12 groove
7	Deadbolt striker for 16/12 groove
8	U30 bolt and roller cam striker
9	Upper and lower bolts for 16/12 groove - adjustable throw
10	Upper lever bolt for 16/12 groove with roller cam striker - adjustable throw
11	Upper bolt for 16/12 groove
12	Lower bolt for 16/12 groove
13	U30 shoot bolt
14	Threshold striker
15	Cartesio hinge
16	Cover for Cartesio hinge

N°. 1 cylinder according to DIN regulation.

NB. Use lower bolts with L ≤ 203 mm

Double sash PVC door - Sicurtop Poseidon, Ext. bolt for 16/12 eurogroove

Ref.	Description
1	Sicurtop Poseidon - 85 mm centre
2	U18 One piece bolt for 16/12 groove
3	Upper lever bolt for 16/12 groove - adjustable throw
4	Upper lever bolt for 16/12 groove with roller cam striker - adjustable throw
5	Adapter
6	U30 shoot bolt
7	Threshold striker
8	Cartesio hinge
9	Cover for Cartesio hinge
10	Upper terminal with roller cam

N°. 1 cylinder according to DIN regulation.

Single sash PVC door - Sicurtop mod. 1688-89

Ref.	Description
1	Sicurtop Mod. 1688 - 85 mm centre with bolts and cams
2	U30 latch and bolt striker
3	Adapter
4	Roller cam striker
5	Adjustable latch striker
6	Deadbolt striker
7	U30 bolt and roller cam striker
8	Upper terminal with roller cam
9	Cartesio hinge
10	Cover for Cartesio hinge

N°. 1 cylinder according to DIN regulation.

Double sash PVC door - Sicurtop mod. 1688-89

Ref.	Description
1	Sicurtop Mod. 1688 - 85 mm centre with bolts and cams
2	U30 latch and bolt striker without cover for 16/12 groove
3	Adapters for 16/12 central jamb
4	Adapter
5	Roller cam striker for 16/12 groove
6	Adjustable latch striker for 16/12 groove
7	Deadbolt striker for 16/12 groove
8	U30 bolt and roller cam striker
9	Upper and lower bolts for 16/12 groove - adjustable throw
10	Upper lever bolt for 16/12 groove with roller cam striker - adjustable throw
11	Upper bolt for 16/12 groove
12	Lower bolt for 16/12 groove
13	U30 shoot bolt
14	Threshold striker
15	Cartesio hinge
16	Cover for Cartesio hinge

N° 1 cylinder according to DIN regulation.

NB. Use lower bolts with L ≤ 203 mm

Single sash PVC door - Sicurtop mod. 1686-87

Ref.	Description
1	Sicurtop Mod. 1686 - 85 mm centre with cam and terminal
2	U30 latch and bolt striker
3	Adapter
4	Cam striker
5	Adjustable latch striker
6	Deadbolt striker
7	Upper terminal with roller cam
8	Stay support with pins
	Stay support with resting plates
9	Pin for stay arm
10	Stay hinge for inactive sash
11	Adapter for stay hinge
12	Central adjustable loading hinge
13	Corner hinge with adapter
14	Hinge for PVC
15	Corner support with pins
	Corner support with resting plates
16	Stay arm, support - cover
17	Stay arm, frame part - cover
18	Corner hinge cover
19	Cover for PVC hinge
20	Plug hole for PVC hinge
21	Corner support cover - Top part
22	Corner support cover - Bottom part
23	Corner support cover - One piece

N°. 1 cylinder according to DIN regulation.

Double sash PVC door - Sicurtop mod. 1686-87

Ref.	Description
1	Sicurtop Mod. 1686 - 85 mm centre with cam and terminal
2	U30 latch and bolt striker without cover for 16/12 groove
3	Adapters for 16/12 central jamb
4	Cam striker for 16/12 groove
5	Adjustable latch striker for 16/12 groove
6	Deadbolt striker for 16/12 groove
7	Stay support with pins
	Stay support with resting plates
8	Pin for stay arm
9	Stay hinge for inactive sash
10	Adapter for stay hinge
11	Central adjustable loading hinge
12	Corner hinge with adapter
13	Hinge for PVC
14	Corner support with pins
	Corner support with resting plates
15	Lower bolt for 16/12 groove
16	Upper bolt for 16/12 groove
17	Lower lever bolt for 16/12 groove - adjustable throw
18	Upper lever bolt for 16/12 groove - adjustable throw
19	Upper lever bolt for 16/12 groove with roller cam striker - adjustable throw
20	Adjustable striker for shootbolt, 2 holes
21	Adjustable striker for shootbolt, 1 hole
22	Stay arm, support - cover
23	Stay arm, frame part - cover
24	Corner hinge cover
25	Cover for PVC hinge
26	Plug hole for PVC hinge
27	Corner support cover - Top part
28	Corner support cover - Bottom part
29	Corner support cover - One piece

N°. 1 cylinder according to DIN regulation.

Single sash PVC door - Sicurtop mod. 11400

Ref.	Description
1	Sicurtop mod. 11400 - 85mm centre with mushroom cams
2	U30 latch and bolt striker
3	Adapter
4	Mushroom striker
5	Adjustable latch striker
6	Deadbolt striker
7	Upper terminal with mushroom cam - 200 mm
8	Stay support with pins
	Stay support with resting plates
9	Pin for stay arm
10	Stay hinge for inactive sash
11	Adapter for stay hinge
12	Central adjustable loading hinge
13	Corner hinge with adapter
14	Hinge for PVC
15	Corner support with pins
	Corner support with resting plates
16	Stay arm, support - cover
17	Stay arm, frame part - cover
18	Corner hinge cover
19	Cover for PVC hinge
20	Plug hole for PVC hinge
21	Corner support cover - Top part
22	Corner support cover - Bottom part
23	Corner support cover - One piece

N°. 1 cylinder according to DIN regulation.

Double sash PVC door - Sicurtop mod. 11400

Ref.	Description
1	Sicurtop mod. 11400 - 85mm centre with mushroom cams
2	U30 latch and bolt striker without cover tray extensible bolt for 16/12
3	Adapters for 16/12 central jamb
4	Mushroom striker for 16/12 groove
5	Adjustable latch striker for 16/12 groove
6	Deadbolt striker for 16/12 groove
7	Stay support with pins
	Stay support with resting plates
8	Pin for stay arm
9	Stay hinge for inactive sash
10	Adapter for stay hinge
11	Central adjustable loading hinge
12	Corner hinge with adapter
13	Hinge for PVC
14	Corner support with pins
	Corner support with resting plates
15	Lower bolt for 16/12 groove
16	Upper lever bolt for 16/12 groove - adjustable throw
17	Upper and lower lever bolts for 16/12 groove - adjustable throw
18	Upper lever bolt for 16/12 groove with roller cam striker - adjustable throw
19	Adjustable striker for shootbolt, 2 holes
20	Adjustable striker for shootbolt, 1 hole
21	Stay arm, support - cover
22	Stay arm, frame part - cover
23	Corner hinge cover
24	Cover for PVC hinge
25	Plug hole for PVC hinge
26	Corner support cover - Top part
27	Corner support cover - Bottom part
28	Corner support cover - One piece

N°. 1 cylinder according to DIN regulation.

NB. Use lower bolts with L ≤ 203 mm

Single sash PVC balcony door - Unitop mod. 457-458

Ref.	Description
1	Unitop Mod. 458 - 85 mm centre with rollers and shootbolt
2	U30 latch striker
3	Adapter
4	Cam striker
5	Adjustable latch striker
6	Stay support with pins
	Stay support with resting plates
7	Pin for stay arm
8	Stay hinge for inactive sash
9	Adapter for stay hinge
10	Central adjustable loading hinge
11	Corner hinge with adapter
12	Hinge for PVC
13	Corner support with pins
	Corner support with resting plates
14	Stay arm, support - cover
15	Stay arm, frame part - cover
16	Corner hinge cover
17	Cover for PVC hinge
18	Plug hole for PVC hinge
19	Corner support cover - Top part
20	Corner support cover - Bottom part
21	Corner support cover - One piece
22	Terminal without cam - 180 mm
23	Terminal with cam - 180 mm
24	Unitop Mod. 457 - 85 mm centre with rollers - not extensible

N°. 1 cylinder according to DIN regulation.

Double sash PVC balcony door - Unitop mod. 457-458

Ref.	Description
1	Unitop lock mod. 458 with cams and terminals - Centre 85 mm
2	U30 latch striker
3	Adapters for 16/12 central jamb
4	Cam striker for 16/12 groove
5	Adjustable latch striker for 16/12 groove
6	Stay support with pins
	Stay support with resting plates
7	Pin for stay arm
8	Stay hinge for inactive sash
9	Adapter for stay hinge
10	Central adjustable loading hinge
11	Corner hinge with adapter
12	Hinge for PVC
13	Corner support with pins
	Corner support with resting plates
14	Lower bolt for 16/12 groove
15	Upper bolt for 16/12 groove
16	Lower lever bolt for 16/12 groove - adjustable throw
17	Upper lever bolt for 16/12 groove - adjustable throw
18	Upper lever bolt for 16/12 groove with roller cam striker - adjustable throw
19	Adjustable striker for shootbolt, 2 holes
20	Adjustable striker for shootbolt, 1 hole
21	Stay arm, support - cover
22	Stay arm, frame part - cover
23	Corner hinge cover
24	Cover for PVC hinge
25	Plug hole for PVC hinge
26	Corner support cover - Top part
27	Corner support cover - Bottom part
28	Corner support cover - One piece
29	Upper terminal- 180 mm with push rod
30	Upper terminal - 180 mm without cam
31	Upper terminal- 180 mm with cam
32	Unitop Mod. 457 - 85 mm centre with rollers - not extensible

N°. 1 cylinder according to DIN regulation.

Single sash Aluminium/Wood door - Sicurtop Poseidon

Ref.	Description
1	Sicurtop Poseidon - 85 mm centre
2	Striker for Poseidon
3	Adjustable latch striker
4	Latch - bolt strikers
5	Latch-bolt striker
6	Composit hinge
7	Cover for Composit hinge

N°. 1 cylinder according to DIN regulation.

Double sash Aluminium/Wood door - Sicurtop Poseidon

Ref.	Description
1	Sicurtop Poseidon - 85 mm centre
2	U18 One piece striker for Poseidon with bolt
3	Upper lever bolt for 16/12 groove - adjustable throw
4	Upper lever bolt for 16/12 groove with roller cam striker - adjustable throw
5	Adjustable strikers for shootbolt
6	Threshold striker
7	Composit hinge
8	Cover for Composit hinge
9	Upper terminal with roller cam

N°. 1 cylinder according to DIN regulation.

Single sash Aluminium/Wood door - Sicurtop mod. 1688-89

Ref.	Description
1	Sicurtop mod. 1688 - 85 mm centre with bolts and cams
2	Cam striker
3	Cam + bolt striker
4	Adjustable latch striker
5	Deadbolt striker
6	Latch - bolt strikers
7	Upper terminal with roller cam
8	Stay support with pins
	Stay support with resting plates
9	Pin for stay arm
10	Stay hinge for inactive sash
11	Adapter for stay hinge
12	Central adjustable loading hinge
13	Corner hinge with adapter
14	Corner support with pins
	Corner support with resting plates
15	Stay arm, support - cover
16	Stay arm, frame part - cover
17	Corner hinge cover
18	Corner support cover - Top part
19	Corner support cover - Bottom part
20	Corner support cover - One piece
21	Composit hinge
22	Cover for Composit hinge

N°. 1 cylinder according to DIN regulation.

Double sash Aluminium/Wood door - Sicurtop mod. 1688-89

Single sash Aluminium/Wood door - Sicurtop mod. 1685-86-87

Ref.	Description
1A	Sicurtop Mod. 1686 - 85 mm centre with roller cam and terminal
1B	Sicurtop Mod. 1685 - 85 mm centre with rollers - not extensible
2	Cam striker
3	Adjustable latch striker
4	Deadbolt striker
5	Latch - bolt striker
6	Upper terminal with roller cam
7	Stay support with pins
	Stay support with resting plates
8	Pin for stay arm
9	Stay hinge for inactive sash
10	Adapter for stay hinge
11	Central adjustable loading hinge
12	Corner hinge with adapter
13	Corner support with pins
	Corner support with resting plates
14	Stay arm, support - cover
15	Stay arm, frame part - cover
16	Corner hinge cover
17	Corner support cover - Top part
18	Corner support cover - Bottom part
19	Corner support cover - One piece
20	Composit hinge
21	Cover for Composit hinge

N°. 1 cylinder according to DIN regulation.

Double sash Aluminium/Wood door - Sicurtop mod. 1685-86-87

Ref.	Description
1A	Sicurtop Mod. 1686 - 85 mm centre with roller cam and terminal
1B	Sicurtop Mod. 1685 - 85 mm centre with rollers - not extensible
2	Cam striker for 16/12 groove
3	Adjustable latch striker for 16/12 groove
4	Deadbolt striker for 16/12 groove
5	Stay support with pins
	Stay support with resting plates
6	Pin for stay arm
7	Stay hinge for inactive sash
8	Adapter for stay hinge
9	Central adjustable loading hinge
10	Corner hinge with adapter
11	Corner support with pins
	Corner support with resting plates
12	Stay arm, support - cover
13	Stay arm, frame part - cover
14	Corner hinge cover
15	Corner support cover - Top part
16	Corner support cover - Bottom part
17	Corner support cover - One piece
18	Lower bolt for 16/12 groove
19	Upper bolt for 16/12 groove
20	Lower lever bolt for 16/12 groove - adjustable throw
21	Upper lever bolt for 16/12 groove - adjustable throw
22	Upper lever bolt for 16/12 groove with roller cam striker - adjustable throw
23	Adjustable strikers for shootbolt
24	Composit hinge
25	Cover for Composit hinge

N°. 1 cylinder according to DIN regulation.

NB: - It is possible to use bolts with ø9.5 mm shoot bolt by choosing proper strikers;

Single sash Aluminium/Wood door - Unitop mod. 457-458

Ref.	Description
1A	Unitop mod. 458 - 85 mm centre with rollers and shootbolt
1B	Unitop mod. 457 - 85 mm centre with rollers - not extensible
2	Adjustable latch striker
3	Cam striker
4	Stay support with pins
	Stay support with resting plates
5	Pin for stay arm
6	Stay hinge for inactive sash
7	Adapter for stay hinge
8	Central adjustable loading hinge
9	Corner hinge with adapter
10	Corner support with pins
	Corner support with resting plates
11	Stay arm, support - cover
12	Stay arm, frame part - cover
13	Corner hinge cover
14	Corner support cover - Top part
15	Corner support cover - Bottom part
16	Corner support cover - One piece
17	Upper terminal without roller cam - 180 mm
18	Upper terminal with roller cam - 180 mm

N°. 1 cylinder according to DIN regulation.

Double sash Aluminium/Wood balcony door - Unitop mod. 457-458

Ref.	Description
1A	Unitop mod. 458 - 85 mm centre with rollers and shootbolt
1B	Unitop mod. 457 - 85 mm centre with rollers - not extensible
2	Cam striker for 16/12 groove
3	Adjustable latch striker for 16/12 groove
4	Stay support with pins
	Stay support with resting plates
5	Pin for stay arm
6	Stay hinge for inactive sash
7	Adapter for stay hinge
8	Central adjustable loading hinge
9	Corner hinge with adapter
10	Corner support with pins
	Corner support with resting plates
11	Stay arm, support - cover
12	Stay arm, frame part - cover
13	Corner hinge cover
14	Corner support cover - Top part
15	Corner support cover - Bottom part
16	Corner support cover - One piece
17	Lower bolt for 16/12 groove
18	Upper bolt for 16/12 groove
19	Lower lever bolt for 16/12 groove - adjustable throw
20	Upper lever bolt for 16/12 groove - adjustable throw
21	Upper lever bolt for 16/12 groove with roller cam striker - adjustable throw
22	Adjustable strikers for shootbolt
23	Shoot bolt - 180 mm
24	Upper terminal without roller cam - 180 mm
25	Upper terminal with roller cam - 180 mm

N°. 1 cylinder according to DIN regulation.

Sicurtop POSEIDON

3RD ANTI-BURGLAR CLASS ACCORDING TO EN 1627÷30

16 mm faceplate - 85 mm centre

APPLICATION RANGE 1840-2200 mm							
BACKSET	HEIGHT	LOCKING POINTS	CODE			€	DC
35	2200 mm	2P	W11200.35.12	5	5	121,304	G2
40	2200 mm	2P	W11200.40.12	5	5	121,304	G2
45	2200 mm	2P	W11200.45.12	5	5	121,304	G2
50	2200 mm	2P	W11200.50.12	5	5	121,304	G2
55	2200 mm	2P	W11200.55.12	5	5	121,304	G2
60	2200 mm	2P	W11200.60.12	5	5	121,304	G2
70	2200 mm	2P	W11200.70.12	5	5	121,304	G2
APPLICATION RANGE 1950-2400 mm							
BACKSET	HEIGHT	LOCKING POINTS	CODE			€	DC
35	2400 mm	2P	W11200.35.13	5	5	121,304	G2
40	2400 mm	2P	W11200.40.13	5	5	121,304	G2
45	2400 mm	2P	W11200.45.13	5	5	121,304	G2
50	2400 mm	2P	W11200.50.13	5	5	121,304	G2
55	2400 mm	2P	W11200.55.13	5	5	121,304	G2
60	2400 mm	2P	W11200.60.13	5	5	121,304	G2
70	2400 mm	2P	W11200.70.13	5	5	121,304	G2

Note: application range without terminals

Forend 16 mm, centre 92 mm

APPLICATION RANGE 1840-2400 mm							
BACKSET	HEIGHT	LOCKING POINTS	CODE			€	DC
35	2400 mm	2P	W11220.35.13 ☎	5	5	121,304	G2
40	2400 mm	2P	W11220.40.13	5	5	121,304	G2
45	2400 mm	2P	W11220.45.13	5	5	121,304	G2
50	2400 mm	2P	W11220.50.13 ☎	5	5	121,304	G2
55	2400 mm	2P	W11220.55.13	5	5	121,304	G2
65	2400 mm	2P	W11220.65.13 ☎	5	5	121,304	G2

Note: application range without terminals

Roller latch - Extra charge

Available for all backsets						
	CODE			€	DC
*Order with end-code 210	W112XX.XX.XX.210 ☎	5	5	26,475	G2

Upper roundbolt with reverse gear

To be ordered separately:					
FOREND	CODE			€	DC
16 mm	W01690.00.03	20	20	13,954	G2
20 mm	W02090.00.03	20	20	15,085	G2

Lower roundbolt

To be ordered separately:					
FOREND	CODE			€	DC
16 mm	W01690.00.01	20	100	10,988	G2
20 mm	W02090.00.01	20	100	11,870	G2

Upper terminal with roller cam

To be ordered separately:						
FOREND	LOCKING POINTS	CODE			€	DC
16 mm	1N	W01690.00.13	20	20	5,434	G2

Sicurtop mod. 1688 - 85 mm centre with bolts and cams

16 mm faceplate

APPLICATION RANGE 1900-2150 mm							
BACKSET	HEIGHT	LOCKING POINTS	CODE			€	DC
35	2150 mm	2CN + N	W01688.35.09	5	5	123,145	G2
40	2150 mm	2CN + N	W01688.40.09	5	5	123,145	G2
45	2150 mm	2CN + N	W01688.45.09	5	5	123,145	G2
50	2150 mm	2CN + N	W01688.50.09	5	5	123,145	G2
55	2150 mm	2CN + N	W01688.55.09	5	5	123,145	G2
60	2150 mm	2CN + N	W01688.60.09	5	5	123,145	G2
APPLICATION RANGE 2150-2400 mm							
BACKSET	HEIGHT	LOCKING POINTS	CODE			€	DC
35	2400 mm	2CN+2N	W01689.35.10	5	5	123,145	G2
40	2400 mm	2CN+2N	W01689.40.10	5	5	123,145	G2
45	2400 mm	2CN+2N	W01689.45.10	5	5	123,145	G2
50	2400 mm	2CN+2N	W01689.50.10	5	5	123,145	G2
55	2400 mm	2CN+2N	W01689.55.10	5	5	123,145	G2
60	2400 mm	2CN+2N	W01689.60.10	5	5	123,145	G2
70	2400 mm	2CN+2N	W01689.70.10	5	5	123,145	G2

Note: the application range is calculated using the 200 mm upper terminal

Roller latch - Extra charge

Available for all backsets						
	CODE			€	DC
*Order with end-code 210	W0168X.XX.XX.210 ☎	5	5	26,475	G2

Lower roundbolt

To be ordered separately:					
FOREND	CODE			€	DC
16 mm	W01690.00.01	20	100	10,988	G2

Upper roundbolt with reverse gear

To be ordered separately:					
FOREND	CODE			€	DC
16 mm	W01690.00.03	20	20	13,954	G2

Upper roundbolt with roller cam

To be ordered separately:						
FOREND	LOCKING POINTS	CODE			€	DC
16 mm	1N	W01690.00.13	20	20	5,434	G2

Sicurtop mod. 1685 - 85 mm centre with rollers - not extensible

16 mm faceplate

APPLICATION RANGE 1900-2400 mm							
BACKSET	HEIGHT	LOCKING POINTS	CODE			€	DC
35	2400 mm	4 N	W01685.35.10	5	5	82,711	G2
40	2400 mm	4 N	W01685.40.10	5	5	82,711	G2
45	2400 mm	4 N	W01685.45.10	5	5	82,711	G2
50	2400 mm	4 N	W01685.50.10	5	5	82,711	G2
55	2400 mm	4 N	W01685.55.10	5	5	82,711	G2
60	2400 mm	4 N	W01685.60.10	5	5	82,711	G2
70	2400 mm	4 N	W01685.70.10	5	5	82,711	G2

Lock with roller latch - Extra charge

Available for all backsets					
	CODE			€	DC
	W01685.XX.XX.210 ☎	5	5	26,475	G2

Sicurtop mod. 1686 - with roller cams and terminals

16 mm faceplate - 85 mm centre

APPLICATION RANGE 1900-2150 mm							
BACKSET	HEIGHT	LOCKING POINTS	CODE			€	DC
35	2150 mm	3 N	W01686.35.09	5	5	87,610	G2
40	2150 mm	3 N	W01686.40.09	5	5	87,610	G2
45	2150 mm	3 N	W01686.45.09	5	5	87,610	G2
50	2150 mm	3 N	W01686.50.09	5	5	87,610	G2
55	2150 mm	3 N	W01686.55.09	5	5	87,610	G2
60	2150 mm	3 N	W01686.60.09	5	5	87,610	G2
APPLICATION RANGE 2150-2400 mm							
BACKSET	HEIGHT	LOCKING POINTS	CODE			€	DC
35	2400 mm	4 N	W01687.35.10	5	5	87,610	G2
40	2400 mm	4 N	W01687.40.10	5	5	87,610	G2
45	2400 mm	4 N	W01687.45.10	5	5	87,610	G2
50	2400 mm	4 N	W01687.50.10	5	5	87,610	G2
55	2400 mm	4 N	W01687.55.10	5	5	87,610	G2
60	2400 mm	4 N	W01687.60.10	5	5	87,610	G2
70	2400 mm	4 N	W01687.70.10	5	5	87,610	G2

Note: the application range is calculated using the 200 mm upper terminal

Forend 16 mm, 92 mm centre

APPLICATION RANGE 2150-2400 mm							
BACKSET	HEIGHT	LOCKING POINTS	CODE			€	DC
35	2400 mm	4 N	W01698.35.10	5	5	85,773	G2
45	2400 mm	4 N	W01698.45.10	5	5	85,773	G2
55	2400 mm	4 N	W01698.55.10	5	5	85,773	G2
65	2400 mm	4 N	W01698.65.10	5	5	85,773	G2

Note: the application range is calculated using the 200 mm upper terminal

Lock with roller latch - Extra charge

Available for all backsets					
	CODE			€	DC
Order with end-code 210	W0168X.XX.XX.210 ☎	5	5	26,475	G2

Lower roundbolt

To be ordered separately:					
FOREND	CODE			€	DC
16 mm	W01690.00.01	20	100	10,988	G2

Upper roundbolt with reverse gear

To be ordered separately:					
FOREND	CODE			€	DC
16 mm	W01690.00.03	20	20	13,954	G2

Upper terminal with roller cam

To be ordered separately:						
FOREND	LOCKING POINTS	CODE			€	DC
16 mm	1N	W01690.00.13	20	20	5,434	G2

Sicurtop mod. 11400 - 85mm centre with mushroom cams and terminals

16 mm faceplate

APPLICATION RANGE 1900-2150 mm							
BACKSET	HEIGHT	LOCKING POINTS	CODE			€	DC
35	2150 mm	3 N	W11400.35.12	5	5	89,448	G2
40	2150 mm	3 N	W11400.40.12	5	5	89,448	G2
45	2150 mm	3 N	W11400.45.12	5	5	89,448	G2
50	2150 mm	3 N	W11400.50.12	5	5	89,448	G2
55	2150 mm	3 N	W11400.55.12	5	5	89,448	G2
60	2150 mm	3 N	W11400.60.12	5	5	89,448	G2
70	2150 mm	3 N	W11400.70.12 ☎	5	5	89,448	G2
APPLICATION RANGE 2150-2400 mm							
BACKSET	HEIGHT	LOCKING POINTS	CODE			€	DC
35	2400 mm	4 N	W11400.35.13	5	5	90,065	G2
40	2400 mm	4 N	W11400.40.13	5	5	90,065	G2
45	2400 mm	4 N	W11400.45.13	5	5	90,065	G2
50	2400 mm	4 N	W11400.50.13	5	5	90,065	G2
55	2400 mm	4 N	W11400.55.13	5	5	90,065	G2
60	2400 mm	4 N	W11400.60.13	5	5	90,065	G2
70	2400 mm	4 N	W11400.70.13	5	5	90,065	G2

Note: the application range is calculated using the 200 mm upper terminal

Lock with roller latch - Extra charge

Available for all backsets					
	CODE			€	DC
Order with end-code 210	W11400.XX.XX.210 ☎	5	5	26,475	G2

Lower roundbolt

To be ordered separately:					
FOREND	CODE			€	DC
16 mm	W01690.00.01	20	100	10,988	G2

Upper roundbolt with reverse gear

To be ordered separately:					
FOREND	CODE			€	DC
16 mm	W01690.00.03	20	20	13,954	G2

Upper terminal with mushroom cam

To be ordered separately:						
FOREND	LOCKING POINTS	CODE			€	DC
16 mm	1F	W99900.00.06	20	20	6,048	G2

Unitop mod. 457 - 2454 with rollers

16 mm faceplate - 85 mm centre

APPLICATION RANGE 1600-2100 mm								
BACKSET	HEIGHT	APPLICATION	LOCKING POINTS	CODE			€	DC
25	2100 mm	latch only	3N	A40457.25.09	10	10	55,141	G1
30	2100 mm	latch only	3N	A40457.30.09	10	10	55,141	G1
35	2100 mm	latch only	3N	A40457.35.09	10	10	55,141	G1
40	2100 mm	latch only	3N	A40457.40.09	10	10	55,141	G1
45	2100 mm	latch only	3N	A40457.45.09	10	10	55,141	G1
50	2100 mm	latch only	3N	A40457.50.09	10	10	55,141	G1
55	2100 mm	latch only	3N	A40457.55.09	10	10	55,141	G1
APPLICATION RANGE 1980-2400 mm								
BACKSET	HEIGHT	APPLICATION	LOCKING POINTS	CODE			€	DC
25	2400 mm	latch only	4N	A40457.25.10	10	10	55,141	G1
30	2400 mm	latch only	4N	A40457.30.10	10	10	55,141	G1
35	2400 mm	latch only	4N	A40457.35.10	10	10	55,141	G1
40	2400 mm	latch only	4N	A40457.40.10	10	10	55,141	G1
45	2400 mm	latch only	4N	A40457.45.10	10	10	55,141	G1
50	2400 mm	latch only	4N	A40457.50.10	10	10	55,141	G1
55	2400 mm	latch only	4N	A40457.55.10	10	10	55,141	G1

16 mm faceplate - 92 mm centre

APPLICATION RANGE 1770-2200 mm								
BACKSET	HEIGHT		LOCKING POINTS	CODE			€	DC
45	2200 mm		4N	A42454.45.09	5	5	58,204	G1
APPLICATION RANGE 1980-2400 mm								
BACKSET	HEIGHT		LOCKING POINTS	CODE			€	DC
35	2400 mm		4N	A42454.35.10	5	5	58,204	G1
40	2400 mm		4N	A42454.40.10 ☎	5	5	58,204	G1
45	2400 mm		4N	A42454.45.10	5	5	58,204	G1
55	2400 mm		4N	A42454.55.10	5	5	58,204	G1

Unitop mod. 458 with rollers and terminals

16 mm faceplate - 85 mm centre

APPLICATION RANGE 1800-2100 mm								
BACKSET	HEIGHT	APPLICATION	LOCKING POINTS	CODE			€	DC
25	1920 mm	latch only	3N	A40458.25.09	10	10	56,980	G1
30	1920 mm	latch only	3N	A40458.30.09	10	10	56,980	G1
35	1920 mm	latch only	3N	A40458.35.09	10	10	56,980	G1
40	1920 mm	latch only	3N	A40458.40.09	10	10	56,980	G1
45	1920 mm	latch only	3N	A40458.45.09	10	10	56,980	G1
50	1920 mm	latch only	3N	A40458.50.09	10	10	56,980	G1
55	1920 mm	latch only	3N	A40458.55.09	10	10	56,980	G1
APPLICATION RANGE 2100-2400 mm								
BACKSET	HEIGHT	APPLICATION	LOCKING POINTS	CODE			€	DC
25	2220 mm	latch only	4N	A40458.25.10	10	10	56,980	G1
30	2220 mm	latch only	4N	A40458.30.10	10	10	56,980	G1
35	2220 mm	latch only	4N	A40458.35.10	10	10	56,980	G1
40	2220 mm	latch only	4N	A40458.40.10	10	10	56,980	G1
45	2220 mm	latch only	4N	A40458.45.10	10	10	56,980	G1
50	2220 mm	latch only	4N	A40458.50.10	10	10	56,980	G1
55	2220 mm	latch only	4N	A40458.55.10	10	10	56,980	G1

Note: shootbolt and terminal are not included in the lock

Shootbolt

11 mm throw					
LENGTH	CODE			€	DC
120 mm	A40487.00.02	20	200	2,023	F1
180 mm	A40487.00.01	20	200	2,023	F1
15 mm throw					
LENGTH	CODE			€	DC
180 mm	A40486.00.01	20	200	2,023	F1
120 mm	A40486.00.02	20	200	2,023	F1

Terminal with roller cam

LENGTH		CODE			€	DC
180 mm	With cam	A40481.00.13	20	20	4,590	G1
	Without cam	A40481.00.04	20	20	3,731	G1

Adjustable striker for Poseidon, single sash

U30 x 8 One-piece striker

LENGTH	HAND	CODE			€	DC
2216 mm	rh	W99631.07.20	5	5	68,618	G2
	lh	W99632.07.20	5	5	68,618	G2
2416 mm	rh	W99631.07.21	5	5	71,071	G2
	lh	W99632.07.21	5	5	71,071	G2

Note: the bolt hand is determined by the main sash

Sicurtop - One-piece striker for Poseidon, double sash

U18 x 8 - 9,5 mm one-piece striker

WITH BOLT INCLUDED FOR EXTENSIBLE BOLT 16/12 GROOVE						
LENGTH	HAND	CODE			€	DC
2200 mm	rh	W99611.19.29	1	1	71,652	G2
	lh	W99612.19.29	1	1	71,652	G2
2400 mm	rh	W99611.19.30	1	1	71,652	G2
	lh	W99612.19.30	1	1	71,652	G2

Note: the extensible bolt doesn't include the high bolt.
According to your needs, they can be coupled with W20067.19.XX or W20068.19.XX.
(the last one with cam striker can be used in case of upper terminal with cam W01690.00.13)

U-30 steel strikers

Cam

STEEL	DIMENSIONS	HAND	CODE			€	DC
1) PVC	30x110x8	rh	A41117.00.02	20	200	2,942	G1
	30x110x8	lh	A41118.00.02	20	200	2,942	G1

Bolt and roller cam

STEEL	DIMENSIONS	HAND	CODE			€	DC
2) PVC	30x192x8	rh	A41117.00.42 ☎	20	20	6,191	G1
	30x192x8	lh	A41118.00.42 ☎	20	20	6,191	G1

Latch and bolt

STEEL	DIMENSIONS	HAND	CODE			€	DC
3) PVC	30x238x8	rh	A41121.00.40	5	45	7,042	G1
	30x238x8	lh	A41122.00.40	5	45	7,042	G1

Note: assemble the radial electric device B02600.20/21.01/02

Latch and bolt without cover tray extensible bolt for 16/12

STEEL	DIMENSIONS	HAND	CODE			€	DC
3) PVC	30x238x8	rh	A41121.00.44	5	45	6,018	G1
	30x238x8	lh	A41122.00.44	5	45	6,018	G1

Note: assemble the radial electric device B02600.20/21.01/02

Latch only

STEEL	DIMENSIONS	CODE			€	DC
4) PVC	30x130x8	A41121.00.45	20	20	6,018	G1

Poseidon

STEEL						
MODEL	DIMENSIONS	CODE			€	DC
5) PVC	30x196x8	W99630.00.13	20	20	5,643	G2
5) Aluminium	28x196x8	W99628.00.13	20	20	10,249	G2

ø 8 mm round bolt

STEEL	DIMENSIONS	CODE			€	DC
6)	30x67x8	A41117.00.04	50	50	1,233	G1

ø 9,5 mm round bolt

STEEL						
		CODE			€	DC
7)		W99630.07.24 ☎	50	50	1,233	G2

U-30 steel strikers

For PVC

					€	DC
ALPHACAN - System In'Alpha 70, Prestigio, Luce	CODE				€	DC
	A21117.FI.00	50	50		0,497	G1
ALUPLAST - Ideal 2000	CODE				€	DC
	A21117.BA.00	50	50		0,497	G1
ALUPLAST - Ideal 4000/8000, Energeto	CODE				€	DC
	A21117.BB.00	50	50		0,497	G1
-1,5mm	A21117.HD.00	50	50		0,497	G1
BRUGMANN - AD, MD	CODE				€	DC
	A21117.46.00	50	50		0,497	G1
DECEUNINCK - Zendow, Zendow#neo, Elegance, Premiere	CODE				€	DC
	A21117.64.00	50	50		0,497	G1
-1,5mm	A21117.HE.00	50	50		0,497	G1
GARGIULO - Wingo AD 70, Wingo MD 80	CODE				€	DC
	A21117.BA.00	50	50		0,497	G1
GEALAN - 3000, 7000, 8000, 9000	CODE				€	DC
	A21117.DF.00	50	50		0,497	G1
INOUTIC - Arcade, Eforte, Prestige	CODE				€	DC
	A21117.GN.00	50	50		0,497	G2
INOUTIC - Elegante	CODE				€	DC
	A21117.64.00	50	50		0,497	G1
-1,5mm	A21117.HE.00	50	50		0,497	G1
ITALPLASTICK - Seven, Seven Plus	CODE				€	DC
	A21117.46.00	50	50		0,497	G1
KBE - AD 70 mm, MD 70 mm, Select 70 mm, System 88 mm	CODE				€	DC
	A21117.64.00	50	50		0,497	G1
KOMMERLING - AD 76, MD 76	CODE				€	DC
	A21117.64.00	50	50		0,497	G1
KOMMERLING - Eurodur 3S, Eurofutur elegance, Eurofutur MD	CODE				€	DC
	A21117.30.00	50	50		0,497	G1
REHAU - Geneo, Synego	CODE				€	DC
	A21117.AV.00 ☎	50	50		0,497	G1
REHAU - Piattaforma 70	CODE				€	DC
	A21117.35.00 ☎	50	50		0,497	G1
SALAMANDER - 2D, 3D, Streamline	CODE				€	DC
	A21117.AZ.00	50	50		0,497	G1
-1,5mm	A21117.HF.00	50	50		0,497	G1
SALAMANDER - bluEvolution 82	CODE				€	DC
	A21117.46.00	50	50		0,497	G1
SALAMANDER - bluEvolution 92	CODE				€	DC
	A21117.AV.00 ☎	50	50		0,497	G1
SCHUCO - Corona SI 82, SI 82+, CT 70 MD, CT 70 AS	CODE				€	DC
	A21117.46.00	50	50		0,497	G1
TROCAL - Innonova 70 A5, Innonova 70 M5	CODE				€	DC
	A21117.FR.00	50	50		0,497	G1
VEKA - Softline 70-76-82, Topline AD, Swingline, Alphaline 90	CODE				€	DC
	A21117.46.00	50	50		0,497	G1
-0,5 mm	A21117.BA.00	50	50		0,497	G1
WEISS PROFIL - WP5000	CODE				€	DC
-0,5 mm	A21117.BA.00	50	50		0,497	G1

U-30 steel strikers

For European groove aluminium

EUROPEAN GROOVE ALUMINIUM						
AXIS	GROOVE	CODE			€	DC
9	14x5	A21117.DT.00 ☎	50	50	0,497	G1
13	14x5	A21117.MT.01	50	50	0,497	G1
CUSTOMISED PROFILES						
AXIS	GROOVE	CODE			€	DC
9	13,5x5	A21117.MR.01	50	50	0,497	G1
	R groove	A21117.FA.00	50	50	0,497	G1
	16,5x5	A21117.HN.00	50	50	0,497	G1

Adapters for 16/12 central jamb

		CODE			€	DC
	central jamb 16/12	A21117.19.00	50	50	0,497	G1
-1,5 mm	central jamb 16/12	A21117.HC.00	50	50	0,497	G1

Sicurtop - Strikers

Latch + bolt - adjustable for aluminium-wood

GAP	FRAME SEAT	HAND	CODE				€	DC
12	22/35 mm	rh	F85122.11.15	20	20	✔	43,081	G2
	22/35 mm	lh	F85222.11.15	20	20	✔	43,081	G2
	24/37 mm	rh	F85124.11.15 ☎	20	20	✔	43,081	G2
	24/37 mm	lh	F85224.11.15 ☎	20	20	✔	43,081	G2
	16/12 groove - Gap 13	rh	F85119.11.15	20	20	✔	43,081	G2
	16/12 groove - Gap 13	lh	F85219.11.15	20	20	✔	43,081	G2

Note: compatible with radial symmetrical electric device B02600.21.06 with manual release lever and B02600.21.05 without manual release lever or asymmetrical B02600.0X.01/02

Latch + bolt - adjustable for U24 European groove

GAP		HAND	CODE				€	DC
12	axis 9	rh	F851DT.11.15	20	20	✔	43,081	G2
	axis 9	lh	F852DT.11.15	20	20	✔	43,081	G2
	axis 13	rh	F851CP.11.15	20	20	✔	43,081	G2
	axis 13	lh	F852CP.11.15	20	20	✔	43,081	G2
	groove 16/12 - Gap 9	rh	F85120.11.15	20	20	✔	43,081	G2
	groove 16/12 - Gap 9	lh	F85220.11.15	20	20	✔	43,081	G2

Note: axis 9 compatible with simmetric electric device B02600.21.01/02 or asymmetric B02600.0X.01/02
Note: axis 13 compatible with electric device B02600.21.05/06 or asymmetric B02600.0X.01/02

Strikers

Latch for PVC

ALUPLAST - Ideal 2000	CODE				€	DC
	A48010.BA.12		50	50	1,906	G2
BRUGMANN - AD, MD	CODE				€	DC
	A48010.BF.12		50	50	1,906	G2
DECEUNINCK - Zendow, Zendow#neo, Elegance, Premiere	CODE				€	DC
	A40017.AV.12	☎	50	250	1,906	G2
INOUTIC - Elegante	CODE				€	DC
	A40017.AV.12	☎	50	250	1,906	G2
ITALPLASTICK - Giotto	CODE				€	DC
	A40017.24.12		50	250	1,906	G2
KOMMERLING - Eurodur 3S, Eurofutur elegance, Eurofutur MD	CODE				€	DC
	A40017.30.12		50	250	1,906	G2
VEKA - Softline 70-76-82, Topline AD, Swingline, Alphaline 90	CODE				€	DC
	A48010.BF.12		50	50	1,906	G2

Immagine indicativa / *Sample image*

Latch for aluminium-wood

GAP	FRAME SEAT	DIMENSIONS	CODE				€	DC
11	8+7 mm	18x93x8,5	W01694.04.01	☎	50	250	2,915	G2
12	18/22/35 mm	18x93x8,5	W01695.05.01	☎	50	500	2,765	G2

Immagine indicativa / *Sample image*

Latch for European groove aluminium

AXIS		DIMENSIONS	CODE				€	DC
9		21x93x8	A48010.DT.12		50	250	1,906	G2
	R groove	21x93x8	A48010.FA.12		50	250	1,906	G2
13		24x93x8	A48010.CP.12		50	50	1,906	G2

Latch for 16/12 groove

	DIMENSIONS	CODE				€	DC
16/12 groove	18x93x8,5	A48010.19.12		50	500	3,763	G2

Strikers

Bolt for PVC

BRUGMANN - AD, MD	CODE				€	DC
	A48010.BF.22	☎	50	50	2,424	G2
DECEUNINCK - Zendow, Zendow#neo, Elegance, Premiere	**CODE**				**€**	**DC**
	A40017.AV.22	☎	50	200	2,424	G2
INOUTIC - Elegante	**CODE**				**€**	**DC**
	A40017.AV.22	☎	50	200	2,424	G2
ITALPLASTICK - Giotto	**CODE**				**€**	**DC**
	A40017.24.22		50	200	2,424	G2
VEKA - Softline 70-76-82, Topline AD, Swingline, Alphaline 90	**CODE**				**€**	**DC**
	A48010.BF.22	☎	50	50	2,424	G2

Immagine indicativa / *Sample image*

Bolt for aluminium-wood

GAP	FRAME SEAT	DIMENSIONS	CODE				€	DC
11	8+7 mm	18X79X8	W01694.04.03	☎	50	200	2,424	G2
12	18/22/35 mm	18X79X8,5	W01695.05.03		50	200	2,424	G2

Immagine indicativa / *Sample image*

Bolt for European groove aluminium

AXIS		DIMENSIONS	CODE			€	DC
9		21x79x8	A48010.DT.22	50	200	2,424	G2
	R groove	21x73x8	A48010.FA.22	50	200	2,424	G2
13		24x79x8	A48010.CP.22	50	50	2,424	G2

Bolt for 16/12 groove

	DIMENSIONS	CODE			€	DC
16/12 groove	18x79x8,5	A48010.19.22	50	200	3,304	G2

Strikers

Cam for PVC

ALPHACAN - System In'Alpha 70, Prestigio, Luce	CODE			€	DC
	A52300.FI.02	50	500	0,826	F3
ALUPLAST - Ideal 2000	CODE			€	DC
	A52300.BF.02	50	500	0,826	F3
ALUPLAST - Ideal 4000/8000, Energeto	CODE			€	DC
	A52300.BF.02	50	500	0,826	F3
BRUGMANN - AD, MD	CODE			€	DC
	A52300.DR.02	50	500	0,826	F3
DECEUNINCK - Zendow, Zendow#neo, Elegance, Premiere	CODE			€	DC
	A52300.CD.02	50	500	0,826	F3
GARGIULO - Wingo AD 70, Wingo MD 80	CODE			€	DC
	A52300.BF.02	50	500	0,826	F3
GEALAN - 3000, 7000, 8000, 9000	CODE			€	DC
	A52300.DF.02	50	500	0,826	F3
INOUTIC - Arcade, Eforte, Prestige	CODE			€	DC
	A52300.GN.02	50	500	0,826	F3
INOUTIC - Elegante	CODE			€	DC
	A52300.CD.02	50	500	0,826	F3
ITALPLASTICK - Giotto Plus	CODE			€	DC
	A40017.24.02	50	500	0,871	F3
ITALPLASTICK - Giotto	CODE			€	DC
	A40017.24.02	50	500	0,871	F3
ITALPLASTICK - Seven, Seven Plus	CODE			€	DC
	A52300.DR.02	50	500	0,826	F3
KBE - AD 70 mm, MD 70 mm, Select 70 mm, System 88 mm	CODE			€	DC
	A52300.CN.02	50	500	0,826	F3
KOMMERLING - AD 76, MD 76	CODE			€	DC
	A52300.CN.02	50	500	0,826	F3
KOMMERLING - Eurodur 3S, Eurofutur elegance, Eurofutur MD	CODE			€	DC
	A52300.FT.02	50	500	0,826	F3
REHAU - Geneo, Synego	CODE			€	DC
	A52300.FH.02	50	500	0,826	F3
REHAU - Piattaforma 70	CODE			€	DC
	A52300.DR.02	50	500	0,826	F3
SALAMANDER - 2D, 3D, Streamline	CODE			€	DC
	A52300.AZ.02	50	500	0,826	F3
SALAMANDER - bluEvolution 82	CODE			€	DC
	A52300.DR.02	50	500	0,826	F3
SALAMANDER - bluEvolution 92	CODE			€	DC
	A52300.FH.02	50	500	0,826	F3
SCHUCO - Corona SI 82, SI 82+, CT 70 MD, CT 70 AS	CODE			€	DC
	A52300.BF.02	50	500	0,826	F3
TROCAL - Innonova 70 A5, Innonova 70 M5	CODE			€	DC
	A52300.FR.02	50	500	0,722	F3
VEKA - Softline 70-76-82, Topline AD, Swingline, Alphaline 90	CODE			€	DC
	A52300.DR.02	50	500	0,826	F3
WEISS PROFIL - WP5000	CODE			€	DC
	A52300.DR.02	50	500	0,826	F3

Cam for aluminium-wood

FRAME SEAT	CODE			€	DC
18/22/35 mm	A51401.05.02	50	500	0,722	F3
24/37 mm	A51401.EB.02	50	500	0,722	F3
8+7 mm	A40017.04.02	50	500	0,760	F3

Strikers

Immagine indicativa / *Sample image*

Cam for European groove aluminium

EUROPEAN GROOVE ALUMINIUM							
AXIS	GROOVE		CODE			€	DC
9	14x5		A52600.DT.02	50	500	0,955	F3
	14x5	-0,5 mm of pressure	A52300.GT.02	50	500	0,826	F3
	14x5	+0,3 mm of pressure	A52600.GY.02	50	500	0,826	F3
13	14x5		A52600.CP.02	50	500	0,955	F3
CUSTOMISED PROFILES							
AXIS	GROOVE		CODE			€	DC
9	10x5		A52600.MU.02	50	500	0,955	F3
	13,5x5		A52600.DT.02	50	500	0,955	F3
	R groove		A48010.FA.02	50	500	1,006	F3
13	10x4,5		A52600.MS.02	50	500	0,955	F3

Cam for 16/12 groove

	CODE			€	DC
16/12 groove	A40017.25.32	50	50	0,989	F3

Immagine indicativa / *Sample image*

Cam + bolt for aluminium-wood

	HAND	FRAME SEAT	DIMENSIONS	CODE			€	DC
Gap 11	rh	8+7 mm	18X126X8	W01694.04.04	20	200	4,357	G2
	lh	8+7 mm	18X126X8	W01694.04.05	20	200	4,357	G2
Gap 12		18/22/35 mm	18X126X8,5	W01695.05.04	20	200	4,357	G2
		24/37 mm	23X126X8	F850CR.03.15	20	200	10,389	G2
16/12 groove			18x126x15,5	W01695.19.04	20	200	4,357	G2

Immagine indicativa / *Sample image*

Cam + bolt for European groove aluminium

AXIS	HAND	CODE			€	DC
9	rh	A40017.BN.30	20	20	4,357	G2
	lh	A40017.BN.31	20	20	4,357	G2

Strikers

Immagine indicativa / *Sample image*

Anti-burglar for PVC

				€	DC
ALPHACAN - System In'Alpha 70, Prestigio, Luce	CODE			€	DC
	A52300.FI.22	50	250	2,186	F3
ALUPLAST - Ideal 2000	CODE			€	DC
	A48013.BA.22	50	500	2,942	F3
ALUPLAST - Ideal 4000/8000, Energeto	CODE			€	DC
	A48013.AZ.22	50	500	2,942	F3
BRUGMANN - AD, MD	CODE			€	DC
	A48013.BF.22	50	250	2,942	F3
DECEUNINCK - Zendow, Zendow#neo, Elegance, Premiere	CODE			€	DC
	A48013.CD.22	50	250	2,942	F3
GARGIULO - Wingo AD 70, Wingo MD 80	CODE			€	DC
	A48013.BA.22	50	500	2,942	F3
GEALAN - 3000, 7000, 8000, 9000	CODE			€	DC
	A48013.DF.22	50	500	2,942	F3
INOUTIC - Arcade, Eforte, Prestige	CODE			€	DC
	A52300.GN.22	50	250	2,186	F3
INOUTIC - Elegante	CODE			€	DC
	A48013.CD.22	50	250	2,942	F3
ITALPLASTICK - Giotto Plus	CODE			€	DC
	A48013.GB.22	50	250	2,794	F3
ITALPLASTICK - Seven, Seven Plus	CODE			€	DC
	A52300.BF.22	50	250	2,186	F3
KBE - AD 70 mm, MD 70 mm, Select 70 mm, System 88 mm	CODE			€	DC
	A48013.CD.22	50	250	2,942	F3
KOMMERLING - AD 76, MD 76	CODE			€	DC
	A48013.CD.22	50	250	2,942	F3
KOMMERLING - Eurodur 3S, Eurofutur elegance, Eurofutur MD	CODE			€	DC
	A48013.30.22	50	500	2,942	F3
REHAU - Geneo, Synego	CODE			€	DC
	A52300.BB.22	50	250	2,186	F3
REHAU - Piattaforma 70	CODE			€	DC
	A52300.BA.22	50	250	2,186	F3
SALAMANDER - 2D, 3D, Streamline	CODE			€	DC
	A48013.AZ.22	50	500	2,942	F3
SALAMANDER - bluEvolution 82	CODE			€	DC
	A48013.BF.22	50	250	2,942	F3
SALAMANDER - bluEvolution 92	CODE			€	DC
	A52300.BB.22	50	250	2,186	F3
SCHUCO - Corona SI 82, SI 82+, CT 70 MD, CT 70 AS	CODE			€	DC
	A48013.BA.22	50	500	2,942	F3
TROCAL - Innonova 70 A5, Innonova 70 M5	CODE			€	DC
	A52300.FR.22	50	250	2,186	F3
VEKA - Softline 70-76-82, Topline AD, Swingline, Alphaline 90	CODE			€	DC
	A48013.BF.22	50	250	2,942	F3
WEISS PROFIL - WP5000	CODE			€	DC
	A48013.BA.22	50	500	2,942	F3

Immagine indicativa / *Sample image*

Anti-burglar for aluminium-wood

				€	DC
FRAME SEAT	CODE			€	DC
18/22/35 mm	A48013.05.22	50	250	2,353	F3
8+7 mm	A40017.04.13	50	500	1,876	F3

Strikers

Immagine indicativa / *Sample image*

Anti-burglar for European groove aluminium

AXIS		CODE			€	DC
9		A48013.DT.22	50	250	2,942	F3
	R groove	A48013.FA.22	50	250	2,942	F3
13		A48013.CP.22	50	250	2,942	F3

Anti-burglar for 16/12 groove

	CODE			€	DC
	A48013.19.22	50	250	2,942	F3

Strikers

Immagine indicatica / *Sample image*

Poseidon for aluminium-wood

GAP		FRAME SEAT	DIMENSIONS	CODE			€	DC
11		8+7 mm	18X182X7	W99610.04.13	20	20	5,643	G2
12		18/22/35 mm	18X180X8,5	W99610.05.13	20	20	5,643	G2
	4 screws	24/37 mm	24X216X8,5	F850CR.28.15	20	20	9,514	G2

Strikers

8 mm adjustable shootbolt striker for PVC

ALPHACAN - System In'Alpha 70, Prestigio, Luce	CODE			€	DC
	A48010.BF.05	50	50	1,415	F3
ALUPLAST - Ideal 2000	CODE			€	DC
	A48010.BF.05	50	50	1,415	F3
ALUPLAST - Ideal 4000/8000, Energeto	CODE			€	DC
	A48010.BF.05	50	50	1,415	F3
BRUGMANN - AD, MD	CODE			€	DC
	A48010.BF.05	50	50	1,415	F3
DECEUNINCK - Zendow, Zendow#neo, Elegance, Premiere	CODE			€	DC
	A48010.CD.05	50	50	1,415	F3
GARGIULO - Wingo AD 70, Wingo MD 80	CODE			€	DC
	A48010.BF.05	50	50	1,415	F3
GEALAN - 3000, 7000, 8000, 9000	CODE			€	DC
	A48010.DF.05	50	50	1,390	F3
INOUTIC - Elegante	CODE			€	DC
	A48010.CD.05	50	50	1,415	F3
ITALPLASTICK - Giotto	CODE			€	DC
	A48010.24.04	50	500	1,697	F3
ITALPLASTICK - Seven, Seven Plus	CODE			€	DC
	A48010.BF.05	50	50	1,415	F3
KBE - AD 70 mm, MD 70 mm, Select 70 mm, System 88 mm	CODE			€	DC
	A48010.BF.05	50	50	1,415	F3
KOMMERLING - AD 76, MD 76	CODE			€	DC
	A48010.BF.05	50	50	1,415	F3
KOMMERLING - Eurodur 3S, Eurofutur elegance, Eurofutur MD	CODE			€	DC
	A48010.BF.05	50	50	1,415	F3
REHAU - Geneo, Synego	CODE			€	DC
	A48010.BF.05	50	50	1,415	F3
REHAU - Piattaforma 70	CODE			€	DC
	A48010.BF.05	50	50	1,415	F3
SALAMANDER - 2D, 3D, Streamline	CODE			€	DC
	A48010.AZ.05	50	250	1,415	F3
SALAMANDER - bluEvolution 82	CODE			€	DC
	A48010.BF.05	50	50	1,415	F3
SALAMANDER - bluEvolution 92	CODE			€	DC
	A48010.BF.05	50	50	1,415	F3
SCHUCO - Corona SI 82, SI 82+, CT 70 MD, CT 70 AS	CODE			€	DC
	A48010.BF.05	50	50	1,415	F3
TROCAL - Innonova 70 A5, Innonova 70 M5	CODE			€	DC
	A48010.BA.05	50	50	1,697	F3
VEKA - Softline 70-76-82, Topline AD, Swingline, Alphaline 90	CODE			€	DC
	A48010.BF.05	50	50	1,415	F3
WEISS PROFIL - WP5000	CODE			€	DC
	A48010.BA.05	50	50	1,697	F3

Note: to be used with 8 mm shootbolt striker

9,5 mm adjustable shootbolt for PVC

REHAU - Geneo, Synego	CODE			€	DC
	F860FH.00.15	50	50	17,690	G2
REHAU - Piattaforma 70	CODE			€	DC
	F860FH.00.15	50	50	17,690	G2
VEKA - Softline 70-76-82, Topline AD, Swingline, Alphaline 90 - GREY	CODE			€	DC
	F860BF.00.15	50	50	17,690	G2
VEKA - Softline 70-76-82, Topline AD, Swingline, Alphaline 90 - BLACK	CODE			€	DC
	F860BF.00.93	50	50	17,690	G2

Strikers

Immagine indicativa / *Sample image*

9,5 mm adjustable shootbolt striker for PVC

	CODE			€	DC
BKV threshold - GREY					
	F860GD.04.15	50	50	17,690	G2
GKG threshold					
	F860FM.04.15	50	50	1,735	G2
REHAU threshold Piattaforma 70					
	F860GP.04.15	50	50	1,735	G2
SCHUCO LIVING threshold					
	F860MH.04.15	50	50	17,690	G2
UNITERMO threshold					
	F860ME.04.15	50	50	1,724	G2
VEKA threshold - GREY					
	F860BF.04.15	50	50	17,690	G2
VEKA threshold - BLACK					
	F860BF.04.93	50	50	17,690	G2

Immagine indicativa / *Sample image*

8 mm adjustable shootbolt striker for aluminium-wood

FRAME SEAT	H	CODE			€	DC
18/22/35 mm	8 mm	A48010.05.55	50	500	1,558	F3
	7 mm	A48010.05.57	50	500	1,531	F3
24/37 mm	8 mm	A48010.CR.54	50	500	1,668	F3
	7 mm	A48010.CR.57	50	500	1,668	F3
8+7 mm	6,6 mm	A40017.04.35	50	500	1,415	F3

Note: to the profile ALSISTEM-NATHURA 70, please couple the art. A48010.05.55 or A48010.05.57

Immagine indicativa / *Sample image*

9,5 mm adjustable shootbolt striker for aluminium-wood

FRAME SEAT	CODE			€	DC
18/22/35 mm	F85005.04.15	50	500	1,593	G2
24/37 mm	F850CR.05.15	20	20	4,599	G2

Immagine indicativa / *Sample image*

8 mm adjustable shootbolt for European groove aluminium

EUROPEAN GROOVE ALUMINIUM							
AXIS	GROOVE		CODE			€	DC
9	14x5	1 hole	A48010.DT.04	50	500	1,558	F3
13	14x5	2 holes	A48010.CP.05	50	500	1,558	F3
CUSTOMISED PROFILES							
AXIS	GROOVE		CODE			€	DC
9	10x5	1 hole	A48010.MU.04 ☎	50	500	1,558	F3
	13,5x5	1 hole	A48010.MR.04 ☎	50	500	1,558	F3
	R groove	1 hole	A48010.FA.05	50	500	1,558	F3
13	10x4,5	2 holes	A48010.MS.05 ☎	50	500	1,558	F3

Note: for axis 9 it is possible to use A48010.05.55 with the adapter A48901.BN.07, in order to have a 8 mm height striker

Immagine indicativa / *Sample image*

Adjustable push rod 9,5 mm for European groove aluminium

CUSTOMISED PROFILES							
AXIS	GROOVE		CODE			€	DC
9	13,5x5		F850MR.04.15	50	500	4,599	G2

Strikers

Components - threshold striker

ZAMAK						
FINISH	APPLICATION	CODE			€	DC
Black Powerage	1/2 sashes	F01696.00.93	50	500	3,068	G2
Silver Activeage	1/2 sashes	W01696.00.04	50	500	2,828	G2

Lever bolts for 16/12 eurogroove - 8 mm shootbolt

Upper and lower - 11÷17 mm adjustable throw

18 mm FACEPLATE						
LENGTH	GROOVE	CODE			€	DC
203	16/12	A40061.19.01	20	180	17,268	F3
300	16/12	A40061.19.02	20	180	17,866	F3

Note: to be used with 8 mm shootbolt striker

Upper - 11÷17 mm adjustable throw

18 mm FACEPLATE						
LENGTH	GROOVE	CODE			€	DC
360	16/12	A40064.19.01	20	120	22,403	F3
550	16/12	A40064.19.02	20	20	24,174	F3

Note: to be used with 8 mm shootbolt striker

Lever bolts for 16/12 eurogroove - 8 mm shootbolt

Lower bolt

GROOVE	CODE			€	DC
16/12	A40036.25.01	20	20	9,718	F3

Upper bolt

GROOVE	CODE			€	DC
16/12	A40036.25.02	20	20	8,758	F3

Roundbolts for 16/12 eurogroove - 9,5 mm throw

Upper and lower L135

	LENGTH	DIMENSIONS	GAP	AXIS	CODE			€	DC
1	135	135x18x9,5	12	9	FT8930.05.15	20	20	10,931	G2
2	135	135x22x9,5	12	13	FT8930.CR.15	20	20	10,931	G2

Lower/Upper for eurogroove 16/12

18 mm FACEPLATE

LENGTH	GROOVE	CODE			€	DC
200	16/12	W99704.19.01	20	20	16,531	G2
300	16/12	W99704.19.02	20	20	23,143	G2
400	16/12	W99704.19.03	20	20	33,304	G2

Upper and lower - adjustable throw

18 mm FACEPLATE

LENGTH	GROOVE	CODE			€	DC
200	16/12	W20067.19.01	20	180	17,954	G2
300	16/12	W20067.19.02	20	180	18,571	G2
400	16/12	W20067.19.03	20	20	19,182	G2
600	16/12	W20067.19.04	20	20	21,018	G2

Roundbolts for 16/12 eurogroove - 9,5 mm throw

Upper with roller cam striker - adjustable throw

18 mm FACEPLATE						
LENGTH	GROOVE	CODE			€	DC
360	16/12	W20068.19.01	20	20	23,286	G2
550	16/12	W20068.19.02	20	20	25,126	G2

Open, Close, Live

SLIDING SYSTEMS

MADE IN ITALY

i.MOTION-S

Layout i.MOTION-S	267
i.MOTION-S - Automation system for Lift&Slide	268

LIFT & SLIDE

Summary table for Lift&Slide XC - PVC	274
Summary table for Lift&Slide XC - Aluminum	276
Carriages kit XC	278
XC sash accessories	281
XC locking pin	284
XC extensions and locks	285
Pin kit	290
Supporting profiles for fixed sash	291
Adapters - anti-derailed	292
Top guides	293
Upper guides - accessories	293
Climatech threshold and accessories	294
Low cover threshold with thermal brake	306
Rails	307
Accessories	308
Vanishing Lift&Slide, mod. XC for Vekaslide - Eclisse	309
Squared handles	310
Curved handles	311
Accessories for handles	312
Jigs	313

LIGHT SLIDING SYSTEM

Light sliding for PVC	314
Carriages	315
Thresholds	316
Espagnolettes	317
Strikers	318
Accessories	318

DISCOVER ALL THE FUNCTIONS!

- Hardware calculation
- Interface with your management system
- Budgeting and orders
- Assistance and update

www.agb.it/4k

Lift & Slide - Operation and maintenance manual

Tips

Lift&Slide doors and windows have great advantages; they bring in a lot of daylight while taking up very little space. Windows and doors can be very heavy: the need for secure and quiet operation makes it important to pay close attention that the hardware is sufficiently strong and precise.

Sash Layout

Layout A

- 1 sliding sash
- 1 fixed sash

Layout B

- 2 inward sliding sashes

Layout C

-1 sliding central sash
- 2 fixed lateral sashes

Layout D

- 1 fixed central sash
- 2 inward sliding lateral sashes

Layout E

- 2 outward sliding coaxial central sashes
- 2 fixed sashes

Layout F

- 2 outward sliding coaxial central sashes
- 2 inward sliding lateral sashes

Layout G

- 2 adjacent sashes sliding in the same direction.

Note. For this type of layout the stationary sash can be positioned in the middle and the central sash can be locked in position using the ventilation striker.

Lift & Slide functions

CLOSED POSITION

OPEN POSITION

Lift & Slide - Operation and maintenance manual

Warnings

To prevent damage to the door or window:

Do not slam the sash against the frame.

Do not obstruct window opening and closing with foreign objects.

Do not place any body parts between the sash and frame (as this could result in injuries).

Pay attention when you move sash in presence of children.

Do not force anything: In case of a problem, check to see if there is misalignment or if something is obstructing the path of the moving parts.

Do not overload the door. The carriages can hold a maximum of 300 kg.

Perform periodic maintenance tasks.

Maintenance

To ensure hardware durability and performance, don't neglect proper maintenance tasks, including inspection of all mechanisms at least once a year:

Check for correct movement. Any adjustments for correct door or window operation must be performed by qualified personnel.

Check the fasteners and hardware for wear.

Avoid using products that could compromise the corrosion protection properties of the hardware.

Lubricate all moving parts with grease: pivots, carriages, slots.

Remove any dirt that may have collected in the water drains on the tracks.

Lift & Slide - Operation and maintenance manual

Handle operation

For safety reasons, also when the door is open set the handle to the closing position **A**.

Do not slide the door with handle 90° position.

FAQ

Problem	Things to check	Solution
The sash does not slide properly	Check for any foreign objects that may be obstructing correct sliding action along the track.	Remove any foreign objects from the track.
	The carriage has to come off the track centre.	Contact specialised personnel to repair the door or window.
Gasket out of position	The gasket may drag against the track, causing clear signs of wear.	Remove the sash and replace the gasket.
Opening or closing difficulties	Check that the handle operates properly.	Contact specialised personnel to replace handle.
	Check that the closing pivots and slots are properly aligned.	Contact specialised personnel to make the required hardware adjustments.
	Check the closing pivots settings.	Contact specialised personnel to repair the door or window.
	Check the sash movement: the sash goes up only on the handle side and it inclines itself.	Contact specialised personnel to repair the door or window.

Automation system for lift&slide

The installation is simple and the system is highly efficient onwards. Thanks to the power of its motor, i.Motion-S is the perfect solution to move sashes with great dimensions.

DISCOVER MORE!

Comfortable and silent when working

Up to 440 kg for any carriage set

Compatible with smart home and access control systems

www.agb.it

Layout i.MOTION-S

Plug & Play: 1, 2, 3... Go!

AGB offers a complete kit for motorised Lift&Slide, composed by 3 components with plug and play system. Logistical and installation simplicity are guaranteed: a great starting point!

1	Motorised XC lock with hooks Motorised XC lock with pins
2	Motorised transom
3	Power supply
4	Brackets kit
5	Remote control
6	Push-button panel

i.MOTION-S - Automation system for Lift&Slide

1) Motorised lock for XC L&S with pins

ALUMINIUM SILVER						
BACKSET	SH	CODE			€	DC
27,5 mm	1775-2150	GM4027.03.01	1	1	r.	H4
	1925-2400	GM4027.04.01	1	1	r.	H4
	2401-2750	GM4027.05.01 ☎	1	1	r.	H4
37,5 mm	1775-2150	GM4037.03.01	1	1	r.	H4
	1925-2400	GM4037.04.01	1	1	r.	H4
	2401-2750	GM4037.05.01 ☎	1	1	r.	H4

ALUMINIUM BLACK						
BACKSET	SH	CODE			€	DC
27,5 mm	1775-2150	GM4027.03.02	1	1	r.	H4
	1925-2400	GM4027.04.02	1	1	r.	H4
	2401-2750	GM4027.05.02 ☎	1	1	r.	H4
37,5 mm	1775-2150	GM4037.03.02	1	1	r.	H4
	1925-2400	GM4037.04.02	1	1	r.	H4
	2401-2750	GM4037.05.02 ☎	1	1	r.	H4

Note: if you are using the upper guide 22x22 with code G01002.XX.XX, the application fields are reduced by 10 mm

2) Motorised lock for XC L&S with hooks

ALUMINIUM SILVER						
BACKSET	SH	CODE			€	DC
27,5 mm	1775-2150	GM3927.03.01	1	1	r.	H4
	1925-2400	GM3927.04.01	1	1	r.	H4
	2401-2750	GM3927.05.01 ☎	1	1	r.	H4
37,5 mm	1775-2150	GM3937.03.01	1	1	r.	H4
	1925-2400	GM3937.04.01	1	1	r.	H4
	2401-2750	GM3937.05.01 ☎	1	1	r.	H4

ALUMINIUM BLACK						
BACKSET	SH	CODE			€	DC
27,5 mm	1775-2150	GM3927.03.02	1	1	r.	H4
	1925-2400	GM3927.04.02	1	1	r.	H4
	2401-2750	GM3927.05.02 ☎	1	1	r.	H4
37,5 mm	1775-2150	GM3937.03.02	1	1	r.	H4
	1925-2400	GM3937.04.02	1	1	r.	H4
	2401-2750	GM3937.05.02 ☎	1	1	r.	H4

Note: if you use the upper guide 22x22 with code G01002.XX.XX, the application fields are reduced by 10 mm

i.MOTION-S - Automation system for Lift&Slide

Motorised transom

SINGLE SASH - LAYOUT A							
CAPACITY	STROKE	DIMENSIONS	CODE			€	DC
Up to 600 kg	up to 1400	2174	G0510S.01.01	1	1	r.	H4
	up to 2000	2774	G0510S.02.01	1	1	r.	H4
	up to 3200	3974	G0510S.03.01	1	1	r.	H4
Up to 1000 kg	up to 4000	4974	G051MS.01.01	1	1	r.	H4
	up to 5000	5974	G051MS.02.01	1	1	r.	H4

COAXIAL SASHES - LAYOUT E							
CAPACITY	STROKE	DIMENSIONS	CODE			€	DC
Up to 600 kg	up to 1500+1500	3974	G0510X.01.01	1	1	r.	H4
	up to 2000+2000	4974	G0510X.02.01	1	1	r.	H4
Up to 1000 kg	up to 1400+1400	3974	G051MX.01.01	1	1	r.	H4
	up to 1900+1900	4974	G051MX.02.01	1	1	r.	H4
	up to 2400+2400	5974	G051MX.03.01	1	1	r.	H4

Power supply

CABLE LENGTH		CODE			€	DC
5000 mm		G05901.00.00	1	1	r.	H4
	for beam, 1000 kg capacity	G05901.01.00 ☎	1	1	r.	H4

Brackets kit

APPLICATION	CODE			€	DC
Single sash - Layout A	G05902.00.00	1	1	r.	H4
Coaxial sashes - Layout E	G05902.01.00	1	1	r.	H4

i.MOTION-S - Automation system for Lift&Slide

Remote control

APPLICATION	CODE			€	DC
For first setup	G05903.00.00	1	1	r.	H4

Push-button panel

	CODE			€	DC
Two buttons	G05904.00.00	1	1	r.	H4

Radar

	CODE			€	DC
	G05905.00.00	1	1	r.	H4

Even available the kit for the sash lifting if the sliding motor is not required.

Pad battery

	CODE			€	DC
	G05911.00.00 ☎	1	1	r.	H4

Note: to be used in applications with irregular power voltage

CLIMA**ZERO** SYSTEM

Just using a few additional components, the Climatech threshold becomes coplanar with internal and external floor.

DISCOVER MORE!

Coplanarity

Comfort

Easy to walk through

Design

www.agb.it

CLIMA**ZERO** SYSTEM

Flush to the internal and external floor

Easy to walk on

Specific component to be coupled to standard Climatech threshold

Beauty and comfort

With a few additional components, the Climatech threshold becomes coplanar with internal and external floor, ensuring the greatest design and a good walkability through the rooms.

ClimaZero helps the flow of rain water from the Climatech threshold to outside.

Summary table for Lift&Slide XC - PVC

		CONFIGURATION	Basket lock	Carriage	Lock adapter	Carriage adapter (jamb)	Carriage adapter (transom)
ALPHACAN	HST Vision	Producer threshold	G04037.0X.0X	G04104.00.00	G02121.25.93	-	-
		Low rail					G02123.06.93
		Climatech threshold					
ALUPLAST	HST 70	Producer threshold	G04037.0X.0X	G04104.00.00	-	G02135.27.93	-
		Low rail					G02123.16.93
		Threshold with thermal cut					G02123.18.93
		Climatech threshold					G02123.16.93
	HST 85	Producer threshold	G04037.0X.0X	G04104.00.00	-	G02135.29.93	-
		Climatech threshold					G02123.16.93
DECEUNINCK	HS76	Producer threshold	G04037.0X.0X	G04104.00.00	G02121.23.93	-	-
		Climatech threshold					G02123.16.93
	Inoutic HS476	Producer threshold	GD4037.0X.0X	G04104.00.00	-	G02121.20.93	-
GEALAN	8000	Producer threshold	G04037.0X.0X	G04104.00.00	G02121.30.93	-	-
		Low rail					G02123.18.93
		Climatech threshold					
	9000	Producer threshold	G04037.0X.0X	G04104.00.00	-	G02135.32.93	-
		Climatech threshold		G04104.HP.00			G02123.21.93
ITALPLASTICK	KORON	Producer threshold	G04037.0X.0X	G04104.00.00	G02121.25.93	-	-
		Low rail					G02123.11.93
PROFINE	PREMIDOOR 70	Producer threshold	G04037.0X.0X	G04104.00.00	-	G02135.27.93	-
		Low rail					G02123.16.93
		Climatech threshold		G04104.HP.00			G02123.16.93
	PREMIDOOR 76 Support V372	Producer threshold	G04037.0X.0X	G04104.HP.00	-	G02135.27.93	-
		Climatech threshold					
	PREMIDOOR 88	Producer threshold	G04037.0X.0X	G04104.00.00	-	G02135.27.93	-
REHAU	BRILLANT DESIGN	Producer threshold	G04037.0X.0X	G04104.00.00	G02121.35.93	-	G02123.13.93
		Low rail					G02123.25.93
	SYNEGO	Producer threshold	G04037.0X.0X	G04104.00.00	-	-	-
		Climatech threshold		G04104.HP.00			G02123.12.93
SALAMANDER	ED 82	Producer threshold	G04037.0X.0X	G04104.HP.00	-	G02135.31.93	G02123.21.93
		Climatech threshold					
	ID 70	Producer threshold	G04037.0X.0X	G04104.00.00	G02121.30.93	-	-
		Low rail					G02123.20.93
		Climatech threshold					
SCHUCO	CORONA CT 70	Producer threshold	G04037.0X.0X	G04104.00.00	G02121.25.93	-	-
		Low rail					G02123.11.93
	LivingSlide 82	Producer threshold	G04037.0X.0X	G04104.00.00	-	G02135.24.93	G02123.06.93
		Climatech threshold					G02123.10.93
	LivingSlide 82 Evolution	Producer threshold	G04027.0X.0X	G04109.MX.00	-	G02121.10.93	-
		Climatech threshold					
	THERMO SLIDE SI 82	Producer threshold	G04037.0X.0X	G04104.00.00	G02121.30.93	-	G02123.06.93
VEKA	VEKASLIDE 70	Producer threshold	G04027.0X.0X	G04104.00.00	G02121.25.93	-	-
		Climatech threshold					G02123.06.93
		Low rail					
		Eclisse					
	VEKASLIDE 82	Producer threshold	G04027.0X.0X	G04104.00.00	G02121.25.93	-	-
		Climatech threshold					G02123.06.93
		Low rail					
	VEKAMOTION 82	Producer threshold	G04027.0X.0X	G04109.00.00	G02121.08.93	G021NA.03.93	-
		Climatech threshold					

Summary table for Lift&Slide XC - PVC

		CONFIGURATION	Pin	Pin in ventilation position	NOTES
ALPHACAN	HST Vision	Producer threshold Low rail Climatech threshold	G00913.01.00	G00915.01.00	
ALUPLAST	HST 70	Producer threshold Low rail Threshold with thermal cut Climatech threshold	G00913.06.00	G00915.06.00	
	HST 85	Producer threshold Climatech threshold	G00913.05.00	G00915.05.00	
DECEUNINCK	HS76	Producer threshold Climatech threshold	G00913.08.00	G00915.08.00	
	Inoutic HS476	Producer threshold	G00913.09.00	G00915.09.00	
GEALAN	8000	Producer threshold Low rail Climatech threshold	G00913.04.00	G00915.04.00	
	9000	Producer threshold Climatech threshold	G00913.04.00	G00915.04.00	
ITALPLASTICK	KORON	Producer threshold Low rail	G00913.01.00	G00915.01.00	
PROFINE	PREMIDOOR 70	Producer threshold Low rail Climatech threshold	G00913.05.00	G00915.05.00	
	PREMIDOOR 76 Support V372	Producer threshold Climatech threshold	G00913.05.00	G00915.05.00	
	PREMIDOOR 88	Producer threshold	G00913.05.00	G00915.05.00	
REHAU	BRILLANT DESIGN	Producer threshold Low rail	G00913.12.00	G00915.12.00	
	SYNEGO	Producer threshold Climatech threshold	G00913.04.00	G00915.04.00	
SALAMANDER	ED 82	Producer threshold Climatech threshold	G00913.05.00	G00915.05.00	
	ID 70	Producer threshold Low rail Climatech threshold	G00913.04.00	G00915.04.00	
SCHUCO	CORONA CT 70	Producer threshold Low rail	G00913.01.00	G00915.01.00	
	LivingSlide 82	Producer threshold Climatech threshold	G00913.05.00	G00915.05.00	
	LivingSlide 82 Evolution	Producer threshold Climatech threshold	G00913.05.00	G00915.05.00	
	THERMO SLIDE SI 82	Producer threshold	G00913.04.00	G00915.04.00	
VEKA	VEKASLIDE 70	Producer threshold Climatech threshold Low rail Eclisse	G00913.07.00	G00915.07.00	
	VEKASLIDE 82	Producer threshold Climatech threshold Low rail	G00913.07.00	G00915.07.00	
	VEKAMOTION 82	Producer threshold Climatech threshold	G00913.02.00	G00915.02.00	

Summary table for Lift&Slide XC - Aluminum

		CONFIGURATION	Basket lock	Carriage	Lock adapter	Carriage adapter (jamb)	Carriage adapter (transom)
ALL.CO	HT 160S	Producer threshold	G04037.0X.0X	G04104.00.00	G02121.18.93	-	-
AL SISTEM	Top Slide 160	Producer threshold	G04037.0X.0X	G04104.00.00	G02121.18.93	-	-
	Top Slide Wood 214	Producer threshold	G04037.0X.0X	G04104.00.00	G02121.18.93	-	-
ALUMIL	S560 - 300 kg	Producer threshold	G04027.0X.0X	G04104.00.00	G02121.06.93	-	-
EKU	170 AS TT	Producer threshold	G04037.0X.0X	G04104.00.00	G02121.25.93	-	G02123.20.93
	TT AS / WOODA RT TT AS	Producer threshold	G04037.0X.0X	G04104.00.00	G02121.32.93	-	-
ELVIAL	6800 S	Producer threshold	G04037.0X.0X	G04104.00.00	G02121.10.93	-	-
ETA	1300 TT	Producer threshold	G04037.0X.0X	G04104.00.00	Use their profile TP25	Use their profile TP25	Use their profile TP25
	1800W	Producer threshold	G04037.0X.0X	G04104.00.00	G02121.21.93	-	-
ETEM	E3000	Producer threshold	G04037.0X.0X	G04104.00.00	G02121.23.93	-	-
EVEREST	92000	Producer threshold	G04027.0X.0X	G04104.00.00	G02121.16.93	-	-
GEAL	HP Slick 160	Producer threshold	G04027.0X.0X	G04104.00.00	G02121.21.93	-	-
HYDRO	DOMAL SLIDE PA 160	Producer threshold	G04027.0X.0X	G04104.00.00	G02121.21.93	-	G02123.10.93
	DOMAL SLIDE PA 180	Producer threshold	G04027.0X.0X	G04104.00.00	G02121.21.93	-	-
	DOMAL WOOD SLIDE PA 180	Producer threshold	G04027.0X.0X	G04104.00.00	G02121.21.93	-	-
INDINVEST	Dogma DAS	Producer threshold	G04027.0X.0X	G04104.00.00	G02121.25.93	-	G02123.10.93
METRA	NC 150 STH	Producer threshold	G04037.0X.0X	G04104.DN.00	G02121.19.93	-	-
PROAL	SSI 128	Producer threshold	G04037.0X.0X	G04104.00.00	G02121.20.93	-	-

Summary table for Lift&Slide XC - Aluminum

		CONFIGURATION	Pin	Pin in ventilation position	NOTES
ALL.CO	HT 160S	Producer threshold	G00913.02.00	G00915.02.00	
AL SISTEM	Top Slide 160	Producer threshold	G00913.04.00	G00915.04.00	
	Top Slide Wood 214	Producer threshold	G00913.05.00	G00915.05.00	
ALUMIL	S560 - 300 kg	Producer threshold	G00913.04.00	G00915.04.00	
EKU	170 AS TT	Producer threshold	G00913.06.00	G00915.06.00	
	TT AS / WOODA RT TT AS	Producer threshold	G00913.00.00	G00915.00.00	
ELVIAL	6800 S	Producer threshold	G00913.08.00	G00915.08.00	
ETA	1300 TT	Producer threshold	G00913.01.00	G00915.01.00	
	1800W	Producer threshold	G00913.00.00	G00915.00.00	
ETEM	E3000	Producer threshold	G00913.12.00	G00915.12.00	
EVEREST	92000	Producer threshold	G00913.04.00	G00915.04.00	
GEAL	HP Slick 160	Producer threshold	G00913.02.00	G00915.02.00	
HYDRO	DOMAL SLIDE PA 160	Producer threshold	G00913.10.00	G00915.10.00	
	DOMAL SLIDE PA 180	Producer threshold	G00913.11.00	G00915.11.00	
	DOMAL WOOD SLIDE PA 180	Producer threshold	G00913.11.00	G00915.11.00	
INDINVEST	Dogma DAS	Producer threshold	G00913.03.00	G00915.03.00	
METRA	NC 150 STH	Producer threshold	G00913.02.00 *	G00915.02.00 *	* To be used with the adapter provided by Metra.
PROAL	SSI 128	Producer threshold	G00913.00.00	G00915.00.00	

Carriages kit XC

Carriages kit, 330 kg

STANDARD					
	CODE			€	DC
	G04104.00.00	1	1	138,828	H1

WITH ADJUSTABLE REAR CARRIAGE					
	CODE			€	DC
	G04114.00.00	1	1	164,793	H1

Supplementary carriages kit, 440 kg

	CODE			€	DC
	G04108.00.00	1	1	125,702	H1

Note: if necessary, please order the rail adapter of transom side separately

Carriages kit for L&S 330 kg, raised lever

STANDARD					
	CODE			€	DC
	G04104.HP.00	1	1	159,249	H1

WITH ADJUSTABLE REAR CARRIAGE					
	CODE			€	DC
	G04114.HP.00 ☎	1	1	184,359	H1

Note: positioning of fastening for raised lever. Please make reference to the installation manual

Supplementary carriages kit for 440 kg, raised lever

	CODE			€	DC
	G04108.HP.00	1	1	146,126	H1

Note: positioning of fastening for raised lever. Please make reference to the installation manual.
Note: if necessary, please order the rail adapter of transom side separately

330 kg carriages kit for V130° rail

STANDARD					
	CODE			€	DC
	G04104.DN.00 ☎	1	1	151,013	H1

WITH ADJUSTABLE REAR CARRIAGE					
	CODE			€	DC
	G04114.DN.00 ☎	1	1	178,864	H1

Supplementary carriages kit 440 kg for V130° rail

	CODE			€	DC
	G04108.DN.00 ☎	1	1	139,152	H1

Note: if necessary, please order the rail adapter of transom side separately

Carriages kit XC

S-Line carriages kit 250 kg

STANDARD					
	CODE			€	DC
	G04109.00.00	1	1	135,751	H1

WITH ADJUSTABLE REAR CARRIAGE					
	CODE			€	DC
	G04115.00.00	1	1	161,718	H1

Note: the carriages kit includes the adapters for 22/18 mm and 22 mm millings

S-Line supplementary carriages kit 400 kg

	CODE			€	DC
	G04110.00.00	1	1	134,091	H1

Note: the carriages kit includes the adapters for 22/18 mm and 22 mm millings

S-Line carriages kit 250 kg - Lowered connecting rod

	CODE			€	DC
	G04109.MX.00	1	1	152,034	H1

S-Line carriages kit 400 kg - Lowered connecting rod

	CODE			€	DC
	G04110.MX.00	1	1	151,108	H1

S-Line carriages kit 250 kg for rail V130°

STANDARD					
	CODE			€	DC
	G04109.DN.00	1	1	150,259	H1

WITH ADJUSTABLE REAR CARRIAGE					
	CODE			€	DC
	G04115.DN.00 ☎	1	1	161,718	H1

Note: the carriages kit includes the adapters for 22/18 mm and 22 mm millings

S-Line carriages kit 400 kg for rail V130°

	CODE			€	DC
	G04110.DN.00	1	1	149,014	H1

Note: the carriages kit includes the adapters for 22/18 mm and 22 mm millings

Brush for XC and XC S-Line carriages

BLACK					
DIMENSIONS	CODE			€	DC
1600 mm	G02002.16.00	5	5	1,895	H1

Carriages kit XC

Connecting rod

L	SRW 300 KG	SRW 400 KG	CODE			€	DC
1000	1740	2340	G04601.00.01	10	10	2,814	H1
1400	2140	2740	G04601.00.02	10	10	3,642	H1
1800	2540	3140	G04601.00.03	10	10	4,390	H1
2700	3440		G04601.00.04	10	10	6,614	H1

Connecting rod guide

	CODE			€	DC
1) XC	G05103.00.93	20	20	8,891	H1
2) XC S-Line	G05105.00.93	20	20	8,891	H1

Cap, support and brake

XC					
	CODE			€	DC
Standard rail	G01437.00.86	20	200 ✔	3,159	H1
V130° rail	G01437.DN.86	20	200 ✔	3,159	H1
XC S-Line					
	CODE			€	DC
Standard rail	G02142.00.86	20	200 ✔	2,651	H1

XC sash accessories

Immagine indicativa / Sample image

Basic kit for PVC

ALPHACAN - HST Vision (Low rail)	CODE			€	DC
	G021DV.01.93	1	1	71,346	H1
ALPHACAN - HST Vision (Climatech threshold)	CODE			€	DC
	G021DV.03.93	1	1	50,961	H1
ALPHACAN - HST Vision (PVC producer threshold)	CODE			€	DC
	G021ER.00.93	1	1	34,717	H1
ALUPLAST - 70 (Low rail)	CODE			€	DC
	G021BA.01.93	1	1	108,403	H1
ALUPLAST - 70 (Climatech threshold)	CODE			€	DC
	G021BA.03.93	1	1	102,292	H1
ALUPLAST - 70 (PVC producer threshold)	CODE			€	DC
	G021BA.00.93	1	1	93,432	H1
ALUPLAST - 70 (aluminium threshold with thermal brake)	CODE			€	DC
	G021BA.02.93	1	1	108,501	H1
ALUPLAST - HST 85 (Climatech threshold)	CODE			€	DC
	G021GF.03.93	1	1	26,596	H1
ALUPLAST - HST 85 (PVC producer threshold)	CODE			€	DC
	G021GF.00.93	1	1	10,353	H1
DECEUNINCK - HS76 (Climatech threshold)	CODE			€	DC
	G021GE.03.93	1	1	107,948	H1
DECEUNINCK - HS76 (PVC producer threshold)	CODE			€	DC
	G021GE.00.93	1	1	91,704	H1
DECEUNINCK INOUTIC - HS476 (PVC producer threshold)	CODE			€	DC
•	G021NH.00.93	1	1	16,246	H1
GEALAN - 8000 (Low rail - Layout A, Climatech threshold)	CODE			€	DC
	G021ET.01.93	1	1	128,682	H1
GEALAN - 8000 (Low rail - Layout B, Climatech threshold)	CODE			€	DC
	G021ET.03.93	1	1	123,619	H1
GEALAN - 8000 (PVC producer threshold)	CODE			€	DC
	G021AZ.00.93	1	1	110,225	H1
GEALAN - 9000 (Climatech threshold)	CODE			€	DC
	G021HP.03.93	1	1	26,596	H1
GEALAN - 9000 (PVC producer threshold)	CODE			€	DC
	G021HP.00.93	1	1	10,353	H1
ITALPLASTICK (Low rail)	CODE			€	DC
	G021DX.00.93	1	1	50,961	H1
ITALPLASTICK (PVC producer threshold)	CODE			€	DC
	G021ER.00.93	1	1	34,717	H1
PROFINE - Premidoor 76 (Climatech/PVC producer threshold)	CODE			€	DC
Reinforce V372	G021HU.00.93	1	1	54,093	H1
PROFINE - Premidoor 70 (Low rail)	CODE			€	DC
	G021BA.01.93	1	1	108,403	H1
PROFINE - Premidoor 70 (Climatech threshold)	CODE			€	DC
	G021BA.03.93	1	1	102,292	H1
PROFINE - Premidoor 70 (PVC producer threshold)	CODE			€	DC
	G021BA.00.93	1	1	93,432	H1
REHAU - Synego (Climatech threshold)	CODE			€	DC
	G021MC.03.93	1	1	24,367	H1
REHAU - Synego (PVC producer threshold - 10 mm rail)	CODE			€	DC
	G021MC.00.93	1	1	14,948	H1
REHAU - Brillant Design (Low rail)	CODE			€	DC
	G021EM.01.93	1	1	128,682	H1
REHAU - Brillant Design (PVC producer threshold)	CODE			€	DC
	G021EM.00.93	1	1	126,469	H1
SALAMANDER - ED (Climatech/PVC producer threshold)	CODE			€	DC
	G021MB.03.93	1	1	140,524	H1

XC sash accessories

SALAMANDER - ID (Low rail)	CODE				€	DC
	G021AZ.01.93		1	1	128,682	H1
SALAMANDER - ID (Climatech threshold)	CODE				€	DC
	G021AZ.03.93		1	1	61,817	H1
SALAMANDER - ID (PVC producer threshold)	CODE				€	DC
	G021AZ.00.93		1	1	110,225	H1
SCHUCO - Corona CT 70 HS (Low rail)	CODE				€	DC
	G021DX.00.93		1	1	50,961	H1
SCHUCO - Corona CT 70 HS (PVC producer threshold)	CODE				€	DC
	G021ER.00.93		1	1	34,717	H1
SCHUCO - LivingSlide 82 (Climatech threshold)	CODE				€	DC
	G021MY.03.93		1	1	24,369	H1
SCHUCO - LivingSlide 82 (PVC producer threshold)	CODE				€	DC
	G021MY.00.93		1	1	24,367	H1
SCHUCO - LivingSlide 82 Evolution (soglia gammista/Climatech)	CODE				€	DC
	G021NM.00.93	•	1	1	r.	H1
VEKA - VEKAMOTION 82 (Climatech/PVC producer threshold)	CODE				€	DC
	G021NA.03.93		1	1	41,870	H1
VEKA - VEKASLIDE 70/82 (Low rail)	CODE				€	DC
	G021ER.01.93		1	1	57,153	H1
VEKA - VEKASLIDE 70/82 (Climatech/PVC producer threshold)	CODE				€	DC
	G021ER.00.93		1	1	34,717	H1

Immagine indicativa / Sample image

Basic kit for aluminium

EKU TT (PVC producer threshold)	CODE				€	DC
	G021CT.00.93		1	1	69,012	H1
ETA AS 1800 (PVC producer threshold)	CODE				€	DC
	G021HB.00.93		1	1	72,569	H1
HYDRO DOMAL PA 180	CODE				€	DC
	G021ED.00.93		1	1	34,717	H1

XC sash accessories

Lock/carriage adapter of jamb side

X	CODE				€	DC
5 mm	G02121.05.93		20	20	8,123	H1
7 mm	G02121.07.93		20	20	8,123	H1
8 mm	G02121.08.93		20	20	8,123	H1
10 mm	G02121.10.93		20	20	8,123	H1
11 mm	G02121.11.93		20	20	8,123	H1
12 mm	G02121.12.93		20	20	8,123	H1
13 mm	G02121.13.93		20	20	8,123	H1
14 mm	G02121.14.93		20	20	8,123	H1
15 mm	G02121.15.93		20	20	8,123	H1
16 mm	G02121.16.93		20	20	8,123	H1
17 mm	G02121.17.93	•	20	20	8,122	H1
18 mm	G02121.18.93		20	20	8,123	H1
19 mm	G02121.19.93		20	20	8,123	H1
20 mm	G02121.20.93		20	20	8,123	H1
21 mm	G02121.21.93		20	20	8,123	H1
22 mm	G02121.22.93		20	20	8,123	H1
23 mm	G02121.23.93		20	20	8,123	H1
25 mm	G02121.25.93		20	20	8,123	H1
30 mm	G02121.30.93		20	20	8,123	H1
32 mm	G02121.32.93		20	20	8,123	H1

Note: please refer to the table at the beginning of the chapter for the code choice

Carriage adapter

1) JAMB

X	CODE				€	DC
24 mm	G02135.24.93		10	10	8,123	H1
27 mm	G02135.27.93		10	10	8,123	H1
29 mm	G02135.29.93		10	10	8,123	H1
31 mm	G02135.31.93		10	10	8,123	H1
32 mm	G02135.32.93		10	10	8,123	H1
35 mm	G02135.35.93		10	10	8,123	H1

2) TRANSOM

X	CODE				€	DC
3 mm	G02123.06.93		10	10	8,123	H1
4 mm	G02123.08.93		10	10	8,123	H1
5 mm	G02123.10.93		10	10	8,123	H1
5,5 mm	G02123.11.93		10	10	8,123	H1
6 mm	G02123.12.93		10	10	8,123	H1
6,5 mm	G02123.13.93		10	10	8,123	H1
8 mm	G02123.16.93		10	10	8,123	H1
9 mm	G02123.18.93		10	10	8,123	H1
10 mm	G02123.20.93		10	10	8,123	H1
10,5 mm	G02123.21.93		10	10	8,123	H1
12,5 mm	G02123.25.93		10	10	8,123	H1

Note: please refer to the table at the beginning of the chapter for the code choice

XC locking pin

For PVC

X	CODE				€	DC
4 mm	G00913.00.00	20	200	✔	4,045	H1
5 mm	G00913.01.00	20	200	✔	4,045	H1
6 mm	G00913.02.00	20	200	✔	4,045	H1
7 mm	G00913.03.00	20	200	✔	4,045	H1
8 mm	G00913.04.00	20	200	✔	4,045	H1
9 mm	G00913.05.00	20	200	✔	4,045	H1
10 mm	G00913.06.00	20	200	✔	4,045	H1
11 mm	G00913.07.00	20	200	✔	4,045	H1
12 mm	G00913.08.00	20	200	✔	4,045	H1
13 mm	G00913.09.00	20	200	✔	4,045	H1
14 mm	G00913.10.00	20	200	✔	4,045	H1
15 mm	G00913.11.00	20	200	✔	4,045	H1
16 mm	G00913.12.00	20	200	✔	4,045	H1

Note: for pin choice, please make reference to the installation manual.
Note: please refer to the table at the beginning of the chapter for the code choice

For PVC, in microventilation

X	CODE				€	DC
4 mm	G00915.00.00	20	200	✔	17,542	H1
5 mm	G00915.01.00	20	200	✔	17,542	H1
6 mm	G00915.02.00	20	200	✔	17,542	H1
7 mm	G00915.03.00	20	200	✔	17,542	H1
8 mm	G00915.04.00	20	200	✔	17,542	H1
9 mm	G00915.05.00	20	200	✔	17,542	H1
10 mm	G00915.06.00	20	200	✔	17,542	H1
11 mm	G00915.07.00	20	200	✔	17,542	H1
12 mm	G00915.08.00	20	200	✔	17,542	H1
13 mm	G00915.09.00	20	200	✔	17,542	H1
14 mm	G00915.10.00	20	200	✔	17,542	H1
15 mm	G00915.11.00	20	200	✔	17,542	H1
16 mm	G00915.12.00	20	200	✔	17,542	H1

Note: please refer to the table at the beginning of the chapter for the code choice

Adapter for pin adjustment

THICK.	CODE			€	DC
1 mm	G00916.00.00	50	50	1,504	H1

Adapters kit for coaxial sashes pin

	CODE			€	DC
	G00917.00.00	1	20	6,154	H1

XC extensions and locks

XC pins lock

ALUMINIUM SILVER							
BACKSET	SRH	HANDLE H	CODE			€	DC
27.5	800-1200	400	G04027.01.01	1	1	72,565	H1
	1170-1800	400	G04027.02.01	1	1	83,656	H1
	1770-2150	1000	G04027.03.01	1	1	92,876	H1
	1920-2400	1000	G04027.04.01	1	1	97,357	H1
	2401-2750	1000	G04027.05.01	1	1	102,008	H1
ALUMINIUM BLACK							
BACKSET	SRH	HANDLE H	CODE			€	DC
27.5	800-1200	400	G04027.01.02	1	1	74,749	H1
	1170-1800	400	G04027.02.02	1	1	87,304	H1
	1770-2150	1000	G04027.03.02	1	1	96,909	H1
	1920-2400	1000	G04027.04.02	1	1	101,329	H1
	2401-2750	1000	G04027.05.02	1	1	105,981	H1
ALUMINIUM SILVER							
BACKSET	SRH	HANDLE H	CODE			€	DC
37.5	800-1200	400	G04037.01.01	1	1	73,406	H1
	1170-1800	400	G04037.02.01	1	1	84,547	H1
	1770-2150	1000	G04037.03.01	1	1	93,836	H1
	1920-2400	1000	G04037.04.01	1	1	98,252	H1
	2401-2750	1000	G04037.05.01	1	1	102,905	H1
ALUMINIUM BLACK							
BACKSET	SRH	HANDLE H	CODE			€	DC
37.5	800-1200	400	G04037.01.02	1	1	75,584	H1
	1170-1800	400	G04037.02.02	1	1	88,201	H1
	1770-2150	1000	G04037.03.02	1	1	97,805	H1
	1920-2400	1000	G04037.04.02	1	1	102,225	H1
	2401-2750	1000	G04037.05.02	1	1	106,876	H1

XC pins lock 22x17

ALUMINIUM SILVER							
BACKSET	SRH	HANDLE H	CODE			€	DC
37.5	800-1200	400	• GD4037.01.01	1	1	110,813	H1
	1170-1800	400	• GD4037.02.01	1	1	121,954	H1
	1770-2150	1000	• GD4037.03.01	1	1	131,243	H1
	1920-2400	1000	• GD4037.04.01	1	1	135,659	H1
	2401-2750	1000	• GD4037.05.01	1	1	140,312	H1

XC extensions and locks

XC hook lock

ALUMINIUM SILVER							
BACKSET	SRH	HANDLE H	CODE			€	DC
27.5	1775-2150	1000	G03927.03.01	1	1	159,048	H1
	1925-2400	1000	G03927.04.01	1	1	163,511	H1
	2325-2750	1000	G03927.05.01	1	1	168,446	H1
ALUMINIUM BLACK							
BACKSET	SRH	HANDLE H	CODE			€	DC
27.5	1775-2150	1000	G03927.03.02	1	1	163,433	H1
	1925-2400	1000	G03927.04.02	1	1	167,576	H1
	2325-2750	1000	G03927.05.02	1	1	172,620	H1
ALUMINIUM SILVER							
BACKSET	SRH	HANDLE H	CODE			€	DC
37.5	1775-2150	1000	G03937.03.01	1	1	159,801	H1
	1925-2400	1000	G03937.04.01	1	1	164,575	H1
	2325-2750	1000	G03937.05.01	1	1	168,846	H1
ALUMINIUM BLACK							
BACKSET	SRH	HANDLE H	CODE			€	DC
37.5	1775-2150	1000	G03937.03.02	1	1	164,538	H1
	1925-2400	1000	G03937.04.02	1	1	168,805	H1
	2325-2750	1000	G03937.05.02	1	1	173,583	H1

XC extensions and locks

Hooks lock for second sash

ALUMINIUM SILVER							
BACKSET	SRH	HANDLE H	CODE			€	DC
27.5	1775-2150	1000	GR3927.03.01	1	1	97,798	H1
	1925-2400	1000	GR3927.04.01	1	1	102,518	H1
	2325-2750	1000	GR3927.05.01	1	1	107,416	H1
37.5	1775-2150	1000	GR3937.03.01	1	1	98,777	H1
	1925-2400	1000	GR3937.04.01	1	1	103,544	H1
	2325-2750	1000	GR3937.05.01	1	1	108,490	H1

Additional hook kit

	CODE			€	DC
	G05008.00.00	1	1	39,566	H1

Microventilation additional hook kit

	CODE			€	DC
	G05010.00.00	1	1	49,510	H1

XC extensions and locks

Extensions

ALUMINIUM SILVER							
DIMENSIONS			CODE			€	DC
1) 500 mm	Pins extension		G04401.01.01	1	1	31,366	H1
2) 500 mm	Hooks extension		G04600.01.01	1	1	72,039	H1
3) 1000 mm	Covering profile		G04401.02.01	1	1	24,268	H1
4) 1000 mm	Covering profile 22x17	•	GD4401.02.01	1	1	26,358	H1
ALUMINIUM BLACK							
DIMENSIONS			CODE			€	DC
1) 500 mm	Pins extension		G04401.01.02	1	1	32,318	H1
2) 500 mm	Hooks extension		G04600.01.02	1	1	74,920	H1
3) 1000 mm	Covering profile		G04401.02.02	1	1	25,755	H1

Striker for hook

ALUMINIUM SILVER					
X	CODE			€	DC
14 mm	G06201.00.01	1	1	12,268	H1
17 mm	G06201.01.01	1	1	12,268	H1
20 mm	G06201.02.01	1	1	12,268	H1
23 mm	G06201.03.01	1	1	12,268	H1
ALUMINIUM BLACK					
X	CODE			€	DC
14 mm	G06201.00.02	1	1	14,150	H1

Striker for hook with signal system

ALUMINIUM SILVER					
X	CODE			€	DC
14 mm	G06203.00.01	1	1	113,733	H1
ALUMINIUM BLACK					
X	CODE			€	DC
14 mm	G06203.00.02	1	1	116,935	H1

Lifting kit

	CODE			€	DC
Gas spring kit - for sashes heavier than 200 kg	GMG702.04.00	1	1	38,163	H1
Damper kit - for sashes up to 200 kg	GMG704.04.00	1	1	38,162	H1

XC extensions and locks

Anti-burglar plate kit

	CODE			€	DC
	G05004.00.00	1	1	6,357	H1

Plate for handle fastening

	CODE			€	DC
M5	G05371.M5.00	1	1	3,988	H1
M6	G05371.M6.00	1	1	4,312	H1

Reeds

GREY RAL 7035							
	LENGTH		CODE			€	DC
1) Sensor kit + covering cap for hole	6 meters		G05006.00.86	1	1	28,549	H1
	20 meters	•	G05006.01.86	1	1	51,920	H1

	CODE			€	DC
2) Clip magnet for lock, PVC-Aluminium systems	G05003.01.00	1	1	8,387	H1

Pin kit

Single sash pin kit for aluminium

HYDRO - Domal Slide PA110 / Domal Slide PA180	CODE			€	DC
	G00901.EC.15	1	20	6,412	H1
*EKU - TT AS / Woodart TT AS	CODE			€	DC
	G00728.10.15	20	200 ✔	4,822	H1
ELVIAL - EL 6700	CODE			€	DC
	G00901.BA.15	1	20	6,195	H1

*discontinued

Coaxial sashes pin kit for aluminium

*EKU - TT AS / Woodart TT AS	CODE			€	DC
	G00903.CT.15	1	20	9,115	H1
HYDRO - Domal Slide PA110 / Domal Slide PA180	CODE			€	DC
	G00903.EC.15	1	20	7,656	H1

*discontinued

Sash pin with fastening screws

SILVER ACTIVEAGE					
	CODE			€	DC
	G00728.10.15	20	200 ✔	4,822	H1

Note: discontinued

Coaxial locking pins in brass

SILVER ACTIVEAGE					
	CODE			€	DC
XC	G00759.04.15	1	1	7,008	H1

Supporting profiles for fixed sash

ALPHACAN - HST Vision (Low rail)	CODE				€	DC
50 mm	G02111.ER.02	20	20		28,023	H1
ALPHACAN - HST Vision (Climatech threshold)	CODE				€	DC
50 mm	G02111.ER.02	20	20		28,023	H1
ALUPLAST - 70/85 (Low rail - Climatech threshold)	CODE				€	DC
23 mm	G02111.EH.02	20	20		28,023	H1
DECEUNINCK - HS76 (Climatech threshold)	CODE				€	DC
55 mm	G02111.BA.01	20	20		28,023	H1
GEALAN - 8000 (Low rail)	CODE				€	DC
56 mm	G02111.ET.01	20	20		28,023	H1
GEALAN - 8000 (Climatech threshold)	CODE				€	DC
56 mm	G02111.ET.01	20	20		28,023	H1
GEALAN - 9000 (Climatech threshold)	CODE				€	DC
28 mm	G02111.HP.01	20	20		28,023	H1
ITALPLASTICK (Low rail)	CODE				€	DC
52 mm	G02111.MC.02	1	1		28,022	H1
PROFINE - Premidoor 70 (Low rail - Climatech threshold)	CODE				€	DC
25 mm	G02111.HU.01	20	20		28,023	H1
PROFINE - Premidoor 76 (Climatech threshold)	CODE				€	DC
25 mm	G02111.HU.01	20	20		28,023	H1
REHAU - Brillant Design 70 (Low rail)	CODE				€	DC
59 mm	G02111.EM.01	20	20		28,023	H1
SALAMANDER - ED (Climatech threshold)	CODE				€	DC
30 mm	G02111.MB.01	20	20		28,023	H1
SALAMANDER - ID (Low rail)	CODE				€	DC
57 mm	G02111.AZ.01	20	20		28,023	H1
SALAMANDER - ID (Climatech threshold)	CODE				€	DC
57 mm	G02111.AZ.01	20	20		28,023	H1
SCHUCO - Corona CT 70 HS (Low rail)	CODE				€	DC
52 mm	G02111.MC.02	1	1		28,022	H1
SCHUCO - LivingSlide 82 (Climatech threshold)	CODE				€	DC
25 mm	G02111.HU.01	20	20		28,023	H1
SCHUCO - LivingSlide 82 Evolution (Climatech threshold)	CODE				€	DC
25 mm	G02111.HU.01	20	20		28,023	H1
VEKA - VEKAMOTION 82 (Climatech threshold)	CODE				€	DC
35 mm	G02111.NA.01	20	20		28,023	H1
VEKA - VEKASLIDE 70/82 (Low rail)	CODE				€	DC
50 mm	G02111.ER.02	20	20		28,023	H1
VEKA - VEKASLIDE 70/82 (Climatech threshold)	CODE				€	DC
47 mm	G01611.00.00	10	100	✔	7,130	H1

Adapters - anti-derailed

ALPHACAN - HST Vision (Low rail)	CODE				€	DC
50 mm	G02111.ER.02	20	20		28,023	H1
ALPHACAN - HST Vision (Climatech threshold)	CODE				€	DC
50 mm	G02111.ER.02	20	20		28,023	H1
ALUPLAST - 70 (Low rail - Climatech threshold)	CODE				€	DC
55 mm	G02111.BA.01	20	20		28,023	H1
ALUPLAST - 85 (Low rail - Climatech threshold)	CODE				€	DC
55 mm	G02111.BA.01	20	20		28,023	H1
DECEUNINCK - HS76 (Climatech threshold)	CODE				€	DC
55 mm	G02111.BA.01	20	20		28,023	H1
GEALAN - 8000 (Low rail)	CODE				€	DC
56 mm	G02111.ET.01	20	20		28,023	H1
GEALAN - 8000 (Climatech threshold)	CODE				€	DC
56 mm	G02111.ET.01	20	20		28,023	H1
GEALAN - 9000 (Climatech threshold)	CODE				€	DC
57,5 mm	G02111.HP.02	20	20		28,023	H1
ITALPLASTICK (Low rail)	CODE				€	DC
52 mm	G02111.MC.02	1	1		28,022	H1
PROFINE - Premidoor 70 (Low rail - Climatech threshold)	CODE				€	DC
55 mm	G02111.BA.01	20	20		28,023	H1
PROFINE - Premidoor 76 (Climatech threshold)	CODE				€	DC
55 mm	G02111.BA.01	20	20		28,023	H1
REHAU - Brillant Design 70 (Low rail)	CODE				€	DC
59 mm	G02111.EM.01	20	20		28,023	H1
REHAU - Synego (Climatech threshold)	CODE				€	DC
52 mm	G02111.MC.02	1	1		28,022	H1
SALAMANDER - ED (Climatech threshold)	CODE				€	DC
57 mm	G02111.AZ.01	20	20		28,023	H1
SALAMANDER - ID (Low rail)	CODE				€	DC
57 mm	G02111.AZ.01	20	20		28,023	H1
SALAMANDER - ID (Climatech threshold)	CODE				€	DC
57 mm	G02111.AZ.01	20	20		28,023	H1
SCHUCO - Corona CT 70 HS (Low rail)	CODE				€	DC
52 mm	G02111.MC.02	1	1		28,022	H1
SCHUCO - LivingSlide 82 (Climatech threshold)	CODE				€	DC
52 mm	G02111.MC.02	1	1		28,022	H1
SCHUCO - LivingSlide 82 (PVC producer threshold)	CODE				€	DC
50 mm	G02111.ER.02	20	20		28,023	H1
SCHUCO - LivingSlide 82 Evolution (Climatech threshold)	CODE				€	DC
25 mm	G02111.HU.01	20	20		28,023	H1
VEKA - VEKAMOTION 82 (Climatech threshold)	CODE				€	DC
35 mm	G02111.NA.01	20	20		28,023	H1
VEKA - VEKASLIDE 70/82 (Low rail)	CODE				€	DC
50 mm	G02111.ER.02	20	20		28,023	H1
VEKA - VEKASLIDE 70/82 (Climatech threshold)	CODE				€	DC
47 mm	G01611.00.00	10	100	✔	7,130	H1

Top guides

Upper guide REHAU SYNEGO

SILVER						
LENGTH	CODE				€	DC
3000 mm	G01368.01.01	1	1		48,320	H1
4000 mm	G01368.02.01	1	1		61,751	H1
5000 mm	G01368.03.01	1	1		73,423	H1
6000 mm	G01368.04.01	1	1		86,474	H1
7000 mm	G01368.05.01	1	1		102,777	H1

Reduced upper guide

ALUMINIUM SILVER						
LENGTH	CODE				€	DC
3000 mm	G01734.01.01	2	2	✔	38,752	H1
4000 mm	G01734.02.01	2	2	✔	51,004	H1
5000 mm	G01734.03.01	2	2	✔	63,739	H1
6000 mm	G01734.04.01	2	2	✔	75,922	H1
ALUMINIUM BLACK						
LENGTH	CODE				€	DC
3000 mm	G01734.01.02	2	2	✔	40,836	H1
4000 mm	G01734.02.02	2	2	✔	53,842	H1
5000 mm	G01734.03.02	2	2	✔	67,270	H1
6000 mm	G01734.04.02	2	2	✔	80,156	H1

Lower and upper profile for "C" track

ALUMINIUM SILVER						
LENGTH	CODE				€	DC
3000 mm	G01739.01.01	2	2	✔	33,185	H1
4000 mm	G01739.02.01	2	2	✔	43,593	H1
5000 mm	G01739.03.01	2	2	✔	54,275	H1
6000 mm	G01739.04.01	2	2	✔	64,847	H1
ALUMINIUM BLACK						
LENGTH	CODE				€	DC
3000 mm	G01739.01.02	2	2	✔	34,920	H1
4000 mm	G01739.02.02	2	2	✔	45,902	H1
5000 mm	G01739.03.02	2	2	✔	57,167	H1
6000 mm	G01739.04.02	2	2	✔	68,257	H1

Upper guides - accessories

Sash part compensator - Upper guide REHAU SYNEGO

SILVER					
	CODE			€	DC
	G01496.MC.01	20	20	4,269	H1

Glider - Upper guide SCHUCO CORONA CT 70

BLACK					
	CODE			€	DC
	G00758.02.DX	2	2	56,990	H1

Climatech threshold and accessories

164 mm width threshold kit

GREY RAL 7035					
LENGTH	CODE			€	DC
3000 mm	G02268.01.86	1	1	249,147	H1
4000 mm	G02268.02.86	1	1	314,252	H1
5000 mm	G02268.03.86	1	1	369,832	H1
6000 mm	G02268.04.86	1	1	431,076	H1

184 mm width threshold kit

GREY RAL 7035					
LENGTH	CODE			€	DC
3000 mm	G02278.01.86	1	1	275,057	H1
4000 mm	G02278.02.86	1	1	347,186	H1
5000 mm	G02278.03.86	1	1	421,531	H1
6000 mm	G02278.04.86	1	1	499,644	H1

184 mm width Vekaslide 70 threshold kit

LENGTH	CODE			€	DC
3000 mm	G02215.01.86	1	1	280,765	H1
4000 mm	G02215.02.86	1	1	352,896	H1
5000 mm	G02215.13.86	1	1	427,240	H1
6000 mm	G02215.04.86	1	1	505,355	H1

212 mm width Vekaslide 82 threshold kit

LENGTH	CODE			€	DC
3000 mm	G02224.01.86	1	1	314,351	H1
4000 mm	G02224.02.86	1	1	393,483	H1
5000 mm	G02224.03.86	1	1	466,109	H1
6000 mm	G02224.04.86	1	1	550,436	H1

Climatech threshold kit, width 184 mm for PVC (axis -1 mm)

LENGTH	CODE			€	DC
3000 mm	G02226.01.86	1	1	285,753	H1
4000 mm	G02226.02.86	1	1	359,974	H1
5000 mm	G02226.03.86	1	1	434,486	H1
6000 mm	G02226.04.86	1	1	519,020	H1

Climatech threshold kit, width 184 mm for PVC (axis -4 mm)

LENGTH	CODE			€	DC
3000 mm	G02222.01.86	1	1	285,753	H1
4000 mm	G02222.02.86	1	1	359,974	H1
5000 mm	G02222.03.86	1	1	434,486	H1
6000 mm	G02222.04.86	1	1	519,020	H1

Climatech threshold and accessories

Climatech threshold kit, width 212 mm for PVC (axis -4 mm XL)

LENGTH	CODE			€	DC
3000 mm	G02228.01.86	1	1	329,720	H1
4000 mm	G02228.02.86	1	1	413,379	H1
5000 mm	G02228.03.86	1	1	488,502	H1
6000 mm	G02228.04.86	1	1	582,153	H1

Climatech threshold and accessories

Caps kit for threshold gasket, frame part

ALPHACAN - HST Vision	CODE				€	DC
	G014DV.10.86	1	1		38,240	H1
ALUPLAST - 70	CODE				€	DC
	G014BA.11.86	1	1		68,746	H1
ALUPLAST - HST 85	CODE				€	DC
	G014GF.10.86	1	1		38,240	H1
DECEUNINCK - HS 76	CODE				€	DC
	G014GE.11.86	1	1		68,746	H1
GEALAN - 9000	CODE				€	DC
	G014HP.11.86	1	1		68,746	H1
PROFINE - Premidoor 70	CODE				€	DC
	G014EH.11.86	1	1		68,746	H1
PROFINE - Premidoor 76	CODE				€	DC
	G014HU.11.86	1	1		68,746	H1
REHAU - Brillant Design	CODE				€	DC
	G014EM.11.86	1	1		68,746	H1
REHAU - Synego	CODE				€	DC
	G014MC.11.86	1	1		68,746	H1
SALAMANDER - ED	CODE				€	DC
	G014MB.11.86	1	1		68,746	H1
SALAMANDER - ID	CODE				€	DC
	G014AZ.11.86	1	1		68,746	H1
SCHUCO - LivingSlide 82	CODE				€	DC
	G014MY.11.86	1	1		68,746	H1
VEKA - VEKAMOTION 82	CODE				€	DC
	• G014NA.10.86	1	1		38,240	H1
VEKA - VEKASLIDE 70	CODE				€	DC
	G014ER.10.86	1	1		38,240	H1
VEKA - VEKASLIDE 82	CODE				€	DC
	G014GR.10.86	1	1		38,240	H1

Climatech threshold and accessories

Adapters for Climatech high threshold

LENGTH	CODE			€	DC
3000 mm	G01212.01.00	1	1	97,388	H1
4000 mm	G01212.02.00	1	1	125,389	H1
5000 mm	G01212.03.00	1	1	154,324	H1
6000 mm	G01212.04.00	1	1	200,105	H1
7000 mm	G01212.14.00	1	1	228,365	H1

Note: please check the compatibility of threshold according to the technical catalogue

Gasket for high threshold - 7 meters

	CODE			€	DC
	G02210.01.00 ☎	1	1	115,548	H1

Second fixed sash accessories

Supporting profile - GREY					
Y	CODE			€	DC
1500 mm	G01301.21.86	1	1	27,458	H1
2000 mm	G01301.22.86	1	1	32,627	H1
2500 mm	G01301.13.86	1	1	37,511	H1
3000 mm	G01301.01.86	1	1	45,204	H1
Snap-in rail - SILVER					
X	CODE			€	DC
1500 mm	G01330.21.01 ☎	1	1	9,592	H1
2000 mm	G01330.22.01 ☎	1	1	12,544	H1
2500 mm	G01330.11.01 ☎	1	1	15,434	H1
3000 mm	G01330.01.01 ☎	1	1	18,268	H1

Climatech threshold and accessories

Rail kit for second sliding sash - GREY RAL 7035

X	Y	CODE			€	DC
3000	1500	G02217.11.86	1	1	96,152	H1
4000	2000	G02217.12.86	1	1	117,857	H1
5000	2500	G02217.03.86	1	1	138,867	H1
6000	3000	G02217.14.86	1	1	165,632	H1

Accessories for Vekaslide second sash

Supporting profile, not drilled						
Y	CODE				€	DC
1500 mm	G01301.21.86		1	1	27,458	H1
2000 mm	G01301.22.86		1	1	32,627	H1
2500 mm	G01301.13.86		1	1	37,511	H1
3000 mm	G01301.01.86		1	1	45,204	H1
Sliding profile						
X	CODE				€	DC
1500 mm (for layout A)	G01336.21.01	☎	1	1	24,399	H1
2000 mm (for layout A)	G01336.22.01	☎	1	1	33,185	H1
2500 mm (for layout A)	G01336.11.01	☎	1	1	42,194	H1
3000 mm (for layouts A and B)	G01336.01.01		1	1	51,057	H1
4000 mm (for layout B)	G01336.02.01		1	1	59,973	H1
5000 mm (for layout B)	G01336.13.01		1	1	69,328	H1
6000 mm (for layout B)	G01336.04.01		1	1	79,267	H1
Drilled supporting profile						
Y	CODE				€	DC
1500 mm	G01300.21.86		1	1	50,438	H1
2000 mm	G01300.22.86		1	1	61,355	H1
2500 mm	G01300.13.86		1	1	71,979	H1
3000 mm	G01300.01.86		1	1	85,485	H1

Climatech threshold and accessories

Accessories for second sash, PVC Climatech threshold

Supporting profile, not drilled					
Y	CODE			€	DC
1500 mm	G01351.01.86	1	1	29,786	H1
2000 mm	G01351.02.86	1	1	35,650	H1
2500 mm	G01351.03.86	1	1	41,622	H1
3000 mm	G01351.04.86	1	1	47,701	H1
Sliding profile					
X	CODE			€	DC
1500 mm	G01330.21.01 ☎	1	1	9,592	H1
2000 mm	G01330.22.01 ☎	1	1	12,544	H1
2500 mm	G01330.11.01 ☎	1	1	15,434	H1
3000 mm	G01330.01.01 ☎	1	1	18,268	H1
4000 mm	G01330.02.01 ☎	1	1	23,887	H1
5000 mm	G01330.03.01 ☎	1	1	29,388	H1
6000 mm	G01330.04.01 ☎	1	1	34,952	H1
Drilled supporting profile					
Y	CODE			€	DC
1500 mm	G01352.01.86	1	1	58,019	H1
2000 mm	G01352.02.86	1	1	70,238	H1
2500 mm	G01352.03.86	1	1	81,749	H1
3000 mm	G01352.04.86	1	1	93,962	H1

Climatech threshold and accessories

PVC thermal profile

GREY RAL 7035 - 56 mm					
LENGTH	CODE			€	DC
2000 mm	G01310.02.86	1	1	27,343	H1
3000 mm	G01310.04.86	1	1	38,057	H1
GREY RAL 7035 - 66 mm					
LENGTH	CODE			€	DC
2000 mm	G01311.02.86	1	1	29,778	H1
3000 mm	G01311.04.86	1	1	41,268	H1

PVC thermal profile for Aluplast HST 85 / Salamander ED / Schuco LivingSlide 82 / Veka Vekamotion 82

GREY RAL 7035					
LENGTH	CODE			€	DC
2000 mm	G01365.02.86	1	1	34,251	H1
3000 mm	G01365.04.86	1	1	44,964	H1

PVC thermal profile for Profine Premidoor 76

GREY RAL 7035					
LENGTH	CODE			€	DC
2000 mm	G01370.02.86	1	1	28,517	H1
3000 mm	G01370.04.86	1	1	39,735	H1

PVC thermal profile for Rehau Synego

GREY RAL 7035					
LENGTH	CODE			€	DC
2000 mm	G01367.02.86	1	1	34,251	H1
3000 mm	G01367.04.86	1	1	44,964	H1

PVC thermal profile for Vekamotion82 Max

GREY RAL 7035					
LENGTH	CODE			€	DC
2000 mm	G01371.02.86	1	1	34,260	H1
3000 mm	G01371.04.86	1	1	44,964	H1

Climatech threshold and accessories

Adapters for ClimaZero system

Alphacan HST VISION								
		H		CODE			€	DC
1)	116 mm	12 mm	•	G01490.03.86	20	20	8,071	H1

Aluplast HST 85								
		H		CODE			€	DC
1)	144 mm	16 mm	•	G01491.51.86	20	20	8,071	H1
2)	37 mm	16 mm	•	G01491.58.86	20	20	5,186	H1

GEALAN - 9000								
		H		CODE			€	DC
1)	136 mm	12 mm	•	G01490.02.86	20	20	8,071	H1
	136 mm	12 mm	•	G01490.02.86	20	20	8,071	H1
2)	26,5 mm	12 mm	•	G01490.08.86	20	20	5,186	H1

Rehau Synego								
		H		CODE			€	DC
1)	142,5 mm	16 mm	•	G01491.52.86	20	20	8,071	H1
2)	37,5 mm	16 mm	•	G01491.54.86	20	20	5,186	H1

Salamander ED								
		H		CODE			€	DC
1)	144 mm	16 mm	•	G01491.51.86	20	20	8,071	H1
2)	37,5 mm	16 mm	•	G01491.54.86	20	20	5,186	H1

Schuco LivingSlide 82 Evolution								
		H		CODE			€	DC
1)	143 mm	16 mm	•	G01491.53.86	20	20	8,071	H1
2)	36 mm	16 mm	•	G01491.55.86	20	20	5,186	H1

Schuco LivingSlide 82								
		H		CODE			€	DC
1)	143 mm	16 mm	•	G01491.53.86	20	20	8,071	H1
2)	36 mm	16 mm	•	G01491.55.86	20	20	5,186	H1

Vekamotion 82								
		H		CODE			€	DC
1)	143 mm	16 mm	•	G01491.53.86	20	20	8,071	H1
2)	36 mm	16 mm	•	G01491.55.86	20	20	5,186	H1

Vekamotion82 Max								
		H		CODE			€	DC
1)	143 mm	16 mm	•	G01491.53.86	20	20	8,071	H1
2)	26 mm	16 mm	•	G01491.59.86	20	20	5,186	H1

Vekaslide 82								
		H		CODE			€	DC
1)	147 mm	12 mm	•	G01490.01.86	20	20	8,071	H1
2)	37 mm	12 mm	•	G01490.07.86	20	20	5,186	H1

Attention: space the compensators with a maximum distance of 150mm in between the screw holes. For a correct assembly refer to the technical manuals.

Covering profile for ClimaZero system

ALUMINIUM SILVER							
LENGTH			CODE			€	DC
6000 mm		•	G01489.04.01	2	2	40,345	H1

Climatech threshold and accessories

Adapters fastening screws for ClimaZero system

FOR THICK. H	SCREW	PIECES	CODE			€	DC
12 mm	M4x10	100	• G01811.20.02	1	1	10,136	H1
16 mm	M4x12	100	• G01811.21.02	1	1	12,171	H1

Note: 1 inner box = 100 screws

Climatech threshold and accessories

Immagine indicativa, vedi manuali di montaggio
Sample image, see assembly manual

Accessories kit Alphacan HST Vision

GREY RAL 7035					
	CODE			€	DC
Layouts A/B	G002DV.10.86	1	1	76,260	H1
Layouts E/F	G002DV.12.86	1	1	138,660	H1

Accessories kit Aluplast 70

GREY RAL 7035					
	CODE			€	DC
Layouts A/B	G002BA.10.86	1	1	51,616	H1
Layouts E/F	G002BA.12.86	1	1	90,750	H1

Accessories kit Aluplast HST 85

GREY RAL 7035					
	CODE			€	DC
Layouts A/B	G002GF.10.86	1	1	36,395	H1
Layouts E/F	G002GF.12.86	1	1	60,716	H1

Accessories kit Deceuninck HS76

GREY RAL 7035					
	CODE			€	DC
Layouts A/B	G002GE.10.86	1	1	82,995	H1
Layouts E/F	G002GE.12.86	1	1	151,756	H1

Accessories kit Gealan 9000

GREY RAL 7035					
	CODE			€	DC
Layouts A/B	G002HP.10.86	1	1	27,617	H1
Layouts E/F	G002HP.12.86	1	1	41,818	H1

Accessories kit Gealan 9000 Design

GREY RAL 7035					
	CODE			€	DC
Layout A	G002HP.20.86	1	1	29,472	H1
Layout E	G002HP.22.86	1	1	43,262	H1

Accessories kit Profine Premidoor 70

GREY RAL 7035					
	CODE			€	DC
Layouts A/B	G002BA.10.86	1	1	51,616	H1
Layouts E/F	G002BA.12.86	1	1	90,750	H1

Accessories kit Profine Premidoor 76

GREY RAL 7035					
	CODE			€	DC
Layouts A/B	G002HU.10.86	1	1	36,395	H1
Layouts E/F	G002HU.12.86	1	1	60,716	H1

Climatech threshold and accessories

Accessories kit Rehau Brillant design

GREY RAL 7035					
	CODE			€	DC
Layouts A/B	G002EM.10.86	1	1	27,617	H1
Layouts E/F	G002EM.12.86	1	1	41,818	H1

Accessories kit Rehau Synego

GREY RAL 7035					
	CODE			€	DC
Layouts A/B	G002GF.10.86	1	1	36,395	H1
Layouts E/F	G002GF.12.86	1	1	60,716	H1

Accessories kit Salamander ED

GREY RAL 7035					
	CODE			€	DC
Layouts A/B	G002GF.10.86	1	1	36,395	H1
Layouts E/F	G002GF.12.86	1	1	60,716	H1

Accessories kit Salamander ID

GREY RAL 7035					
	CODE			€	DC
Layouts A/B	G002ER.10.86	1	1	30,067	H1
Layouts E/F	G002ER.12.86	1	1	46,717	H1

Accessories kit Schuco LivingSlide 82 Evolution

GREY RAL 7035					
	CODE			€	DC
Layouts A/B	G002GF.10.86	1	1	36,395	H1
Layouts E/F	G002GF.12.86	1	1	60,716	H1
Layouts A/B	G002GF.10.86	1	1	36,395	H1
Layouts E/F	G002GF.12.86	1	1	60,716	H1

Accessories kit Vekaslide 70

GREY RAL 7035					
	CODE			€	DC
Layouts A/B	G002ER.10.86	1	1	30,067	H1
Layouts E/F	G002ER.12.86	1	1	46,717	H1

Accessories kit Vekamotion 82

GREY RAL 7035					
	CODE			€	DC
Layouts A/B	G002GF.10.86	1	1	36,395	H1
Layouts E/F	G002GF.12.86	1	1	60,716	H1

Accessories kit Vekaslide 82

GREY RAL 7035					
	CODE			€	DC
Layouts A/B	G002GR.10.86	1	1	29,538	H1
Layouts E/F	G002GR.12.86	1	1	46,717	H1

Climatech threshold and accessories

Accessories kit Vekamotion 82 Max

GREY RAL 7035						
	HAND	CODE			€	DC
Layout A	rh	G002NA.20.86	1	1	37,092	H1
	lh	G002NA.21.86	1	1	37,092	H1
Layout E		G002NA.22.86	1	1	73,218	H1

Caps and accessories kit Gealan 8000

GREY RAL 7035						
	HAND	CODE			€	DC
Layouts A/B	rh	G0020B.DX.86	1	1	53,765	H1
	lh	G0020B.SX.86	1	1	53,765	H1
Layouts E/F		G0020F.00.86	1	1	68,117	H1

Upper pad

ALUPLAST - HST 85 (Layouts A/E)	CODE				€	DC
Y = 64 mm	G01413.12.GF	187	187	✔	12,325	H1
ALUPLAST - HST 85 (Layouts B/F)	CODE				€	DC
Y = 120 mm	G01413.12.0B	110	110	✔	16,163	H1
DECEUNINCK - HS76	CODE				€	DC
Y = 78 mm	G01413.12.GE ☎	4	132		17,780	H1
PROFINE - Premidoor 76 (Layouts B/F)	CODE				€	DC
Y = 81 mm	G01413.12.HU	132	132	✔	16,163	H1
REHAU - Synego (Layouts B/F)	CODE				€	DC
Y = 74 mm	G01413.12.SE	1	1		16,163	H1
SCHUCO - LivingSlide 82 (Layouts B/F)	CODE				€	DC
Y = 30 mm / Y = 37 mm	G01413.12.MY	1	1		16,967	H1
VEKA - VEKAMOTION 82 (Layout B)	CODE				€	DC
Y=102 mm	G01413.12.NA	1	1		16,163	H1

Carriage milling bottom pad for high rail

BLACK						
	CODE				€	DC
	G00811.57.00	1	1		1,919	H1

Carriage milling bottom pad for low rail

BLACK						
	CODE				€	DC
	G00811.47.00	1	1		1,919	H1

Insulating tape

ANTHRACITE						
	CODE				€	DC
20 meters	G020NA.00.87	1	1		0,788	H1

Low cover threshold with thermal brake

Low cover threshold with thermal brake

ALUMINIUM SILVER						
LENGTH	CODE				€	DC
3000 mm	G01741.01.01	1	1		131,745	H1
4000 mm	G01741.02.01	1	1		175,131	H1
5000 mm	G01741.03.01	1	1		218,519	H1
6000 mm	G01741.04.01	1	1		261,906	H1
ALUMINIUM BLACK						
LENGTH	CODE				€	DC
3000 mm	G01741.01.02	1	1		138,162	H1
4000 mm	G01741.02.02	1	1		183,747	H1
5000 mm	G01741.03.02	1	1		229,273	H1
6000 mm	G01741.04.02	1	1		274,799	H1

Note: the cover doesn't include the snap-in rail which has to be ordered separately

"C" track for second sliding sash on low cover threshold

ALUMINIUM SILVER						
LENGTH	CODE				€	DC
3000 mm	G01743.01.01	2	2	✔	70,675	H1
4000 mm	G01743.02.01	2	2	✔	93,648	H1
5000 mm	G01743.03.01	2	2	✔	116,695	H1
6000 mm	G01743.04.01	2	2	✔	139,682	H1
ALUMINIUM BLACK						
LENGTH	CODE				€	DC
3000 mm	G01743.01.02	2	2	✔	72,625	H1
4000 mm	G01743.02.02	2	2	✔	96,311	H1
5000 mm	G01743.03.02	2	2	✔	119,988	H1
6000 mm	G01743.04.02	2	2	✔	143,672	H1

Note: the cover doesn't include the snap-in rail which has to be ordered separately

Low cover threshold with thermal brake

Snap-in rail

ALUMINIUM SILVER						
LENGTH	CODE				€	DC
3000 mm	G02739.01.01	2	2	✔	18,268	H1
4000 mm	G02739.02.01	2	2	✔	23,887	H1
5000 mm	G02739.03.01	2	2	✔	29,388	H1
6000 mm	G02739.04.01	2	2	✔	34,952	H1
ALUMINIUM BLACK						
LENGTH	CODE				€	DC
3000 mm	G02739.01.02	2	2	✔	20,003	H1
4000 mm	G02739.02.02	2	2	✔	26,198	H1
5000 mm	G02739.03.02	2	2	✔	32,281	H1
6000 mm	G02739.04.02	2	2	✔	38,424	H1

End cap for supporting profile, non-handed, for low cover threshold

BLACK						
	CODE				€	DC
	G00728.01.31	25	25		1,302	H1

Basic fastening kit for low threshold

	CODE				€	DC
	G01728.00.27	1	1		13,866	H1

PVC neoprene gasket for rails

LENGTH	CODE				€	DC
20 m	G00733.06.00	20	20		0,717	H1

Rails

Low rail

ALUMINIUM SILVER						
LENGTH	CODE				€	DC
3000 mm	G00738.01.01	2	2	✔	26,095	H1
4000 mm	G00738.02.01	2	2	✔	33,649	H1
6000 mm	G00738.03.01	2	2	✔	49,754	H1
ALUMINIUM BLACK						
LENGTH	CODE				€	DC
3000 mm	G00738.01.02	2	2	✔	26,972	H1
4000 mm	G00738.02.02	2	2	✔	35,397	H1
6000 mm	G00738.03.02	2	2	✔	52,377	H1

Accessories

Door stop

WHITE					
	CODE			€	DC
	G00204.00.91	1	1	4,962	H1
GREY RAL 7035					
	CODE			€	DC
	G00204.00.86	1	1	4,962	H1
BLACK					
	CODE			€	DC
	G00204.00.93	1	1	4,962	H1

Door stop for aluminium systems

WHITE					
	CODE			€	DC
	G00204.AL.91 ☎	1	1	4,962	H1
GREY RAL 7035					
	CODE			€	DC
	G00204.AL.86 ☎	1	1	4,962	H1
BLACK					
	CODE			€	DC
	G00204.AL.93	1	1	4,962	H1

Immagine indicativa / *sample image*

Sash caps kit for PVC

GREY RAL 7035					
	CODE			€	DC
	G00206.00.86	1	1	13,712	H1
BLACK					
	CODE			€	DC
	G00206.00.93	1	1	13,712	H1

Caps kit for 21 mm top guide

BLACK					
	CODE			€	DC
	G00207.00.93	1	1	9,765	H1

End filler for bottom rail

BLACK					
	CODE			€	DC
	G00728.00.07 ☎	500	500 ✔	1,679	H1
GREY RAL 7035					
	CODE			€	DC
	G00728.00.86	500	500 ✔	2,464	H1

End filler for "C" track

BLACK					
	CODE			€	DC
	G00728.00.35 ☎	200	200 ✔	1,693	H1

Vanishing Lift&Slide, mod. XC for Vekaslide - Eclisse

Packages for PVC

VEKASLIDE - 70 Eclisse	CODE			€	DC
	G021ER.04.93	1	1	149,692	H1

Kit for brush

	CODE			€	DC
2 pieces H = 3250	G01622.10.01	1	10	71,432	H1

Top locking profile

SILVER	CODE			€	DC
1500 mm	G02401.15.01	1	1	32,804	H1
2000 mm	G02401.20.01	1	1	39,189	H1
3000 mm	G02401.30.01	1	1	65,660	H1

Squared handles

Handle and external pull

ALUMINIUM					
FINISH	CODE			€	DC
Silver	G05321.01.01		1	1	85,560	H1
Brown 8707	G05321.01.94	☎	1	1	85,560	H1
Titanium	G05321.01.70	☎	1	1	89,808	H1
White 9016	G05321.01.76	☎	1	1	85,560	H1
Matt black	G05321.01.93		1	1	85,560	H1

Handle with cylinder hole and external pull

ALUMINIUM					
FINISH	CODE			€	DC
Silver	G05323.01.01		1	1	85,560	H1
Brown 8707	G05323.01.94	☎	1	1	85,560	H1
Titanium	G05323.01.70	☎	1	1	89,808	H1
White 9016	G05323.01.76	☎	1	1	85,560	H1
Matt black	G05323.01.93	☎	1	1	85,560	H1

Internal/external handle

ALUMINIUM					
FINISH	CODE			€	DC
Silver	G05324.01.01		1	1	141,840	H1
Brown 8707	G05324.01.94	☎	1	1	141,840	H1
Titanium	G05324.01.70	☎	1	1	148,893	H1
White 9016	G05324.01.76	☎	1	1	141,840	H1
Matt black	G05324.01.93		1	1	141,840	H1

Curved handles

Handle and external pull handle, curved grip

ALUMINIUM						
FINISH	CODE				€	DC
Silver	G05311.01.01		1	1	78,099	H1
White 9016	G05311.01.76	☎	1	1	78,099	H1
Brown 8707	G05311.01.94	☎	1	1	78,099	H1

Handle with cylinder hole and external pull handle, curved grip

ALUMINIUM						
FINISH	CODE				€	DC
Silver	G05313.01.01		1	1	78,099	H1
White 9016	G05313.01.76	☎	1	1	78,099	H1
Brown 8707	G05313.01.94	☎	1	1	78,099	H1

Internal/external handle kit, curved grip

ALUMINIUM						
FINISH	CODE				€	DC
Silver	G05314.01.01		1	1	135,828	H1
White 9016	G05314.01.76	☎	1	1	135,828	H1
Brown 8707	G05314.01.94	☎	1	1	135,828	H1

Accessories for handles

Hub and screw kit for handle

STEEL						
	CODE				€	DC
Hub 10x170, screws M5x100*	G05390.00.00		1	1	9,162	H1
Hub 10x170, screws M6x100**	G05390.01.00		1	1	10,928	H1

* Specific for square handles G0530x.01.xx and tubular handles G0074x.0x.xx. Necessary only for SMA higher than 68 mm.

** Specific for curved handles G0531x.01.xx. Necessary only for SMA higher than 78 mm.

Anti-burglar plate for handle cover-tray

	CODE				€	DC
	G05009.00.00		48	48	5,288	H1

Pull handle

ALUMINIUM						
FINISH	CODE				€	DC
Silver	G00752.00.01		10	10	21,292	H1
Electrocolour	G00752.00.02		10	10	21,787	H1
BRASS						
FINISH	CODE				€	DC
Enamelled Polished	G00753.00.10	☎	5	5	27,283	H1

Key - U-Tech

BRASS						
	CODE				€	DC
Duplicated with short neck	C34306.26.06	☎	1	10	13,688	B6

Key - Scudo 5000

BRASS						
	CODE				€	DC
Duplicated with short neck	C54300.26.06	☎	1	10	13,148	B3

Jigs

For PVC-Aluminium locking pins

CODE			€	DC
G02303.00.00	1	1	4,825	H1

Jig for cap drilling, Climatech threshold

GEALAN - 8000

CODE			€	DC
G02308.ET.00	1	1	23,963	H1

Light sliding for PVC

Ref. Components

1. Adjustable carriage
2. Thickness for adjustable carriage
3. Espagnolette for sliding system with cylinder
4. Espagnolette for sliding system
5. Concealed handle
6. Striker in steel for light sliding system
7. Adapter for steel striker
8. Anti-lifting device
9. Low threshold with thermal cut
10. Snap-in rail
11. Rail for second sliding sash for low threshold

1 cylinder in compliace with DIN

Carriages

Adjustable carriage

DIMENSIONS	CODE			€	DC
125x21x12	G05400.00.00	50	50	20,216	H1

Adapter for adjustable carriage

		CODE			€	DC
Veka Ekosol 90	L=28,7	G02103.EU.00	100	100	1,588	H1
Aluplast Multisliding	L=16,5	G02103.FY.00	100	100	0,867	H1
Profine Premiline	L=23,2	G02103.GH.00	100	100	0,867	H1

Thresholds

Low cover threshold with thermal brake

SILVER						
LENGTH	CODE				€	DC
3000 mm	G01741.01.01	1	1		131,745	H1
4000 mm	G01741.02.01	1	1		175,131	H1
5000 mm	G01741.03.01	1	1		218,519	H1
6000 mm	G01741.04.01	1	1		261,906	H1
ALUMINIUM BLACK						
LENGTH	CODE				€	DC
3000 mm	G01741.01.02	1	1		138,162	H1
4000 mm	G01741.02.02	1	1		183,747	H1
5000 mm	G01741.03.02	1	1		229,273	H1
6000 mm	G01741.04.02	1	1		274,799	H1

Note: the cover doesn't include the snap-in rail which has to be ordered separately

"C" track for second sliding sash on low cover threshold

SILVER						
LENGTH	CODE				€	DC
3000 mm	G01743.01.01	2	2	✔	70,675	H1
4000 mm	G01743.02.01	2	2	✔	93,648	H1
5000 mm	G01743.03.01	2	2	✔	116,695	H1
6000 mm	G01743.04.01	2	2	✔	139,682	H1
ALUMINIUM BLACK						
LENGTH	CODE				€	DC
3000 mm	G01743.01.02	2	2	✔	72,625	H1
4000 mm	G01743.02.02	2	2	✔	96,311	H1
5000 mm	G01743.03.02	2	2	✔	119,988	H1
6000 mm	G01743.04.02	2	2	✔	143,672	H1

Note: the cover doesn't include the snap-in rail which has to be ordered separately

Snap-in rail

SILVER						
LENGTH	CODE				€	DC
3000 mm	G02739.01.01	2	2	✔	18,268	H1
4000 mm	G02739.02.01	2	2	✔	23,887	H1
5000 mm	G02739.03.01	2	2	✔	29,388	H1
6000 mm	G02739.04.01	2	2	✔	34,952	H1
ALUMINIUM BLACK						
LENGTH	CODE				€	DC
3000 mm	G02739.01.02	2	2	✔	20,003	H1
4000 mm	G02739.02.02	2	2	✔	26,198	H1
5000 mm	G02739.03.02	2	2	✔	32,281	H1
6000 mm	G02739.04.02	2	2	✔	38,424	H1

Espagnolettes

For light sliding system

BACKSET	SRH	GR	CAM	CODE			€	DC
1) 7,5	440	01	1	G07000.08.01	10	10	8,741	H4
	750	02	2	G07000.08.02	10	10	13,743	H4
	1150	03	2	G07000.08.03	10	10	16,177	H4
	1750	04	4	G07000.08.04	10	10	19,441	H4
2) 15	380	01	1	G07000.15.01	10	10	8,736	H4
	750	02	2	G07000.15.02	10	10	13,743	H4
	1150	03	2	G07000.15.03	10	10	16,073	H4
	1750	04	4	G07000.15.04	10	10	19,441	H4

For light sliding system - with cylinder

BACKSET	SRH	GR	CAM	CODE			€	DC
3) 15	1750	04	3	G07001.15.04	10	10	30,884	H4
	1950	05	4	G07001.15.05	10	10	32,905	H4

Strikers

In steel

	CODE			€	DC
Striker	G07100.00.00	50	50	2,165	H4
Anti-lifting device	G07100.01.00	50	50	0,801	H4

Immagine indicativa / *Sample image*

Adapter for aluminium

	DIMENSIONS	CODE			€	DC
Curved	2 mm	G07101.00.00	50	50	1,382	H4
Flat	1,7 mm	G07101.01.00	50	50	0,373	H4
	3 mm	G07101.02.00	50	50	0,373	H4
	4 mm	G07101.03.00	50	50	0,373	H4

Immagine indicativa / *Sample image*

Adapters for PVC

ALPHACAN - InLine	CODE			€	DC
	G07102.HV.00	50	50	3,033	H1
ALUPLAST - Multisliding	**CODE**			**€**	**DC**
	G07102.FY.00	50	50	3,033	H1
DECEUNINCK - I slide, Tecnocor	**CODE**			**€**	**DC**
	G07102.HH.00	50	50	3,033	H1
GEALAN - 74mm	**CODE**			**€**	**DC**
	G07102.HM.00	50	50	3,033	H1
ITALPLASTICK - Koron	**CODE**			**€**	**DC**
	G07102.GX.00	50	50	3,033	H1
PROFINE - Premiline	**CODE**			**€**	**DC**
	G07102.GH.00	50	50	3,033	H1
REHAU - S717, S920	**CODE**			**€**	**DC**
	G07102.HG.00	50	50	3,033	H1
SALAMANDER - ED	**CODE**			**€**	**DC**
	G07102.MA.00	50	50	3,033	H1
SCHUCO - Corona S74	**CODE**			**€**	**DC**
	G07102.MF.00	50	50	3,033	H1
VEKA - Ekosol 90	**CODE**			**€**	**DC**
	G07102.EU.00	50	50	3,033	H1

Accessories

Concealed handle

FINISH	CODE			€	DC
Light bronze plated	G06100.01.14	1	1	56,805	H1
Varnished silver	G06100.01.41	1	1	36,267	H1
White RAL 9010	G06100.01.91	1	1	36,267	H1

Open, Close, Live

HARDWARE FOR COPLANAR SLIDING SYSTEMS

GALILEO

MADE IN ITALY

General instructions and application fields 322
Automatic Galileo system - hardware for left sash 324

Basic kit 325
Components 329
Jigs 336

AUTOMATIC GALILEO

All functions are activated automatically by the operating handle: **closing**, **tilt position** and **sliding position**.

Closed position

Tilt position

Sliding position

SEMI-AUTOMATIC GALILEO ARTECH

For the **closed position**, the DK handle must be rotated downwards up to the vertical position only after pushing the sash in closing position.
The automatical hooking of the lower corner drives allow to automatically **position** the sash on **tilt**. To reach the **sliding position**, the handle must be rotated upwards up to the vertical position first in order ① to allow the un-hooking of the corner drives and then be rotated up to the horizontal position ② to drag the sash.

Closed position

Tilt position

Sliding position

MANUAL COMMAND GALILEO ARTECH

For the **closed position**, the DK handle must be rotated downwards up to the vertical position only after pushing the sash in closing position.
The **tilt position** is reached by rotating the handle upwards up to the vertical position.
To reach the **Sliding position**, the handle must be rotated until horizontal position in order to un-hook the corner drives and to drag the sash.

Closed position

Tilt position

Sliding position

General instructions and application fields

GALILEO
Application fields with carriages, 115 mm opening

ATTENTION: MAX. SRH ≤ 2,5 SRW	
SRH sliding sash 835-2400* mm	* it can be overpassed using extensions
SRW 720-1760 mm with front and rear carriages (max. capacity 130 Kg)	
Backset for handle blade +7/-2 mm	
Handle height 500 */1050 mm	* it can be reduced up to 400 mm with GR1 espagnolette
Backset of espagnolette with cylinder hole 40 mm	
Sash gap with opened carriages 115 mm	

Warning:

- Please respect minimum and maximum dimensions here above and the maximum weight allowed for each sash.
- Please respect the instructions of profile producers as regard minimum and maximum dimensions, sash weight and distance between locking points.
- Don't do any change to mechanisms.
- Please use AGB components exclusively.
- Please install the mechanisms as indicated in the assembly layout, taking care about the security warnings.
- Please follow the instructions about the fastening screws: diameter, number and position. Choose the right length according to the type of profile. All screws for rails and carriages have to be fastened into the reinforced profile or into the aluminium part of the aluminium-wood profiles.
- Don't install the hardware before painting the wooden system; the painting process with hardware installed to the door let you loose the warranty.
- The screws can be fastened in a straight way avoiding to fasten them much compromising the fastening (stripping).
- Don't use acidic or acetic sealants that could corrode the mechanisms.
- Protect the sliding rail and the upper drives from dust, lime and plaster. Please clean the parts and delete the direct contact of devices with humidity.
- Please apply in a visible way the label with use instructions on the sliding sash.
- Read carefully the instructions to cut the glass.
- Forcing the mechanisms and the wrong use of the coplanar system in tilt position can cause malfunctioning and the fall of the system from the sliding rail, causing damages and injuries.

If it's possible that in some cases (e.g. in schools, nursery schools, rest homes, etc.) the sliding sash can be damaged because of mishandlings during closing movements, you have to:

- place the door stop in order to reduce the stroke;
- apply the handle with key in order to avoid a wrong use.

If you have doubts, please consult the AGB assistance.

Exclusion of liability

AGB shall not be responsible of possible damages about functioning and mechanisms of sliding systems, where the causes regard defects of type, non-compliance with the assembly layout of the aggressive mishandling, lack of periodic maintenance as indicated in this manual, lack of information and instructions to the end customer.

General instructions and application fields

GALILEO
Technical features

Applications

On wooden, PVC, alu-wood systems apart from gap and rebate.

Dimensions

The Galileo system is used for the construction of sliding sashes with sash rebate width (SRW) ranging from 720 to 1760 mm , and sash rebate height (SRH) ranging from 835 to 2400 mm. It's available a 500 mm extension (it can be cut up to 250 mm) and it allows to realise sliding sashes over the declared SRH.

Maximum weight

The weight of each sliding sash equipped with the Galileo hardware mustn't exceed 130 kg with 2 carriages.

Sill

Galileo can also be installed on very reduced sill sections. The minimum useful dimension allowed is based on a fixed width of 48 mm + the overlap of the sash rebate on the frame.

GALILEO
Application fields

SRH ≤ 2,5 SRW

Automatic Galileo system - hardware for left sash

Component

A	16	Central-control handle kit
F	1	Top guide cover profile
	2	Top guide
	3	Top bumper
	4	End caps for top guide
	17	Connecting rod cover profile
	18	Connecting rod
	19	Bogie cover
	22	Fixed release stop
	23	Cover support
	24	Bottom bumper
	26	Bottom track
B	9	Horizontal connection element
C	10	Top front corner drive
	11	Top rear corner drive
	14	Bottom front corner drive
	15	Bottom rear corner drive
	8	Hinge support runner
D	20	Front bogie
	21	Rear bogie
E	12	Espagnolette with handle drive
	13	Vertical connection element
	27	PVC cam striker
	28	Alluminium/Wood cam striker
	29	PVC tilt striker
	30	Alluminium/Wood tilt striker
	5	Stay cover profile
	6	End caps for stay cover profile
	7	Stay arm cover
	25	Guide plate

NOTE: The minimun thickness sash rebate must be 15 mm.

A Central-control handle kit
M02020.02.**XX** (lh) alluminium
M02120.02.10 (lh) brass enam. polished

XX = 01 Silver
91 White RAL 9010
94 Brown

B Horizontal connectors kit
M42023.00.00 - SRW = 720-1035
M42023.00.0B - SRW = 830-1036
M42023.00.01 - SRW = 1036-1260
M42023.00.02 - SRW = 1261-1510
M42023.00.03 - SRW = 1511-1760

C Corner drives kit
M41000.08.SX (lh) - axis 9
M41000.10.SX (lh) - axis 13

D 130 Kg Bogies kit
M42401.SX.00 (lh)

E Vertical connection rod kit
M42024.00.01 - SRH = 835-1160
M42024.00.02 - SRH = 1161-1410
M42024.00.03 - SRH = 1411-1660
M42024.00.04 - SRH = 1661-1910
M42024.00.05 - SRH = 1745-1995
M42024.00.06 - SRH = 1900-2150
M42024.00.07 - SRH = 2151-2400

F Width accessories kit
M02022.01.**YY** - SRW = 720-1035
M02022.02.**YY** - SRW = 1036-1260
M02022.03.**YY** - SRW = 1261-1510
M02022.04.**YY** - SRW = 1511-1760

YY = 91 White RAL 9010
94 Brown
34 Matt chromium plated

Basic kit

Central-control handle kit

ALUMINIUM						
FINISH	HAND	CODE			€	DC
Silver	rh	M02020.01.01	1	1	144,466	H2
	lh	M02020.02.01	1	1	144,466	H2
White RAL 9010	rh	M02020.01.91	1	1	154,648	H2
	lh	M02020.02.91	1	1	154,648	H2
Brown	rh	M02020.01.94	1	1	154,648	H2
	lh	M02020.02.94	1	1	154,648	H2
BRASS						
FINISH	HAND	CODE			€	DC
Enamelled Polished	rh	M02120.01.10	1	1	193,607	H2
	lh	M02120.02.10	1	1	193,607	H2

Width accessories basic kit - only for carriages 115 mm opening

WHITE RAL 9010						
SRW	GR	CODE			€	DC
720-1035	1	M02022.01.91	1	1	188,359	H2
1036-1260	2	M02022.02.91	1	1	214,043	H2
1261-1510	3	M02022.03.91	1	1	245,212	H2
1511-1760	4	M02022.04.91	1	1	277,393	H2
BROWN						
SRW	GR	CODE			€	DC
720-1035	1	M02022.01.94	1	1	191,769	H2
1036-1260	2	M02022.02.94	1	1	217,825	H2
1261-1510	3	M02022.03.94	1	1	251,141	H2
1511-1760	4	M02022.04.94	1	1	282,314	H2
MATT CHROMIUM PLATED						
SRW	GR	CODE			€	DC
720-1035	1	M02022.01.34	1	1	198,900	H2
1036-1260	2	M02022.02.34	1	1	225,186	H2
1261-1510	3	M02022.03.34	1	1	260,854	H2
1511-1760	4	M02022.04.34	1	1	292,628	H2

Corner drives kit for Galileo

AXIS	HAND	CODE			€	DC
9	rh	M41000.08.DX	1	1	158,699	H2
	lh	M41000.08.SX	1	1	158,700	H2
13	rh	M41000.10.DX	1	1	158,699	H2
	lh	M41000.10.SX	1	1	158,699	H2

Corner drives kit without rear cams for Galileo

AXIS	HAND	CODE			€	DC
9	rh	M41100.08.DX	1	1	158,699	H2
	lh	M41100.08.SX	1	1	158,699	H2
13	rh	M41100.10.DX	1	1	158,699	H2
	lh	M41100.10.SX	1	1	158,699	H2

Basic kit

Anti-burglar corner drives basic kit for Galileo

AXIS	HAND	CODE			€	DC
9	rh	M41010.08.DX	1	1	164,340	H2
	lh	M41010.08.SX	1	1	164,340	H2
13	rh	M41010.10.DX	1	1	164,340	H2
	lh	M41010.10.SX	1	1	164,340	H2

Anti-burglar corner drives basic kit for semi-fixed sash for Galileo

AXIS	HAND	CODE			€	DC
9	rh	M41110.08.DX	1	1	164,340	H2
	lh	M41110.08.SX	1	1	164,340	H2
13	rh	M41110.10.DX	1	1	164,340	H2
	lh	M41110.10.SX	1	1	164,340	H2

Carriages kit, 130 kg - 115 mm opening

HAND	CODE			€	DC
rh	M42401.DX.00	1	1	283,734	H2
lh	M42401.SX.00	1	1	283,734	H2

The kit includes a front and a rear carriage

Horizontal connectors kit

GR	SRW	LENGTH	CAM	CODE			€	DC
GR 0	720-1035	415		M42023.00.00	1	1	23,607	H2
GR 0 bis	830-1035	415	1+1	M42023.00.0B	1	1	26,097	H2
GR 1	1036-1260	640	1+1	M42023.00.01	1	1	26,886	H2
GR 2	1261-1510	890	1+1	M42023.00.02	1	1	31,366	H2
GR 3	1511-1760	1140	1+1	M42023.00.03	1	1	34,962	H2

Basic kit

Vertical connecting rod kit

SRH	HEIGHT	HANDLE H	GR	CAM	CODE			€	DC
835-1160	640	*	1		M42024.00.01	1	1	27,961	H2
1161-1410	890	500	2	1+1	M42024.00.02	1	1	33,069	H2
1411-1660	1140	500	3	1+1	M42024.00.03	1	1	36,666	H2
1661-1910	1390	500	4	1+1	M42024.00.04	1	1	39,697	H2
1745-1995	1476	1050	5	2+2	M42024.00.05	1	1	42,095	H2
1900-2150	1630	1050	6	2+2	M42024.00.06	1	1	44,304	H2
2151-2400	1880	1050	7	2+2	M42024.00.07	1	1	47,328	H2

* It is possible to get the handle height 400-450 and 500 mm depending on the lower trimming

Vertical connecting rod kit for second sash

SRH	HEIGHT	HANDLE H	GR	CAM	CODE			€	DC
1161-1410	890	500	2	1	M42124.00.02 ☎	1	1	33,069	H2
1411-1660	1140	500	3	1	M42124.00.03 ☎	1	1	36,666	H2
1661-1910	1390	500	4	1	M42124.00.04 ☎	1	1	39,697	H2
1745-1995	1476	1050	5	2	M42124.00.05 ☎	1	1	42,095	H2
1900-2150	1630	1050	6	2	M42124.00.06 ☎	1	1	44,304	H2
2151-2400	1880	1050	7	2	M42124.00.07 ☎	1	1	47,328	H2

Horizontal connecting rod kit - Anti-burglar

GR	SRW	LENGTH	CAM	CODE			€	DC
0 Bis	830-1035	415	1+1	M42023.01.0B	1	1	26,097	H2
1	1036-1260	640	1+1	M42023.01.01	1	1	26,886	H2
2	1261-1510	890	1+1	M42023.01.02	1	1	31,366	H2
3	1511-1760	1140	1+1	M42023.01.03	1	1	34,962	H2

Vertical connecting rod kit - Anti-burglar

SRH	HEIGHT	HANDLE H	GR	CAM	CODE			€	DC
1161-1410	890	500	2	1+1	M42024.01.02	1	1	33,069	H2
1411-1660	1140	500	3	1+1	M42024.01.03	1	1	36,666	H2
1661-1910	1390	500	4	1+1	M42024.01.04	1	1	39,697	H2
1745-1995	1476	1050	5	2+2	M42024.01.05	1	1	42,095	H2
1900-2150	1630	1050	6	2+2	M42024.01.06	1	1	44,304	H2
2151-2400	1880	1050	7	2+2	M42024.01.07	1	1	47,328	H2

Vertical connecting kit for semi-fixed sash - Anti-burglar

SRH	HEIGHT	HANDLE H	GR	CAM	CODE			€	DC
1161-1410	890	500	2	1	M42124.01.02 ☎	1	1	33,069	H2
1411-1660	1140	500	3	1	M42124.01.03 ☎	1	1	36,666	H2
1661-1910	1390	500	4	1	M42124.01.04 ☎	1	1	39,697	H2
1745-1995	1476	1050	5	2	M42124.01.05 ☎	1	1	42,095	H2
1900-2150	1630	1050	6	2	M42124.01.06 ☎	1	1	44,304	H2
2151-2400	1880	1050	7	2	M42124.01.07 ☎	1	1	47,328	H2

Basic kit

Guide plate for central-control handle

	CODE			€	DC
	M42001.00.01	1	200	3,100	H2

Components

Galileo lock and vertical connector kit

BACKSET	SRH	GR	CAM	CODE				€	DC
40	1660-1910	4	1	M42027.40.04 ☎	1	1		158,919	H2
	1745-1995	5	2	M42027.40.05 ☎	1	1		163,820	H2
	1900-2150	6	2	M42027.40.06 ☎	1	1		166,884	H2
	2150-2400	7	2	M42027.40.07 ☎	1	1		172,766	H2

Note: bushing holes for threshold fastening M5 threaded.

Single handle with cylinder hole

ALUMINIUM						
FINISH	CODE				€	DC
Silver	M02020.03.01 ☎	1	1		63,410	H2
White RAL 9010	M02020.03.91 ☎	1	1		63,410	H2

BRASS						
FINISH	CODE				€	DC
Enamelled Polished	M02020.03.10 ☎	1	1		148,962	H2

Discontinued, then only the Galileo SA and CM versions will be available with cylinder

Components

Double handle (internal/external), sash max. thick. 90 mm

ALUMINIUM						
FINISH	HAND	CODE			€	DC
Silver	rh	M02020.04.01	1	1	213,196	H2
	lh	M02020.05.01	1	1	213,196	H2
White RAL 9010	rh	M02020.04.91 ☎	1	1	219,889	H2
	lh	M02020.05.91 ☎	1	1	219,889	H2

Note: max. sash thickness 90 mm
Discontinued, then only the Galileo SA and CM versions will be available with cylinder

Extension kit

HAND	LENGTH	CODE			€	DC
Pack. in pairs	500 mm	M42026.00.00	1	1	22,977	H2

Anti-burglar extension kit

		CODE			€	DC
		M42026.01.00	1	1	22,977	H2

Stay covering profile for Galileo

MATT CHROMIUM PLATED						
SRH	LENGTH	CODE			€	DC
720-1035	975	M02014.01.34	1	1	31,695	H2
1036-1260	1200	M02014.02.34	1	1	35,978	H2
1261-1510	1450	M02014.03.34	1	1	38,055	H2
1511-1760	1700	M02014.04.34	1	1	39,992	H2
WHITE RAL 9010						
SRH	LENGTH	CODE			€	DC
720-1035	975	M02014.01.91 ☎	1	1	30,477	H2
1036-1260	1200	M02014.02.91 ☎	1	1	34,596	H2
1261-1510	1450	M02014.03.91 ☎	1	1	36,589	H2
1511-1760	1700	M02014.04.91 ☎	1	1	38,453	H2
ALUMINIUM BLACK						
SRH	LENGTH	CODE			€	DC
720-1035	975	M02014.01.02	1	1	30,477	H2
1036-1260	1200	M02014.02.02	1	1	34,596	H2
1261-1510	1450	M02014.03.02	1	1	36,589	H2
1511-1760	1700	M02014.04.02	1	1	38,453	H2

Components

End caps kit for stay covering profile (Rh+Lh)

MATT CHROMIUM PLATED					
	CODE			€	DC
	M02015.00.34	1	1	3,487	H2
WHITE RAL 9010					
	CODE			€	DC
	M02015.00.91	1	1	3,353	H2
BLACK					
	CODE			€	DC
	M02015.00.93	1	1	3,353	H2

Dk handle with low neck

WHITE RAL 9010					
	CODE			€	DC
	M02020.11.91	1	1	11,953	H2

Note: the handle design could be different from the one indicated in the picture

Removable handle

LIGHT BRONZE PLATED					
	CODE			€	DC
	M02020.14.14	1	1	16,644	H2

Plastic washer

WHITE RAL 9010					
	CODE			€	DC
	M02020.12.91	10	10 ✔	12,389	H2
ALUMINIUM BLACK					
	CODE			€	DC
	M02020.12.02	10	10 ✔	12,389	H2
SILVER					
	CODE			€	DC
	M02020.12.01	10	10 ✔	11,251	H2
GLIDED					
	CODE			€	DC
	M02020.12.31	10	10 ✔	11,157	H2

Components

Front carriages spring for replacement

HAND	CODE				€	DC
rh	M02400.00.DX	10	100	✔	3,296	H2
lh	M02400.00.SX	10	100	✔	3,296	H2

Note: only for traditional carriages

Components

Tilt strikers for PVC

ALPHACAN - System In'Alpha 70, Prestigio, Luce	CODE				€	DC
front rh/rear lh	M42017.FI.01	10	100	✔	10,157	H2
front lh/rear rh	M42017.FI.02	10	100	✔	10,157	H2
ALUPLAST - Ideal 2000	**CODE**				**€**	**DC**
front rh/rear lh	M42017.BF.01	10	100	✔	10,157	H2
front lh/rear rh	M42017.BF.02	10	100	✔	10,157	H2
ALUPLAST - Ideal 4000/8000, Energeto	**CODE**				**€**	**DC**
front rh/rear lh	M42017.BB.01	10	100	✔	10,157	H2
front lh/rear rh	M42017.BB.02	10	100	✔	10,157	H2
BRUGMANN - AD, MD	**CODE**				**€**	**DC**
front rh/rear lh	M42017.BF.01	10	100	✔	10,157	H2
front lh/rear rh	M42017.BF.02	10	100	✔	10,157	H2
DECEUNINCK - Zendow, Zendow#neo, Elegance, Premiere	**CODE**				**€**	**DC**
front rh/rear lh	M42017.CD.01	10	100	✔	10,157	H2
front lh/rear rh	M42017.CD.02	10	100	✔	10,157	H2
GARGIULO - Wingo AD 70, Wingo MD 80	**CODE**				**€**	**DC**
front rh/rear lh	M42017.BF.01	10	100	✔	10,157	H2
front lh/rear rh	M42017.BF.02	10	100	✔	10,157	H2
GEALAN - 3000, 7000, 8000, 9000	**CODE**				**€**	**DC**
front rh/rear lh	M42017.DF.01	10	100	✔	10,157	H2
front lh/rear rh	M42017.DF.02	10	100	✔	10,157	H2
ITALPLASTICK - Seven	**CODE**				**€**	**DC**
front rh/rear lh	M42017.BF.01	10	100	✔	10,157	H2
front lh/rear rh	M42017.BF.02	10	100	✔	10,157	H2
KBE - AD 70 mm, MD 70 mm, Select 70 mm, System 88 mm	**CODE**				**€**	**DC**
front rh/rear lh	M42017.DF.01	10	100	✔	10,157	H2
front lh/rear rh	M42017.DF.02	10	100	✔	10,157	H2
KOMMERLING - AD 76, MD 76	**CODE**				**€**	**DC**
front rh/rear lh	M42017.DF.01	10	100	✔	10,157	H2
front lh/rear rh	M42017.DF.02	10	100	✔	10,157	H2
KOMMERLING - Eurodur 3S, Eurofutur elegance, Eurofutur MD	**CODE**				**€**	**DC**
front rh/rear lh	M42017.30.01	10	100	✔	10,157	H2
front lh/rear rh	M42017.30.02	10	100	✔	10,157	H2
REHAU - Geneo, Synego	**CODE**				**€**	**DC**
front rh/rear lh	M42017.FH.01	10	100	✔	10,157	H2
front lh/rear rh	M42017.FH.02	10	100	✔	10,157	H2
REHAU - Piattaforma 70	**CODE**				**€**	**DC**
front rh/rear lh	M42017.35.01	10	100	✔	10,157	H2
front lh/rear rh	M42017.35.02	10	100	✔	10,157	H2
SALAMANDER - 2D, 3D, Streamline	**CODE**				**€**	**DC**
front rh/rear lh	M42017.AZ.01	10	100	✔	10,157	H2
front lh/rear rh	M42017.AZ.02	10	100	✔	10,157	H2
SALAMANDER - bluEvolution 82	**CODE**				**€**	**DC**
front rh/rear lh	M42017.BF.01	10	100	✔	10,157	H2
front lh/rear rh	M42017.BF.02	10	100	✔	10,157	H2
SALAMANDER - bluEvolution 92	**CODE**				**€**	**DC**
front rh/rear lh	M42017.FH.01	10	100	✔	10,157	H2
front lh/rear rh	M42017.FH.02	10	100	✔	10,157	H2
SCHUCO - Corona SI 82, SI 82+, CT 70 MD, CT 70 AS	**CODE**				**€**	**DC**
front rh/rear lh	M42017.BF.01	10	100	✔	10,157	H2
front lh/rear rh	M42017.BF.02	10	100	✔	10,157	H2
TROCAL - Innonova 70 A5, Innonova 70 M5	**CODE**				**€**	**DC**
front rh/rear lh	M42017.FR.01	10	100	✔	10,157	H2
front lh/rear rh	M42017.FR.02	10	100	✔	10,157	H2
VEKA - Softline 70-76-82, Topline AD, Swingline, Alphaline 90	**CODE**				**€**	**DC**
front rh/rear lh	M42017.BF.01	10	100	✔	10,157	H2
front lh/rear rh	M42017.BF.02	10	100	✔	10,157	H2

Note: for each window, please order 1 pc. M42017XX01 and 1 pc. M42017XX02

Components

Tilt strikers for Italplastick

AXIS	HAND	CODE			€	DC
9	rh	M42008.05.01	20	20	7,168	H2
	lh	M42009.05.01	20	20	7,168	H2

Note: for each rh window, please order 2 pcs. M420080501. For lh window, please order 2 pcs. M420090501

Italplastick adapter for tilt striker

	CODE			€	DC
	M42017.24.00 ☎	2	20	0,828	H2

Immagine indicativa / *Sample image*

Tilt strikers for aluminium-wood

18/22/35 mm frame seat					
HAND	CODE			€	DC
rh	M42008.05.01	20	20	7,168	H2
lh	M42009.05.01	20	20	7,168	H2
24/37 mm frame seat					
HAND	CODE			€	DC
rh	M42008.CR.01	20	20	7,168	H2
lh	M42009.CR.01	20	20	7,168	H2
8+7 mm frame seat					
HAND	CODE			€	DC
rh	M42008.04.01	20	20	7,168	H2
lh	M42009.04.01	20	20	7,168	H2

Components

Cam striker for PVC

see the section HARDWARE FOR WINDOWS

Cam strikers for aluminium-wood

see the section HARDWARE FOR WINDOWS

Anti-burglar cam strikers for PVC

see the section HARDWARE FOR WINDOWS

Anti-burglar cam strikers for aluminium-wood

see the section HARDWARE FOR WINDOWS

Jigs

Jig for handle

CODE			€	DC
M02030.00.01	1	1	274,490	H2

Jig for carriages positioning

CODE			€	DC
M02030.00.02	1	1	135,039	H2

Jig for release stop

CODE			€	DC
M02030.00.03	1	1	63,106	H2

Jig for Galileo tracks - 115 mm opening

CODE			€	DC
M02030.00.04	1	1	84,559	H2

Jig for hole centring

CODE			€	DC
M02030.00.05	1	1	17,675	H2

Adapter for gap 11, for art. A20030.01.25 jigs

CODE			€	DC
A20030.01.01	100	100 ✔	0,841	F3

Jigs

Jigs rod for window jamb milling

	SRH	CODE			€	DC
1	835-1910	A20030.01.28	1	1	12,909	F3

Jigs rod for balcony doors jamb milling

	SRH	CODE			€	DC
2	1745-2400	A20030.01.29	1	1	12,909	F3

Jigs rod for lower transom

	SRH	CODE			€	DC
1	835-1910	A20030.01.28	1	1	12,909	F3

Jigs rod for handle jig

	CODE			€	DC
3	A20030.00.00	1	1	17,812	F3

Open, Close, Live

HARDWARE FOR COPLANAR SLIDING SYSTEMS

GALILEO ARTECH SA

MADE IN ITALY

General instructions and application fields	340
Galileo Artech SA - Hardware for left sash	342

Basic kit	343
Espagnolettes	344
Accessories	349
Connection elements	350
Corner drives	351
Strikers	352
Jigs	354

General instructions and application fields

GALILEO ARTECH SA
Application fields with carriages, 115 mm opening

ATTENTION: MAX. SRH ≤ 2,5 SRW	
SRH sliding sash 540-2510 * mm	* it can be overpassed using extensions
SRW 600-1650 mm with front and rear carriages (max. capacity 130 Kg)	
Handle height 280, 400, 500 and 1050 mm	
Sash gap with opened carriages 115 mm	

Warning:

- Please respect minimum and maximum dimensions here above and the maximum weight allowed for each sash.
- Please respect the instructions of profile producers as regard minimum and maximum dimensions, sash weight and distance between locking points.
- Don't do any change to mechanisms.
- Please use AGB components exclusively.
- Please install the mechanisms as indicated in the assembly layout, taking care about the security warnings.
- Please follow the instructions about the fastening screws: diameter, number and position. Choose the right length according to the type of profile. All screws for rails and carriages have to be fastened into the reinforced profile or into the aluminium part of the aluminium-wood profiles.
- Don't install the hardware before painting the wooden system; the painting process with hardware installed to the door let you loose the warranty.
- The screws can be fastened in a straight way avoiding to fasten them much compromising the fastening (stripping).
- Don't use acidic or acetic sealants that could corrode the mechanisms.
- Protect the sliding rail and the upper drives from dust, lime and plaster. Please clean the parts and delete the direct contact of devices with humidity.
- Read carefully the instructions to cut the glass.
- Forcing the mechanisms and the wrong use of the coplanar system in tilt position can cause malfunctioning and the fall of the system from the sliding rail, causing damages and injuries.

If it's possible that in some cases (e.g. in schools, nursery schools, rest homes, etc.) the sliding sash can be damaged because of mishandlings during closing movements, you have to:

- place the door stop in order to reduce the stroke;
- apply the handle with key in order to avoid a wrong use.

If you have doubts, please consult the AGB assistance.

Exclusion of liability

AGB shall not be responsible of possible damages about functioning and mechanisms of sliding systems, where the causes regard defects of type, non-compliance with the assembly layout of the aggressive mishandling, lack of periodic maintenance as indicated in this manual, lack of information and instructions to the end customer.

General instructions and application fields

GALILEO ARTECH SA
Technical features

Applications

On wooden, PVC, alu-wood systems apart from gap and rebate.
Galileo Artech SA allows to use a traditional DK handle avoiding the use of a special handle.

Dimensions

The Galileo Artech SA system is used for the construction of sliding sashes with sash rebate width (SRW) ranging from 600 to 1650 mm, and sash rebate height (SRH) ranging from 540 to 2510 mm.

Maximum weight

The weight of each sliding sash equipped with the Galileo Artech SA hardware mustn't exceed 130 kg.

Sill

Galileo Artech SA can also be installed on very reduced sill sections. The minimum useful dimension allowed is based on a fixed width of 48 mm and the overlap of the sash rebate on the frame.

GALILEO ARTECH SA
Application fields

SRH ≤ 2,5 SRW

Galileo Artech SA - Hardware for left sash

Components

A	5	Stay arm and gliders
	6	Stay arm cover profile
	7	End caps for cover profile
B	1	Top guide cover profile
	2	Top guide
	3	Top bumper
	4	End caps for top guide
	17	Cover profile for connecting rod
	18	Connecting rod
	19	Bogie cover
	20	Fixed release stop
	22	Cover support
	23	Bottom bumper
	24	Bottom track
C	8	Espagnolette with fixed handle height
D	9	Espagnolette with cylinder hole - fixed handle height
E	10	Vertical connecting rod
F	11	High horizontal connecting rod *
G	12	Low horizontal connecting rod with latches *
	13	Corner drive GR2 125x125 with 1 cam
	14	Corner drive GR2 125x125 with 2 cams
H	15	Front bogie
	16	Rear bogie
	21	Movable unhooking device
	25	Cam striker for PVC
	26	Anti-burglar cam striker for PVC
	27	Latch striker for PVC

* Follow the rods direction as indicated in the picture

A Stay-arm and accessories basic kit

M00501.00.YY - SRW = 600-720
M00501.01.YY - SRW = 721-1100
M00501.02.YY - SRW = 1101-1450
M00501.03.YY - SRW = 1451-1650

B Width accessories basic kit

M02022.00.YY - SRW = 600-720
M02022.01.YY - SRW = 721-1035
M02022.02.YY - SRW = 1036-1260
M02022.03.YY - SRW = 1261-1510
M02022.04.YY - SRW = 1511-1650

C Espagnolette, fixed handle H

A50125.15.02 - SRH = 610-810
A50125.15.03 - SRH = 794-1010
A50125.15.04 - SRH = 994-1210
A50125.15.05 - SRH = 1194-1410
A50125.15.06 - SRH = 1394-1610
A50125.15.07 - SRH = 1594-1810
A50125.15.17 - SRH = 1634-1810
A50125.15.08 - SRH = 1794-2110
A50125.15.09 - SRH = 1994-2310
A50125.15.10 - SRH = 2194-2510

D Espagn. with cylinder hole, fixed handle H

A50126.40.17 - SRH = 1634-1810
A50126.40.08 - SRH = 1794-2110
A50126.40.09 - SRH = 1994-2310
A50126.40.10 - SRH = 2194-2510

E Vertical connectors kit

A50122.00.02 - SRH = 610-810
A50122.00.03 - SRH = 794-1010
A50122.00.04 - SRH = 994-1210
A50122.00.05 - SRH = 1194-1410
A50122.00.06 - SRH = 1394-1610
A50122.00.07 - SRH = 1594-1810
A50122.00.17 - SRH = 1634-1810
A50122.00.08 - SRH = 1794-2110
A50122.00.09 - SRH = 1994-2310
A50122.00.10 - SRH = 2194-2510

F High horizontal connecting rod

M40421.00.00 - SRW = 600-800
M40421.00.01 - SRW = 801-1000
M40421.00.02 - SRW = 1001-1200
M40421.00.03 - SRW = 1201-1400
M40421.00.04 - SRW = 1401-1650

G Low horizontal connecting rod with latches

M40420.00.00 - SRW = 600-800
M40420.00.01 - SRW = 801-1000
M40420.00.02 - SRW = 1001-1200
M40420.00.03 - SRW = 1201-1400
M40420.00.04 - SRW = 1401-1650

H Carriages kit, 130 Kg

M42401.SX.00 - Lh

YY = 91 White RAL 9010
94 Brown
34 Matt chromium plated

Basic kit

Width accessories kit, 115 mm opening

MATT CHROMIUM PLATED						
SRW	GR	CODE			€	DC
600-720	0	M02022.00.34	1	1	189,002	H2
720-1035	1	M02022.01.34	1	1	198,900	H2
1036-1260	2	M02022.02.34	1	1	225,186	H2
1261-1510	3	M02022.03.34	1	1	260,854	H2
1511-1650	4	M02022.04.34	1	1	292,628	H2
WHITE RAL 9010						
SRW	GR	CODE			€	DC
600-720	0	M02022.00.91	1	1	178,942	H2
720-1035	1	M02022.01.91	1	1	188,359	H2
1036-1260	2	M02022.02.91	1	1	214,043	H2
1261-1510	3	M02022.03.91	1	1	245,212	H2
1511-1650	4	M02022.04.91	1	1	277,393	H2
BROWN						
SRW	GR	CODE			€	DC
600-720	0	M02022.00.94	1	1	181,938	H2
720-1035	1	M02022.01.94	1	1	191,769	H2
1036-1260	2	M02022.02.94	1	1	217,825	H2
1261-1510	3	M02022.03.94	1	1	251,141	H2
1511-1650	4	M02022.04.94	1	1	282,314	H2

Stay-arm and accessories kit, 115 mm

WHITE RAL 9010						
SRW	GR	CODE			€	DC
600-720	0	M00501.00.91	1	1	77,698	H2
721-1100	1	M00501.01.91	1	1	93,855	H2
1101-1450	2	M00501.02.91	1	1	110,009	H2
1451-1650	3	M00501.03.91	1	1	124,363	H2
BROWN						
SRW	GR	CODE			€	DC
600-720	0	M00501.00.94	1	1	78,791	H2
721-1100	1	M00501.01.94	1	1	95,187	H2
1101-1450	2	M00501.02.94	1	1	111,574	H2
1451-1650	3	M00501.03.94	1	1	126,130	H2

Carriages kit, 130 kg - 115 mm opening

HAND		CODE			€	DC
rh		M42401.DX.00	1	1	283,734	H2
lh		M42401.SX.00	1	1	283,734	H2

Espagnolettes

Tilt&Turn - Fixed handle height, without DSS

BACKSET	SRH	GR	CAM	HANDLE H	CODE				€	DC
1) 7,5	610-810	02	0	280	A50125.08.02	10	10		11,789	F3
	794-1010**	03	0	400	A50125.08.03	10	10		11,455	F3
	994-1210	04	1	500	A50125.08.04	10	10		12,544	F3
	1194-1410	05	1	500	A50125.08.05	10	10		13,635	F3
	1394-1610	06	2	500	A50125.08.06	10	10		14,339	F3
	1594-1810	07	2	500	A50125.08.07	10	10		16,330	F3
	1634-1810	07bis	2	1050	A50125.08.17	10	10		16,330	F3
	1794-2110	08	2	1050	A50125.08.08	10	10		18,016	F3
	1994-2310	09	3	1050	A50125.08.09	10	10		20,817	F3
	2194-2510	10	3	1050	A50125.08.10	10	10		22,524	F3
2) 15	610-810	02	0	280	A50125.15.02	10	10		7,496	F3
	794-1010	03	1	400	A50125.15.03	10	10		7,709	F3
	994-1210	04	1	500	A50125.15.04	10	10		8,056	F3
	1194-1410	05	1	500	A50125.15.05	10	10		8,758	F3
	1394-1610	06	2	500	A50125.15.06	10	10		9,456	F3
	1594-1810	07	2	500	A50125.15.07	10	10		10,800	F3
	1634-1810	07bis	2	1050	A50125.15.17	10	10		10,797	F3
	1794-2110	08	2	1050	A50125.15.08	10	10		12,141	F3
	1994-2310	09	3	1050	A50125.15.09	10	10		13,844	F3
	2194-2510	10	3	1050	A50125.15.10	10	10		15,552	F3
3) Rod*	610-810	02	0	280	A50122.00.02	10	10	✔	6,418	F3
	794-1010	03	1	400	A50122.00.03	10	10	✔	6,634	F3
	994-1210	04	1	500	A50122.00.04	10	10	✔	6,990	F3
	1194-1410	05	1	500	A50122.00.05	10	10	✔	7,705	F3
	1394-1610	06	2	500	A50122.00.06	10	10	✔	8,413	F3
	1594-1810	07	2	500	A50122.00.07	10	10	✔	9,781	F3

Note: for GR 7 bis, 8, 9, 10 use A50104.00.xx on the following pages
*in rod version, there aren't the DSS and handle monobloc.
**the espagnolette backset 7,5 GR3 has to be used on 2 sashes with lever rods A51504.19.13

Tilt&Turn/Tilt only - variable/central handle height

BACKSET	SRH	GR	CAM	HANDLE H	CODE				€	DC
1) 7,5	540-712	01		270-356	A50111.08.11	20	20		14,317	F3
	660-860	02	1	330-430	A50111.08.12	20	20		14,317	F3
	820-1220	03	1	394-610	A50111.08.13	20	20		14,888	F3
	1190-1610	04	2	589-805	A50111.08.14	20	20		16,312	F3
	1590-2010	05	2	789-1005	A50111.08.15	10	10		19,049	F3
	1890-2510	06	4	939-1255	A50111.08.16	10	10		22,524	F3
2) 15	540-712	01		270-356	A50111.15.11	20	20		7,498	F3
	660-860	02	1	330-430	A50111.15.12	20	20		7,498	F3
	820-1220	03	1	394-610	A50111.15.13	20	20		8,057	F3
	1190-1610	04	2	589-805	A50111.15.14	20	20		9,455	F3
	1590-2010	05	2	789-1005	A50111.15.15	20	20		12,139	F3
	1890-2510	06	4	939-1255	A50111.15.16	10	10		15,552	F3
3) Rod*	540-610	01	0	270-356	A50111.00.11	10	10	✔	2,603	F3
	660-860	02	1	330-430	A50111.00.12	10	10	✔	2,882	F3
	820-1220	03	1	394-610	A50111.00.13	10	10	✔	3,174	F3
	1190-1610	04	2	589-805	A50111.00.14	10	10	✔	4,598	F3

Note: espagnolette SRH from 400 to 520 obtainable with 2 corners GR1, cod. A50302.01.01.
Note: for rod version of GR5 and 6, use A50114.00.XX on the following pages.
*in rod version, the handle monobloc is not included

Espagnolettes

Tilt&Turn - with cylinder hole above the handle, fixed handle height, without DSS

BACKSET	SRH	GR	CAM	HANDLE H	CODE			€	DC
1) 40	1634-1810	07bis	2	1050	A50126.40.17	5	5	57,577	F3
	1794-2110	08	2	1050	A50126.40.08	5	5	59,059	F3
	1994-2310	09	3	1050	A50126.40.09	5	5	60,795	F3
	2194-2510	10	3	1050	A50126.40.10	5	5	63,143	F3
2) Rod*	1634-1810	07bis	2	1050	A50104.00.17	10	10	11,408	F3
	1794-2110	08	2	1050	A50104.00.08	10	10	12,751	F3
	1994-2310	09	3	1050	A50104.00.09	10	10	14,454	F3
	2194-2510	10	3	1050	A50104.00.10	10	10	16,163	F3

*in rod version the DSS, the handle and the cylinder monoblocs are not included

Tilt&Turn - with cylinder hole under the handle, fixed handle height, without DSS

BACKSET	SRH	GR	CAM	HANDLE H	CODE				€	DC
1) 40	1634-1810	07bis	2	1050	A50127.40.17		5	5	58,743	F3
	1794-2110	08	2	1050	A50127.40.08		5	5	60,253	F3
	1994-2310	09	3	1050	A50127.40.09		5	5	62,022	F3
	2194-2510	10	3	1050	A50127.40.10		5	5	64,415	F3
2) Rod*	1634-1810	07bis	2	1050	A50107.00.17	☎	10	10	11,408	F3
	1794-2110	08	2	1050	A50107.00.08	☎	10	10	12,751	F3
	1994-2310	09	3	1050	A50107.00.09	☎	10	10	14,454	F3
	2194-2510	10	3	1050	A50107.00.10	☎	10	10	16,163	F3

*in rod version the DSS, the handle and the cylinder monoblocs are not included

Espagnolettes

Tilt&Turn - With cylinder hole above the handle, central/variable handle height

BACKSET	SRH	GR	CAM	HANDLE H	CODE			€	DC
1) 40	1590-2010	05	2	790-1000	A50114.40.15	5	5	59,061	F3
	1890-2510	06	4	940-1250	A50114.40.16	5	5	67,762	F3
2) Rod*	1590-2010	05	2	790-1000	A50114.00.15	20	20	9,005	F3
	1890-2510	06	4	940-1250	A50114.00.16	10	10	12,417	F3

*in rod version the handle monobloc and the cylinder are not included

Tilt&Turn - with cylinder hole under the handle, variable/central handle height

BACKSET	SRH	GR	CAM	HANDLE H	CODE				€	DC
1) 40	1590-2010	05	2	790-1000	A50115.40.15	☎	5	5	60,184	F3
	1890-2510	06	4	940-1250	A50115.40.16	☎	5	5	69,051	F3
2) Rod*	1590-2010	05	2	790-1000	A50115.00.15	☎	20	20	9,005	F3
	1890-2510	06	4	940-1250	A50115.00.16	☎	10	10	12,417	F3

*in rod version the handle monobloc and the cylinder are not included

Espagnolettes

For passive sash, flat cams - fixed handle height

BACKSET	SRH	GR	HANDLE H	CODE			€	DC
15	610-810	02	280	M40423.15.02 ☎	10	10	7,794	H3
	794-1010	03	400	M40423.15.03 ☎	10	10	7,801	H3
	994-1210	04	500	M40423.15.04 ☎	10	10	8,163	H3
	1194-1410	05	500	M40423.15.05 ☎	10	10	8,892	H3
	1394-1610	06	500	M40423.15.06 ☎	10	10	9,615	H3
	1594-1810	07	500	M40423.15.07 ☎	10	10	11,012	H3
	1634-1810	07bis	1050	M40423.15.17 ☎	10	10	11,012	H3
	1794-2110	08	1050	M40423.15.08 ☎	10	10	12,408	H3
	1994-2310	09	1050	M40423.15.09 ☎	10	10	14,178	H3
	2194-2510	10	1050	M40423.15.10 ☎	10	10	15,953	H3

Espagnolette rod for increased backsets with soldered strikers for second sash

SRH	GR	HANDLE H	CODE				€	DC
610-810	02	280	A50122.00.02	10	10	✔	6,418	F3
854-1170	03	400	M40423.00.03 ☎	10	10	✔	13,046	H3
1054-1270	04	500	M40423.00.04 ☎	10	10	✔	13,999	H3
1254-1470	05	500	M40423.00.05 ☎	10	10	✔	14,822	H3
1454-1670	06	500	M40423.00.06 ☎	10	10	✔	10,580	H3
1654-1870	07	500	M40423.00.07 ☎	10	10	✔	12,003	H3
1694-1870	07bis	1050	M40423.00.17 ☎	10	10	✔	12,003	H3
1854-2170	08	1050	M40423.00.08 ☎	10	10	✔	15,088	H3
2054-2370	09	1050	M40423.00.09 ☎	10	10	✔	16,859	H3
2254-2570	10	1050	M40423.00.10 ☎	10	10	✔	18,635	H3

Note: for correct use, please check the assembly diagrams in the section "Opening layouts E+F".
Note: the choice of backset depends on the jamb width of second sash

Espagnolettes

For passive sash, flat cams - central/variable handle height

BACKSET	SRH	GR	HANDLE H	CODE			€	DC
15	540-712	01	270-356	A50111.15.11	20	20	7,498	F3
	660-860	02	330-430	M40425.15.02 ☎	20	20	7,794	H3
	820-1220	03	394-610	M40425.15.03 ☎	20	20	9,184	H3
	1190-1610	04	598-805	M40425.15.04 ☎	20	20	10,649	H3
	1590-2010	05	789-1005	M40425.15.05 ☎	20	20	13,441	H3
	1890-2510	06	939-1255	M40425.15.06 ☎	10	10	16,988	H3

Espagnolette rod for increased backsets with soldered strikers for second sash, central/variable handle H

SRH	GR	HANDLE H	CODE				€	DC
540-610	01	270-356	A50111.00.11	10	10	✔	2,603	F3
660-860	02	330-430	M40425.00.02 ☎	10	10	✔	11,579	H3
820-1220	03	394-610	M40425.00.03 ☎	10	10	✔	13,597	H3
1190-1610	04	598-805	M40425.00.04 ☎	10	10	✔	15,300	H3
1590-2010	05	789-1005	M40425.00.05 ☎	10	10	✔	16,562	H3
1890-2510	06	939-1255	M40425.00.06 ☎	10	10	✔	17,825	H3

Note: for correct use, please check the assembly diagrams in the section "Opening layouts E+F".
Note: the choice of backset depends on the jamb width of second sash

Accessories

Handle monobloc

BACKSET	CODE			€	DC
15	A50191.15.00	20	20	5,929	F3
25	A50191.25.00	20	20	8,427	F3
30	A50191.30.00	20	20	10,000	F3
35	A50191.35.00	20	20	10,770	F3
40	A50191.40.00	20	20	11,221	F3
45	A50191.45.00	20	20	13,807	F3
50	A50191.50.00	20	20	15,876	F3

Cylinder monobloc

BACKSET	CODE			€	DC
30	A50192.30.00	20	20	35,390	F3
35	A50192.35.00	20	20	36,576	F3
40	A50192.40.00	20	20	36,679	F3
50	A50192.50.00	20	20	38,629	F3

Covering plate for hardware cut

	CODE			€	DC
	A50194.02.00	100	100	0,527	F3

Covering plate for parallel cut

	CODE			€	DC
	A50194.01.00	100	100	0,523	F3

Handle shield

BACKSET	CODE			€	DC
7,5	A50194.00.01	10	100	2,878	F3
15	A20050.00.02	10	100	2,435	F3

Connection elements

Upper horizontal connecting rod

SRW	GR	CAM	CODE				€	DC
600-800	00		M40421.00.00	10	10	✔	8,641	H3
801-1000	01	1	M40421.00.01	10	10	✔	9,332	H3
1001-1200	02	1	M40421.00.02	10	10	✔	10,985	H3
1201-1400	03	1	M40421.00.03	10	10	✔	11,810	H3
1401-1760*	04	2	M40421.00.04	10	10	✔	15,043	H3

*over a SRW 1650 LBB use the extension A51801.00.01

Lower horizontal connecting rod with latches

SRW	GR	CAM	CODE				€	DC
600-800	00		M40420.00.00	10	10	✔	13,439	H3
801-1000	01	1	M40420.00.01	10	10	✔	14,137	H3
1001-1200	02	1	M40420.00.02	10	10	✔	15,690	H3
1201-1400	03	1	M40420.00.03	10	10	✔	16,633	H3
1401-1760*	04	2	M40420.00.04	10	10	✔	19,791	H3

*over a SRW 1650 LBB use the extension A51801.00.01

Vertical/fixed connecting rod

1)

SRH	GR	CAM	CODE				€	DC
610-810	02	0	A50122.00.02	10	10	✔	6,418	F3
794-1010	03	1	A50122.00.03	10	10	✔	6,634	F3
994-1210	04	1	A50122.00.04	10	10	✔	6,990	F3
1194-1410	05	1	A50122.00.05	10	10	✔	7,705	F3
1394-1610	06	2	A50122.00.06	10	10	✔	8,413	F3
1594-1810	07	2	A50122.00.07	10	10	✔	9,781	F3
1794-2110	08	2	A50104.00.08	10	10		12,751	F3
1994-2310	09	3	A50104.00.09	10	10		14,454	F3
2194-2510	10	3	A50104.00.10	10	10		16,163	F3

Vertical/variable connecting rod

2)

SRH	GR	CAM	CODE				€	DC
540-610	01	0	A50111.00.11	10	10	✔	2,603	F3
660-860	02	1	A50111.00.12	10	10	✔	2,882	F3
820-1220	03	1	A50111.00.13	10	10	✔	3,174	F3
1190-1610	04	2	A50111.00.14	10	10	✔	4,598	F3
1590-2010	05	2	A50114.00.15	20	20		9,005	F3
1890-2510	06	4	A50114.00.16	10	10		12,417	F3

Corner drives

For rectangular sashes

DIMENSIONS	SRW	SRH	CAM	CODE			€	DC
2) 125x125	362-1204	440-2510	1	A50302.01.02	50	50	6,040	F3
3) 125x125	362-1204	440-2510	2	A50302.02.02	50	50	8,825	F3

Strikers

Cam for PVC

see the section HARDWARE FOR WINDOWS

Anti-burglar for PVC, suitable for cover

see the section HARDWARE FOR WINDOWS

Cover for screws

FINISH	CODE			€	DC
Silver	A52102.03.44	50	1500	0,367	F3

Note: compatible with stirker A52300.XX.76

Anti-burglar for PVC

see the section HARDWARE FOR WINDOWS

Strikers

Tilt for PVC

ALPHACAN - System In'Alpha 70, Prestigio, Luce	CODE			€	DC
	M40707.BF.00	50	500	2,794	H3
ALUPLAST - Ideal 2000	CODE			€	DC
	M40707.BF.00	50	500	2,794	H3
ALUPLAST - Ideal 4000/8000, Energeto	CODE			€	DC
	M40707.BF.00	50	500	2,794	H3
BRUGMANN - AD, MD	CODE			€	DC
	M40707.BF.00	50	500	2,794	H3
DECEUNINCK - Zendow, Zendow#neo, Elegance, Premiere	CODE			€	DC
	M40707.CD.00	50	500	2,794	H3
GARGIULO - Wingo AD 70, Wingo MD 80	CODE			€	DC
	M40707.BF.00	50	500	2,794	H3
GEALAN - 3000, 7000, 8000, 9000	CODE			€	DC
	M40707.DF.00	50	500	2,794	H3
ITALPLASTICK - Seven, Seven Plus	CODE			€	DC
	M40707.BF.00	50	500	2,794	H3
KBE - AD 70 mm, MD 70 mm, Select 70 mm, System 88 mm	CODE			€	DC
	M40707.BF.00	50	500	2,794	H3
KOMMERLING - AD 76, MD 76	CODE			€	DC
	M40707.BF.00	50	500	2,794	H3
KOMMERLING - Eurodur 3S, Eurofutur elegance, Eurofutur MD	CODE			€	DC
	M40707.BF.00	50	500	2,794	H3
REHAU - Geneo, Synego	CODE			€	DC
	M40707.BF.00	50	500	2,794	H3
REHAU - Piattaforma 70	CODE			€	DC
	M40707.BF.00	50	500	2,794	H3
SALAMANDER - 2D, 3D, Streamline	CODE			€	DC
	M40707.BF.00	50	500	2,794	H3
SALAMANDER - bluEvolution 82	CODE			€	DC
	M40707.BF.00	50	500	2,794	H3
SALAMANDER - bluEvolution 92	CODE			€	DC
	M40707.BF.00	50	500	2,794	H3
SCHUCO - Corona SI 82, SI 82+, CT 70 MD, CT 70 AS	CODE			€	DC
	M40707.BF.00	50	500	2,794	H3
TROCAL - Innonova 70 A5, Innonova 70 M5	CODE			€	DC
	M40707.BF.00	50	500	2,794	H3
VEKA - Softline 70-76-82, Topline AD, Swingline, Alphaline 90	CODE			€	DC
	M40707.BF.00	50	500	2,794	H3
WEISS PROFIL - WP5000	CODE			€	DC
	M40707.BF.00	50	500	2,794	H3

Jigs

Jig for carriages positioning

CODE			€	DC
M02030.00.02	1	1	135,039	H2

Jig for release stop

CODE			€	DC
M02030.00.03	1	1	63,106	H2

Jig for Galileo tracks - 115 mm opening

CODE			€	DC
M02030.00.04	1	1	84,559	H2

Jig for hole centring

CODE			€	DC
M02030.00.05	1	1	17,675	H2

Jigs

For strikers, horizontal connecting rod

GR	CODE			€	DC
00	M01304.05.00	1	5	79,415	H2
01	M01304.05.01	1	5	116,914	H2
02	M01304.05.02	1	5	119,767	H2
03	M01304.05.03	1	5	124,362	H2
04	M01304.05.04	1	5	144,871	H2

For corner driver strikers Gap 12

	CODE			€	DC
1) Upper strik. L 46 mm	A52099.03.01	1	1	42,982	F3
2) Lower single mushroom cam - Upp. 46 mm	A52099.06.01	1	1	52,876	F3

Open, Close, Live

HARDWARE FOR

COPLANAR SLIDING SYSTEMS

GALILEO ARTECH CM

MADE IN ITALY

General instructions and application fields 358
Galileo Artech CM - Hardware for left sash 360

Basic kit 361
Espagnolettes 362
Accessories 367
Connection elements 368
Corner drives 369
Strikers 370
Jigs 371

General instructions and application fields

GALILEO ARTECH CM
Application fields with carriages, 115 mm opening

ATTENTION: MAX. SRH ≤ 2,5 SRW	
SRH sliding sash 540-2510 * mm	* it can be overpassed using extensions
SRW 540-1760 mm with front and rear carriages (max. capacity 130 Kg)	
Handle height 280, 400, 500 and 1050 mm	
Sash gap with opened carriages 115 mm	

Warning:

- Please respect minimum and maximum dimensions here above and the maximum weight allowed for each sash.
- Please respect the instructions of profile producers as regard minimum and maximum dimensions, sash weight and distance between locking points.
- Don't do any change to mechanisms.
- Please use AGB components exclusively.
- Please install the mechanisms as indicated in the assembly layout, taking care about the security warnings.
- Please follow the instructions about the fastening screws: diameter, number and position. Choose the right length according to the type of profile. All screws for rails and carriages have to be fastened into the reinforced profile or into the aluminium part of the aluminium-wood profiles.
- Don't install the hardware before painting the wooden system; the painting process with hardware installed to the door let you loose the warranty.
- The screws can be fastened in a straight way avoiding to fasten them much compromising the fastening (stripping).
- Don't use acidic or acetic sealants that could corrode the mechanisms.
- Protect the sliding rail and the upper drives from dust, lime and plaster. Please clean the parts and delete the direct contact of devices with humidity.
- Read carefully the instructions to cut the glass.
- Forcing the mechanisms and the wrong use of the coplanar system in tilt position can cause malfunctioning and the fall of the system from the sliding rail, causing damages and injuries.

If it's possible that in some cases (e.g. in schools, nursery schools, rest homes, etc.) the sliding sash can be damaged because of mishandlings during closing movements, you have to:

- place the door stop in order to reduce the stroke;
- apply the handle with key in order to avoid a wrong use.

If you have doubts, please consult the AGB assistance.

Exclusion of liability

AGB shall not be responsible of possible damages about functioning and mechanisms of sliding systems, where the causes regard defects of type, non-compliance with the assembly layout of the aggressive mishandling, lack of periodic maintenance as indicated in this manual, lack of information and instructions to the end customer.

General instructions and application fields

GALILEO ARTECH CM
Technical features

Applications

On wooden, PVC, alu-wood systems apart from gap and rebate.
Galileo Artech CM allows to use a traditional DK handle avoiding the use of a special handle.

Dimensions

The Galileo Artech CM system is used for the construction of sliding sashes with sash rebate width (SRW) ranging from 540 to 1760 mm, and sash rebate height (SRH) ranging from 540 to 2510 mm.

Maximum weight

The weight of each sliding sash equipped with the Galileo Artech CM hardware mustn't exceed 130 kg.

Sill

Galileo Artech CM can also be installed on very reduced sill sections. The minimum useful dimension allowed is based on a fixed width of 48 mm and the overlap of the sash rebate on the frame.

GALILEO ARTECH CM
Application fields

SRH ≤ 2,5 SRW

Galileo Artech CM - Hardware for left sash

Components

A	5	Stay-arm and gliders
	6	Stay-arm covering profile
	7	End cap for covering profile
B	1	Top guide covering profile
	2	Upper guide
	3	Top bumper
	4	End cap for top guide
	15	Covering profile for carriages connecting rod
	16	Carriages connecting rod
	17	Cover for carriage support
	18	Fixed release stop
	20	Covering profile support
	21	Lower bumper
	22	Lower track
C	8	Espagnolette with fixed handle height without DSS
D	9	Espagnolette with cylinder hole - fixed handle height without DSS
E	10	Horizontal/vertical connecting rod - fixed
	11	Corner drive GR2 125x125 with 1 cam
	12	Corner drive GR2 125x125 with 2 cams
F	13	Front carriage
	14	Rear carriage
	19	Movable unhooking device
	23	Cam striker
	24	Anti-burglar cam striker

✳ **Follow the rods direction as indicated in the picture**

A Stay-arm and accessories basic kit

M00501.00.**YY** - SRW = 540-720
M00501.01.**YY** - SRW = 721-1100
M00501.02.**YY** - SRW = 1101-1450
M00501.03.**YY** - SRW = 1451-1760

B Width basic accessories kit

M02022.00.**YY** - SRW = 540-720
M02022.01.**YY** - SRW = 721-1035
M02022.02.**YY** - SRW = 1036-1260
M02022.03.**YY** - SRW = 1261-1510
M02022.04.**YY** - SRW = 1511-1760

C Fixed handle height espagnolette, without DSS

A50125.15.02 - SRH = 610-810★
A50125.15.03 - SRH = 794-1010
A50125.15.04 - SRH = 994-1210
A50125.15.05 - SRH = 1194-1410
A50125.15.06 - SRH = 1394-1610
A50125.15.07 - SRH = 1594-1810
A50125.15.17 - SRH = 1634-1810
A50125.15.08 - SRH = 1794-2110
A50125.15.09 - SRH = 1994-2310
A50125.15.10 - SRH = 2194-2510

D Espagnolette with cylind. hole for fixed handle H, without DSS

A50126.40.17 - SRH = 1634-1810
A50126.40.08 - SRH = 1794-2110
A50126.40.09 - SRH = 1994-2310
A50126.40.10 - SRH = 2194-2510

E Horizontal/vertical connecting rod - fixed

A50111.00.11 - SRW = 540-610	SRH = 540-610
A50122.00.02 - SRW = 610-810	SRH = 610-810
A50122.00.03 - SRW = 794-1010	SRH = 794-1010
A50122.00.04 - SRW = 994-1210	SRH = 994-1210
A50122.00.05 - SRW = 1194-1410	SRH = 1194-1410
A50122.00.06 - SRW= 1394-1610	SRH= 1394-1610
A50122.00.07 - SRW = 1594-1760	SRH = 1594-1810
A50104.00.08 - -	SRH = 1794-2110
A50104.00.09 - -	SRH = 1994-2310
A50104.00.10 - -	SRH = 2194-2510

F Carriages kit, 130 Kg

M42401.SX.00 - Lh

YY = 91 White RAL 9010
94 Brown
34 Matt chromium plated

★ For SRH<610mm use the espagnolettes with central/variable handle height indicated in the following pages.

Basic kit

Width accessories kit, 115 mm opening

MATT CHROMIUM PLATED						
SRW	GR	CODE			€	DC
530-720	0	M02022.00.34	1	1	189,002	H2
720-1035	1	M02022.01.34	1	1	198,900	H2
1036-1260	2	M02022.02.34	1	1	225,186	H2
1261-1510	3	M02022.03.34	1	1	260,854	H2
1511-1760	4	M02022.04.34	1	1	292,628	H2
WHITE RAL 9010						
SRW	GR	CODE			€	DC
530-720	0	M02022.00.91	1	1	178,942	H2
720-1035	1	M02022.01.91	1	1	188,359	H2
1036-1260	2	M02022.02.91	1	1	214,043	H2
1261-1510	3	M02022.03.91	1	1	245,212	H2
1511-1760	4	M02022.04.91	1	1	277,393	H2
BROWN						
SRW	GR	CODE			€	DC
530-720	0	M02022.00.94	1	1	181,938	H2
720-1035	1	M02022.01.94	1	1	191,769	H2
1036-1260	2	M02022.02.94	1	1	217,825	H2
1261-1510	3	M02022.03.94	1	1	251,141	H2
1511-1760	4	M02022.04.94	1	1	282,314	H2

Stay-arm and accessories kit for 115 mm carriages

WHITE RAL 9010						
SRW	GR	CODE			€	DC
530-720	0	M00501.00.91	1	1	77,698	H2
721-1100	1	M00501.01.91	1	1	93,855	H2
1101-1450	2	M00501.02.91	1	1	110,009	H2
1451-1760	3	M00501.03.91	1	1	124,363	H2
BROWN						
SRW	GR	CODE			€	DC
530-720	0	M00501.00.94	1	1	78,791	H2
721-1100	1	M00501.01.94	1	1	95,187	H2
1101-1450	2	M00501.02.94	1	1	111,574	H2
1451-1760	3	M00501.03.94	1	1	126,130	H2

Carriages kit, 130 kg - 115 mm opening

HAND		CODE			€	DC
rh		M42401.DX.00	1	1	283,734	H2
lh		M42401.SX.00	1	1	283,734	H2

Espagnolettes

Tilt&Turn - Fixed handle height, without DSS

BACKSET	SRH	GR	CAM	HANDLE H	CODE				€	DC
1) 7,5	610-810	02	0	280	A50125.08.02	10	10		11,789	F3
	794-1010**	03	0	400	A50125.08.03	10	10		11,455	F3
	994-1210	04	1	500	A50125.08.04	10	10		12,544	F3
	1194-1410	05	1	500	A50125.08.05	10	10		13,635	F3
	1394-1610	06	2	500	A50125.08.06	10	10		14,339	F3
	1594-1810	07	2	500	A50125.08.07	10	10		16,330	F3
	1634-1810	07bis	2	1050	A50125.08.17	10	10		16,330	F3
	1794-2110	08	2	1050	A50125.08.08	10	10		18,016	F3
	1994-2310	09	3	1050	A50125.08.09	10	10		20,817	F3
	2194-2510	10	3	1050	A50125.08.10	10	10		22,524	F3
2) 15	610-810	02	0	280	A50125.15.02	10	10		7,496	F3
	794-1010	03	1	400	A50125.15.03	10	10		7,709	F3
	994-1210	04	1	500	A50125.15.04	10	10		8,056	F3
	1194-1410	05	1	500	A50125.15.05	10	10		8,758	F3
	1394-1610	06	2	500	A50125.15.06	10	10		9,456	F3
	1594-1810	07	2	500	A50125.15.07	10	10		10,800	F3
	1634-1810	07bis	2	1050	A50125.15.17	10	10		10,797	F3
	1794-2110	08	2	1050	A50125.15.08	10	10		12,141	F3
	1994-2310	09	3	1050	A50125.15.09	10	10		13,844	F3
	2194-2510	10	3	1050	A50125.15.10	10	10		15,552	F3
3) Rod*	610-810	02	0	280	A50122.00.02	10	10	✔	6,418	F3
	794-1010	03	1	400	A50122.00.03	10	10	✔	6,634	F3
	994-1210	04	1	500	A50122.00.04	10	10	✔	6,990	F3
	1194-1410	05	1	500	A50122.00.05	10	10	✔	7,705	F3
	1394-1610	06	2	500	A50122.00.06	10	10	✔	8,413	F3
	1594-1810	07	2	500	A50122.00.07	10	10	✔	9,781	F3

Note: for GR 7 bis, 8, 9, 10 use A50104.00.xx on the following pages
*in rod version, there aren't the DSS and handle monobloc.
**the espagnolette backset 7,5 GR3 has to be used on 2 sashes with lever rods A51504.19.13

Tilt&Turn/Tilt only - variable/central handle height

BACKSET	SRH	GR	CAM	HANDLE H	CODE				€	DC
1) 7,5	540-712	01		270-356	A50111.08.11	20	20		14,317	F3
	660-860	02	1	330-430	A50111.08.12	20	20		14,317	F3
	820-1220	03	1	394-610	A50111.08.13	20	20		14,888	F3
	1190-1610	04	2	589-805	A50111.08.14	20	20		16,312	F3
	1590-2010	05	2	789-1005	A50111.08.15	10	10		19,049	F3
	1890-2510	06	4	939-1255	A50111.08.16	10	10		22,524	F3
2) 15	540-712	01		270-356	A50111.15.11	20	20		7,498	F3
	660-860	02	1	330-430	A50111.15.12	20	20		7,498	F3
	820-1220	03	1	394-610	A50111.15.13	20	20		8,057	F3
	1190-1610	04	2	589-805	A50111.15.14	20	20		9,455	F3
	1590-2010	05	2	789-1005	A50111.15.15	20	20		12,139	F3
	1890-2510	06	4	939-1255	A50111.15.16	10	10		15,552	F3
3) Rod*	540-610	01	0	270-356	A50111.00.11	10	10	✔	2,603	F3
	660-860	02	1	330-430	A50111.00.12	10	10	✔	2,882	F3
	820-1220	03	1	394-610	A50111.00.13	10	10	✔	3,174	F3
	1190-1610	04	2	589-805	A50111.00.14	10	10	✔	4,598	F3

Note: it is possible to get from 400 to 520 mm espagnolette with 2 corners GR1 A50302.01.01
Note: for rod versions of GR 5 and 6 use A50114.00.XX on following pages.
*in the rod version there isn't the handle monobloc

Espagnolettes

Tilt&Turn - with cylinder hole above the handle, fixed handle height, without DSS

BACKSET	SRH	GR	CAM	HANDLE H	CODE			€	DC
1) 40	1634-1810	07bis	2	1050	A50126.40.17	5	5	57,577	F3
	1794-2110	08	2	1050	A50126.40.08	5	5	59,059	F3
	1994-2310	09	3	1050	A50126.40.09	5	5	60,795	F3
	2194-2510	10	3	1050	A50126.40.10	5	5	63,143	F3
2) Rod*	1634-1810	07bis	2	1050	A50104.00.17	10	10	11,408	F3
	1794-2110	08	2	1050	A50104.00.08	10	10	12,751	F3
	1994-2310	09	3	1050	A50104.00.09	10	10	14,454	F3
	2194-2510	10	3	1050	A50104.00.10	10	10	16,163	F3

*in rod version the DSS, the handle and the cylinder monoblocs are not included

Tilt&Turn - with cylinder hole under the handle, fixed handle height, without DSS

BACKSET	SRH	GR	CAM	HANDLE H	CODE			€	DC
1) 40	1634-1810	07bis	2	1050	A50127.40.17	5	5	58,743	F3
	1794-2110	08	2	1050	A50127.40.08	5	5	60,253	F3
	1994-2310	09	3	1050	A50127.40.09	5	5	62,022	F3
	2194-2510	10	3	1050	A50127.40.10	5	5	64,415	F3
2) Rod*	1634-1810	07bis	2	1050	A50107.00.17 ☎	10	10	11,408	F3
	1794-2110	08	2	1050	A50107.00.08 ☎	10	10	12,751	F3
	1994-2310	09	3	1050	A50107.00.09 ☎	10	10	14,454	F3
	2194-2510	10	3	1050	A50107.00.10 ☎	10	10	16,163	F3

*in rod version the DSS, the handle and the cylinder monoblocs are not included

Espagnolettes

Tilt&Turn - with cylinder hole above the handle, central/variable handle height

BACKSET	SRH	GR	CAM	HANDLE H	CODE			€	DC
1) 40	1590-2010	05	2	790-1000	A50114.40.15	5	5	59,061	F3
	1890-2510	06	4	940-1250	A50114.40.16	5	5	67,762	F3
2) Rod*	1590-2010	05	2	790-1000	A50114.00.15	20	20	9,005	F3
	1890-2510	06	4	940-1250	A50114.00.16	10	10	12,417	F3

*in rod version the handle monobloc and the cylinder are not included

Tilt&Turn - with cylinder hole under the handle, variable/central handle height

BACKSET	SRH	GR	CAM	HANDLE H	CODE				€	DC
1) 40	1590-2010	05	2	790-1000	A50115.40.15	☎	5	5	60,184	F3
	1890-2510	06	4	940-1250	A50115.40.16	☎	5	5	69,051	F3
2) Rod*	1590-2010	05	2	790-1000	A50115.00.15	☎	20	20	9,005	F3
	1890-2510	06	4	940-1250	A50115.00.16	☎	10	10	12,417	F3

*in rod version the handle monobloc and the cylinder are not included

Espagnolettes

For passive sash, flat cams - fixed handle height

BACKSET	SRH	GR	HANDLE H	CODE			€	DC
15	610-810	02	280	M40423.15.02 ☎	10	10	7,794	H3
	794-1010	03	400	M40423.15.03 ☎	10	10	7,801	H3
	994-1210	04	500	M40423.15.04 ☎	10	10	8,163	H3
	1194-1410	05	500	M40423.15.05 ☎	10	10	8,892	H3
	1394-1610	06	500	M40423.15.06 ☎	10	10	9,615	H3
	1594-1810	07	500	M40423.15.07 ☎	10	10	11,012	H3
	1634-1810	07bis	1050	M40423.15.17 ☎	10	10	11,012	H3
	1794-2110	08	1050	M40423.15.08 ☎	10	10	12,408	H3
	1994-2310	09	1050	M40423.15.09 ☎	10	10	14,178	H3
	2194-2510	10	1050	M40423.15.10 ☎	10	10	15,953	H3

Espagnolette rod for increased backsets with soldered strikers for second sash

SRH	GR	HANDLE H	CODE				€	DC
610-810	02	280	A50122.00.02	10	10	✔	6,418	F3
854-1170	03	400	M40423.00.03 ☎	10	10	✔	13,046	H3
1054-1270	04	500	M40423.00.04 ☎	10	10	✔	13,999	H3
1254-1470	05	500	M40423.00.05 ☎	10	10	✔	14,822	H3
1454-1670	06	500	M40423.00.06 ☎	10	10	✔	10,580	H3
1654-1870	07	500	M40423.00.07 ☎	10	10	✔	12,003	H3
1694-1870	07bis	1050	M40423.00.17 ☎	10	10	✔	12,003	H3
1854-2170	08	1050	M40423.00.08 ☎	10	10	✔	15,088	H3
2054-2370	09	1050	M40423.00.09 ☎	10	10	✔	16,859	H3
2254-2570	10	1050	M40423.00.10 ☎	10	10	✔	18,635	H3

Note: for correct use, please check the assembly diagrams in the section "Opening layouts E+F".
Note: the choice of backset depends on the jamb width of the second sash

Espagnolettes

For passive sash, flat cams - central/variable handle height

BACKSET	SRH	GR	HANDLE H	CODE			€	DC
15	540-712	01	270-356	A50111.15.11	20	20	7,498	F3
	660-860	02	330-430	M40425.15.02 ☎	20	20	7,794	H3
	820-1220	03	394-610	M40425.15.03 ☎	20	20	9,184	H3
	1190-1610	04	598-805	M40425.15.04 ☎	20	20	10,649	H3
	1590-2010	05	789-1005	M40425.15.05 ☎	20	20	13,441	H3
	1890-2510	06	939-1255	M40425.15.06 ☎	10	10	16,988	H3

Espagnolette rod for increased backsets with soldered strikers for second sash, central/variable handle H

SRH	GR	HANDLE H	CODE				€	DC
540-610	01	270-356	A50111.00.11	10	10	✔	2,603	F3
660-860	02	330-430	M40425.00.02 ☎	10	10	✔	11,579	H3
820-1220	03	394-610	M40425.00.03 ☎	10	10	✔	13,597	H3
1190-1610	04	598-805	M40425.00.04 ☎	10	10	✔	15,300	H3
1590-2010	05	789-1005	M40425.00.05 ☎	10	10	✔	16,562	H3
1890-2510	06	939-1255	M40425.00.06 ☎	10	10	✔	17,825	H3

Note: for correct use, please check the assembly diagrams in the section "Opening layouts E+F".
Note: the choice of backset depends on the jamb width of the second sash

Accessories

DSS (Safety and lifting device)

HAND	CODE			€	DC
1) non-handed	A50190.00.00	50	300	3,746	F3
2) trilobal screw	G01809.10.00	50	300	0,235	F3

Handle monobloc

BACKSET	CODE			€	DC
15	A50191.15.00	20	20	5,929	F3
25	A50191.25.00	20	20	8,427	F3
30	A50191.30.00	20	20	10,000	F3
35	A50191.35.00	20	20	10,770	F3
40	A50191.40.00	20	20	11,221	F3
45	A50191.45.00	20	20	13,807	F3
50	A50191.50.00	20	20	15,876	F3

Cylinder monobloc

BACKSET	CODE			€	DC
30	A50192.30.00	20	20	35,390	F3
35	A50192.35.00	20	20	36,576	F3
40	A50192.40.00	20	20	36,679	F3
50	A50192.50.00	20	20	38,629	F3

Covering plate for hardware cut

	CODE			€	DC
	A50194.02.00	100	100	0,527	F3

Covering plate for parallel cut

	CODE			€	DC
	A50194.01.00	100	100	0,523	F3

Handle shield

BACKSET	CODE			€	DC
7,5	A50194.00.01	10	100	2,878	F3
15	A20050.00.02	10	100	2,435	F3

Connection elements

Horizontal/vertical connecting rod - fixed

SRW	SRH	GR	CAM	CODE				€	DC
540-610	540-610	01	0	A50111.00.11	10	10	✔	2,603	F3
610-810	610-810	02	0	A50122.00.02	10	10	✔	6,418	F3
794-1010	794-1010	03	1	A50122.00.03	10	10	✔	6,634	F3
994-1210	994-1210	04	1	A50122.00.04	10	10	✔	6,990	F3
1194-1410	1194-1410	05	1	A50122.00.05	10	10	✔	7,705	F3
1394-1610	1394-1610	06	2	A50122.00.06	10	10	✔	8,413	F3
1594-1760	1594-1810	07	2	A50122.00.07	10	10	✔	9,781	F3
	1794-2110	08	2	A50104.00.08	10	10		12,751	F3
	1994-2310	09	3	A50104.00.09	10	10		14,454	F3
	2194-2510	10	3	A50104.00.10	10	10		16,163	F3

Horizontal/vertical connecting rod - variable

SRW	SRH	GR	CAM	CODE				€	DC
540-610	540-610	01	0	A50111.00.11	10	10	✔	2,603	F3
660-860	660-860	02	1	A50111.00.12	10	10	✔	2,882	F3
820-1220	820-1220	03	1	A50111.00.13	10	10	✔	3,174	F3
1190-1610	1190-1610	04	2	A50111.00.14	10	10	✔	4,598	F3
1590-1760	1590-2010	05	2	A50114.00.15	20	20		9,005	F3
	1890-2510	06	4	A50114.00.16	10	10		12,417	F3

Corner drives

For rectangular sashes

DIMENSIONS	SRW	SRH	CAM	CODE			€	DC
2) 125x125	362-1204	440-2510	1	A50302.01.02	50	50	6,040	F3
3) 125x125	362-1204	440-2510	2	A50302.02.02	50	50	8,825	F3

Strikers

Cam for PVC

see the section HARDWARE FOR WINDOWS

Anti-burglar for PVC, suitable for cover

see the section HARDWARE FOR WINDOWS

Cover for screws

FINISH	CODE			€	DC
Silver	A52102.03.44	50	1500	0,367	F3

Note: compatible with striker A52300.XX.76

Anti-burglar for PVC

see the section HARDWARE FOR WINDOWS

DSS for PVC

see the section HARDWARE FOR WINDOWS

Jigs

Jig for rail positioning

CODE			€	DC
M02030.00.02	1	1	135,039	H2

Jig for release stop

CODE			€	DC
M02030.00.03	1	1	63,106	H2

Jig for Galileo tracks - 115 mm opening

CODE			€	DC
M02030.00.04	1	1	84,559	H2

Jig for hole centring

CODE			€	DC
M02030.00.05	1	1	17,675	H2

Open, Close, Live

HARDWARE FOR COPLANAR SLIDING SYSTEMS

GALILEO ALU ARTECH SA

MADE IN ITALY

General instructions and application fields 374
Galileo Artech ALU SA system - hardware for left sash 376

Basic kit 377
Espagnolettes 378
Connection elements 383
Corner drives 384
Components 385
Jigs 387

General instructions and application fields

Application fields

ATTENTION: MAX. SRH ≤ 2,5 SRW
SRH sliding sash 930-2400 mm
SRW 630-1680 mm with front and rear carriages (max. capacity 160 Kg)
Sash gap with opened carriages 116 mm

RT: ≥ 7 mm

RT = rebate tickness

Warning:

- Please respect minimum and maximum dimensions here above and the maximum weight allowed for each sash.
- Please respect the instructions profiles producers as regard minimum and maximum dimensions, sash weight and distance between locking points.
- Don't do any change to mechanisms.
- Please use AGB components exclusively.
- Please install the mechanisms as indicated in the assembly layout, taking care about the security warnings.
- Please follow the instructions about the fastening screws: diameter, number and position. Choose the right length according to the type of profile. All screws for rails and carriages have to be fastened into the aluminium profile.
- Don't install the hardware before painting the wooden system; the painting process with hardware installed to the door let you loose the warranty.
- The screws can be fastened in a straight way avoiding to fasten them much compromising the fastening (stripping).
- Don't use acidic or acetic sealants that could corrode the mechanisms.
- Protect the sliding rail and the upper drives from dust, lime and plaster. Please clean the parts and delete the direct contact of devices with humidity.
- Read carefully the instructions to cut the glass.
- Forcing the mechanisms and the wrong use of the coplanar system in tilt position can cause malfunctioning and the fall of the system from the sliding rail, causing damages and injuries.

If it's possible that in some cases (e.g. in schools, nursery schools, rest homes, etc.) the sliding sash can be damaged because of mishandlings during closing movements, you have to:

- place the door stop in order to reduce the stroke;
- apply the handle with key in order to avoid a wrong use;
- use the cylinder lock to prevent unauthorized use.

If you have doubts, please consult the AGB assistance.

Exclusion of liability

AGB shall not be responsible of possible damages about functioning and mechanisms of sliding systems, where the causes regard defects of type, non-compliance with the assembly layout of the aggressive mishandling, lack of periodic maintenance as indicated in this manual, lack of information and instructions to the end customer, to installation problems, to the incorrect coupling of the stay arms to the respective glidings made by the manufacturer or installer of the windows, or by third parties after installation.

General instructions and application fields

Technical features

Applications

On aluminium systems apart from gap and rebate.
Galileo Artech SA allows to use a traditional DK handle avoiding the use of a special handle.

Dimensions

The Galileo Artech SA system is used for the construction of sliding sashes with hardware groove width (SRW) ranging from 630 to 1680 mm, and the hieght of the hardware groove (SRH) ranging from 930 to 2400 mm.

Maximum weight

The weight of each sliding sash equipped with the Galileo Artech SA hardware mustn't exceed 160 kg.

Sill

Galileo Artech SA can also be installed on very reduced sill sections. The minimum useful dimension allowed is based on a fixed width of 40 mm and the overlap of the sash rebate on the frame.

Application fields

100 kg max. weight

SRH ≤ 2,5 SRW

160 kg max. weight

SRH ≤ 2,5 SRW

Galileo Artech SA

For the **closed position**, the DK handle must be rotated downwards up to the vertical position only after pushing the sash in closing position.
The self-activating hooking of the latches allows to automatically **position the sash on tilt**. To reach the **sliding position**, the handle must be rotated upwards up to the vertical position first in order (1) to allow the un-hooking and then be rotated up to the **horizontal position** (3) to drag the sash.

Closed position | **Tilt position** | **Sliding in the opening direction** | **Sliding in closeing direction** | **Tilt position** | **Closed position**

Galileo Artech ALU SA system - hardware for left sash

Components

A	5	Glider for stay-arm
	6	Left-hand stay-arm
	7	Right-hand stay-arm
	19	Fastening plate for carriages
	20	Compensator for carriages
	21	Lateral cap for carriage
	22	Support for carriage covering profile
	23	Front carriage
	24	Rear carriage
	26	Fixed release stop
B	1	Top guide
	2	Security plate for top guide
	3	Terminal cap for top guide cover
	4	Fastening clip for top guide
	8	Covering profile for stay-arm
	9	Cap for covering profile of stay-arm
	17	Covering profile for carriages
	18	Covering cap for carriages
	25	Carriages connecting rod
	27	Lower door stop
	28	Lower rail
C	10	Espagnolette with fixed handle height
D	11	Espagnolette with cylinder hole - fixed handle height
E	12	Vertical connecting rod - fixed
F	13	Hight horizontal connecting rod *
G	14	Lower horizontal connecting rod with latches *
	15	Corner drive GR2 125x125 with 1 cam
	16	Corner drive GR2 125x125 with 2 cams
	29	Kit 150 Kg
	30	Cam striker
	31	Anti-burglar cam striker
	32	Tilt latch striker
	33	Compensator for tilt latch striker

* Follow the rods direction as indicated in the picture

A Basic kit
M50000.DX.00 (Rh)
M50000.SX.00 (Lh)

B Basic kit, width accessories
M50001.01.**YY** - SRW = 720-1060
M50001.02.**YY** - SRW = 1061-1360
M50001.03.**YY** - SRW = 1361-1660

C Espagnolette, fixed handle height
A50125.15.02 - SRH = 610-810 ★
A50125.15.03 - SRH = 794-1010
A50125.15.04 - SRH = 994-1210
A50125.15.05 - SRH = 1194-1410
A50125.15.06 - SRH = 1394-1610
A50125.15.07 - SRH = 1594-1810
A50125.15.17 - SRH = 1634-1810
A50125.15.08 - SRH = 1794-2110
A50125.15.09 - SRH = 1994-2310
A50125.15.10 - SRH = 2194-2510

D Espagnolette with cylinder hole, fixed handle height
A50126.40.17 - SRH = 1634-1810
A50126.40.08 - SRH = 1794-2110
A50126.40.09 - SRH = 1994-2310
A50126.40.10 - SRH = 2194-2510

E Vertical connecting rod - fixed
A50122.00.02 - SRH = 610-810 ★
A50122.00.03 - SRH = 794-1010
A50122.00.04 - SRH = 994-1210
A50122.00.05 - SRH = 1194-1410
A50122.00.06 - SRH = 1394-1610
A50122.00.07 - SRH = 1594-1810
A50104.00.17 - SRH = 1634-1810
A50104.00.08 - SRH = 1794-2110
A50104.00.09 - SRH = 1994-2310
A50104.00.10 - SRH = 2194-2510

F Upper horizontal connecting rod
M40421.00.00 - SRW = 600-800
M40421.00.01 - SRW = 801-1000
M40421.00.02 - SRW = 1001-1200
M40421.00.03 - SRW = 1201-1400
M40421.00.04 - SRW = 1401-1650

G Lower horizontal connecting rod with latches
M40420.00.00 - SRW = 600-800
M40420.00.01 - SRW = 801-1000
M40420.00.02 - SRW = 1001-1200
M40420.00.03 - SRW = 1201-1400
M40420.00.04 - SRW = 1401-1650

YY = 91 White RAL 9010
94 Brown
34 Matt chromium plated

★ For SRH<610 mm please use the espagnolettes with central/variable handle height indicated in the following pages.

Basic kit

Carriages kit

HAND	CODE				€	DC
Rh	•	M50005.DX.00	1	1	410,703	H4
Lh	•	M50005.SX.00	1	1	410,703	H4

Accessories kit - 100 kg

FINISH	CODE				€	DC
Matt chromium plated	•	M50005.0A.34	1	1	96,419	H4
Matt black	•	M50005.0A.84	1	1	96,419	H4
White	•	M50005.0A.91	1	1	96,419	H4

Accessories kit - 160 kg

FINISH	CODE				€	DC
Matt chromium plated	•	M50005.0B.34	1	1	154,498	H4
Matt black	•	M50005.0B.84	1	1	154,498	H4
White	•	M50005.0B.91	1	1	154,498	H4

Stay-arm

SRW	CODE				€	DC
630-930	•	M50005.01.00	1	1	46,243	H4
931-1280	•	M50005.02.00	1	1	52,858	H4
1281-1680	•	M50005.03.00	1	1	57,987	H4

Width accessories

MATT CHROMIUM PLATED

SRW	CODE				€	DC
630-1280	•	M50005.13.34	1	1	167,301	H4
1281-1480	•	M50005.14.34	1	1	183,481	H4
1481-1680	•	M50005.15.34	1	1	206,622	H4

MATT BLACK

SRW	CODE				€	DC
630-1280	•	M50005.13.84	1	1	167,301	H4
1281-1480	•	M50005.14.84	1	1	183,481	H4
1481-1680	•	M50005.15.84	1	1	206,622	H4

WHITE

SRW	CODE				€	DC
630-1280	•	M50005.13.91	1	1	167,301	H4
1281-1480	•	M50005.14.91	1	1	183,481	H4
1481-1680	•	M50005.15.91	1	1	206,622	H4

Espagnolettes

Tilt&Turn - Fixed handle height, without DSS

BACKSET	SRH	GR	CAM	HANDLE H	CODE				€	DC
1) 7,5	610-810	02	0	280	A50125.08.02	10	10		11,789	F3
	794-1010**	03	0	400	A50125.08.03	10	10		11,455	F3
	994-1210	04	1	500	A50125.08.04	10	10		12,544	F3
	1194-1410	05	1	500	A50125.08.05	10	10		13,635	F3
	1394-1610	06	2	500	A50125.08.06	10	10		14,339	F3
	1594-1810	07	2	500	A50125.08.07	10	10		16,330	F3
	1634-1810	07bis	2	1050	A50125.08.17	10	10		16,330	F3
	1794-2110	08	2	1050	A50125.08.08	10	10		18,016	F3
	1994-2310	09	3	1050	A50125.08.09	10	10		20,817	F3
	2194-2510	10	3	1050	A50125.08.10	10	10		22,524	F3
2) 15	610-810	02	0	280	A50125.15.02	10	10		7,496	F3
	794-1010	03	1	400	A50125.15.03	10	10		7,709	F3
	994-1210	04	1	500	A50125.15.04	10	10		8,056	F3
	1194-1410	05	1	500	A50125.15.05	10	10		8,758	F3
	1394-1610	06	2	500	A50125.15.06	10	10		9,456	F3
	1594-1810	07	2	500	A50125.15.07	10	10		10,800	F3
	1634-1810	07bis	2	1050	A50125.15.17	10	10		10,797	F3
	1794-2110	08	2	1050	A50125.15.08	10	10		12,141	F3
	1994-2310	09	3	1050	A50125.15.09	10	10		13,844	F3
	2194-2510	10	3	1050	A50125.15.10	10	10		15,552	F3
3) Rod*	610-810	02	0	280	A50122.00.02	10	10	✔	6,418	F3
	794-1010	03	1	400	A50122.00.03	10	10	✔	6,634	F3
	994-1210	04	1	500	A50122.00.04	10	10	✔	6,990	F3
	1194-1410	05	1	500	A50122.00.05	10	10	✔	7,705	F3
	1394-1610	06	2	500	A50122.00.06	10	10	✔	8,413	F3
	1594-1810	07	2	500	A50122.00.07	10	10	✔	9,781	F3

Note: for GR 7 bis, 8, 9, 10 use A50104.00.xx on the following pages
*in rod version, there aren't the DSS and handle monobloc.
**the espagnolette backset 7,5 GR3 has to be used on 2 sashes with lever rods A51504.19.13

Tilt&Turn/Tilt only - variable/central handle height

BACKSET	SRH	GR	CAM	HANDLE H	CODE				€	DC
1) 7,5	540-712	01		270-356	A50111.08.11	20	20		14,317	F3
	660-860	02	1	330-430	A50111.08.12	20	20		14,317	F3
	820-1220	03	1	394-610	A50111.08.13	20	20		14,888	F3
	1190-1610	04	2	589-805	A50111.08.14	20	20		16,312	F3
	1590-2010	05	2	789-1005	A50111.08.15	10	10		19,049	F3
	1890-2510	06	4	939-1255	A50111.08.16	10	10		22,524	F3
2) 15	540-712	01		270-356	A50111.15.11	20	20		7,498	F3
	660-860	02	1	330-430	A50111.15.12	20	20		7,498	F3
	820-1220	03	1	394-610	A50111.15.13	20	20		8,057	F3
	1190-1610	04	2	589-805	A50111.15.14	20	20		9,455	F3
	1590-2010	05	2	789-1005	A50111.15.15	20	20		12,139	F3
	1890-2510	06	4	939-1255	A50111.15.16	10	10		15,552	F3
3) Rod*	540-610	01	0	270-356	A50111.00.11	10	10	✔	2,603	F3
	660-860	02	1	330-430	A50111.00.12	10	10	✔	2,882	F3
	820-1220	03	1	394-610	A50111.00.13	10	10	✔	3,174	F3
	1190-1610	04	2	589-805	A50111.00.14	10	10	✔	4,598	F3

Note: espagnolette SRH from 400 to 520 obtainable with 2 corners GR1, cod. A50302.01.01.
Note: for rod version of GR5 and 6, use A50114.00.XX on the following pages.
*in rod version, the handle monobloc is not included

Espagnolettes

Tilt&Turn - with cylinder hole above the handle, fixed handle height, without DSS

BACKSET	SRH	GR	CAM	HANDLE H	CODE			€	DC
1) 40	1634-1810	07bis	2	1050	A50126.40.17	5	5	57,577	F3
	1794-2110	08	2	1050	A50126.40.08	5	5	59,059	F3
	1994-2310	09	3	1050	A50126.40.09	5	5	60,795	F3
	2194-2510	10	3	1050	A50126.40.10	5	5	63,143	F3
2) Rod*	1634-1810	07bis	2	1050	A50104.00.17	10	10	11,408	F3
	1794-2110	08	2	1050	A50104.00.08	10	10	12,751	F3
	1994-2310	09	3	1050	A50104.00.09	10	10	14,454	F3
	2194-2510	10	3	1050	A50104.00.10	10	10	16,163	F3

*in rod version the DSS, the handle and the cylinder monoblocs are not included

Tilt&Turn - with cylinder hole under the handle, fixed handle height, without DSS

BACKSET	SRH	GR	CAM	HANDLE H	CODE				€	DC
1) 40	1634-1810	07bis	2	1050	A50127.40.17		5	5	58,743	F3
	1794-2110	08	2	1050	A50127.40.08		5	5	60,253	F3
	1994-2310	09	3	1050	A50127.40.09		5	5	62,022	F3
	2194-2510	10	3	1050	A50127.40.10		5	5	64,415	F3
2) Rod*	1634-1810	07bis	2	1050	A50107.00.17	☎	10	10	11,408	F3
	1794-2110	08	2	1050	A50107.00.08	☎	10	10	12,751	F3
	1994-2310	09	3	1050	A50107.00.09	☎	10	10	14,454	F3
	2194-2510	10	3	1050	A50107.00.10	☎	10	10	16,163	F3

*in rod version the DSS, the handle and the cylinder monoblocs are not included

Espagnolettes

Tilt&Turn - With cylinder hole above the handle, central/variable handle height

BACKSET	SRH	GR	CAM	HANDLE H	CODE			€	DC
1) 40	1590-2010	05	2	790-1000	A50114.40.15	5	5	59,061	F3
	1890-2510	06	4	940-1250	A50114.40.16	5	5	67,762	F3
2) Rod*	1590-2010	05	2	790-1000	A50114.00.15	20	20	9,005	F3
	1890-2510	06	4	940-1250	A50114.00.16	10	10	12,417	F3

*in rod version the handle monobloc and the cylinder are not included

Tilt&Turn - with cylinder hole under the handle, variable/central handle height

BACKSET	SRH	GR	CAM	HANDLE H	CODE				€	DC
1) 40	1590-2010	05	2	790-1000	A50115.40.15	☎	5	5	60,184	F3
	1890-2510	06	4	940-1250	A50115.40.16	☎	5	5	69,051	F3
2) Rod*	1590-2010	05	2	790-1000	A50115.00.15	☎	20	20	9,005	F3
	1890-2510	06	4	940-1250	A50115.00.16	☎	10	10	12,417	F3

*in rod version the handle monobloc and the cylinder are not included

Espagnolettes

For passive sash, flat cams - fixed handle height

BACKSET	SRH	GR	HANDLE H	CODE			€	DC
15	610-810	02	280	M40423.15.02 ☎	10	10	7,794	H3
	794-1010	03	400	M40423.15.03 ☎	10	10	7,801	H3
	994-1210	04	500	M40423.15.04 ☎	10	10	8,163	H3
	1194-1410	05	500	M40423.15.05 ☎	10	10	8,892	H3
	1394-1610	06	500	M40423.15.06 ☎	10	10	9,615	H3
	1594-1810	07	500	M40423.15.07 ☎	10	10	11,012	H3
	1634-1810	07bis	1050	M40423.15.17 ☎	10	10	11,012	H3
	1794-2110	08	1050	M40423.15.08 ☎	10	10	12,408	H3
	1994-2310	09	1050	M40423.15.09 ☎	10	10	14,178	H3
	2194-2510	10	1050	M40423.15.10 ☎	10	10	15,953	H3

Espagnolette rod for increased backsets with soldered strikers for second sash

SRH	GR	HANDLE H	CODE				€	DC
610-810	02	280	A50122.00.02	10	10	✔	6,418	F3
854-1170	03	400	M40423.00.03 ☎	10	10	✔	13,046	H3
1054-1270	04	500	M40423.00.04 ☎	10	10	✔	13,999	H3
1254-1470	05	500	M40423.00.05 ☎	10	10	✔	14,822	H3
1454-1670	06	500	M40423.00.06 ☎	10	10	✔	10,580	H3
1654-1870	07	500	M40423.00.07 ☎	10	10	✔	12,003	H3
1694-1870	07bis	1050	M40423.00.17 ☎	10	10	✔	12,003	H3
1854-2170	08	1050	M40423.00.08 ☎	10	10	✔	15,088	H3
2054-2370	09	1050	M40423.00.09 ☎	10	10	✔	16,859	H3
2254-2570	10	1050	M40423.00.10 ☎	10	10	✔	18,635	H3

Note: for correct use, please check the assembly diagrams in the section "Opening layouts E+F".
Note: the choice of backset depends on the jamb width of second sash

Espagnolettes

For passive sash, flat cams - central/variable handle height

BACKSET	SRH	GR	HANDLE H	CODE				€	DC
15	540-712	01	270-356	A50111.15.11		20	20	7,498	F3
	660-860	02	330-430	M40425.15.02	☎	20	20	7,794	H3
	820-1220	03	394-610	M40425.15.03	☎	20	20	9,184	H3
	1190-1610	04	598-805	M40425.15.04	☎	20	20	10,649	H3
	1590-2010	05	789-1005	M40425.15.05	☎	20	20	13,441	H3
	1890-2510	06	939-1255	M40425.15.06	☎	10	10	16,988	H3

Espagnolette rod for increased backsets with soldered strikers for second sash, central/variable handle H

SRH	GR	HANDLE H	CODE					€	DC
540-610	01	270-356	A50111.00.11		10	10	✔	2,603	F3
660-860	02	330-430	M40425.00.02	☎	10	10	✔	11,579	H3
820-1220	03	394-610	M40425.00.03	☎	10	10	✔	13,597	H3
1190-1610	04	598-805	M40425.00.04	☎	10	10	✔	15,300	H3
1590-2010	05	789-1005	M40425.00.05	☎	10	10	✔	16,562	H3
1890-2510	06	939-1255	M40425.00.06	☎	10	10	✔	17,825	H3

Note: for correct use, please check the assembly diagrams in the section "Opening layouts E+F".
Note: the choice of backset depends on the jamb width of second sash

Connection elements

Upper horizontal connecting rod

SRW	GR	CAM	CODE				€	DC
600-800	00		M40421.00.00	10	10	✔	8,641	H3
801-1000	01	1	M40421.00.01	10	10	✔	9,332	H3
1001-1200	02	1	M40421.00.02	10	10	✔	10,985	H3
1201-1400	03	1	M40421.00.03	10	10	✔	11,810	H3
1401-1760*	04	2	M40421.00.04	10	10	✔	15,043	H3

*over a SRW 1650, use the extension A51801.00.01

Lower horizontal connecting rod with latches

SRW	GR	CAM	CODE				€	DC
600-800	00		M40420.00.00	10	10	✔	13,439	H3
801-1000	01	1	M40420.00.01	10	10	✔	14,137	H3
1001-1200	02	1	M40420.00.02	10	10	✔	15,690	H3
1201-1400	03	1	M40420.00.03	10	10	✔	16,633	H3
1401-1760*	04	2	M40420.00.04	10	10	✔	19,791	H3

*over a SRW 1650, use the extension A51801.00.01

Vertical/fixed connecting rod

1)

SRH	GR	CAM	CODE				€	DC
610-810	02	0	A50122.00.02	10	10	✔	6,418	F3
794-1010	03	1	A50122.00.03	10	10	✔	6,634	F3
994-1210	04	1	A50122.00.04	10	10	✔	6,990	F3
1194-1410	05	1	A50122.00.05	10	10	✔	7,705	F3
1394-1610	06	2	A50122.00.06	10	10	✔	8,413	F3
1594-1810	07	2	A50122.00.07	10	10	✔	9,781	F3
1794-2110	08	2	A50104.00.08	10	10		12,751	F3
1994-2310	09	3	A50104.00.09	10	10		14,454	F3
2194-2510	10	3	A50104.00.10	10	10		16,163	F3

Vertical/variable connecting rod

2)

SRH	GR	CAM	CODE				€	DC
540-610	01	0	A50111.00.11	10	10	✔	2,603	F3
660-860	02	1	A50111.00.12	10	10	✔	2,882	F3
820-1220	03	1	A50111.00.13	10	10	✔	3,174	F3
1190-1610	04	2	A50111.00.14	10	10	✔	4,598	F3
1590-2010	05	2	A50114.00.15	20	20		9,005	F3
1890-2510	06	4	A50114.00.16	10	10		12,417	F3

Corner drives

For rectangular sashes

DIMENSIONS	SRW	SRH	CAM	CODE			€	DC
2) 125x125	362-1204	440-2510	1	A50302.01.02	50	50	6,040	F3
3) 125x125	362-1204	440-2510	2	A50302.02.02	50	50	8,825	F3

Components

Latch striker

AXIS 13 - REBATE 24 AND AXIS 9 - REBATE 20						
	CODE				€	DC
12/24/13 - 12/20/9	M40707.12.00	20	200	✔	2,794	H2

Adapters for latch striker

EUROPEAN GROOVE ALUMINIUM						
AXIS	GROOVE	CODE			€	DC
9	14x5	M00708.DT.00	50	500	4,443	H3
13	14x5	M00708.CP.00	50	500	4,443	H3
CUSTOMISED PROFILES						
AXIS	GROOVE	CODE			€	DC
9	10x5	M00708.MU.00	50	50	4,443	H3
	13,5x5	M00708.MR.00	50	500	4,443	H3
	16,5x5	M00708.HN.00	50	50	4,443	H3
13	10x4,5	M00708.MS.00	50	50	4,443	H3

Immagine indicativa / *Sample image*

Cam for European groove aluminium

EUROPEAN GROOVE ALUMINIUM							
AXIS	GROOVE		CODE			€	DC
9	14x5		A52600.DT.02	50	500	0,955	F3
	14x5	-0,5 mm of pressure	A52300.GT.02	50	500	0,826	F3
	14x5	+0,3 mm of pressure	A52600.GY.02	50	500	0,826	F3
13	14x5		A52600.CP.02	50	500	0,955	F3
CUSTOMISED PROFILES							
AXIS	GROOVE		CODE			€	DC
9	10x5		A52600.MU.02	50	500	0,955	F3
	13,5x5		A52600.DT.02	50	500	0,955	F3
	R groove		A48010.FA.02	50	500	1,006	F3
13	10x4,5		A52600.MS.02	50	500	0,955	F3

Cam for steel

FRAME SEAT	CODE				€	DC
18/22/35 mm	A51401.05.02	50	500		0,722	F3
24/37 mm	A51401.EB.02	50	500		0,722	F3

Components

Anti-burglar for European groove aluminium

EUROPEAN GROOVE ALUMINIUM							
AXIS	GROOVE	HAND	CODE			€	DC
9	14x5	rh	A526DX.DT.68	50	300	3,050	F3
	14x5	lh	A526SX.DT.68	50	300	3,050	F3
13	14x5	rh	A526DX.CP.68	50	50	3,050	F3
	14x5	lh	A526SX.CP.68	50	50	3,050	F3
CUSTOMISED PROFILES							
AXIS	GROOVE	HAND	CODE			€	DC
9	10x5	dx	A526DX.MU.68	50	300	3,050	F3
	10x5	sx	A526SX.MU.68	50	300	3,050	F3
	13,5x5	dx	A526DX.DT.68	50	300	3,050	F3
	13,5x5	sx	A526SX.DT.68	50	300	3,050	F3
	Cava tipo R	dx	A526DX.FA.68	50	300	3,050	F3
	Cava tipo R	sx	A526SX.FA.68	50	300	3,050	F3
13	10x4,5	dx	A526DX.MS.68	50	300	3,050	F3
	10x4,5	sx	A526SX.MS.68	50	300	3,050	F3

Anti-burglar for steel

FRAME SEAT	HAND	CODE			€	DC
18/22/35 mm	rh	A514DX.05.68	50	300	2,742	F3
	lh	A514SX.05.68	50	300	2,742	F3
24/37 mm	rh	A514DX.CR.68	50	300	2,742	F3
	lh	A514SX.CR.68	50	300	2,742	F3

Anti-burglar for European groove aluminium

EUROPEAN GROOVE ALUMINIUM							
AXIS	GROOVE		CODE			€	DC
13	14x5		A48013.CP.22	50	250	2,942	F3

Note: discontinued

Tilt/Anti-burglar for European groove aluminium

EUROPEAN GROOVE ALUMINIUM							
AXIS	GROOVE	HAND	CODE			€	DC
9	14x5	rh	A526DX.DT.65	50	50	3,050	F3
	14x5	lh	A526SX.DT.65	50	50	3,050	F3
13	14x5	rh	A526DX.CP.65	50	50	3,050	F3
	14x5	lh	A526SX.CP.65	50	50	3,050	F3
CUSTOMISED PROFILES							
AXIS	GROOVE	HAND	CODE			€	DC
9	10x5	rh	A526DX.MU.65	50	50	3,050	F3
	10x5	lh	A526SX.MU.65	50	50	3,050	F3
	13,5x5	rh	A526DX.DT.65	50	50	3,050	F3
	13,5x5	lh	A526SX.DT.65	50	50	3,050	F3
	R groove	rh	A526DX.FA.65	50	50	3,050	F3
	R groove	lh	A526SX.FA.65	50	50	3,050	F3
13	10x4,5	rh	A526DX.MS.65	50	50	3,050	F3
	10x4,5	lh	A526SX.MS.65	50	50	3,050	F3

Components

Tilt/Anti-burglar for steel

FRAME SEAT	HAND	CODE			€	DC
18/22/35 mm	rh	A514DX.05.65	50	250	2,742	F3
	lh	A514SX.05.65	50	250	2,742	F3
24/37 mm	rh	A514DX.CR.65	50	300	2,742	F3
	lh	A514SX.CR.65	50	300	2,742	F3

Jigs

Jig for carriages milling

	CODE			€	DC
•	M50005.22.01 ☎	1	1	157,341	H4

Jig for track fastening

	CODE			€	DC
•	M50005.22.02 ☎	1	1	235,175	H4

Jig for holes centering

	CODE			€	DC
•	M50005.22.03 ☎	1	1	41,767	H4

Open, Close, Live

HARDWARE FOR

COPLANAR SLIDING SYSTEMS

GALILEO ALU ARTECH CM

MADE IN ITALY

General instructions and application fields 390
Galileo ALU ARTECH CM - Hardware for left sash 392

Espagnolettes 394
Accessories 397
Connection elements 398
Corner drives 399
Strikers 400
Jigs 402

General instructions and application fields

Application fields

ATTENTION: MAX. SRH ≤ 2,5 SRW
SRH sliding sash 930-2400 mm
SRW 630-1680 mm with front and rear carriages (max. capacity 160 Kg)
Sash gap with opened carriages 116 mm

RT: ≥ 7 mm

RT = rebate tickness

Warning:

- Please respect minimum and maximum dimensions here above and the maximum weight allowed for each sash.
- Please respect the instructions profiles producers as regard minimum and maximum dimensions, sash weight and distance between locking points.
- Don't do any change to mechanisms.
- Please use AGB components exclusively.
- Please install the mechanisms as indicated in the assembly layout, taking care about the security warnings.
- Please follow the instructions about the fastening screws: diameter, number and position. Choose the right length according to the type of profile. All screws for rails and carriages have to be fastened into the aluminium profile.
- Don't install the hardware before painting the wooden system; the painting process with hardware installed to the door let you loose the warranty.
- The screws can be fastened in a straight way avoiding to fasten them much compromising the fastening (stripping).
- Don't use acidic or acetic sealants that could corrode the mechanisms.
- Protect the sliding rail and the upper drives from dust, lime and plaster. Please clean the parts and delete the direct contact of devices with humidity.
- Read carefully the instructions to cut the glass.
- Forcing the mechanisms and the wrong use of the coplanar system in tilt position can cause malfunctioning and the fall of the system from the sliding rail, causing damages and injuries.

If it's possible that in some cases (e.g. in schools, nursery schools, rest homes, etc.) the sliding sash can be damaged because of mishandlings during closing movements, you have to:

- place the door stop in order to reduce the stroke;
- apply the handle with key in order to avoid a wrong use;
- use the cylinder lock to prevent unauthorized use.

If you have doubts, please consult the AGB assistance.

Exclusion of liability

AGB shall not be responsible of possible damages about functioning and mechanisms of sliding systems, where the causes regard defects of type, non-compliance with the assembly layout of the aggressive mishandling, lack of periodic maintenance as indicated in this manual, lack of information and instructions to the end customer, to installation problems, to the incorrect coupling of the stay arms to the respective glidings made by the manufacturer or installer of the windows, or by third parties after installation.

General instructions and application fields

Technical features

Applications

On aluminium systems apart from gap and rebate.
Galileo Artech CM allows to use a traditional DK handle avoiding the use of a special handle.

Dimensions

The Galileo Artech CM system is used for the construction of sliding sashes with hardware groove width (SRW) ranging from 630 to 1680 mm, and the hieght of the hardware groove (SRH) ranging from 930 to 2400 mm.

Maximum weight

The weight of each sliding sash equipped with the Galileo Artech CM hardware mustn't exceed 160 kg.

Sill

Galileo Artech CM can also be installed on very reduced sill sections. The minimum useful dimension allowed is based on a fixed width of 40 mm and the overlap of the sash rebate on the frame.

Application fields

100 kg max. weight

SRH ≤ 2,5 SRW

160 kg max. weight

SRH ≤ 2,5 SRW

Galileo Artech CM

For the **closed position**, the DK handle must be rotated downwards up to the vertical position only after pushing the sash in closing position.
The **tilt position** is reached by rotating the handle upwards up to the vertical position.
To reach the **sliding position**, the handle must be rotated until horizontal position in order to un-hook the corner drives and to drag the sash.

Closed position | **Tilt position** | **Sliding in the opening direction**

Galileo ALU ARTECH CM - Hardware for left sash

Components

A	5	Stay-arm glider
	6	Left-hand stay-arm
	7	Right-hand stay-arm
	17	Fastening plate for carriages
	18	Compensator for carriages
	19	Carriage lateral cap
	20	Supporto profilo di copertura carrelli
	21	Front carriage
	22	Rear carriage
	24	Fixed release stop
B	1	Top guide
	2	Security plate for top guide
	3	Covering terminal cap for top guide
	4	Fastening clip for top guide
	8	Covering profile for stay-arm
	9	Cap for covering profile, stay-arms
	15	Covering profile for carriages
	16	Covering cap for carriages
	23	Connecting rod for carriages
	25	Low door stop
	26	Low rail
C	10	Espagnolette for fixed handle height
D	11	Espagnolette with cylinder hole - fixed handle height
E	12	Rod
	13	Corner drive GR2 125x125 with 1 cam
	14	Corner drive GR2 125x125 with 2 cams
	27	Kit 150 Kg
	28	Cam striker
	29	Anti-burglar cam striker
	30	DSS striker
	31	Tilt striker

Note. For left-hand sash, please order anti-burglar cam strikers and right-hand tilt strikers, and viceversa.

A Basic kit

M50000.DX.00 (Rh)
M50000.SX.00 (Lh)

B Width accessories basic kit

M50001.01.**YY** - SRW = 660-1060
M50001.02.**YY** - SRW = 1061-1360
M50001.03.**YY** - SRW = 1361-1660

C Espagnolette, fixed handle H

A50122.15.03 - SRH = 810-1010
A50122.15.04 - SRH = 994-1210
A50122.15.05 - SRH = 1194-1410
A50122.15.06 - SRH = 1394-1610
A50122.15.07 - SRH = 1594-1810
A50122.15.17 - SRH = 1634-1810
A50122.15.08 - SRH = 1794-2110
A50122.15.09 - SRH = 1994-2310
A50122.15.10 - SRH = 2194-2510

D Espagn. with cylind. hole, fix.hand.H

A50104.40.17 - HBB = 1634-1810
A50104.40.08 - HBB = 1794-2110
A50104.40.09 - HBB = 1994-2310
A50104.40.10 - HBB = 2194-2510

E Rod

A50122.00.02 - SRH -----	SRW = 660-810
A50122.00.03 - SRH = 810-1010	SRW = 794-1010
A50122.00.04 - SRH = 994-1210	SRW = 994-1210
A50122.00.05 - SRH = 1194-1410	SRW = 1194-1410
A50122.00.06 - SRH = 1394-1610	SRW = 1394-1610
A50122.00.07 - SRH = 1594-1810	SRW = 1594-1660
A50104.00.17 - SRH = 1634-1810	
A50104.00.08 - SRH = 1794-2110	
A50104.00.09 - SRH = 1994-2310	
A50104.00.10 - SRH = 2194-2510	

YY = 34 Silver
84 Black
91 White RAL 9010
94 Brown
CN Varnishing base

Basic kit

Carriages kit

HAND	CODE				€	DC
Rh	• M50005.DX.00	1	1		410,703	H4
Lh	• M50005.SX.00	1	1		410,703	H4

Accessories kit - 100 kg

FINISH	CODE				€	DC
Matt chromium plated	• M50005.0A.34	1	1		96,419	H4
Matt black	• M50005.0A.84	1	1		96,419	H4
White	• M50005.0A.91	1	1		96,419	H4

Accessories kit - 160 kg

FINISH	CODE				€	DC
Matt chromium plated	• M50005.0B.34	1	1		154,498	H4
Matt black	• M50005.0B.84	1	1		154,498	H4
White	• M50005.0B.91	1	1		154,498	H4

Stay-arm

FINISH	CODE				€	DC
Matt chromium plated	• M50005.01.00	1	1		46,243	H4
Matt black	• M50005.02.00	1	1		52,858	H4
White	• M50005.03.00	1	1		57,987	H4

Width accessories

MATT CHROMIUM PLATED						
SRW	CODE				€	DC
630-1280	• M50005.13.34	1	1		167,301	H4
1281-1480	• M50005.14.34	1	1		183,481	H4
1481-1680	• M50005.15.34	1	1		206,622	H4
MATT BLACK						
SRW	CODE				€	DC
630-1280	• M50005.13.84	1	1		167,301	H4
1281-1480	• M50005.14.84	1	1		183,481	H4
1481-1680	• M50005.15.84	1	1		206,622	H4
WHITE						
SRW	CODE				€	DC
630-1280	• M50005.13.91	1	1		167,301	H4
1281-1480	• M50005.14.91	1	1		183,481	H4
1481-1680	• M50005.15.91	1	1		206,622	H4

Espagnolettes

Tilt&Turn - Fixed handle height

BACKSET	SRH	GR	CAM	HANDLE H	CODE				€	DC
1) 7,5	610-810	02	0	280	A50122.08.02	10	10		15,513	F3
	794-1010	03	0	400	A50122.08.03	10	10		15,691	F3
	994-1210	04	1	500	A50122.08.04	10	10		16,290	F3
	1194-1410	05	1	500	A50122.08.05	10	10		17,379	F3
	1394-1610	06	2	500	A50122.08.06	10	10		18,084	F3
	1594-1810	07	2	500	A50122.08.07	10	10		20,076	F3
	1634-1810	07bis	2	1050	A50122.08.17	10	10		20,076	F3
	1794-2110	08	2	1050	A50122.08.08	10	10		21,762	F3
	1994-2310	09	3	1050	A50122.08.09	10	10		24,563	F3
	2194-2510	10	3	1050	A50122.08.10	10	10		26,270	F3
2) 15	610-810	02	0	280	A50122.15.02	10	10		11,242	F3
	794-1010	03	1	400	A50122.15.03	10	10		11,454	F3
	994-1210	04	1	500	A50122.15.04	10	10		11,802	F3
	1194-1410	05	1	500	A50122.15.05	10	10		12,504	F3
	1394-1610	06	2	500	A50122.15.06	10	10		13,200	F3
	1594-1810	07	2	500	A50122.15.07	10	10		14,543	F3
	1634-1810	07bis	2	1050	A50122.15.17	10	10		14,543	F3
	1794-2110	08	2	1050	A50122.15.08	10	10		15,886	F3
	1994-2310	09	3	1050	A50122.15.09	10	10		17,589	F3
	2194-2510	10	3	1050	A50122.15.10	10	10		19,296	F3
3) Rod*	610-810	02	0	280	A50122.00.02	10	10	✔	6,418	F3
	794-1010	03	1	400	A50122.00.03	10	10	✔	6,634	F3
	994-1210	04	1	500	A50122.00.04	10	10	✔	6,990	F3
	1194-1410	05	1	500	A50122.00.05	10	10	✔	7,705	F3
	1394-1610	06	2	500	A50122.00.06	10	10	✔	8,413	F3
	1594-1810	07	2	500	A50122.00.07	10	10	✔	9,781	F3

Note: for rods of GR 7 bis, 8, 9, 10 use A50104.00.xx on the following pages.
*in rod version the DSS and the handle monobloc are not included

Tilt&Turn/Tilt only - variable/central handle height

BACKSET	SRH	GR	CAM	HANDLE H	CODE				€	DC
1) 7,5	660-860	02	1	330-430	A50111.08.12	20	20		14,317	F3
	820-1220	03	1	394-610	A50111.08.13	20	20		14,888	F3
	1190-1610	04	2	589-805	A50111.08.14	20	20		16,312	F3
	1590-2010	05	2	789-1005	A50111.08.15	10	10		19,049	F3
	1890-2510	06	4	939-1255	A50111.08.16	10	10		22,524	F3
2) 15	660-860	02	1	330-430	A50111.15.12	20	20		7,498	F3
	820-1220	03	1	394-610	A50111.15.13	20	20		8,057	F3
	1190-1610	04	2	589-805	A50111.15.14	20	20		9,455	F3
	1590-2010	05	2	789-1005	A50111.15.15	20	20		12,139	F3
	1890-2510	06	4	939-1255	A50111.15.16	10	10		15,552	F3
3) Rod*	660-860	02	1	330-430	A50111.00.12	10	10	✔	2,882	F3
	820-1220	03	1	394-610	A50111.00.13	10	10	✔	3,174	F3
	1190-1610	04	2	589-805	A50111.00.14	10	10	✔	4,598	F3

Note: in rod versions of GR 5 and 6 use A50114.00.XX in the following pages.
*in rod version the handle onobloc is not included

Espagnolettes

Tilt&Turn - with cylinder hole above the handle, fixed handle height

BACKSET	SRH	GR	CAM	HANDLE H	CODE			€	DC
1) 40	1634-1810	07bis	2	1050	A50104.40.17	5	5	61,322	F3
	1794-2110	08	2	1050	A50104.40.08	5	5	62,805	F3
	1994-2310	09	3	1050	A50104.40.09	5	5	64,541	F3
	2194-2510	10	3	1050	A50104.40.10	5	5	66,888	F3
2) Rod*	1634-1810	07bis	2	1050	A50104.00.17	10	10	11,408	F3
	1794-2110	08	2	1050	A50104.00.08	10	10	12,751	F3
	1994-2310	09	3	1050	A50104.00.09	10	10	14,454	F3
	2194-2510	10	3	1050	A50104.00.10	10	10	16,163	F3

*in rod version the DSS, the handle monobloc and the cylinder are not included

Tilt&Turn - with cylinder hole under the handle, fixed handle height

BACKSET	SRH	GR	CAM	HANDLE H	CODE				€	DC
1) 40	1634-1810	07bis	2	1050	A50107.40.17	☎	5	5	62,488	F3
	1794-2110	08	2	1050	A50107.40.08	☎	5	5	63,998	F3
	1994-2310	09	3	1050	A50107.40.09	☎	5	5	65,767	F3
	2194-2510	10	3	1050	A50107.40.10	☎	5	5	68,159	F3
2) Rod*	1634-1810	07bis	2	1050	A50107.00.17	☎	10	10	11,408	F3
	1794-2110	08	2	1050	A50107.00.08	☎	10	10	12,751	F3
	1994-2310	09	3	1050	A50107.00.09	☎	10	10	14,454	F3
	2194-2510	10	3	1050	A50107.00.10	☎	10	10	16,163	F3

*in rod version the DSS, the handle monobloc and the cylinder are not included

Espagnolettes

Tilt&Turn - with cylinder hole above the handle, central/variable handle height

BACKSET	SRH	GR	CAM	HANDLE H	CODE			€	DC
1) 40	1590-2010	05	2	790-1000	A50114.40.15	5	5	59,061	F3
	1890-2510	06	4	940-1250	A50114.40.16	5	5	67,762	F3
2) Rod*	1590-2010	05	2	790-1000	A50114.00.15	20	20	9,005	F3
	1890-2510	06	4	940-1250	A50114.00.16	10	10	12,417	F3

*in rod version the handle monobloc and the cylinder are not included.

Tilt&Turn - with cylinder hole under the handle, variable/central handle height

BACKSET	SRH	GR	CAM	HANDLE H	CODE				€	DC
1) 40	1590-2010	05	2	790-1000	A50115.40.15	☎	5	5	60,184	F3
	1890-2510	06	4	940-1250	A50115.40.16	☎	5	5	69,051	F3
2) Rod*	1590-2010	05	2	790-1000	A50115.00.15	☎	20	20	9,005	F3
	1890-2510	06	4	940-1250	A50115.00.16	☎	10	10	12,417	F3

*in rod version the handle monobloc and the cylinder are not included.

Accessories

DSS (Safety and lifting device)

HAND	CODE			€	DC
1) non-handed	A50190.00.00	50	300	3,746	F3
2) trilobal screw	G01809.10.00	50	300	0,235	F3

Handle monobloc

BACKSET	CODE			€	DC
15	A50191.15.00	20	20	5,929	F3
25	A50191.25.00	20	20	8,427	F3
30	A50191.30.00	20	20	10,000	F3
35	A50191.35.00	20	20	10,770	F3
40	A50191.40.00	20	20	11,221	F3
45	A50191.45.00	20	20	13,807	F3
50	A50191.50.00	20	20	15,876	F3

Cylinder monobloc

BACKSET	CODE			€	DC
30	A50192.30.00	20	20	35,390	F3
35	A50192.35.00	20	20	36,576	F3
40	A50192.40.00	20	20	36,679	F3
50	A50192.50.00	20	20	38,629	F3

Covering plate for hardware cut

	CODE			€	DC
	A50194.02.00	100	100	0,527	F3

Covering plate for parallel cut

	CODE			€	DC
	A50194.01.00	100	100	0,523	F3

Handle shield

BACKSET	CODE			€	DC
7,5	A50194.00.01	10	100	2,878	F3
15	A20050.00.02	10	100	2,435	F3

Connection elements

Horizontal/vertical connecting rod - fixed

SRW	SRH	GR	CAM	CODE				€	DC
610-810	610-810	02	0	A50122.00.02	10	10	✔	6,418	F3
794-1010	794-1010	03	1	A50122.00.03	10	10	✔	6,634	F3
994-1210	994-1210	04	1	A50122.00.04	10	10	✔	6,990	F3
1194-1410	1194-1410	05	1	A50122.00.05	10	10	✔	7,705	F3
1394-1610	1394-1610	06	2	A50122.00.06	10	10	✔	8,413	F3
1594-1760	1594-1810	07	2	A50122.00.07	10	10	✔	9,781	F3
	1794-2110	08	2	A50104.00.08	10	10		12,751	F3
	1994-2310	09	3	A50104.00.09	10	10		14,454	F3
	2194-2510	10	3	A50104.00.10	10	10		16,163	F3

Horizontal/vertical connecting rod - variable

SRW	SRH	GR	CAM	CODE				€	DC
660-860	660-860	02	1	A50111.00.12	10	10	✔	2,882	F3
820-1220	820-1220	03	1	A50111.00.13	10	10	✔	3,174	F3
1190-1610	1190-1610	04	2	A50111.00.14	10	10	✔	4,598	F3
1590-1760	1590-2010	05	2	A50114.00.15	20	20		9,005	F3
	1890-2510	06	4	A50114.00.16	10	10		12,417	F3

Corner drives

For rectangular sashes

DIMENSIONS	SRW	SRH	CAM	CODE			€	DC
2) 125x125	362-1204	440-2510	1	A50302.01.02	50	50	6,040	F3
3) 125x125	362-1204	440-2510	2	A50302.02.02	50	50	8,825	F3

Strikers

Immagine indicativa / *Sample image*

Cam for European groove aluminium

EUROPEAN GROOVE ALUMINIUM							
AXIS	GROOVE		CODE			€	DC
9	14x5		A52600.DT.02	50	500	0,955	F3
	14x5	-0,5 mm of pressure	A52300.GT.02	50	500	0,826	F3
	14x5	+0,3 mm of pressure	A52600.GY.02	50	500	0,826	F3
13	14x5		A52600.CP.02	50	500	0,955	F3
CUSTOMISED PROFILES							
AXIS	GROOVE		CODE			€	DC
9	10x5		A52600.MU.02	50	500	0,955	F3
	13,5x5		A52600.DT.02	50	500	0,955	F3
	R groove		A48010.FA.02	50	500	1,006	F3
13	10x4,5		A52600.MS.02	50	500	0,955	F3

Cam for steel

FRAME SEAT	CODE		€	DC
18/22/35 mm	A51401.05.02	50 500	0,722	F3
24/37 mm	A51401.EB.02	50 500	0,722	F3

Anti-burglar for European groove aluminium

EUROPEAN GROOVE ALUMINIUM							
AXIS	GROOVE	HAND	CODE			€	DC
9	14x5	rh	A526DX.DT.68	50	300	3,050	F3
	14x5	lh	A526SX.DT.68	50	300	3,050	F3
13	14x5	rh	A526DX.CP.68	50	50	3,050	F3
	14x5	lh	A526SX.CP.68	50	50	3,050	F3
CUSTOMISED PROFILES							
AXIS	GROOVE	HAND	CODE			€	DC
9	10x5	dx	A526DX.MU.68	50	300	3,050	F3
	10x5	sx	A526SX.MU.68	50	300	3,050	F3
	13,5x5	dx	A526DX.DT.68	50	300	3,050	F3
	13,5x5	sx	A526SX.DT.68	50	300	3,050	F3
	Cava tipo R	dx	A526DX.FA.68	50	300	3,050	F3
	Cava tipo R	sx	A526SX.FA.68	50	300	3,050	F3
13	10x4,5	dx	A526DX.MS.68	50	300	3,050	F3
	10x4,5	sx	A526SX.MS.68	50	300	3,050	F3

EUROPEAN GROOVE ALUMINIUM							
AXIS	GROOVE		CODE			€	DC
13	14x5		A48013.CP.22	50	250	2,942	F3

Note: discontinued

Anti-burglar for steel

FRAME SEAT	HAND	CODE	€	DC
18/22/35 mm	rh	A514DX.05.68	50 300 2,742	F3
	lh	A514SX.05.68	50 300 2,742	F3
24/37 mm	rh	A514DX.CR.68	50 300 2,742	F3
	lh	A514SX.CR.68	50 300 2,742	F3

Strikers

Tilt/Anti-burglar for Eurogroove

EUROPEAN GROOVE ALUMINIUM							
AXIS	GROOVE	HAND	CODE			€	DC
9	14x5	rh	A526DX.DT.65	50	50	3,050	F3
	14x5	lh	A526SX.DT.65	50	50	3,050	F3
13	14x5	rh	A526DX.CP.65	50	50	3,050	F3
	14x5	lh	A526SX.CP.65	50	50	3,050	F3
CUSTOMISED PROFILES							
AXIS	GROOVE	HAND	CODE			€	DC
9	10x5	rh	A526DX.MU.65	50	50	3,050	F3
	10x5	lh	A526SX.MU.65	50	50	3,050	F3
	13,5x5	rh	A526DX.DT.65	50	50	3,050	F3
	13,5x5	lh	A526SX.DT.65	50	50	3,050	F3
	R groove	rh	A526DX.FA.65	50	50	3,050	F3
	R groove	lh	A526SX.FA.65	50	50	3,050	F3
13	10x4,5	rh	A526DX.MS.65	50	50	3,050	F3
	10x4,5	lh	A526SX.MS.65	50	50	3,050	F3

Tilt/Anti-burglar for steel

FRAME SEAT	HAND	CODE			€	DC
18/22/35 mm	rh	A514DX.05.65	50	250	2,742	F3
	lh	A514SX.05.65	50	250	2,742	F3
24/37 mm	rh	A514DX.CR.65	50	300	2,742	F3
	lh	A514SX.CR.65	50	300	2,742	F3

DSS for steel

FRAME SEAT	CODE			€	DC
18/22/35 mm	A51400.05.03	50	50	0,722	F3
24/37 mm	A48010.CR.03	50	500	0,747	F3

DSS for European groove aluminium

EUROPEAN GROOVE ALUMINIUM						
AXIS	GROOVE	CODE			€	DC
9	14x5	A48010.DT.03	50	500	0,760	F3
9 and 13	14x5	A48010.BN.03	50	500	0,760	F3
CUSTOMISED PROFILES						
AXIS	GROOVE	CODE			€	DC
9	10x5	A52600.MU.03	50	500	0,747	F3
	13,5x5	A48010.DT.03	50	500	0,760	F3
	R groove	A48010.FA.03	50	500	2,059	F3
13	10x4,5	A52600.MS.03	50	500	0,955	F3

Jigs

Jig for carriages milling

	CODE				€	DC
•	M50005.22.01	☎	1	1	157,341	H4

Jig for track fastening

	CODE				€	DC
•	M50005.22.02	☎	1	1	235,175	H4

Jig for holes centering

	CODE				€	DC
•	M50005.22.03	☎	1	1	41,767	H4

Open, Close, Live

HARDWARE FOR SHUTTERS

MADE IN ITALY

Note: for paintable "CN" articles, the coupling among the details are guaranteed if paints with low thickness (from 35 to 50 micron) are used.

Abaco - Espagnolettes	406
Abaco - Ariete	423
Abaco - TENAX, ROUND for Ariete	431
Abaco - TENAX, OVAL	431
Abaco - Ariete cylinders	432
Special key systems	436
Extra charge for key systems	437
Abaco - bolts	438
Abaco - pintles	440
Pintles and hinges application ranges with shutters reveal	447
Abaco - hinges	448
Abaco - Alla Veneta	458
Abaco - Plates	459
Abaco - Wall catch	461
Abaco - Accessories	465
Abaco - jigs	467
Traditional pintles - Wood	469
Traditional pintles - screw anchor fastening	470
Traditional pintles - accessories	473
Traditional pintles - jigs	475

ABACO
Hardware for Shutters

Choose your solution:

- Ask for AGB shutters hardware with your desired RAL colours;
- Ask for articles with varnishable base by customers.

Contact AGB Sales Force for information.

Abaco - Espagnolettes

Drive rod

STEEL							
FINISH	H	GR	CODE			€	DC
Black Powerage	1000	1	H00900.01.93	10	10	2,607	E1
	1200	2	H00900.02.93	10	10	2,942	E1
	1400	3	H00900.03.93	10	10	3,372	E1
	1600	4	H00900.04.93	10	10	3,695	E1
	1800	5	H00900.05.93	10	10	4,054	E1
	2000	6	H00900.06.93	10	10	4,511	E1
	2200	7	H00900.07.93	10	10	4,930	E1
	2400	8	H00900.08.93	10	10	5,428	E1
	2600	9	H00900.09.93	10	10	5,897	E1
	3200	10	H00900.10.93	10	10	8,526	E1
Silver Powerage	1000	1	H00900.01.21	10	10	2,811	E1
	1200	2	H00900.02.21	10	10	3,176	E1
	1400	3	H00900.03.21	10	10	3,640	E1
	1600	4	H00900.04.21	10	10	3,989	E1
	1800	5	H00900.05.21	10	10	4,378	E1
	2000	6	H00900.06.21	10	10	4,870	E1
	2200	7	H00900.07.21	10	10	5,327	E1
	2400	8	H00900.08.21	10	10	5,860	E1
	2600	9	H00900.09.21	10	10	6,370	E1
	3200	10	H00900.10.21	10	10	9,208	E1
Varnishable base	1600	4	H00900.04.CN	10	10	3,549	E1
	2400	8	H00900.08.CN	10	10	5,212	E1
	3200	10	H00900.10.CN	10	10	8,187	E1

Abaco - Espagnolettes

UNICA - Basic kit for 1 and 2 sashes

ZAMAK							
FINISH		X	CODE			€	DC
Black Powerage	standard		H00903.15.93	20	20	9,637	E1
	thickness	4 mm	H00903.17.93	20	20	12,044	E1
	thickness	7 mm	H00903.18.93	20	20	12,425	E1
Silver Powerage	standard		H00903.15.21	20	20	10,406	E1
	thickness	4 mm	H00903.17.21	20	20	13,006	E1
	thickness	7 mm	H00903.18.21	20	20	13,419	E1

UNICA - Basic kit with bent hooks

ZAMAK						
FINISH	CODE			€	DC
Black Powerage	H00402.00.93	20	20	11,338	E1

UNICA long - Basic kit for single and double sash

ZAMAK							
FINISH		X	CODE			€	DC
Black Powerage	standard		H00903.22.93	20	20	9,655	E1
	thickness	4 mm	H00903.20.93	20	20	12,044	E1
	thickness	7 mm	H00903.21.93	20	20	12,425	E1
Silver Powerage	standard		H00903.22.21	20	20	10,426	E1
	thickness	4 mm	H00903.20.21	20	20	13,006	E1
	thickness	7 mm	H00903.21.21	20	20	13,419	E1

Abaco - Espagnolettes

Big espagnolette

ZAMAK								
FINISH		THICK.	CODE				€	DC
Black Powerage	standard		H00901.04.93		20	80	4,985	E1
	thickness	4 mm	H00901.73.93	☎	20	80	5,672	E1
	thickness	7 mm	H00901.74.93	☎	20	80	5,786	E1
Silver Powerage	standard		H00901.04.21		20	80	5,382	E1
	thickness	4 mm	H00901.73.21		20	80	6,123	E1
	thickness	7 mm	H00901.74.21		20	80	6,249	E1
Varnishable base	standard		H00901.04.CN		20	80	4,787	E1

Espagnolette - XS

ZAMAK						
FINISH	CODE				€	DC
Black Powerage	H00003.04.93		20	80	6,142	E1
Silver Powerage	H00003.04.21		20	80	6,738	E1
Varnishable base	H00003.04.CN	☎	20	80	6,003	E1

Espagnolette - XS - low knob

ZAMAK						
FINISH	CODE				€	DC
Black Powerage	H00003.05.93		20	80	6,381	E1
Silver Powerage	H00003.05.21	☎	20	80	6,976	E1

Big espagnolette - long

ZAMAK								
FINISH		THICK.	CODE				€	DC
Black Powerage	standard		H00901.88.93	☎	20	80	4,985	E1
	thickness	4 mm	H00901.89.93	☎	20	80	5,672	E1
	thickness	7 mm	H00901.90.93	☎	20	80	5,786	E1
Silver Powerage	standard		H00901.88.21		20	80	5,382	E1
	thickness	4 mm	H00901.89.21		20	80	6,123	E1
	thickness	7 mm	H00901.90.21		20	80	6,249	E1

Abaco - Espagnolettes

Little handle

ZAMAK								
FINISH	ROTATION	THICKNESS	CODE				€	DC
Black Powerage	180°	standard	H00901.49.93		20	80	4,718	E1
	180°	4 mm	H00901.91.93	☎	20	80	5,404	E1
	180°	7 mm	H00901.92.93	☎	20	80	5,519	E1
Silver Powerage	180°	standard	H00901.49.21		20	80	5,095	E1
	180°	4 mm	H00901.91.21	☎	20	80	5,779	E1
	180°	7 mm	H00901.92.21	☎	20	80	5,896	E1
Varnishable base	180°	standard	H00901.49.CN		20	80	4,529	E1
	180°	4 mm	H00901.91.CN	☎	20	80	5,215	E1
	180°	7 mm	H00901.92.CN	☎	20	80	5,331	E1

Reduced handle

ZAMAK							
FINISH	ROTATION	CODE				€	DC
Black Powerage	180°	H00901.05.93	20	80	4,718	E1
Silver Powerage	180°	H00901.05.21	20	80	5,095	E1
Varnishable base	180°	H00901.05.CN	20	80	4,529	E1

Flat handle

ZAMAK							
FINISH	ROTATION	CODE				€	DC
Black Powerage	180 °	H00901.06.93	20	80	5,832	E1
Silver Powerage	180 °	H00901.06.21	20	80	6,301	E1

Snap-in espagnolette 2K series

ZAMAK							
FINISH	ROTATION	CODE				€	DC
Black Powerage	90°	H00003.01.93	20	80	5,568	E1
Silver Powerage	90°	H00003.01.21	20	80	6,012	E1
Varnishable base	90°	H00003.01.CN	20	80	5,346	E1

Snap-in espagnolette - XS

ZAMAK							
FINISH	ROTATION	CODE				€	DC
Black Powerage	90°	H00003.03.93	20	80	6,848	E1
Silver Powerage	90°	H00003.03.21	20	80	7,311	E1
Varnishable base	90°	H00003.03.CN	☎	20	80	6,624	E1

Abaco - Espagnolettes

Basic kit for one sash

ZAMAK						
	FINISH	CODE			€	DC
1) Large	Black Powerage	H00903.06.93	20	20	9,637	E1
2) Small	Black Powerage	H00903.12.93	20	20	8,880	E1
3) Reduced	Black Powerage	H00903.07.93	20	20	8,880	E1

Abaco - Espagnolettes

Basic kit for two sashes

ZAMAK						
	FINISH	CODE			€	DC
1) Large	Black Powerage	H00903.08.93	20	20	9,637	E1
2) Small	Black Powerage	H00903.13.93	20	20	8,880	E1
3) Reduced	Black Powerage	H00903.09.93	20	20	8,880	E1

Basic kit for one and two sashes - reduced knob

ZAMAK					
FINISH	CODE			€	DC
Black Powerage	H00903.16.93	20	20	9,876	E1
Silver Powerage	H00903.16.21	20	20	10,665	E1

Abaco - Espagnolettes

Flat handle - basic kit for one sash

ZAMAK						
FINISH		CODE			€	DC
Black Powerage		H00903.10.93	20	20	9,997	E1

Flat handle - basic kit for two sashes

ZAMAK						
FINISH	ROTATION	CODE			€	DC
Black Powerage	180°	H00903.11.93	20	20	11,532	E1

Small handle - basic kit for two sashes

ZAMAK						
FINISH	ROTATION	CODE			€	DC
Black Powerage	180°	H00903.19.93	20	20	10,420	E1

Snap-lock handle - basic kit 2K series

ZAMAK						
FINISH	ROTATION	CODE			€	DC
Black Powerage	90°	H00004.01.93	20	20	9,035	E1
Silver Powerage	90°	H00004.01.21	20	20	9,756	E1

Espagnolette - XS snap-in basic kit

ZAMAK						
FINISH	ROTATION	CODE			€	DC
Black Powerage	90°	H00403.00.93	20	20	11,475	E1
Silver Powerage	90°	H00403.00.21	20	20	12,557	E1

Abaco - Espagnolettes

Locking pins - two straight pins kit

STEEL					
FINISH	CODE			€	DC
Black Powerage	H00901.46.93	20	200	1,866	E1
Silver Powerage	H00901.46.21	20	200	2,014	E1

Locking pins - straight pin + corner plate kit

STEEL					
FINISH	CODE			€	DC
Black Powerage	H00901.45.93	20	200	2,543	E1
Silver Powerage	H00901.45.21	20	200	2,745	E1

Locking pins - straight pin ø 10

STEEL					
FINISH	CODE			€	DC
Black Powerage	H00901.11.93	50	500	0,726	E1
Silver Powerage	H00901.11.21	50	500	0,783	E1
Varnishable base	H00901.11.CN	50	500	0,697	E1

Locking pins - straight pin ø 6

STEEL					
FINISH	CODE			€	DC
Black Powerage	H00901.82.93 ☎	50	500	0,900	E1

Locking pins - inclined pin ø 10, 16 mm foot

STEEL					
FINISH	CODE			€	DC
Black Powerage	H00901.12.93	50	500	0,924	E1
Silver Powerage	H00901.12.21	50	500	0,995	E1

Locking pins - inclined pin ø 6, 14 mm foot

STEEL					
FINISH	CODE			€	DC
Black Powerage	H00901.81.93 ☎	50	500	0,900	E1

Locking pins - corner plate

ZAMAK					
FINISH	CODE			€	DC
Black Powerage	H00901.26.93	20	200	1,302	E1
Silver Powerage	H00901.26.21	20	200	1,405	E1
Varnishable base	H00901.26.CN	20	200	1,251	E1

Abaco - Espagnolettes

Locking pins - corner locking plate, 7 mm thickness

ZAMAK

FINISH		CODE			€	DC
Black Powerage	for hooks and espagn. 7 mm	H00902.28.93	20	200	2,403	E1

Corner plate locking pins kit for insulating panels - L200

FINISH	CODE			€	DC
Black Powerage	H00902.27.93	12	12	9,142	E1
Silver Powerage	H00902.27.21	12	12	9,873	E1

Locking pins - long plate

STEEL

FINISH	CODE			€	DC
Black Powerage	H00901.17.93	20	20	1,079	E1
Silver Powerage	H00901.17.21	20	200	1,165	E1
Varnishable base	H00901.17.CN	20	20	1,037	E1

Locking pins - long plate for appl. with foam insulating panels

STEEL

FINISH	L	CODE			€	DC
Black Powerage	120	H01901.18.93	20	200	4,194	E1
	165	H02901.18.93	20	20	4,414	E1
	200	H03901.18.93	20	200	4,631	E1
Silver Powerage	120	H01901.18.21	20	200	4,528	E1
	165	H02901.18.21	20	20	4,764	E1
	200	H03901.18.21 ☎	20	200	5,001	E1
Varnishable base	165	H02901.18.CN	20	20	4,237	E1

Abaco - Espagnolettes

Locking pins - long plate to be glued

STEEL						
FINISH		CODE			€	DC
Black Powerage		H00901.23.93	20	200	2,528	E1

Locking pins - double pin

STEEL						
FINISH	X	CODE			€	DC
Black Powerage	56	H00901.24.93	20	200	1,832	E1
	76	H00901.16.93	20	200	1,832	E1
Silver Powerage	56	H00901.24.21	20	200	1,975	E1
Varnishable base	56	H00901.24.CN	20	200	1,756	E1

Locking pins - double pin to be glued

STEEL						
FINISH	X	CODE			€	DC
Black Powerage	56	H00901.25.93 ☎	20	100	3,125	E1
	76	H00901.14.93 ☎	20	100	3,125	E1

Locking pins - double pin with spacer

STEEL						
FINISH		CODE			€	DC
Black Powerage		H00901.31.93 ☎	20	20	4,094	E1

Locking pin for flush or rebated assembly

STEEL						
FINISH		CODE			€	DC
Black Powerage		H00901.53.93	50	50	2,792	E1
Silver Powerage		H00901.53.21	50	50	3,016	E1
Varnishable base		H00901.53.CN	50	50	2,683	E1

Abaco - Espagnolettes

Locking pin for frame assembly with rebate (14 mm)

STEEL						
FINISH	THICKNESS	CODE			€	DC
Black Powerage	14 mm	H00902.29.93	50	50	2,792	E1
Silver Powerage	14 mm	H00902.29.21 ☎	50	50	3,016	E1
Varnishable base	14 mm	H00902.29.CN ☎	50	50	2,683	E1

Locking pins - M8 pin

STEEL					
FINISH	CODE			€	DC
Black Powerage	H00901.22.93	50	500	0,879	E1
Silver Powerage	H00901.22.21	50	500	0,949	E1

Locking pins - ø 10 mm to be glued

STEEL					
FINISH	CODE			€	DC
Black Powerage	H00901.19.93	50	500	0,861	E1
Silver Powerage	H00901.19.21	50	500	0,928	E1

Locking pins - eccentric pin

FINISH	CODE			€	DC
Black Powerage	H00901.28.93	100	500	0,714	E1
Silver Powerage	H00901.28.21	100	500	0,769	E1

Locking pins - screw pin

STEEL					
FINISH	CODE			€	DC
Black Powerage	H00901.34.93	20	200	1,052	E1
Silver Powerage	H00901.34.21	20	200	1,133	E1

Abaco - Espagnolettes

Components - lock for single sash, large handle

ZAMAK						
FINISH	CODE				€	DC
Black Powerage	H00901.07.93	20	200		1,735	E1
Silver Powerage	H00901.07.21	20	200		1,873	E1
Varnishable base	H00901.07.CN	20	200		1,665	E1

Components - lock for single sash, small and reduced handle

ZAMAK						
FINISH	CODE				€	DC
Black Powerage	H00901.08.93	20	200		1,484	E1
Silver Powerage	H00901.08.21	20	200		1,601	E1
Varnishable base	H00901.08.CN	20	200		1,425	E1

Components - handle locking device for XS 1 sash espagnolette

ZAMAK						
FINISH	CODE				€	DC
Black Powerage	H00600.04.93	20	200		1,589	E1
Silver Powerage	H00600.04.21	20	200		1,717	E1
Varnishable base	H00600.04.CN ☎	20	200		1,530	E1

Components - handle locking device for 2 sashes espagnolette

ZAMAK						
FINISH	CODE				€	DC
Black Powerage	H00901.13.93	20	20		1,735	E1
Silver Powerage	H00901.13.21	20	20		1,873	E1
Varnishable base	H00901.13.CN	20	200		1,665	E1

Components - large handle UNICA

ZAMAK							
FINISH	THICKNESS	X	CODE			€	DC
Black Powerage	standard		H00901.57.93	20	200	1,735	E1
	thickness	4 mm	H00901.71.93	20	100	2,509	E1
	thickness	7 mm	H00901.72.93	20	100	2,650	E1
Silver Powerage	standard		H00901.57.21	20	200	1,873	E1
	thickness	4 mm	H00901.71.21	20	100	2,706	E1
	thickness	7 mm	H00901.72.21	20	100	2,859	E1
Varnishable base	standard		H00901.57.CN	20	200	1,665	E1

Abaco - Espagnolettes

Components - flat handle lock for double sash

ZAMAK						
FINISH		CODE			€	DC
Black Powerage		H00901.27.93	20	200	2,783	E1
Silver Powerage		H00901.27.21	20	200	3,005	E1

Components - rod guide

ZAMAK						
FINISH	THICKNESS	CODE			€	DC
Black Powerage	standard	H00901.15.93	50	500	0,666	E1
	4 mm	H00901.83.93	50	500	1,145	E1
	7 mm	H00901.84.93	50	500	1,203	E1
Silver Powerage	standard	H00901.15.21	50	500	0,719	E1
	4 mm	H00901.83.21	50	500	1,234	E1
	7 mm	H00901.84.21	50	500	1,298	E1
Varnishable base	standard	H00901.15.CN	50	500	0,639	E1

Components - XS rod guide

ZAMAK						
FINISH		CODE			€	DC
Black Powerage		H00600.05.93	50	500	1,596	E1
Silver Powerage		H00600.05.21	50	500	1,668	E1
Varnishable base		H00600.05.CN ☎	50	500	1,570	E1

Components - rod guide and support

ZAMAK						
FINISH	THICKNESS	CODE			€	DC
Black Powerage	standard	H00901.35.93	50	500	1,286	E1
	4 mm	H00901.85.93	50	500	1,763	E1
	7 mm	H00901.86.93	50	500	1,823	E1
Silver Powerage	standard	H00901.35.21	50	500	1,389	E1
	4 mm	H00901.85.21	50	500	1,905	E1
	7 mm	H00901.86.21	50	500	1,970	E1
Varnishable base	standard	H00901.35.CN	50	500	1,235	E1

Components - second sash stop

ZAMAK						
FINISH		CODE			€	DC
Black Powerage		H00901.18.93	20	200	1,339	E1
Silver Powerage		H00901.18.21	20	200	1,445	E1
Varnishable base		H00901.18.CN	20	200	1,285	E1

Abaco - Espagnolettes

Components - locking hook

ZAMAK							
FINISH	THICKNESS	HAND	CODE			€	DC
Black Powerage	standard	lh	H00901.09.93	50	50	1,467	E1
	standard	rh	H00901.10.93	50	50	1,467	E1
	4 mm	lh	H00901.69.93	25	250	1,944	E1
	4 mm	rh	H00901.70.93	25	250	1,944	E1
	7 mm	lh	H00901.77.93	25	250	2,004	E1
	7 mm	rh	H00901.78.93	25	250	2,004	E1
Silver Powerage	standard	lh	H00901.09.21	50	50	1,583	E1
	standard	rh	H00901.10.21	50	50	1,583	E1
	4 mm	lh	H00901.69.21	25	250	2,101	E1
	4 mm	rh	H00901.70.21	25	250	2,101	E1
	7 mm	lh	H00901.77.21	25	250	2,162	E1
	7 mm	rh	H00901.78.21	25	250	2,162	E1
Varnishable base	standard	lh	H00901.09.CN	50	500	1,408	E1
	standard	rh	H00901.10.CN	50	500	1,408	E1

Components - XS locking hook

ZAMAK							
FINISH	HAND	CODE				€	DC
Black Powerage	rh	H00600.06.93	50	50		2,464	E1
	lh	H00600.07.93	50	50		2,464	E1
Silver Powerage	rh	H00600.06.21	50	50		2,636	E1
	lh	H00600.07.21	50	50		2,636	E1
Varnishable base	rh	H00600.06.CN ☎	50	50		2,407	E1
	lh	H00600.07.CN ☎	50	50		2,407	E1

Components - curved locking hook

ZAMAK							
FINISH	THICKNESS	HAND	CODE			€	DC
Black Powerage	standard	lh	H00901.40.93	50	50	2,319	E1
	standard	rh	H00901.41.93	50	50	2,319	E1
	4 mm	lh	H00901.75.93	50	250	2,793	E1
	4 mm	rh	H00901.76.93	50	250	2,793	E1
	7 mm	lh	H00901.79.93	50	250	2,853	E1
	7 mm	rh	H00901.80.93	50	250	2,853	E1
Silver Powerage	standard	lh	H00901.40.21	50	250	2,502	E1
	standard	rh	H00901.41.21	50	50	2,502	E1
	4 mm	lh	H00901.75.21	50	250	3,017	E1
	4 mm	rh	H00901.76.21	50	250	3,017	E1
	7 mm	lh	H00901.79.21	50	250	3,082	E1
	7 mm	rh	H00901.80.21	50	250	3,082	E1

Components - curved XS locking hook

ZAMAK							
FINISH	HAND	CODE				€	DC
Silver Powerage	rh	H00600.13.21	50	50		2,502	E1
	lh	H00600.14.21	50	50		2,502	E1
Black Powerage	rh	H00600.13.93	50	50		2,319	E1
	lh	H00600.14.93	50	50		2,502	E1

Abaco - Espagnolettes

Components - curved reverse closing hook (for windows)

ZAMAK

FINISH	HAND	CODE			€	DC
Black Powerage	lh	H00901.32.93	50	250	2,341	E1
	rh	H00901.33.93	50	250	2,341	E1
Silver Powerage	lh	H00901.32.21	50	250	2,528	E1
	rh	H00901.33.21	50	250	2,528	E1

Components - shootbolt - 90° rotation

STEEL

FINISH	HAND	CODE			€	DC
Black Powerage	lh	H00901.21.93	20	20	8,091	E1
	rh	H00901.20.93	20	20	8,091	E1
Silver Powerage	lh	H00901.21.21	20	20	8,738	E1
	rh	H00901.20.21	20	20	8,738	E1
Varnishable base	lh	H00901.21.CN	20	20	7,768	E1
	rh	H00901.20.CN	20	20	7,768	E1

For rotation of 180°, please couple the compensator, cod. H00901.30/29

Components - adapter for 180° shootbolt rotation

ZAMAK

FINISH	HAND	CODE			€	DC
Black Powerage	lh	H00901.30.93	50	700	0,720	E1
	rh	H00901.29.93	50	700	0,720	E1
Silver Powerage	lh	H00901.30.21	50	700	0,777	E1
	rh	H00901.29.21	50	700	0,777	E1
Varnishable base	lh	H00901.30.CN	50	700	0,691	E1
	rh	H00901.29.CN	50	700	0,691	E1

Components - threshold striker

ZAMAK

FINISH	APPLICATION	CODE			€	DC
Black Powerage	1/2 sashes	F01696.00.93	50	500	3,068	G2
Silver Activeage	1/2 sashes	W01696.00.04	50	500	2,828	G2

Components - sash locking plate

STEEL

FINISH	CODE			€	DC
Black Powerage	H00901.39.93	20	400	0,841	E1
Silver Powerage	H00901.39.21	20	400	0,908	E1

Abaco - Espagnolettes

Components - adapter for small and reduced handle

STEEL						
FINISH	THICKNESS	CODE			€	DC
Black Powerage	3 mm	H00901.36.93	20	500	0,690	E1
	4 mm	H00901.42.93	20	500	0,809	E1
Silver Powerage	3 mm	H00901.36.21	20	500	0,745	E1
	4 mm	H00901.42.21	20	500	0,872	E1

Components - adapter for handle UNICA

STEEL						
FINISH	THICKNESS	CODE			€	DC
Black Powerage	3 mm	H00901.63.93	20	500	1,714	E1
	4 mm	H00901.64.93	20	500	2,046	E1
Silver Powerage	3 mm	H00901.63.21	20	500	1,849	E1
	4 mm	H00901.64.21	20	500	2,208	E1

Components - XS snap-in espagnolette adapter

STEEL						
FINISH	THICKNESS	CODE			€	DC
Black Powerage	3 mm	H00603.10.93	20	500	1,757	E1
	4 mm	H00604.10.93	20	500	2,091	E1
Silver Powerage	3 mm	H00603.10.21	20	500	1,896	E1
	4 mm	H00604.10.21	20	500	2,264	E1

Components - adapter for rod guide and locking hooks

STEEL						
FINISH	THICKNESS	CODE			€	DC
Black Powerage	3 mm	H00901.38.93	50	1000	0,484	E1
	4 mm	H00901.44.93	50	500	0,543	E1
Silver Powerage	3 mm	H00901.38.21	50	1000	0,520	E1
	4 mm	H00901.44.21	50	1000	0,585	E1

Components - adapter for XS rod guide and locking hooks

STEEL						
FINISH	THICKNESS	CODE			€	DC
Black Powerage	3 mm	H00603.11.93	20	500	1,757	E1
	4 mm	H00604.11.93	20	500	2,091	E1
Silver Powerage	3 mm	H00603.11.21	20	500	1,896	E1
	4 mm	H00604.11.21	20	500	2,264	E1

Components - adapter for XS 1 sash espagnolette locking device

STEEL						
FINISH	THICKNESS	CODE			€	DC
Black Powerage	3 mm	H00603.09.93	20	500	1,757	E1
	4 mm	H00604.09.93	20	500	2,091	E1
Silver Powerage	3 mm	H00603.09.21	20	500	1,896	E1
	4 mm	H00604.09.21	20	500	2,264	E1

Abaco - Espagnolettes

Components - adapter for handle lock for second sash

STEEL						
FINISH	THICKNESS	CODE			€	DC
Black Powerage	3 mm	H00901.37.93	20	500	0,778	E1
	4 mm	H00901.43.93	20	500	0,924	E1
Silver Powerage	3 mm	H00901.37.21	20	500	0,840	E1
	4 mm	H00901.43.21	20	500	0,995	E1

Components - adapter for UNICA handle lock for second sash

STEEL						
FINISH	THICKNESS	CODE			€	DC
Black Powerage	3 mm	H00603.03.93	20	500	0,778	E1
	4 mm	H00604.03.93	20	500	0,924	E1
Silver Powerage	3 mm	H00603.03.21	20	500	0,840	E1
	4 mm	H00604.03.21	20	500	0,995	E1

Abaco - Ariete

Basic kit Ariete Triplex

STEEL					
FINISH	CODE			€	DC
Black Powerage	H34101.00.99	1	1	62,221	E1
Silver Powerage	H34101.00.21	1	1	67,196	E1

Basic kit Ariete Duplex

STEEL					
FINISH	CODE			€	DC
Black Powerage	H34201.00.99	1	1	57,030	E1
Silver Powerage	H34201.00.21	1	1	62,731	E1

Abaco - Ariete

Straight push rods kit

STEEL							
FINISH	SH	PUSH ROD	CODE			€	DC
Black Powerage	1750-2900	ø 9	H35001.09.99	1	1	64,876	E1
Silver Powerage	1750-2900	ø 9	H35001.09.21	1	1	70,067	E1

Push rods kit, straight without handle (detail A)

STEEL							
FINISH	SH	PUSH ROD	CODE			€	DC
Black Powerage	1750-2900	ø 9	H35005.09.99 ☎	1	1	63,437	E1

Push rods kit, upper bent - lower straight

STEEL							
FINISH	SH	PUSH ROD	CODE			€	DC
Black Powerage	1750-2900	ø 9	H35003.09.99	1	1	64,876	E1
Silver Powerage	1750-2900	ø 9	H35003.09.21	1	1	70,067	E1

Push rods kit, upper bent - lower straight without handle (detail A)

STEEL							
FINISH	SH	PUSH ROD	CODE			€	DC
Black Powerage	1750-2900	ø 9	H35007.09.99 ☎	1	1	63,437	E1

Abaco - Ariete

Push rods kit, upper straight - lower bent

STEEL							
FINISH	SH	PUSH ROD	CODE			€	DC
Black Powerage	1750-2900	ø 9	H35004.09.99	1	1	64,876	E1
Silver Powerage	1750-2900	ø 9	H35004.09.21	1	1	70,067	E1

Push rods kit, upper straight - lower bent without handle (detail A)

STEEL							
FINISH	SH	PUSH ROD	CODE			€	DC
Black Powerage	1750-2900	ø 9	H35008.09.99 ☎	1	1	63,437	E1

Push rods kit, bent

STEEL							
FINISH	SH	PUSH ROD	CODE			€	DC
Black Powerage	1800-2950	ø 9	H35002.09.99	1	1	64,876	E1
Silver Powerage	1800-2950	ø 9	H35002.09.21	1	1	70,067	E1

Push rods kit, bent withput handle (detail A)

STEEL							
FINISH	SH	PUSH ROD	CODE			€	DC
Black Powerage	1800-2950	ø 9	H35006.09.99 ☎	1	1	63,437	E1

Abaco - Ariete

Striker for single sash U27 for hook

STEEL					
FINISH	CODE			€	DC
Black Powerage	H33101.00.99	1	20	9,202	E1

Wall adapter for U27 striker for hook

STEEL					
FINISH	CODE			€	DC
Black Powerage	H33201.00.99	1	20	5,675	E1

Striker for single sash on wall for hook

STEEL					
FINISH	CODE			€	DC
Black Powerage	H33101.02.99	1	20	7,214	E1

Abaco - Ariete

Striker for double sash adjustable U30 for hook

STEEL								
	FINISH	VERSION	CODE				€	DC
1	Black Powerage		H33001.01.99		1	20	9,990	E1
2	Black Powerage	with handle	H33001.07.99		1	20	9,990	E1
1	Silver Powerage		H33001.01.21		1	20	10,788	E1
2	Silver Powerage	with handle	H33001.07.21		1	20	10,788	E1

Striker for double sash adjustable for PVC and Aluminium for hook

STEEL								
	FINISH	VERSION	CODE				€	DC
2	Black Powerage	with handle	H33004.01.99	☎	1	20	9,640	E1

Note: please make reference to the technical sheets for profile application

Striker for double sash fixed for PVC and Aluminium for hook

STEEL								
FINISH	VERSION	CODE					€	DC
Black Powerage	with handle	H33004.00.99	☎	1	20		9,640	E1

Note: please make reference to the technical sheets for profile application

Striker for double sash U36 for hook

STEEL						
FINISH	CODE				€	DC
Black Powerage	H33003.00.99	1	20		5,786	E1
Silver Powerage	H33003.00.21	1	20		6,366	E1

Abaco - Ariete

Striker for double sash for PVC and Aluminium, for hook

STEEL						
FINISH	VERSION	CODE			€	DC
Black Powerage	with handle	H33001.05.99	1	20	10,390	E1

Fastening screw kit for wood

BLACK STAINLESS STEEL					
	CODE			€	DC
	H34400.00.93	1	10	10,201	E1
PLAIN STAINLESS STEEL					
	CODE			€	DC
	H34400.00.01	1	10	10,201	E1

Self-tapping screw kit for PVC and aluminium

BLACK STAINLESS STEEL					
	CODE			€	DC
	H34401.00.93	1	10	6,294	E1
PLAIN STAINLESS STEEL					
	CODE			€	DC
	H34401.00.01	10	100 ✔	6,294	E1

Note: the image refers to the wooden kit

Anti-burglar additional push rod guide

STEEL					
FINISH	CODE			€	DC
Silver Powerage	H32200.00.21	20	200 ✔	4,742	E1
Black Powerage	H32200.00.99	20	200 ✔	4,393	E1

Abaco - Ariete

Plate & short screw anchor kit for insulating panels

	CODE			€	DC
	H34501.00.99	1	1	5,605	E1

Plate & long screw anchor kit for insulating panels

	CODE			€	DC
	H34502.00.99	1	1	24,403	E1

Components - threshold striker - push rod ø 9 mm

BRASS

	CODE			€	DC
Antidust	H32211.02.01	10	10	2,447	E1

Push rod striker - 2 sashes shutter

	CODE			€	DC
	H33301.08.99	25	300	2,610	E1

Striker for push rod ø 9 mm, flush systems

ZAMAK

FINISH	CODE			€	DC
Black Powerage	H00964.01.93 ☎	20	20	3,664	E2

Adapter for flush applications

STEEL

FINISH	CODE			€	DC
Black Powerage	H32312.00.93	50	50	3,664	E2

Abaco - Ariete

Adapter for central box on PVC/Aluminium profiles

STEEL									
	FINISH	THICKNESS	CODE					€	DC
1	Black Powerage	3 mm	H32305.00.99		20	20	✔	6,929	E1
2	Black Powerage	2 mm	H32310.02.99	☎	20	20	✔	7,687	E1
	Black Powerage	3 mm	H32310.03.99	☎	20	20	✔	7,687	E1
	Black Powerage	4 mm	H32310.04.99	☎	20	20	✔	7,687	E1

Adapter for push rod guides on PVC/Aluminium profiles

STEEL									
	FINISH	THICKNESS	CODE					€	DC
1	Black Powerage	3 mm	H32306.00.99		20	160	✔	2,304	E1
2	Black Powerage	2 mm	H32311.02.99	☎	20	20	✔	3,775	E1
	Black Powerage	3 mm	H32311.03.99	☎	20	20	✔	3,775	E1
	Black Powerage	4 mm	H32311.04.99	☎	20	200	✔	3,775	E1

Escutcheon for cylinder

NYLON					
FINISH	CODE			€	DC
Black Powerage	H32302.00.99	1	10	2,806	E1
Silver Powerage	H32302.00.21	1	10	3,030	E1

Note: two 4x70 mm screws included.
Max. thickness 45 mm

Cylinder escutcheon

STEEL					
FINISH	CODE			€	DC
Enamelled brass plated	C00640.00.03	100	1400	0,478	B2
Nickel plated	C00640.00.06	100	1400	0,478	B2
Black Powerage	C00640.00.99	100	1400	0,977	B2
BRASS					
FINISH	CODE			€	DC
Plain	C00641.00.01	100	1400	0,630	B2
Nickel plated	C00641.00.06 ☎	100	1400	0,944	B2
Enamelled polished	C00641.00.10	100	1400	2,234	B2
Matt chromium plated	C00641.00.34	100	1400	2,320	B2

Note: cylinders discount class

Abaco - Ariete

Adapter for escutcheon and Tenax on PVC/Aluminium profiles

NYLON						
	THICKNESS	CODE			€	DC
1	3x27 mm	H32307.03.99	30	300	1,234	E1
2	3x31 mm	H32313.03.99	30	300	1,255	E1

Abaco - TENAX, ROUND for Ariete

For drilling - ø 34

Black Powerage						
THICKNESS	CYL. PROTRUSION	CODE			€	DC
X = 14 mm	S=0-4 mm	H32308.00.99	1	25	12,712	E1
Silver Powerage						
THICKNESS	CYL. PROTRUSION	CODE			€	DC
X = 10 mm	S=0-4 mm	H32308.00.21	1	25	13,732	E1

Note: with two 4x70 mm screws included

Screws for round Tenax for Ariete

M4x80				
	CODE			€	DC
	H32302.80.15	1	1	0,416	E2

Adapter for escutcheon and Tenax on PVC/Aluminium profiles

NYLON						
	THICKNESS	CODE			€	DC
1	3x27 mm	H32307.03.99	30	300	1,234	E1
2	3x31 mm	H32313.03.99	30	300	1,255	E1

Abaco - TENAX, OVAL

With internal stud

SATIN CHROMIUM PLATED							
GR	THICKNESS	CYL. PROTRUSION	CODE			€	DC
4	X = 16 mm	S=4-10 mm	C94700.16.32	1	10	45,266	B5
5	X = 18 mm	S=6-12 mm	C94700.18.32	1	10	45,266	B5
PVD							
GR	THICKNESS	CYL. PROTRUSION	CODE			€	DC
1	X = 10 mm	S=0-4 mm	C94700.10.35	1	10	46,671	B5
4	X = 16 mm	S=4-10 mm	C94700.16.35	1	10	46,671	B5
5	X = 18 mm	S=6-12 mm	C94700.18.35	1	10	46,671	B5

Compatible with locks, mod. Sicurezza.
Note: cylinders discount class.
Discontinued.

Abaco - Ariete cylinders

Mod. Ariete knob - blind

MATT NICKEL PLATED - BLACK knob							
10-10-C	DIMENSION Y	CODE				€	DC
10-10-05	15-10	C67601.10.05		1	1	17,600	B2
MATT NICKEL PLATED - SILVER knob							
10-10-C	DIMENSION Y	CODE				€	DC
10-10-05	15-10	C67601.21.05	☎	1	1	17,600	B2

Note: cylinders discount class

Mod. Scudo DCK knob-key

MATT NICKEL PLATED							
10-10-C	PINS	DIMENSION Y	CODE				€	DC
10-10-35	15	15-40	C27516.10.35	☎	1	5	82,597	B4
10-10-40	15	15-45	C27516.10.40	☎	1	5	84,471	B4
10-10-45	15	15-50	C27516.10.45	☎	1	5	86,341	B4
10-10-50	15	15-55	C27516.10.50	☎	1	5	88,212	B4
10-10-55	15	15-60	C27516.10.55	☎	1	5	90,084	B4
10-10-60	15	15-65	C27516.10.60	☎	1	5	91,957	B4
10-10-65	15	15-70	C27516.10.65	☎	1	5	93,821	B4
10-10-70	15	15-75	C27516.10.70	☎	1	5	100,376	B4
10-10-75	15	15-80	C27516.10.75	☎	1	5	106,934	B4

Note: cylinders discount class

Mod. Scudo 9000 knob-key

MATT NICKEL PLATED - BLACK knob							
10-10-C	PINS	DIMENSION Y	CODE				€	DC
10-10-35	17	15-40	C97516.10.35	☎	1	5	61,186	B1
10-10-40	17	15-45	C97516.10.40	☎	1	5	62,571	B1
10-10-45	17	15-50	C97516.10.45	☎	1	5	63,960	B1
10-10-50	17	15-55	C97516.10.50	☎	1	5	65,345	B1
10-10-55	17	15-60	C97516.10.55	☎	1	5	66,729	B1
10-10-60	17	15-65	C97516.10.60	☎	1	5	68,117	B1
10-10-65	17	15-70	C97516.10.65	☎	1	5	69,498	B1
10-10-70	17	15-75	C97516.10.70	☎	1	5	76,052	B1
10-10-75	17	15-80	C97516.10.75	☎	1	5	82,608	B1
MATT NICKEL PLATED - SILVER knob							
10-10-C	PINS	DIMENSION Y	CODE				€	DC
10-10-35	17	15-40	C97516.21.35	☎	1	5	61,186	B1
10-10-40	17	15-45	C97516.21.40	☎	1	5	62,571	B1
10-10-45	17	15-50	C97516.21.45	☎	1	5	63,960	B1
10-10-50	17	15-55	C97516.21.50	☎	1	5	65,345	B1
10-10-55	17	15-60	C97516.21.55	☎	1	5	66,729	B1
10-10-60	17	15-65	C97516.21.60	☎	1	5	68,117	B1
10-10-65	17	15-70	C97516.21.65	☎	1	5	69,498	B1
10-10-70	17	15-75	C97516.21.70	☎	1	5	76,052	B1
10-10-75	17	15-80	C97516.21.75	☎	1	5	82,608	B1

Note: cylinders discount class

Abaco - Ariete cylinders

Mod. U-Tech PS knob-key

MATT NICKEL PLATED - BLACK knob								
10-10-C	PINS	DIMENSION Y	CODE				€	DC
10-10-35	15	15-40	CE7516.10.35	☎	1	10	51,578	B6
10-10-40	15	15-45	CE7516.10.40	☎	1	10	52,771	B6
10-10-45	15	15-50	CE7516.10.45	☎	1	10	53,963	B6
10-10-50	15	15-55	CE7516.10.50	☎	1	10	55,158	B6
10-10-55	15	15-60	CE7516.10.55	☎	1	10	56,355	B6
10-10-60	15	15-65	CE7516.10.60	☎	1	10	57,547	B6
10-10-65	15	15-70	CE7516.10.65	☎	1	10	58,741	B6
10-10-70	15	15-75	CE7516.10.70	☎	1	10	65,298	B6
10-10-75	15	15-80	CE7516.10.75	☎	1	10	71,853	B6
10-10-80	15	15-85	CE7516.10.80	☎	1	10	78,409	B6
10-10-85	15	15-90	CE7516.10.85	☎	1	10	84,964	B6
10-10-90	15	15-95	CE7516.10.90	☎	1	10	91,520	B6
MATT NICKEL PLATED - SILVER knob								
10-10-C	PINS	DIMENSION Y	CODE				€	DC
10-10-35	15	15-40	CE7516.21.35	☎	1	10	51,578	B6
10-10-40	15	15-45	CE7516.21.40	☎	1	10	52,771	B6
10-10-45	15	15-50	CE7516.21.45	☎	1	10	53,963	B6
10-10-50	15	15-55	CE7516.21.50	☎	1	10	55,158	B6
10-10-55	15	15-60	CE7516.21.55	☎	1	10	56,355	B6
10-10-60	15	15-65	CE7516.21.60	☎	1	10	57,547	B6
10-10-65	15	15-70	CE7516.21.65	☎	1	10	58,741	B6
10-10-70	15	15-75	CE7516.21.70	☎	1	10	65,298	B6
10-10-75	15	15-80	CE7516.21.75	☎	1	10	71,853	B6
10-10-80	15	15-85	CE7516.21.80	☎	1	10	78,409	B6
10-10-85	15	15-90	CE7516.21.85	☎	1	10	84,964	B6
10-10-90	15	15-95	CE7516.21.90	☎	1	10	91,520	B6

Note: cylinders discount class

Mod. 5000 PS knob-key

MATT NICKEL PLATED - BLACK knob								
10-10-C	PINS	DIMENSION Y	CODE				€	DC
10-10-35	15	15-40	CA7516.10.35		1	10	35,379	B3
10-10-40	15	15-45	CA7516.10.40		1	10	37,282	B3
10-10-45	15	15-50	CA7516.10.45		1	10	39,180	B3
10-10-50	15	15-55	CA7516.10.50		1	10	41,091	B3
10-10-55	15	15-60	CA7516.10.55		1	10	42,997	B3
10-10-60	15	15-65	CA7516.10.60		1	10	44,900	B3
10-10-65	15	15-70	CA7516.10.65		1	10	46,874	B3
10-10-70	15	15-75	CA7516.10.70		1	10	53,432	B3
10-10-75	15	15-80	CA7516.10.75		1	10	59,987	B3
10-10-80	15	15-85	CA7516.10.80		1	10	66,545	B3
10-10-85	15	15-90	CA7516.10.85		1	10	73,099	B3
MATT NICKEL PLATED - SILVER knob								
10-10-C	PINS	DIMENSION Y	CODE				€	DC
10-10-35	15	15-40	CA7516.21.35	☎	1	10	35,379	B3
10-10-40	15	15-45	CA7516.21.40	☎	1	10	37,282	B3
10-10-45	15	15-50	CA7516.21.45	☎	1	10	39,180	B3
10-10-50	15	15-55	CA7516.21.50	☎	1	10	41,091	B3
10-10-55	15	15-60	CA7516.21.55	☎	1	10	42,997	B3
10-10-60	15	15-65	CA7516.21.60	☎	1	10	44,900	B3
10-10-65	15	15-70	CA7516.21.65	☎	1	10	46,874	B3
10-10-70	15	15-75	CA7516.21.70	☎	1	10	53,432	B3
10-10-75	15	15-80	CA7516.21.75	☎	1	10	59,987	B3
10-10-80	15	15-85	CA7516.21.80	☎	1	10	66,545	B3
10-10-85	15	15-90	CA7516.21.85	☎	1	10	73,099	B3

Abaco - Ariete cylinders

Mod. 600 knob-key

MATT NICKEL PLATED - BLACK knob								
10-10-C	PINS	DIMENSION Y	CODE				€	DC
10-10-35	5	15-40	C67501.10.35	☎	1	35	24,761	B2
10-10-40	5	15-45	C67501.10.40	☎	1	35	26,303	B2
10-10-45	5	15-50	C67501.10.45	☎	1	35	27,843	B2
10-10-50	5	15-55	C67501.10.50	☎	1	35	29,386	B2
10-10-55	5	15-60	C67501.10.55		1	35	30,929	B2
10-10-60	5	15-65	C67501.10.60		1	35	32,468	B2
10-10-65	5	15-70	C67501.10.65		1	35	34,011	B2
10-10-70	5	15-75	C67501.10.70	☎	1	35	40,565	B2
10-10-75	5	15-80	C67501.10.75	☎	1	35	47,122	B2
MATT NICKEL PLATED - SILVER knob								
10-10-C	PINS	DIMENSION Y	CODE				€	DC
10-10-35	5	15-40	C67501.21.35	☎	1	35	24,761	B2
10-10-40	5	15-45	C67501.21.40	☎	1	35	26,303	B2
10-10-45	5	15-50	C67501.21.45	☎	1	35	27,843	B2
10-10-50	5	15-55	C67501.21.50	☎	1	35	29,386	B2
10-10-55	5	15-60	C67501.21.55	☎	1	35	30,929	B2
10-10-60	5	15-65	C67501.21.60	☎	1	35	32,468	B2
10-10-65	5	15-70	C67501.21.65	☎	1	35	34,011	B2
10-10-70	5	15-75	C67501.21.70	☎	1	35	40,565	B2
10-10-75	5	15-80	C67501.21.75	☎	1	35	47,122	B2

Note: cylinders discount class

Knob for Ariete cylinder

BLACK						
	CODE				€	DC
For replacement	C64593.00.00		1	50	3,421	E1
SILVER						
	CODE				€	DC
For replacement	C64521.00.00	☎	1	25	3,421	E1

Abaco - Ariete cylinders

Cylinder Mod. Ariete

Example with ESCHUTCHEON

C= S+3+3+F+8

Shutter thickness (**S**) = 40 mm
F Eschutcheon = 4,5 mm
C = 40+3+3+4,5+8 = 58,5 mm
Chooose a cylinder of "**C**" 60 mm
(CX7516.10.60)

Example with TENAX

max.**S** = 45 mm with screws of 70
55 mm with screws of 80

Shutter thickness (**S**) = 40 mm
F Tenax = from 1 to 6 mm
C = 40+3+3+5+8 = 59 mm
Chooose a cylinder of "**C**" 55 mm
(CX7516.10.55) *

Cylinder key-key

Example with ESCHUTCHEON

C= S+3+3+F+8

Shutter thickness (**S**) = 40 mm
F Eschutcheon = 4,5 mm
C = 40+3+3+4,5+8 = 58,5 mm
Chooose a cylinder of "**C**" 60 mm
(CXXXXX.25.60)

Example with TENAX

max.**S** = 45 mm with screws of 70
55 mm with screws of 80

Shutter thickness (**S**) = 40 mm
F Tenax = from 1 to 6 mm
C = 40+3+3+5+8 = 59 mm
Chooose a cylinder of "**C**" 55 mm
(CXXXXX.25.55) *

* Choosing the "**C**" measure of 60 mm, you will overpass the max. dimension of 6 mm for cylinder protrusion and you will touch the Tenax.

Special key systems

KA - Key Alike System

All the cylinders have the same differ and can be opened only by one key.

MK - Master Key system

Every cylinder can be opened by its own key which cannot open any other cylinder of the system. All the cylinders can be opened by the MK management key.

GMK - General Master Key system

Same as the management key system but in two or more groups. Every group of cylinders can be opened by its own service key. All the cylinders of the system can be opened by the GMK grand management key.

CC - Central Cylinder System

Every cylinder has its own key which cannot open any other cylinder of the system. All the keys of the system can open the cylinder of the central lock.

CCMK - Central Cylinder System and Master Key

Every cylinder has it own key which cannot open any other cylinder of the system, except the central system. All the cylinders of the system can be opened by the MK management key.

Extra charge for key systems

KEY ALIKE SYSTEM - KA	MOD. 600		5000 PS		U-TECH PS		SCUDO 9000		SCUDO DCK	
	Code	Price	Code	Price	Code	Price	Code	Price	Code	Price
Free coding (price for each cylinder)	KA	1,868	KA	2,084	KA	2,881	KA	3,677	KA	10,654
Specimen coding (price for each cylinder)	KC	2,614	KC	2,751	KC	3,675	KC	4,637	KC	11,217
Reduction for each key less than the standard supply			INDICATE IN ORDER	2,060		2,319	INDICATE IN ORDER	2,572	INDICATE IN ORDER	4,061

Note: for half-cylinders and cylinders with knob/tang 50% deduction price

MASTER KEY SYSTEM - MK	MOD. 600		5000 PS		U-TECH PS		SCUDO 9000		SCUDO DCK	
	Code	Price	Code	Price	Code	Price	Code	Price	Code	Price
Free coding (price for each cylinder)	MK	11,668	MK	14,576	MK	16,286	MK	17,995	MK	23,076
Specimen coding (price for each cylinder)	MC	18,204	MC	20,420	MC	22,006	MC	23,593	MC	30,556
Master key, to be order in multiples of 3 (price and code for each key)	C64300.15.06	1,795	CA4300.15.06	5,822	CE4300.15.06	6,127	C94300.15.01	6,437	C14300.15.01	14,002
The master key with reduced neck has to be ordered in multiples of 3 (price and code for each key)			CA4300.17.06	6,994	CE4300.18.06	7,360				

Note: for half-cylinders and cylinders with knob/tang 50% deduction price

GENERAL MASTER KEY SYSTEM - GMK	MOD. 600		5000 PS		U-TECH PS		SCUDO 9000		SCUDO DCK	
	Code	Price	Code	Price	Code	Price	Code	Price	Code	Price
Free coding (price for each cylinder)	GMK	16,333	GMK	18,751	GMK	20,375	GMK	21,981	GMK	26,635
Specimen coding (price for each cylinder)	GMC	22,869	GMC	24,583	GMC	26,088	GMC	27,595	GMC	31,605
Master key, to be order in multiples of 3 (price and code for each key)	C64300.16.06	1,795	CA4300.16.06	5,822	CE4300.16.06	6,127	C94300.16.01	6,437	C14300.16.01	14,002
The master key with reduced neck has to be ordered in multiples of 3 (price and code for each key)			CA4300.18.06	6,994	CE4300.17.06	7,360				

Note: for half-cylinders and cylinders with knob/tang 50% deduction price

CENTRAL CYLINDER SYSTEM - CC	MOD. 600		5000 PS		U-TECH PS		SCUDO 9000		SCUDO DCK	
	Code	Price	Code	Price	Code	Price	Code	Price	Code	Price
Free coding (price for each cylinder)	CC	7,934	CC	11,250	CC	13,022	CC	14,798	CC	20,244
Specimen coding (price for each cylinder)	CCC	11,668	CCC	14,584	CCC	16,295	CCC	17,972	CCC	23,085

Note: for half-cylinders and cylinders with knob/tang 50% deduction price

CENTRAL & MASTER KEY SYSTEM - CCMK	MOD. 600		5000 PS		U-TECH PS		SCUDO 9000		SCUDO DCK	
	Code	Price	Code	Price	Code	Price	Code	Price	Code	Price
Free coding (price for each cylinder)	CMK	19,601	CMK	25,827	CMK	29,312	CMK	32,793	CMK	43,321
Specimen coding (price for each cylinder)	CMC	29,873	CMC	35,002	CMC	38,304	CMC	41,566	CMC	53,642
Master key, to be order in multiples of 3 (price and code for each key)	C64300.16.06	1,795	CA4300.16.06	5,822	CE4300.16.06	6,127	C94300.16.01	6,437	C14300.16.01	14,002
The master key with reduced neck has to be ordered in multiples of 3 (price and code for each key)			CA4300.17.06	6,994	CE4300.17.06	7,360				

Note: for half-cylinders and cylinders with knob/tang 50% deduction price

Note: The expansion of existing systems is considered as specimen coding.
At the time of the first order, indicate whether a future expansion may be required for the systems, otherwise specimen coding for the systems could not be possible.
For systems other than the ones indicated, please contact our Sales Department.
The good operation of the cylinders is guaranteed only with original AGB keys.

Changes to the systems orders will be accepted only if they will be requested to the AGB Export Dept. within 10.00am of the working day next to the order confirmation date; otherwise, please contact our Sales Dept. to check any other possibility to modifications.

Abaco - bolts

Vertical bolts

STEEL						
FINISH	X	CODE			€	DC
Black Powerage	290	H00960.25.93	5	5	13,431	E2
	440	H00960.40.93	5	5	16,118	E2
	540	H00960.50.93	5	5	17,828	E2
	640	H00960.60.93	5	5	19,179	E2
Silver Powerage	290	H00960.25.21	5	5	14,506	E2
	440	H00960.40.21	5	5	17,408	E2
	540	H00960.50.21	5	5	19,257	E2
	640	H00960.60.21	5	5	20,713	E2

Vertical bent bolts

STEEL						
FINISH	X	CODE			€	DC
Black Powerage	333	H00961.29.93	5	5	14,015	E2
	483	H00961.44.93	5	5	16,567	E2
	583	H00961.54.93	5	5	18,398	E2
	683	H00961.64.93	5	5	19,819	E2
Silver Powerage	333	H00961.29.21 ☎	5	5	15,134	E2
	483	H00961.44.21	5	5	17,889	E2
	583	H00961.54.21	5	5	19,868	E2
	683	H00961.64.21	5	5	21,404	E2

Horizontal bolts

STEEL						
FINISH	X	CODE			€	DC
Black Powerage	180	H00962.22.93	5	5	15,948	E2
	215	H00962.30.93	5	5	16,701	E2
	265	H00962.40.93	5	5	18,049	E2
	315	H00962.50.93	5	5	19,756	E2
Silver Powerage	180	H00962.22.21	5	5	17,223	E2
	215	H00962.30.21	5	5	18,036	E2
	265	H00962.40.21 ☎	5	5	19,493	E2
	315	H00962.50.21 ☎	5	5	21,337	E2

Security bolt for espagnolette (single sash)

STEEL						
FINISH	X	CODE			€	DC
Black Powerage	225	H00963.00.93	5	5	19,266	E2
Silver Powerage	225	H00963.00.21	5	5	20,805	E2

Security bolt for espagnolette (double sash)

STEEL						
FINISH	X	CODE			€	DC
Black Powerage	225	H00963.23.93	5	5	19,266	E2
Silver Powerage	225	H00963.23.21	5	5	20,805	E2

Abaco - bolts

Components - threshold striker

ZAMAK						
FINISH	APPLICATION	CODE			€	DC
Black Powerage	1/2 sashes	F01696.00.93	50	500	3,068	G2
Silver Activeage	1/2 sashes	W01696.00.04	50	500	2,828	G2

Bush for Abaco bolt

BRASS					
FINISH	CODE			€	DC
Black Powerage	H00964.00.09	50	50	4,260	E2
Silver Powerage	H00964.00.21	50	50	4,476	E2

Coplanar bolt striker Abaco

ZAMAK					
FINISH	CODE			€	DC
Black Powerage	H00964.01.93 ☎	20	20	3,664	E2
Silver Powerage	H00964.01.21	20	20	3,955	E2

Bolt striker for internal opening Abaco

STEEL					
FINISH	CODE			€	DC
Black Powerage	H00964.02.93 ☎	10	10	8,515	E2
Silver Powerage	H00964.02.21 ☎	10	10	9,196	E2

Abaco - pintles

Pintle with narrow bracket

STEEL							
FINISH	X	GR	CODE			€	DC
Black Powerage	25-55	0	H00911.00.93	20	20	6,229	E2
	56-85	1	H00911.01.93	20	20	6,834	E2
	86-115	2	H00911.02.93	20	20	7,442	E2
	116-145	3	H00911.03.93	20	20	8,047	E2
Silver Powerage	25-55	0	H00911.00.21	20	20	6,724	E2
	56-85	1	H00911.01.21	20	20	7,379	E2
	86-115	2	H00911.02.21	20	20	8,034	E2
	116-145	3	H00911.03.21	20	20	8,689	E2
Varnishable base	25-55	0	H00911.00.CN	20	20	5,978	E2
	56-85	1	H00911.01.CN	20	20	6,560	E2
	86-115	2	H00911.02.CN	20	20	7,146	E2

Pintle with narrow bracket and vertical adjustment

STEEL							
FINISH	X	GR	CODE			€	DC
Black Powerage	25-55	0	H01911.00.93	20	20	13,266	E2
	56-85	1	H01911.01.93	20	20	13,965	E2
	86-115	2	H01911.02.93	20	20	14,691	E2
	116-145	3	H01911.03.93	20	20	15,419	E2

Pintle with large bracket

STEEL							
FINISH	X	GR	CODE			€	DC
Black Powerage	56-85	1	H00912.01.93	20	20	7,532	E2
	86-115	2	H00912.02.93	20	20	7,956	E2
	116-145	3	H00912.03.93	20	20	8,442	E2
Silver Powerage	56-85	1	H00912.01.21	20	20	8,134	E2
	86-115	2	H00912.02.21	20	20	8,591	E2
	116-145	3	H00912.03.21	20	20	9,116	E2

Pintle with large bracket and vertical adjustment

STEEL							
FINISH	X	GR	CODE			€	DC
Black Powerage	56-85	1	H01912.01.93	20	20	14,814	E2
	86-115	2	H01912.02.93	20	20	15,301	E2
	116-145	3	H01912.03.93	20	20	15,905	E2

Abaco - pintles

Pintle with threaded shank

STEEL						
FINISH	X	CODE			€	DC
Black Powerage	12-45	H00925.45.93	20	100	7,078	E2
Silver Powerage	12-45	H00925.45.21	20	100	7,643	E2

Pintle with threaded shank on 18 mm plate

STEEL						
FINISH	X	CODE			€	DC
Black Powerage	14-45	H01925.45.93	20	100	7,078	E2
Silver Powerage	14-45	H01925.45.21 ☎	20	100	7,643	E2

Pintle with threaded shank and height adjustment

STEEL						
FINISH	X	CODE			€	DC
Black Powerage	12-45	H02925.45.93	20	100	10,870	E2

Pintle with 18 mm bracket

STEEL							
FINISH	X	GR	CODE			€	DC
Black Powerage	15	2	H01924.15.93	20	20	4,989	E2
	18	3	H01924.18.93	20	20	6,167	E2
	20	4	H01924.20.93	20	20	6,167	E2
	22	5	H01924.22.93	20	20	6,167	E2
	24	6	H01924.24.93	20	20	6,198	E2
	26	7	H01924.26.93	20	20	6,229	E2
	28	8	H01924.28.93	20	20	6,287	E2
	30	9	H01924.30.93	20	20	6,318	E2
Silver Powerage	15	2	H01924.15.21	20	20	5,387	E2
	24	6	H01924.24.21	20	20	6,692	E2
Varnishable base	15	2	H01924.15.CN	20	20	4,791	E2

Abaco - pintles

Pintle with 18 mm bracket and vertical adjustment

STEEL							
FINISH	X	GR	CODE			€	DC
Black Powerage	22	5	H03924.22.93	20	20	9,475	E2
	24	6	H03924.24.93	20	20	9,444	E2
	26	7	H03924.26.93	20	20	9,475	E2
	28	8	H03924.28.93	20	20	9,506	E2
	30	9	H03924.30.93	20	20	9,532	E2

Pintle with 24 mm bracket

STEEL							
FINISH	X	GR	CODE			€	DC
Black Powerage	12	1	H00924.12.93	20	20	4,754	E2
	15	2	H00924.15.93	20	20	4,988	E2
	18	3	H00924.18.93	20	20	6,135	E2
	20	4	H00924.20.93	20	20	6,198	E2
	22	5	H00924.22.93	20	20	6,257	E2
	24	6	H00924.24.93	20	20	6,257	E2
	26	7	H00924.26.93	20	20	6,318	E2
	28	8	H00924.28.93	20	20	6,318	E2
	30	9	H00924.30.93	20	20	6,379	E2
Silver Powerage	12	1	H00924.12.21 ☎	20	20	5,130	E2
	15	2	H00924.15.21	20	20	5,386	E2
	18	3	H00924.18.21	20	20	6,625	E2
	20	4	H00924.20.21	20	20	6,692	E2
	22	5	H00924.22.21	20	20	6,758	E2
	24	6	H00924.24.21	20	20	6,758	E2
	26	7	H00924.26.21 ☎	20	20	6,823	E2
	28	8	H00924.28.21 ☎	20	20	6,823	E2
	30	9	H00924.30.21 ☎	20	20	6,890	E2
Varnishable base	12	1	H00924.12.CN	20	20	4,564	E2
	15	2	H00924.15.CN	20	20	4,790	E2

Pintle with 24 mm bracket and vertical adjustment

STEEL							
FINISH	X	GR	CODE			€	DC
Black Powerage	12	1	H02924.12.93	20	20	8,713	E2
	15	2	H02924.15.93	20	20	8,806	E2
	18	3	H02924.18.93	20	20	9,475	E2
	20	4	H02924.20.93	20	20	9,506	E2
	22	5	H02924.22.93	20	20	9,532	E2
	24	6	H02924.24.93	20	20	9,532	E2
	26	7	H02924.26.93	20	20	9,532	E2
	28	8	H02924.28.93	20	20	9,564	E2
	30	9	H02924.30.93	20	20	9,595	E2

Abaco - pintles

3 mm adapter for pintles on 18 mm plates

STEEL						
FINISH	CODE				€	DC
Black Powerage	H00021.01.93		20	20	2,548	E2
Silver Powerage	H00021.01.21		20	20	2,751	E2

3 mm adapter for pintles on 24 mm plates

STEEL						
FINISH	CODE				€	DC
Black Powerage	H00021.04.93		20	20	2,883	E2
Silver Powerage	H00021.04.21		20	20	3,111	E2

Screw pintle for masonry

STEEL							
FINISH	X	GR	CODE			€	DC
Black Powerage	85	1	H00928.01.93		20 20	2,082	E2
	125	2	H00928.02.93		20 20	2,391	E2
	145	3	H00928.03.93		20 20	3,375	E2
	175	4	H00928.04.93	☎	20 20	3,574	E2
Silver Powerage	85	1	H00928.01.21	☎	20 20	2,246	E2
	125	2	H00928.02.21	☎	20 20	2,581	E2
	145	3	H00928.03.21	☎	20 20	3,643	E2
	175	4	H00928.04.21	☎	20 20	3,859	E2

Screw pintle for masonry - ø 18, height adjustment

STEEL							
FINISH	X	GR	CODE			€	DC
Black Powerage	85	1	H01149.01.93		20 20	6,229	E2
	125	2	H01149.02.93		20 20	6,491	E2
	145	3	H01149.03.93		20 20	8,928	E2
	175	4	H01149.04.93	☎	20 20	9,475	E2
Silver Powerage	85	1	H01149.01.21		20 20	6,724	E2
	125	2	H01149.02.21		20 20	7,009	E2
	145	3	H01149.03.21		20 20	9,643	E2
	175	4	H01149.04.21	☎	20 20	10,232	E2

Screw pintle for masonry - height adjustment

STEEL							
FINISH	X	GR	CODE			€	DC
Black Powerage	85	1	H01928.01.93		20 20	8,562	E2
	125	2	H01928.02.93		20 20	8,928	E2
	145	3	H01928.03.93		20 20	10,445	E2
	175	4	H01928.04.93		20 20	10,930	E2
Silver Powerage	85	1	H01928.01.21	☎	20 20	9,245	E2
	125	2	H01928.02.21	☎	20 20	9,643	E2
	145	3	H01928.03.21	☎	20 20	11,280	E2
	175	4	H01928.04.21	☎	20 20	11,802	E2

Abaco - pintles

Mod. 8018 - pintle only with block. grub, male only

STEEL - M10X85 screw							
FINISH	DIAMETER	HAND	CODE			€	DC
Black Powerage	18	rh	H08028.18.93	20	20	2,531	E3
	18	lh	H08029.18.93	20	20	2,531	E3
Silver Powerage	18	rh	H08028.18.21 ☎	20	20	2,732	E3
	18	lh	H08029.18.21 ☎	20	20	2,732	E3

Plug

NYLON					
H	CODE			€	DC
135 mm	H00901.48.01	50	50	1,706	E3
100 mm	H00901.47.01	50	50	1,432	E3

Abaco - pintles

Wall pintle 3R, fastening with plug

STEEL								
FINISH	X	GR	CODE				€	DC
Black Powerage	85	1	H52010.01.93	☎	20	20	8,888	E2
	125	2	H52010.02.93		20	20	9,246	E2
	145	3	H52010.03.93		20	20	10,735	E2
	175	4	H52010.04.93		20	20	11,214	E2
Silver Powerage	85	1	H52010.01.21	☎	20	20	9,598	E2
	125	2	H52010.02.21	☎	20	20	9,986	E2
	145	3	H52010.03.21	☎	20	20	11,595	E2
	175	4	H52010.04.21	☎	20	20	12,107	E2

Pintle with short plate 3R

STEEL								
FINISH	X	GR	CODE				€	DC
Black Powerage	25-55	0	H52020.00.93		20	20	15,363	E2
	56-85	1	H52020.01.93		20	20	16,049	E2
	86-115	2	H52020.02.93		20	20	16,763	E2
	116-145	3	H52020.03.93		20	20	17,477	E2
Silver Powerage	25-55	0	H52020.00.21	☎	20	20	16,592	E2
	56-85	1	H52020.01.21	☎	20	20	17,332	E2
	86-115	2	H52020.02.21	☎	20	20	18,101	E2
	116-145	3	H52020.03.21	☎	20	20	18,873	E2

Pintle on plate 3R

STEEL								
FINISH	X	GR	CODE				€	DC
Black Powerage	12	1	H52030.12.93		20	20	10,296	E2
	15	2	H52030.15.93		20	20	10,950	E2
	18	3	H52030.18.93		20	20	10,980	E2
	20	4	H52030.20.93	☎	20	20	11,007	E2
	22	5	H52030.22.93	☎	20	20	11,209	E2
	24	6	H52030.24.93	☎	20	20	11,466	E2
	26	7	H52030.26.93	☎	20	20	11,595	E2
	28	8	H52030.28.93	☎	20	20	11,724	E2
	30	9	H52030.30.93	☎	20	20	11,982	E2
Silver Powerage	12	1	H52030.12.21	☎	20	20	11,118	E2
	15	2	H52030.15.21	☎	20	20	11,826	E2
	18	3	H52030.18.21	☎	20	20	11,858	E2
	20	4	H52030.20.21	☎	20	20	11,887	E2
	22	5	H52030.22.21	☎	20	20	12,103	E2
	24	6	H52030.24.21	☎	20	20	12,383	E2
	26	7	H52030.26.21	☎	20	20	12,522	E2
	28	8	H52030.28.21	☎	20	20	12,661	E2
	30	9	H52030.30.21	☎	20	20	12,941	E2

Pin for pintle 3R

STEEL							
DIAMETER	H	CODE				€	DC
ø 9	30	H50009.30.93	☎	20	100	1,489	E2
	35	H50009.35.93	☎	20	100	1,504	E2
	40	H50009.00.93	☎	20	100	1,520	E2
ø 10	30	H50010.30.93	☎	20	100	1,607	E2
	35	H50010.35.93	☎	20	100	1,622	E2
	40	H50010.00.93	☎	20	100	1,642	E2
ø 12	30	H50012.30.93		20	100	1,698	E2
	35	H50012.35.93	☎	20	100	1,716	E2
	40	H50012.00.93		20	100	1,734	E2

Abaco - pintles

Removable bushing for 3R pintle

STEEL						
FINISH	CODE				€	DC
Black Powerage	H50000.00.93		20	500	1,456	E2
Silver Powerage	H50000.00.21	☎	20	500	1,572	E2

Cap for 3R pintle

PLASTIC						
FINISH	CODE				€	DC
Matt black	H50001.00.93		50	500	0,599	E2
Grey	H50001.00.21	☎	50	500	0,646	E2

Pintles and hinges application ranges with shutters reveal

(GR) Size table for pintles H00911.0X.XX and hinges H00914.XX.XX

F = 0 Flush type	E =	72	85	98	139	145	187		
	pintle:	GR 0 (*)	GR 1	GR 1	GR 1	GR 2			
	hinge:	GR 1	GR 1	GR 2	GR 3	GR 3			
F = 12	E =	59	73	85	111	133	151	193	199
	pintle:	GR 0 (*)	GR 1	GR 1	GR 1	GR 2	GR 2	GR 3	
	hinge:	GR 0	GR 0	GR 1	GR 2	GR 2	GR 3	GR 3	
F = 15	E =	62	70	87	113	130	154	190	202
	pintle:	GR 0 (*)	GR 1	GR 1	GR 1	GR 2	GR 2	GR 3	
	hinge:	GR 0	GR 0	GR 1	GR 2	GR 2	GR 3	GR 3	
F = 18	E =	65	67	91	117	127	157	187	205
	pintle:	GR 0 (*)	GR 1	GR 1	GR 1	GR 2	GR 2	GR 3	
	hinge:	GR 0	GR 0	GR 1	GR 2	GR 2	GR 3	GR 3	
F = 20	E =	67	92	118	125	159	185	207	
	pintle:	GR 1	GR 1	GR 1	GR 2	GR 2	GR 3		
	hinge:	GR 0	GR 1	GR 2	GR 2	GR 3	GR 3		
F = 22	E =	69	94	123	161	183	209		
	pintle:	GR 1	GR 1	GR 2	GR 2	GR 3			
	hinge:	GR 0	GR 1	GR 2	GR 3	GR 3			
F = 25	E =	72	97	120	123	164	180	212	
	pintle:	GR 1	GR 1	GR 2	GR 2	GR 2	GR 3		
	hinge:	GR 0	GR 1	GR 1	GR 2	GR 3	GR 3		
F = 30	E =	77	102	115	128	169	175	217	
	pintle:	GR 1	GR 1	GR 2	GR 2	GR 2	GR 3		
	hinge:	GR 0	GR 1	GR 1	GR 2	GR 3	GR 3		
F = 35	E =	82	107	110	133	170	174	222	
	pintle:	GR 1	GR 1	GR 2	GR 2	GR 3	GR 3		
	hinge:	GR 0	GR 1	GR 1	GR 2	GR 2	GR 3		
F = 40	E =	87	105	112	138	165	179	225	
	pintle:	GR 1	GR 2	GR 2	GR 2	GR 3	GR 3		
	hinge:	GR 0	GR 0	GR 1	GR 2	GR 2	GR 3		
F = 45	E =	92	100	117	143	160	184	220	
	pintle:	GR 1	GR 2	GR 2	GR 2	GR 3	GR 3		
	hinge:	GR 0	GR 0	GR 1	GR 2	GR 2	GR 3		
F = 50	E =	97	122	148	155	189	215		
	pintle:	GR 2	GR 2	GR 2	GR 3	GR 3			
	hinge:	GR 0	GR 1	GR 2	GR 2	GR 3			
F = 55	E =	102	127	150	153	194	210		
	pintle:	GR 2	GR 2	GR 3	GR 3	GR 3			
	hinge:	GR 0	GR 1	GR 1	GR 2	GR 3			
F = 60	E =	107	132	145	158	199	205		
	pintle:	GR 2	GR 2	GR 3	GR 3	GR 3			
	hinge:	GR 0	GR 1	GR 1	GR 2	GR 3			

NB. *This table has been calculated on the basis of a simple shutter with distance D equal to 25 mm from the wall, when the sash is open. For example: if you have a 20 mm shutter rebate and you have to go over the window reveal thickness of 110 mm, you have to choose the line F=20 crossing the E column between 92 and 118 and you will find a GR1 pintle and a GR1 hinge. With these components, the window reveal thickness will be overtaken of 110 mm, when the sash is open will be at 25 mm distance from the wall and the total distance of the frame surface, where the pintles were screwed, will be of 135 mm.*

(*) Do not use with hinge catch for shutters.

F = Rebate thickness **E** = Window reveal thickness

Abaco - hinges

Adjustable hinge for recessed shutters - 26 mm

ZAMAK								
FINISH	GR	E	H	CODE			€	DC
Black Powerage	0	69-94	36-48	H00914.00.93	20	20	9,515	E2
	1	94-123	49-61	H00914.01.93	20	20	9,515	E2
	2	123-161	62-82	H00914.02.93	20	20	10,996	E2
	3	161-209	83-106	H00914.03.93	20	20	11,629	E2
Silver Powerage	0	69-94	36-48	H00914.00.21	20	20	10,276	E2
	1	94-123	49-61	H00914.01.21	20	20	10,139	E2
	2	123-161	62-82	H00914.02.21	20	20	11,873	E2
	3	161-209	83-106	H00914.03.21	20	20	12,558	E2
Varnishable base	0	69-94	36-48	H00914.00.CN	20	20	9,135	E2
	1	94-123	49-61	H00914.01.CN	20	20	9,134	E2
	2	123-161	62-82	H00914.02.CN	20	20	10,556	E2

E = window reveal thickness with 22 mm shutter rebate.
Note: see the diagram to choose the right GR.
Note: don't use magnetic wall catch

Battuta minima 15 mm
Minimum shutter rebate 15mm

Components - support for corner and vertical plates - 26 mm offset

ZAMAK							
FINISH		TYPE	CODE			€	DC
Black Powerage	1	Rebated	H00915.01.93	20	20	2,297	E2
	2	Flush	H00915.03.93	20	20	1,551	E2
Silver Powerage	1	Rebated	H00915.01.21	20	20	2,480	E2
	2	Flush	H00915.03.21	20	20	1,674	E2
Varnishable base	1	Rebated	H00915.01.CN	20	20	2,205	E2
	2	Flush	H00915.03.CN	20	20	1,488	E2

Components - support for corner and vertical plates - 35 mm offset

ZAMAK							
FINISH		TYPE	CODE			€	DC
Black Powerage	1	Rebated	H00949.01.93	20	20	2,366	E2
	2	Flush	H00949.03.93 ☎	20	20	2,322	E2

Note: it can't be used with hinge, cod. H00914.0X.XX

Battuta minima 15 mm
Minimum shutter rebate 15mm

Components - support for horizontal plate - 26 mm offset

ZAMAK							
FINISH		TYPE	CODE			€	DC
Black Powerage	1	Rebated	H00915.02.93	20	20	2,129	E2
	2	Flush	H00915.04.93	20	20	1,536	E2
Silver Powerage	1	Rebated	H00915.02.21	20	20	2,300	E2
	2	Flush	H00915.04.21	20	20	1,659	E2

Components - support for horizontal plate - 35 mm offset

ZAMAK							
FINISH		TYPE	CODE			€	DC
Black Powerage	1	Rebated	H00949.02.93 ☎	20	20	2,382	E2
	2	Flush	H00949.04.93 ☎	20	20	2,274	E2

Note: it can't be used with hinge, cod. H00914.0X.XX

Abaco - hinges

Components - compensator adapter for hinges

NYLON					
FINISH	CODE			€	DC
Matt black	H00921.00.93	20	1000	0,535	E2

Adjustable hinge - for corner and vertical plates - 19x8 rebated

ZAMAK								
FINISH	X	HAND	H	CODE			€	DC
Black Powerage	26	rh	56	H00932.08.93		20	20	12,242	E2
	26	lh	56	H01932.08.93		20	20	12,242	E2
	35	rh	63	H00944.08.93		20	20	12,242	E2
	35	lh	63	H01944.08.93		20	20	12,242	E2
Silver Powerage	26	rh	56	H00932.08.21		20	20	13,222	E2
	26	lh	56	H01932.08.21		20	20	13,222	E2
	35	rh	63	H00944.08.21	☎	20	20	13,222	E2
	35	lh	63	H01944.08.21	☎	20	20	13,222	E2

Adjustable hinge - for horizontal plates - 19x8 rebated

ZAMAK								
FINISH	X	HAND	H	CODE			€	DC
Black Powerage	26	rh	56	H00933.08.93		20	20	12,303	E2
	26	lh	56	H01933.08.93		20	20	12,303	E2
	35	rh	63	H00945.08.93		20	20	12,303	E2
	35	lh	63	H01945.08.93		20	20	12,303	E2

Adjustable hinge - for corner and vertical plates - 45x8 rebated

ZAMAK								
FINISH	X	HAND	H	CODE			€	DC
Black Powerage	26	rh	56	H00940.08.93		20	20	13,205	E2
	26	lh	56	H01940.08.93		20	20	13,205	E2
	35	rh	63	H00942.08.93		20	20	13,332	E2
	35	lh	63	H01942.08.93		20	20	13,332	E2

Abaco - hinges

Adjustable hinge - for horizontal plates - 45x8 rebated

ZAMAK								
FINISH	X	HAND	H	CODE			€	DC
Black Powerage	26	rh	56	H00941.08.93	20	20	13,205	E2
	26	lh	56	H01941.08.93	20	20	13,205	E2
	35	rh	63	H00943.08.93	20	20	13,332	E2
	35	lh	63	H01943.08.93	20	20	13,332	E2

Adjustable hinge - neck 40 mm for PVC

ZAMAK					
FINISH	CODE			€	DC
Black Powerage	H00946.40.93	20	20	6,692	E2

Note: don't use magnetic wall catch

Adjustable hinge - neck 40 mm for PVC removable bushing

ZAMAK					
FINISH	CODE			€	DC
Black Powerage	H01946.40.93 ☎	20	20	7,433	E2

Note: to be used with pintle H0802(8 or 9).18.XX.
Note: don't use magnetic wall catch.

Adjustable hinge - neck 40 mm for timber

ZAMAK					
FINISH	CODE			€	DC
Black Powerage	H00947.40.93	20	20	6,556	E2
Silver Powerage	H00947.40.21 ☎	20	20	7,078	E2

Note: don't use magnetic wall catch

Abaco - hinges

Adjustable hinge - neck 40 mm for timber, removable bushing

ZAMAK					
FINISH	CODE			€	DC
Black Powerage	H01947.40.93 ☎	20	20	7,302	E2

Note: to be used with pintle H0802(8 or 9).18.XX.
Note: don't use magnetic wall catch.

Adjustable hinge - neck 25 mm for timber

ZAMAK					
FINISH	CODE			€	DC
Black Powerage	H00948.25.93	20	20	6,223	E2
Silver Powerage	H00948.25.21	20	20	6,719	E2

Note: don't use magnetic wall catch

Adjustable hinge - neck 25 mm for timber, removable bushing

ZAMAK					
FINISH	CODE			€	DC
Black Powerage	H01948.25.93 ☎	20	20	6,978	E2

Note: to be used with pintle H0802(8 or 9).18.XX.
Note: don't use magnetic wall catch.

Fixed hinge - for corner and vertical plates - 16x0 rebated

ZAMAK					
FINISH	CODE			€	DC
Black Powerage	H00927.00.93	20	20	4,702	E2
Silver Powerage	H00927.00.21	20	20	5,075	E2
Varnishable base	H00927.00.CN	20	20	4,514	E2

Note: don't use magnetic wall catch

Abaco - hinges

Fixed hinge - for corner and vertical plates - 16x0 rebated, remov. bushing

ZAMAK						
FINISH	CODE				€	DC
Black Powerage	H01927.00.93	☎	20	20	5,214	E2

Note: to be used with pintle H0802(8 or 9).18.XX.
Note: don't use magnetic wall catch.

Fixed hinge - for horizontal plate - 16x0 rebated

ZAMAK						
FINISH	CODE				€	DC
Black Powerage	H00923.00.93		20	20	5,343	E2
Silver Powerage	H00923.00.21	☎	20	20	5,769	E2

Note: don't use magnetic wall catch

Fixed hinge - for horizontal plate - 16x0 flush remov. bushing

ZAMAK						
FINISH	CODE				€	DC
Black Powerage	H01923.00.93	☎	20	20	5,064	E2

Note: to be used with pintle H0802(8 or 9).18.XX.
Note: don't use magnetic wall catch.

Fixed hinge - for corner and vertical plates - 16x15 flush

ZAMAK						
FINISH	CODE				€	DC
Black Powerage	H00927.15.93		20	20	4,695	E2
Silver Powerage	H00927.15.21		20	20	5,068	E2
Varnishable base	H00927.15.CN		20	20	4,509	E2

Note: don't use magnetic wall catch

Fixed hinge - for corner and vertical plates - 16x15 flush, remov. bushing

ZAMAK						
FINISH	CODE				€	DC
Black Powerage	H01927.15.93	☎	20	20	5,217	E2

Note: to be used with pintle H0802(8 or 9).18.XX.
Note: don't use magnetic wall catch.

Abaco - hinges

Fixed hinge - for horizontal plate - 16x15 flush

ZAMAK					
FINISH	CODE			€	DC
Black Powerage	H00923.15.93	20	20	5,182	E2

Note: don't use magnetic wall catch

Fixed hinge - for corner and vertical plates - 19x8 rebated

ZAMAK							
FINISH	X	H	CODE			€	DC
Black Powerage	35	63	H00938.08.93	20	20	6,400	E2
Silver Powerage	35	63	H00938.08.21 ☎	20	20	6,911	E2

Abaco - hinges

Fixed hinge - for horizontal plates - 19x8 rebated

ZAMAK							
FINISH	X	H	CODE			€	DC
Black Powerage	35	63	H00939.08.93	20	20	6,400	E2
Discontinued							

Fixed hinge - for corner and vertical plates - 45x8 rebated

ZAMAK							
FINISH	X	H	CODE			€	DC
Black Powerage	26	56	H00934.08.93	20	20	6,795	E2
	35	63	H00936.08.93	20	20	7,191	E2

Fixed hinge - for horizontal plate - 45x8 rebated

ZAMAK							
FINISH	X	H	CODE			€	DC
Black Powerage	26	56	H00935.08.93	20	20	6,715	E2
	35	63	H00937.08.93	20	20	7,138	E2

Coplanar - symmetrical hinge for corner and vertical plates 60/25

ZAMAK							
FINISH	DIMENSIONS		CODE			€	DC
Black Powerage	60-60		H00931.01.93	20	20	4,240	E2

Abaco - hinges

Coplanar - symmetrical hinge for horizontal and vertical plates

ZAMAK						
FINISH	DIMENSIONS	CODE			€	DC
Black Powerage	60-60	H00931.11.93 ☎	20	20	7,136	E2
Discontinued						

Coplanar - symmetrical hinge for horizontal plates 60/25

ZAMAK						
FINISH	DIMENSIONS	CODE			€	DC
Black Powerage	60-60	H00931.03.93	20	20	5,794	E2
Silver Powerage	60-60	H00931.03.21	20	20	6,256	E2

Coplanar - off-set hinge for corner and vertical plates 60/25

ZAMAK						
FINISH	DIMENSIONS	CODE			€	DC
Black Powerage	60-50	H00931.02.93	20	20	4,145	E2
Silver Powerage	60-50	H00931.02.21	20	20	4,478	E2
Varnishable base	60-50	H00931.02.CN	20	20	3,979	E2

Coplanar - off-set hinge for horizontal plates 60/25

ZAMAK						
FINISH	DIMENSIONS	CODE			€	DC
Black Powerage	60-50	H00931.04.93	20	20	5,669	E2

Abaco - hinges

Coplanar - symmetrical hinge PVC for corner and vertical plates 65/25

ZAMAK						
FINISH	DIMENSIONS	CODE			€	DC
Black Powerage	65-65	H00931.06.93	20	20	4,970	E2
Discontinued						

Coplanar - flat symmetrical hinge 100/16

ZAMAK						
FINISH	DIMENSIONS	CODE			€	DC
Black Powerage	100-100	H00931.05.93	20	20	5,669	E2
Silver Powerage	100-100	H00931.05.21 ☎	20	20	6,120	E2

Coplanar - flat symmetrical hinge 65/25

ZAMAK						
FINISH	DIMENSIONS	CODE			€	DC
Black Powerage	65-65	H00931.08.93	20	20	5,157	E2
Silver Powerage	65-65	H00931.08.21	20	20	5,570	E2

Coplanar - symmetrical hinge for horizontal plates 51/16

ZAMAK						
FINISH	DIMENSIONS	CODE			€	DC
Black Powerage	51-51	H00931.09.93	20	20	4,782	E2
Silver Powerage	51-51	H00931.09.21 ☎	20	20	5,163	E2

Coplanar - for horizontal plates 100/16

ZAMAK						
FINISH	DIMENSIONS	CODE			€	DC
Black Powerage	100-51	H00931.10.93	20	20	5,779	E2
Discontinued						

Abaco - hinges

Bult hinge for folding shutters (25 mm)

STEEL					
FINISH	CODE			€	DC
Black Powerage	H00950.25.93	20	200	5,256	E2
Silver Powerage	H00950.25.21	20	200	5,677	E2

Bult hinge with off-set for folding shutters

STEEL					
FINISH	CODE			€	DC
Black Powerage	H00951.25.93	20	100	5,437	E2

Abaco - Alla Veneta

Small strap hinge and plug for chemical anchor

STEEL						
FINISH		CODE			€	DC
Black Powerage		H01143.13.93	☎	20 20	5,996	E2

Note: don't use magnetic wall catch
Discontinued

Strap hinge and plug for chemical anchor

STEEL						
FINISH		CODE			€	DC
Black Powerage		H02143.13.93	☎	20 20	6,968	E2

Note: don't use magnetic wall catch
Discontinued

Mestrina kit - Pintle

STEEL					
FINISH	HAND	CODE		€	DC
Black Powerage	rh	H01144.18.93	20 120	7,494	E2
	lh	H01145.18.93	20 120	7,494	E2

Note: don't use magnetic wall catch
Discontinued

Mestrina kit - Hinge

ZAMAK				
FINISH	CODE		€	DC
Black Powerage	H00144.18.93	20 200	3,731	E2

Note: don't use magnetic wall catch
Discontinued

Abaco - Plates

Horizontal plate

STEEL						
FINISH	X	CODE			€	DC
Black Powerage	160	H00920.01.93	20	20	2,509	E2
	245	H00920.02.93	20	20	3,157	E2
	330	H00920.03.93	20	20	3,682	E2
	415	H00920.04.93	20	20	4,222	E2
Silver Powerage	160	H00920.01.21	20	20	2,706	E2
	245	H00920.02.21	20	20	3,410	E2
	330	H00920.03.21	20	20	3,972	E2
	415	H00920.04.21	20	20	4,562	E2

Vertical plate

STEEL					
FINISH	CODE			€	DC
Black Powerage	H00918.01.93	20	20	1,679	E2
Silver Powerage	H00918.01.21	20	20	1,813	E2
Varnishable base	H00918.01.CN	20	20	1,613	E2

Corner plate - 96 mm

STEEL						
FINISH	HAND	CODE			€	DC
Black Powerage	up lh/low rh	H00919.03.93	20	20	4,681	E2
	up rh/low lh	H00919.04.93	20	20	4,681	E2
Silver Powerage	up lh/low rh	H00919.03.21	20	20	5,056	E2
	up rh/low lh	H00919.04.21	20	20	5,056	E2
Varnishable base	up lh/low rh	H00919.03.CN	20	20	4,495	E2
	up rh/low lh	H00919.04.CN	20	20	4,495	E2

Corner plate - 150 mm

STEEL						
FINISH	HAND	CODE			€	DC
Black Powerage	up lh/low rh	H00919.01.93	20	20	4,681	E2
	up rh/low lh	H00919.02.93	20	20	4,681	E2
	up lh/low rh for PVC*	H00919.05.93	20	20	4,681	E2
	up rh/low lh for PVC*	H00919.06.93	20	20	4,681	E2
Silver Powerage	up lh/low rh	H00919.01.21	20	20	5,056	E2
	up rh/low lh	H00919.02.21	20	20	5,056	E2
	up lh/low rh for PVC*	H00919.05.21 ☎	20	20	5,056	E2
	up rh/low lh for PVC*	H00919.06.21 ☎	20	20	5,056	E2

*Without corner screw

Dummy corner plate

STEEL					
FINISH	CODE			€	DC
Black Powerage	H00919.00.93	20	20	4,681	E2
Silver Powerage	H00919.00.21 ☎	20	20	5,056	E2

Abaco - Plates

Horizontal connecting plate for articulated shutters

STEEL

FINISH	BRACKET SIZE	H	CODE			€	DC
Black Powerage	140-150	106	H00952.01.93	20	20	2,310	E2
	160-170	126	H00952.02.93	20	20	2,403	E2
	180-190	146	H00952.03.93	20	20	2,494	E2
	200-210	166	H00952.04.93	20	20	2,738	E2
	220-230	186	H00952.05.93	20	20	2,919	E2
	240-250	206	H00952.06.93	20	20	3,039	E2
	260-270	226	H00952.07.93	20	20	3,165	E2
	280-290	246	H00952.08.93	20	20	3,286	E2
	300-310	266	H00952.09.93	20	20	3,434	E2
	320-330	286	H00952.10.93	20	20	3,524	E2

Discontinued

Abaco - Wall catch

Wall catch for shutters 180°

ZAMAK						
FINISH	HAND	CODE			€	DC
Black Powerage	lh	H00913.00.93	20	20	12,327	E2
	rh	H00913.01.93	20	20	12,327	E2
Silver Powerage	lh	H00913.00.21	20	20	13,312	E2
	rh	H00913.01.21	20	20	13,312	E2

Wall catch for shutters 90°

FINISH	HAND	CODE			€	DC
Black Powerage	lh	H00913.02.93	20	20	12,639	E2
	rh	H00913.03.93	20	20	12,639	E2
Silver Powerage	lh	H00913.02.21	20	20	13,648	E2
	rh	H00913.03.21	20	20	13,648	E2

Automatic wall catch for shutters

ZAMAK					
FINISH	CODE			€	DC
Black Powerage	H00926.00.93	20	20	7,956	E2
Silver Powerage	H00926.00.21	20	20	8,591	E2
Varnishable base	H00926.00.CN	20	20	7,640	E2

Adapter for wall catch for shutters

NYLON						
FINISH	X	CODE			€	DC
Matt black	5	H00926.02.93	20	20	0,977	E2
	15	H00926.01.93	20	20	1,401	E2
Grey	5	H00926.02.21	20	20	1,055	E2
	15	H00926.01.21	20	20	1,514	E2

Abaco - Wall catch

Wall catch for shutters with handle

ZAMAK						
FINISH		CODE			€	DC
Black Powerage		H01926.00.93	20	20	13,210	E2
Silver Powerage		H01926.00.21	20	20	14,268	E2

Adapter for handle for movable breaksun

STEEL						
		CODE			€	DC
		H01926.04.93	20	20	4,911	E2

6 mm handle hub

STEEL						
		CODE			€	DC
1	Door thickness 22/38 mm	H01926.38.00	20	500	0,686	E2
2	Door thickness 39/54 mm	H01926.54.00	20	500	0,686	E2

Adapter for wall catch for shutters

NYLON						
FINISH	X	CODE			€	DC
Matt black	5	H00926.04.93	20	20	0,920	E2
Grey	5	H00926.04.21 ☎	20	20	0,992	E2

Abaco - Wall catch

Archimede, automatic wall catch

STEEL							
FINISH	X	GR	CODE			€	DC
Black Powerage	15-45	1	H02926.01.93	20	20	11,019	E2
	45-75	2	H02926.02.93	20	20	11,693	E2
	75-105	3	H02926.03.93	20	20	12,432	E2
	105-135	4	H02926.04.93	20	20	13,143	E2

Anti-removal stop for shutters "Alla Padovana"

	CODE			€	DC
	H02926.98.00	20	20	2,154	E2

Wall catch for shutters - for insulating panels application

ZAMAK					
FINISH	CODE			€	DC
Black Powerage	H00926.03.93	20	20	9,669	E2
Silver Powerage	H00926.03.21	20	20	10,443	E2

Wall catch for shutters with handle - for insulating panels application

ZAMAK					
FINISH	CODE			€	DC
Black Powerage	H01926.01.93	20	20	14,394	E2
Silver Powerage	H01926.01.21	20	20	15,544	E2

Adapter for wall catch on insulating panels application

NYLON					
FINISH	CODE			€	DC
Black Powerage	H01926.05.93	20	20	2,699	E2

Plug

NYLON						
H	DIAMETER	CODE			€	DC
50 mm*	10	H00901.47.10	50	50	0,142	E2
100 mm	14	H00901.47.14	40	40	0,749	E2
135 mm	14	H00901.48.14	40	40	0,979	E2
185 mm	14	H00901.48.15	40	40	1,196	E2

*For pin L 96

Abaco - Wall catch

Pivot for wall catch for insulating panels applications

STEEL						
FINISH	LV	CODE			€	DC
Silver	98	H00904.14.15	20	20	2,810	E2
	135	H01904.14.15	20	20	3,558	E2
	170	H01904.17.15	20	20	4,382	E2
	220	H01904.22.15	20	20	5,978	E2

Abaco - Accessories

Spring bumper for shutters

FINISH	CODE			€	DC
Matt black	H00922.02.93	20	20	2,919	E2

Fixed door bumper

RUBBER					
FINISH	CODE			€	DC
Matt black	H00922.00.93	20	20	1,493	E2

Adapter for bumper

FINISH	CODE			€	DC
Matt black	H00922.01.93	20	1000	0,675	E2

Supporting kit for rebated sash

FINISH	CODE			€	DC
Black Powerage	H00901.59.93	1	20	12,544	E2

Supporting kit for flush sash

FINISH	CODE			€	DC
Black Powerage	H00901.60.93	1	20	12,544	E2

Supporting kit for shutter sill

FINISH	HAND	CODE			€	DC
Black Powerage	rh	H00901.93.93	1	20	15,840	E1
	lh	H00901.94.93	1	20	15,840	E1

Hinge bushing, removable pin

	CODE			€	DC
	H00000.01.00	20	200	0,769	E2

Abaco - Accessories

Hinge cap, removable pin

CODE			€	DC
H00000.02.00	20	200	0,585	E2

Hinge bushing, L40

CODE			€	DC
H00000.03.00	20	200	0,657	E2

Screws - in stainless steel with hexagonal head

STAINLESS STEEL

FINISH	H	CODE			€	DC
Black Powerage	25	H00916.25.93		100 100	0,736	E2
	30	H00916.30.93		100 100	0,736	E2
	35	H00916.35.93		100 100	0,736	E2
	40	H00916.40.93		100 100	0,736	E2
	45	H00916.45.93		100 100	0,736	E2
	50	H00916.50.93		100 100	0,736	E2
	55	H00916.55.93		100 100	0,736	E2
	60	H00916.60.93		100 100	0,736	E2
Plain	25	H00916.25.01	☎	100 100	0,736	E2
	30	H00916.30.01	☎	100 100	0,736	E2
	35	H00916.35.01	☎	100 100	0,736	E2
	40	H00916.40.01	☎	100 100	0,736	E2
	45	H00916.45.01	☎	100 100	0,736	E2
	50	H00916.50.01		100 100	0,736	E2
	55	H00916.55.01	☎	100 100	0,736	E2
	60	H00916.60.01	☎	100 100	0,736	E2

M5 threaded bushings

ZAMAK

FINISH	CODE			€	DC
Black Powerage	H00916.00.93		100 1400	0,675	E2

Wheel for sliding shutters

STEEL

FINISH	WIDTH	CODE			€	DC
Activeage	16 mm	G00751.00.16		20 200	13,069	H1
	18 mm	G00751.00.18		20 200	15,021	H1

Abaco - jigs

Jig kit - for sash/frame

CODE			€	DC
H00930.01.01	1	1	158,390	E2

Adjustable upper stop

CODE			€	DC
H00930.00.02	1	1	26,404	E2

Single jig - for sash/frame

CODE			€	DC
H00930.00.01	1	1	43,702	E2

Jig for shutters wall catch

CODE			€	DC
H00930.03.01	1	1	6,198	E2

Jig for simultaneous sash and frame drilling

CODE			€	DC
H00930.02.01	1	1	86,179	E2

Abaco - jigs

Kit for masonry pintles (inclination 60°)

	CODE			€	DC
	H00930.05.01	1	1	407,498	E2

Content: 1600-2400 mm aluminium drawn (2 pcs)
reference bases (2 pcs)
masonry jigs 60° (3 pcs)
adapters for reference blocks (6 pcs)

Sash drilling for automatic wall catch with handle

	CODE			€	DC
	H00930.03.02	1	1	15,514	E2

Wall catch handle positioning

	CODE			€	DC
	H00930.03.03	1	1	8,756	E2

Complete jig kit for Archimede

	CODE			€	DC
	H00930.03.07	1	1	83,370	E2

Traditional pintles - Wood

Rounded head

STEEL							
FINISH	DIAMETER	H	CODE			€	DC
Black Powerage	16	90	H00177.16.93	20	100	3,215	E3
	18	105	H00177.18.93	20	100	4,166	E3
Bronze plated	16	90	H00177.16.02	20	100	2,195	E3

Mod.179

STEEL							
FINISH	DIAMETER	H	CODE			€	DC
Black Powerage	18	80	H00179.18.93	20	100	3,117	E3

Mod.184

STEEL							
FINISH	DIAMETER	H	CODE			€	DC
Black Powerage	20	32	H00184.20.93	12	120	1,505	E3
	20	42	H00185.20.93	12	120	1,531	E3

Old style

STEEL							
FINISH	DIAMETER	H	CODE			€	DC
Black Powerage	16	91	H00188.16.93	24	480	2,444	E3
	20	91	H00189.20.93	12	120	3,077	E3
	20	99	H00190.20.93	12	120	3,012	E3

Pintle hinge with central screw pin

STEEL							
FINISH	DIAMETER	H	CODE			€	DC
Black Powerage	20	30	H00147.20.93	200	200	1,437	E3

Traditional pintles - screw anchor fastening

Fixed pin - Mod. 186

STEEL - M12X125 screw							
FINISH	DIAMETER	H	CODE			€	DC
Black Powerage	20	32	H00186.20.93	12	60	2,200	E3
	20	42	H00187.20.93	12	60	2,218	E3
Silver Powerage	20	42	H00187.20.21	12	60	2,392	E3

Fixed pin - Mod. 1189

STEEL - M10X60 screw							
FINISH	DIAMETER	H	CODE			€	DC
Black Powerage	20	70	H01191.20.93 ☎	12	60	1,693	E3
STEEL - M12X65 screw							
FINISH	DIAMETER	H	CODE			€	DC
Black Powerage	20	70	H01189.20.93	12	60	1,910	E3
STEEL - M12X85 screw							
FINISH	DIAMETER	H	CODE			€	DC
Black Powerage	20	70	H01190.20.93	12	60	1,991	E3

Pintle hinge with plug

STEEL							
FINISH	DIAMETER	H	CODE			€	DC
Black zinc plated	14	13	H00143.14.09	50	250	1,643	E3

Traditional pintles - screw anchor fastening

Loose pivot - double adjustment, with security grub screw

STEEL - M12X85 screw								
FINISH	DIAMETER	H	CODE				€	DC
Black Powerage	18	105	H00149.18.93	12	60		11,154	E3

Mod. 8018, with loose pivot and security grub screw

STEEL - M10X85 screw								
FINISH	DIAMETER	HAND	H	CODE			€	DC
Black Powerage	18	rh	80,5	H08018.18.93	12	60	4,176	E3
	18	lh	80,5	H08019.18.93	12	60	4,176	E3

Pintle hinge - straight

STEEL								
FINISH	DIAMETER		H	CODE			€	DC
Black Powerage	18	M10X100	30	H11820.18.93	12	120	1,915	E3
	20	M12X100	30	H11820.20.93	12	120	2,072	E3

Note: jigs H00182.XX.XX

Pivot for straight pintle hinge

STEEL								
FINISH	DIAMETER	PINTLE	H	CODE			€	DC
Black zinc plat.	10	ø18	30	H01853.30.09	12	120	0,384	E3
	10	ø18	35	H01853.35.09	12	120	0,411	E3
	10	ø18	40	H01853.40.09	12	120	0,433	E3
	12	ø20	30	H01852.30.09	12	120	0,484	E3
	12	ø20	35	H01852.35.09	12	120	0,520	E3
	12	ø20	40	H01852.40.09	12	120	0,555	E3

Traditional pintles - screw anchor fastening

Pintle hinge - straight with security grub screw

STEEL										
FINISH	DIAME-TER	HAND	THREAD	PINTLE L	H	CODE			€	DC
Black Powerage	18	lh	M10	100	30	H11831.18.93	12	120	2,329	E3
	18	rh	M10	100	30	H11830.18.93	12	120	2,329	E3
	20	lh	M12	100	30	H11831.20.93	12	120	2,476	E3
	20	rh	M12	100	30	H11830.20.93	12	120	2,476	E3

Note: jigs H00182.XX.XX

Pintle hinge - reversible straight with security grub screw

STEEL									
FINISH	DIAMETER	THREAD	PINTLE L	H	CODE			€	DC
Black Powerage	20	M12	124	30	H12053.12.93	12	120	2,509	E3
	20	M12	145	30	H12053.14.93	12	120	3,202	E3
	20	M12	175	30	H12053.17.93	12	120	3,516	E3

Pivot for straight pintle hinge with security grub screw

STEEL								
FINISH	DIAMETER	PINTLE	H	CODE			€	DC
Black zinc plated	10	ø18	30	H01851.30.09	12	120	0,507	E3
	10	ø18	35	H01851.35.09	12	120	0,531	E3
	10	ø18	40	H01851.40.09	12	120	0,550	E3
	12	ø20	30	H01850.30.09	12	120	0,602	E3
	12	ø20	35	H01850.35.09	12	120	0,634	E3
	12	ø20	40	H01850.40.09	12	120	0,680	E3

Pintle hinge - tapered hole

STEEL									
FINISH	DIAMETER	THREAD	PINTLE L	H	CODE			€	DC
Black Powerage	20	M12	100	30	H11834.20.93	12	120	1,996	E3
	20	M12	125	30	H11834.04.93	12	120	2,118	E3
	20	M12	145	30	H11834.05.93 ☎	12	120	2,805	E3
	20	M12	175	30	H11834.06.93	12	120	3,119	E3

Note: jigs H00182.XX.XX

Traditional pintles - screw anchor fastening

Pintle hinge - reversible tapered hole, security grub screw - thread M12

STEEL									
FINISH	DIAMETER	THREAD	PINTLE L	H	CODE			€	DC
Black Powerage	20	M12	100	30	H11835.03.93		12	120	2,543	E3
	20	M12	125	30	H11835.04.93	☎	12	120	2,812	E3
	20	M12	175	30	H11835.06.93	☎	12	120	3,581	E3

Pintle hinge - reversible tapered hole, security grub screw - thread M18

STEEL									
FINISH	DIAMETER	THREAD	PINTLE L	H	CODE			€	DC
Black Powerage	20	M18	145	30	H12035.29.93		12	12	8,134	E3
	20	M18	170	30	H12035.25.93		12	12	10,771	E3
	20	M18	240	30	H12035.26.93		12	12	11,981	E3

Pivot for tapered pintle hinge

STEEL								
FINISH	DIAMETER	H	CODE				€	DC
Black zinc plated	12	30	H11850.30.09		12	120	0,497	E3
	12	35	H11850.35.09		12	120	0,528	E3
	12	40	H11850.40.09		12	120	0,567	E3

Extractable pintle

STEEL - M12X175 screw									
FINISH	DIAMETER	HAND	H	CODE				€	DC
Black Powerage	18	rh	30	HA1851.17.93	☎	20	20	3,748	E2
	18	lh	30	HA1852.17.93	☎	20	20	3,748	E2

STEEL - M12X145 screw									
FINISH	DIAMETER	HAND	H	CODE				€	DC
Black Powerage	18	rh	30	H08128.18.93		20	20	3,580	E3
	18	lh	30	H08129.18.93		20	20	3,580	E3

Traditional pintles - accessories

Washer for pintle

NYLON							
FINISH	DIAMETER THREAD	CODE				€	DC
Black Powerage	M10	H00917.02.93		100	100	0,974	E3
	M12	H00917.01.93		100	100	0,974	E3
Silver Powerage	M12	H00917.01.21		100	100	1,052	E3

Traditional pintles - accessories

Plug

NYLON						
H	DIAMETER	CODE			€	DC
135 mm	ø16	H00901.48.01	50	50	1,706	E3
100 mm	ø16	H00901.47.01	50	50	1,432	E3

Traditional pintles - jigs

For pintles, art. H11820, H11830

HOLE	DIAMETER	CODE			€	DC
12 mm	18	H00182.10.12	5	5	10,803	E3
	20	H00182.12.12	5	5	10,803	E3
16 mm	18	H00182.10.16	5	5	10,803	E3
	20	H00182.12.16	5	5	10,803	E3
20 mm	18	H00182.10.20	5	5	10,803	E3
	20	H00182.12.20	5	5	10,803	E3
22 mm	18	H00182.10.22	5	5	10,803	E3
	20	H00182.12.22	5	5	10,803	E3

For pintles, art. H08018, H08019

HOLE	CODE			€	DC
12 mm	H00183.10.12	5	5	10,803	E3
16 mm	H00183.10.16	5	5	10,803	E3
20 mm	H00183.10.20	5	5	10,803	E3
22 mm	H00183.10.22	5	5	10,803	E3

For pintles art. H00149, H00928 and H01149 - inclination 30°

HOLE	HAND	CODE			€	DC
12 mm	rh	H01149.12.30	5	5	62,448	E3
	lh	H01149.12.31	5	5	62,448	E3
16 mm	rh	H01149.16.30	5	5	62,448	E3
	lh	H01149.16.31	5	5	62,448	E3

For pintles art. H00149, H00928 and H01149 - inclination 90°

HOLE	CODE			€	DC
12 mm	H01149.12.90	5	5	62,448	E3
16 mm	H01149.16.90	5	5	62,448	E3

For pintles art. H00149 and H08018 - inclination 30°

HOLE	HAND	CODE			€	DC
17 mm	rh	H01180.17.30	5	5	62,448	E3
	lh	H01180.17.31	5	5	62,448	E3

Open, Close, Live

HINGES

MADE IN ITALY

For PVC	478
For Aluminium-wood	483
Accessories - Covers	484
Accessories - Compensating adapters	485
For hinges mod. Cartesio	485
For hinges mod. Composit	485
For PVC hinges	486
Hinges for PVC	487
To be soldered	488

For PVC

K 100 - Short pins

16/12 GROOVE					
FINISH	CODE			€	DC
Metal Silver 003	E05101.05.75	1	20	50,018	C4
Caramel RAL 8003	E05101.05.88	1	20	50,018	C4
White RAL 9016	E05101.05.91	1	20	47,267	C4
Black	E05101.05.93	1	20	50,018	C4
Brown RAL 8077	E05101.05.F3	1	20	47,267	C4

Note: discontinued

K 100 - Long pins

16/12 GROOVE					
FINISH	CODE			€	DC
Metal Silver 003	E05101.01.75	1	20	50,968	C4
Caramel RAL 8003	E05101.01.88	1	20	50,968	C4
White RAL 9016	E05101.01.91	1	20	48,166	C4
Black	E05101.01.93	1	20	50,968	C4
Brown RAL 8077	E05101.01.F3	1	20	48,166	C4

K 100 - Long pins

U 24					
FINISH	CODE			€	DC
Metal Silver 003	E05101.04.75	1	20	50,018	C4
Caramel RAL 8003	E05101.04.88	1	20	50,018	C4
White RAL 9016	E05101.04.91	1	20	47,267	C4
Black	E05101.04.93	1	20	50,018	C4
Brown RAL 8077	E05101.04.F3	1	20	47,267	C4

For PVC

K 120

REBATE THICKNESS 15-20					
FINISH	CODE			€	DC
Metal Silver 003	E05102.02.75	1	20	41,124	C4
Caramel RAL 8003	E05102.02.88	1	20	41,124	C4
White RAL 9016	E05102.02.91	1	20	38,167	C4
Black	E05102.02.93	1	20	41,124	C4
Brown RAL 8077	E05102.02.F3	1	20	38,167	C4
REBATE THICKNESS 18-23					
FINISH	CODE			€	DC
Metal Silver 003	E05102.03.75	1	20	41,124	C4
Caramel RAL 8003	E05102.03.88	1	20	41,124	C4
White RAL 9016	E05102.03.91	1	20	38,167	C4
Black	E05102.03.93	1	20	41,124	C4
Brown RAL 8077	E05102.03.F3	1	20	38,167	C4

K 160

REBATE THICKNESS 15-20					
FINISH	CODE			€	DC
Metal Silver 003	E05103.02.75 ☎	1	25	51,540	C4
Caramel RAL 8003	E05103.02.88 ☎	1	25	51,540	C4
White RAL 9016	E05103.02.91 ☎	1	25	48,587	C4
Black	E05103.02.93 ☎	1	25	51,540	C4
Brown RAL 8077	E05103.02.F3 ☎	1	25	48,587	C4
REBATE THICKNESS 18-23					
FINISH	CODE			€	DC
Metal Silver 003	E05103.03.75 ☎	1	20	51,540	C4
Caramel RAL 8003	E05103.03.88	1	20	51,540	C4
White RAL 9016	E05103.03.91	1	20	48,587	C4
Black	E05103.03.93 ☎	1	20	51,540	C4
Brown RAL 8077	E05103.03.F3	1	20	48,587	C4

Security set for K100 hinges

	CODE			€	DC
	E05201.00.00	1	1	129,366	C4

Note: 1 pc. = 12 beaks

Step screw with flat-headed screw

	CODE			€	DC
	E05202.00.00 ☎	1	1	102,427	C4

Note: 1 pc. = 48 screws

Jig for K100 hinges

	CODE			€	DC
	E05301.00.00	1	1	233,288	C4

For PVC

Jig for K100 security set

	CODE			€	DC
	E05302.00.00	1	1	150,959	C4

Jig for K120 hinges

	CODE			€	DC
	E05303.00.00	1	1	187,711	C4

Jig for K160 hinges

	CODE			€	DC
	E05304.00.00	1	1	187,711	C4

For PVC

Cartesio

STEEL								
DIAMETER	FINISH	HEIGHT	CODE				€	DC
ø 16	Bichromated	99	E00155.16.04		12	48	18,899	C3

Mod.500 - M8 x 47 screw

STEEL								
DIAMETER	FINISH	HEIGHT	CODE				€	DC
ø 15	Enamelled brass plated	58	E00500.15.03	☎	50	200	1,512	C3
	Bichromated	58	E00500.15.04		50	200	1,376	C3
	Zinc plated	58	E00500.15.05		50	200	1,376	C3
	White RAL 9010	58	E00500.15.91		50	200	1,895	C3
	Brown	58	E00500.15.94		50	200	1,895	C3

Mod.500 - M7 x 47 screw, pitch 1,25 mm

STEEL								
DIAMETER	FINISH	HEIGHT	CODE				€	DC
ø 15	Bichromated	58	E00501.15.04		50	200	1,376	C3
	Zinc plated	58	E00501.15.05		50	200	1,376	C3
	Black zinc plated	58	E00501.15.09	☎	50	200	1,815	C3
	White RAL 9010	58	E00501.15.91		50	200	1,895	C3
	Brown	58	E00501.15.94		50	200	1,895	C3

Mod.500 reduced - M8 x 47 screw

STEEL								
DIAMETER	FINISH	HEIGHT	CODE				€	DC
ø 13	Enamelled brass plated	41	E00500.13.03		50	200	1,207	C3
	Bichromated	41	E00500.13.04		50	200	0,968	C3
	White RAL 9010	41	E00500.13.91		50	200	1,446	C3
	Brown	41	E00500.13.94		50	200	1,446	C3

Mod.500 reduced - M7 x 47 screw, pitch 1,25 mm

STEEL								
DIAMETER	FINISH	HEIGHT	CODE				€	DC
ø 13	White RAL 9010	40,5	E00501.13.91		50	200	1,446	C3
	Brown	40,5	E00501.13.94		50	200	1,446	C3

For PVC

Mod.502 surface mounted

STEEL							
DIAMETER	FINISH	HEIGHT	CODE			€	DC
ø 15	Bichromated	57,5	E00502.15.04		50 200	1,512	C3
	Zinc plated	57,5	E00502.15.05	☎	50 200	1,512	C3
	White RAL 9010	57,5	E00502.15.91		50 200	1,996	C3
	Matt black	57,5	E00502.15.93	☎	50 200	1,996	C3
	Brown	57,5	E00502.15.94		50 200	1,996	C3

Mod.510 for square rebates

ZAMAK							
DIAMETER	FINISH	HEIGHT	CODE			€	DC
ø 14	White RAL 9010	80	E00510.14.91		50 200	2,951	C3
	Brown	80	E00510.14.94		50 200	2,951	C3

Mod.514 for 5° bevel rebates

ZAMAK							
DIAMETER	FINISH	HEIGHT	CODE			€	DC
ø 14	White RAL 9010	80	E00514.14.91	☎	50 200	2,951	C3
	Brown	80	E00514.14.94	☎	50 200	2,951	C3

Mod.512 symmetrical - M8 x 47 screw

ZAMAK							
DIAMETER	FINISH	HEIGHT	CODE			€	DC
ø 13	White RAL 9010	80	E00512.13.91		50 200	2,719	C3
	Brown	80	E00512.13.94		50 200	2,719	C3

Mod.512 symmetrical - M7 x 47 screw, pitch 1,25 mm

ZAMAK							
DIAMETER	FINISH	HEIGHT	CODE			€	DC
ø 13	White RAL 9010	80	E00513.13.91		50 200	2,719	C3
	Brown	80	E00513.13.94		50 200	2,719	C3

For Aluminium-wood

Composit 9 mm axis

STEEL								
DIAMETER	FINISH	HEIGHT	HAND	CODE			€	DC
ø 16	Bichromated	99	rh	E00164.08.01		12 12	29,675	C3
	Bichromated	99	lh	E00164.08.02		12 12	29,675	C3
	Silver finish	99	rh	E40164.08.01		12 12	29,675	C3
	Silver finish	99	lh	E40164.08.02		12 12	29,675	C3

Composit 12 mm axis

STEEL								
DIAMETER	FINISH	HEIGHT	HAND	CODE			€	DC
ø 16	Bichromated	99	rh	E00164.10.01		12 12	29,675	C3
	Bichromated	99	lh	E00164.10.02		12 12	29,675	C3
	Silver finish	99	rh	E40164.10.01		12 12	29,675	C3
	Silver finish	99	lh	E40164.10.02		12 12	29,675	C3

Composit 26 mm axis

STEEL								
DIAMETER	FINISH	HEIGHT	HAND	CODE			€	DC
ø 16	Bichromated	99	rh	E00164.40.01		12 12	29,675	C3
	Bichromated	99	lh	E00164.40.02		12 12	29,675	C3

Genius 18 mm rebate - for third sash

STEEL								
DIAMETER	FINISH	AXIS	HAND	CODE			€	DC
ø 14	Silver finish	9	rh	E41159.08.01		12 48	10,505	C3
	Silver finish	9	lh	E41159.08.02		12 48	10,505	C3
	Silver finish	13	rh	E41159.10.01		12 48	10,505	C3
	Silver finish	13	lh	E41159.10.02		12 48	10,505	C3

Genius 18 mm rebate - for third sash, with reduced neck

STEEL								
DIAMETER	FINISH	AXIS	HAND	CODE			€	DC
ø 14	Silver finish	9	rh	E41159.08.03		12 48	10,505	C3
	Silver finish	9	lh	E41159.08.04		12 48	10,505	C3
	Silver finish	13	rh	E41159.10.03	☎	12 48	10,505	C3
	Silver finish	13	lh	E41159.10.04	☎	12 48	10,505	C3

Genius 20 mm rebate - for third sash

STEEL								
DIAMETER	FINISH	AXIS	HAND	CODE			€	DC
ø 14	Silver finish	9	rh	E41160.08.01	☎	12 48	10,505	C3
	Silver finish	9	lh	E41160.08.02	☎	12 48	10,505	C3
	Silver finish	13	rh	E41160.10.01		12 48	10,505	C3
	Silver finish	13	lh	E41160.10.02		12 48	10,505	C3

Genius 20 mm rebate - for third sash, with reduced neck

STEEL								
DIAMETER	FINISH	AXIS	HAND	CODE			€	DC
ø 14	Silver finish	9	rh	E41160.08.03	☎	12 48	10,505	C3
	Silver finish	9	lh	E41160.08.04	☎	12 48	10,505	C3
	Silver finish	13	rh	E41160.10.03	☎	12 48	10,505	C3
	Silver finish	13	lh	E41160.10.04	☎	12 48	10,505	C3

Accessories - Covers

For hinges mod. Composit

ABS						
FINISH	HAND	CODE			€	DC
Light bronze plated	rh	E01164.01.14	12	120	4,160	C3
	lh	E01164.02.14	12	120	4,160	C3
Silver	rh	E01164.01.21	12	120	4,160	C3
	lh	E01164.02.21	12	120	4,160	C3
Brass plated	rh	E01164.01.50	12	120	3,698	C3
	lh	E01164.02.50	12	120	3,698	C3
White RAL 9010	rh	E01164.01.91	12	120	2,076	C3
	lh	E01164.02.91	12	120	2,076	C3
Brown	rh	E01164.01.94	12	120	2,076	C3
	lh	E01164.02.94	12	120	2,076	C3
Matt brass plated	rh	E01164.01.23	12	120	3,698	C3
	lh	E01164.02.23	12	120	3,698	C3
Stainless steel	rh	E01164.01.36	12	120	3,698	C3
	lh	E01164.02.36	12	120	3,698	C3

For hinges mod. Genius

ABS							
DIAMETER	FINISH	HEIGHT	CODE			€	DC
ø 14	Nickel plated	37	E11162.14.06	24	480	1,234	C3
	Light bronze plated	37	E11162.14.14	24	480	1,234	C3
	Silver	37	E11162.14.21	24	480	1,234	C3
	Matt brass plated	37	E11162.14.23 ☎	24	480	1,234	C3
	Stainless steel	37	E11162.14.36	24	480	1,160	C3
	Brass plated	37	E11162.14.50	24	480	1,160	C3
	White RAL 9010	37	E11162.14.91	24	480	0,736	C3
	Brown	37	E11162.14.94	24	480	0,736	C3
	White RAL 9001	37	E11162.14.98	24	480	1,234	C3

For hinges mod. Cartesio

ABS						
DIAMETER	FINISH	CODE			€	DC
ø 16	Light bronze plated	E01155.16.14	12	120	4,823	C3
	Silver	E01155.16.21	12	120	4,823	C3
	Brass plated	E01155.16.50	12	120	4,823	C3
	White RAL 9010	E01155.16.91	12	120	2,691	C3
	Brown	E01155.16.94	12	120	2,691	C3
	White RAL 9001	E01155.16.98	12	120	4,823	C3

For PVC hinges mod.500 and 503 ø 15 mm

ABS							
DIAMETER	FINISH	HEIGHT	CODE			€	DC
ø 17	Light bronze plated	85	E00500.00.14	50	50	2,094	C3
	Silver	85	E00500.00.21	50	50	2,094	C3
	Brass plated	85	E00500.00.50	50	50	1,871	C3
	White RAL 9010	85	E00500.00.91	50	50	0,675	C3
	Black	85	E00500.00.93	50	50	0,675	C3
	Brown	85	E00500.00.94	50	50	0,675	C3
	White RAL 9001	85	E00500.00.98	50	50	2,094	C3

Accessories - Compensating adapters

For hinges mod. Cartesio

NYLON						
FINISH		CODE			€	DC
White RAL 9010	Angle 15°	E01158.15.91	12	48	0,547	C3
	Angle 50°	E01158.50.91	12	48	0,547	C3

For hinges mod. Cartesio

Box tool guide

	CODE			€	DC
	E01500.00.05	1	1	264,829	C3

Content for Cartesio hinges:
2 pcs. jigs for frame drilling, 1 pc. Jig for sash drilling, 1 pc. bit ø12, 2 pc. bits ø3, 1 bit stop, 2 pcs. insert bits for wrench, 2 pcs. allen keys 5 mm, 1 pc. rod stop

Single jig for frame drilling

	CODE			€	DC
	E01500.00.06	1	1	77,532	C3

Single jig for sash drilling

	CODE			€	DC
	E01500.00.07	1	1	44,913	C3

For hinges mod. Composit

Box tool guide

	CODE			€	DC
	E01500.00.10	1	1	264,829	C3

Content for Composit hinges:
2 pcs. jigs for frame drilling, 1 pc. Jig for sash drilling, 1 pc. bit ø12, 2 pc. bits ø3, 1 bit stop, 2 pcs. insert bits for wrench, 2 pcs. allen keys 5 mm, 1 pc. rod stops.

Single jig for frame drilling

	CODE			€	DC
	E01500.00.06	1	1	77,532	C3

Single jig for sash drilling

	CODE			€	DC
	E01500.00.11	1	1	44,913	C3

For PVC hinges

1. Jig
2. Bit
3. Bit stop
4. Hook
5. Wrench

Box tool guide

For hinges art E00500 ø 15 mm

	CODE			€	DC
	E01500.00.01	1	1	56,427	C3

Content: 1 pc jig, 1 pc bit d.5,7 mm, 1 pc bit d.3 mm, 1 pc bit stop, 1 pc hook, 1 pc wrench

For hinges art E00501 and E00503 ø 15 mm

	CODE			€	DC
	E01500.00.09 ☎	1	1	56,427	C3

Content: 1 pc jig, 1 pc bit d.5,7 mm, 1 pc bit d.3 mm, 1 pc bit stop, 1 pc hook, 1 pc wrench

For hinges art E00510

	CODE			€	DC
	E01500.00.02	1	1	29,561	C3

Content: 1 pc jig, 1 pc bit ø3 mm

For hinges art E00511

	CODE			€	DC
	E01500.00.03	1	1	29,561	C3

Content: 1 pc jig, 1 pc bit ø3 mm

For hinges art E00512

	CODE			€	DC
	E01500.00.04	1	1	62,181	C3

Content: 2 pcs jigs, 1 pc bit d.6,8 mm, 1 pc bit d.3 mm, 1 pc bit stop, 1 pc hook

For hinges art E00513

	CODE			€	DC
	E01500.00.08 ☎	1	1	62,181	C3

Content: 2 pcs jigs, 1 pc bit d.6,8 mm, 1 pc bit d.3 mm, 1 pc bit stop, 1 pc hook

Hinges for PVC

Minimum order quantity: **1.000 hinges** fixed cost 94,294 net

For orders of over 10.000 pieces, enquire about price with our Sales Dept.

Pins ø7x1,25 (extra charge for 1000 pcs)

Dimensions mm	Steel		Hardened	
	End-code	€	End-code	€
30	030	70,313	130	133,581
35	035	70,313	135	133,581
40	040	70,313	140	133,581
47	/	/	147	/
55	055	70,313	155	133,581
60	060	70,313	160	133,581

Pins ø8x1,25 (extra charge for 1000 pcs)

Dimensions mm	Steel		Hardened	
	End-code	€	End-code	€
30	031	70,313	131	133,581
35	036	70,313	136	133,581
40	041	70,313	141	133,581
47	/	/	148	/
55	054	70,313	/	133,581
55 (*)	056	70,313	156	133,581
60	061	70,313	161	133,581

(*) Shaped.

Note. *The end-codes must be added to the article code when making an order.*
Example:

E00512.13.91= Hinge ø8x1,25 with 47 mm threaded pin.
*E00512.13.91.**041** = Hinge ø8x1,25 with 40 mm steel threaded pin.*

E00513.13.91 = Hinge ø7x1,25 with 47 mm threaded pin.
*E00513.13.91.**130** = Hinge ø7x1,25 with 30 mm case hardened threaded pin.*

Note. *Total price = net hinge price + pins extra charge + fixed cost.*

To be soldered

Heavy duty with 2 leaves

STEEL							
DIAMETER	FINISH	HEIGHT	CODE			€	DC
ø 18	Plain	140	E00200.14.01	10	10	1,757	C2
ø 19	Plain	170	E00200.17.01	10	70	2,405	C2
ø 21	Plain	200	E00200.20.01	10	60	3,096	C2

Heavy duty with 2 leaves, rounded head

STEEL							
DIAMETER	FINISH	HEIGHT	CODE			€	DC
ø 18	Plain	140	E00202.14.01	10	100	1,674	C2
ø 19	Plain	170	E00202.17.01	10	70	2,611	C2
ø 21	Plain	200	E00202.20.01	10	60	3,190	C2

Heavy duty with 3 leaves

STEEL							
DIAMETER	FINISH	HEIGHT	CODE			€	DC
ø 18	Plain	140	E00201.14.01	10	100	2,088	C2
ø 19	Plain	170	E00201.17.01	10	70	2,748	C2
ø 21	Plain	200	E00201.20.01	10	60	3,442	C2

Standard with 2 leaves, rounded head

STEEL							
DIAMETER	FINISH	HEIGHT	CODE			€	DC
ø 10	Plain	60	E00207.06.01	20	320	0,909	C2
ø 12	Plain	80	E00207.08.01	20	320	0,977	C2
ø 13	Plain	100	E00207.10.01	20	240	1,060	C2
ø 15	Plain	120	E00207.12.01	20	160	1,297	C2
ø 16	Plain	140	E00207.14.01	20	120	1,462	C2

Standard with 3 leaves

STEEL							
DIAMETER	FINISH	HEIGHT	CODE			€	DC
ø 12	Plain	80	E00205.08.01	20	320	0,922	C2
ø 13	Plain	100	E00205.10.01	20	240	1,063	C2
ø 15	Plain	120	E00205.12.01	20	160	1,339	C2
ø 16	Plain	140	E00205.14.01	20	120	1,729	C2

To be soldered

Standard with 2 leaves

STEEL							
DIAMETER	FINISH	HEIGHT	CODE			€	DC
ø 10	Plain	60	E00206.06.01	20	160	0,528	C2
ø 12	Plain	80	E00206.08.01	20	320	0,686	C2
ø 13	Plain	100	E00206.10.01	20	240	0,824	C2
ø 15	Plain	120	E00206.12.01	20	160	1,087	C2
ø 16	Plain	140	E00206.14.01	20	120	1,472	C2

2 leaves

STEEL								
DIAMETER	FINISH	HEIGHT	HAND	CODE			€	DC
ø 13	Plain	72	rh	E00203.06.01	12	240	1,225	C2
	Plain	72	lh	E00204.06.01	12	240	1,225	C2
ø 14,5	Plain	96	rh	E00203.08.01	12	168	1,424	C2
	Plain	96	lh	E00204.08.01	12	168	1,424	C2
ø 16,5	Plain	115	rh	E00203.10.01	12	120	1,594	C2
	Plain	115	lh	E00204.10.01	12	120	1,594	C2
ø 17	Plain	136	rh	E00203.12.01	12	120	1,827	C2
	Plain	136	lh	E00204.12.01	12	120	1,827	C2
ø 19	Plain	159	rh	E00203.14.01	12	60	2,302	C2
	Plain	159	lh	E00204.14.01	12	60	2,302	C2
ø 21,5	Plain	186	rh	E00203.17.01	12	72	4,582	C2
	Plain	186	lh	E00204.17.01	12	72	4,582	C2
ø 23,5	Plain	216	rh	E00203.20.01	12	60	5,318	C2
	Plain	216	lh	E00204.20.01	12	60	5,318	C2

Hercula with 2 narrow leaves and brass washer

STEEL							
DIAMETER	FINISH	HEIGHT	CODE			€	DC
ø 20	Plain	97	E00208.10.01	12	72	4,512	C2

Hercula with 2 narrow leaves and thrust bearings

STEEL							
DIAMETER	FINISH	HEIGHT	CODE			€	DC
ø 20	Plain	97	E00209.10.01	12	72	5,963	C2

Hercula with 2 broad leaves and brass washer

STEEL							
DIAMETER	FINISH	HEIGHT	CODE			€	DC
ø 20	Plain	193	E00210.19.01	6	36	6,725	C2

To be soldered

Hercula with 2 broad leaves and thrust bearings

STEEL							
DIAMETER	FINISH	HEIGHT	CODE			€	DC
ø 20	Plain	193	E00211.19.01	6	36	8,300	C2

Hercula with 3 leaves and brass washer

STEEL							
DIAMETER	FINISH	HEIGHT	CODE			€	DC
ø 20	Plain	197	E00212.19.01	6	36	7,709	C2

Hercula with 3 leaves and thrust bearings

STEEL							
DIAMETER	FINISH	HEIGHT	CODE			€	DC
ø 20	Plain	197	E00213.19.01	6	36	10,824	C2

Hercula with 4 leaves and brass washer

STEEL							
DIAMETER	FINISH	HEIGHT	CODE			€	DC
ø 20	Plain	197	E00214.19.01	6	36	8,002	C2

To be soldered

Hercula with 4 leaves and thrust bearings

STEEL							
DIAMETER	FINISH	HEIGHT	CODE			€	DC
ø 20	Plain	197	E00215.19.01	6	36	11,061	C2

Code				€	DC	
A20030.00.00	1	1		€ 17,812	F3	pag. 337
A20030.01.01	100	100	v	€ 0,841	F3	pag. 336
A20030.01.28	1	1		€ 12,909	F3	pag. 337
A20030.01.28	1	1		€ 12,909	F3	pag. 337
A20030.01.29	1	1		€ 12,909	F3	pag. 337
A20050.00.02	10	100		€ 2,435	F3	pag. 77
A20050.00.02	10	100		€ 2,435	F3	pag. 349
A20050.00.02	10	100		€ 2,435	F3	pag. 367
A20050.00.02	10	100		€ 2,435	F3	pag. 397
A21117.19.00	50	50		€ 0,497	G1	pag. 244
A21117.30.00	50	50		€ 0,497	G1	pag. 243
A21117.35.00	50	50		€ 0,497	G1	pag. 243
A21117.46.00	50	50		€ 0,497	G1	pag. 243
A21117.46.00	50	50		€ 0,497	G1	pag. 243
A21117.46.00	50	50		€ 0,497	G1	pag. 243
A21117.46.00	50	50		€ 0,497	G1	pag. 243
A21117.46.00	50	50		€ 0,497	G1	pag. 243
A21117.64.00	50	50		€ 0,497	G1	pag. 243
A21117.64.00	50	50		€ 0,497	G1	pag. 243
A21117.64.00	50	50		€ 0,497	G1	pag. 243
A21117.64.00	50	50		€ 0,497	G1	pag. 243
A21117.AV.00	50	50		€ 0,497	G1	pag. 243
A21117.AV.00	50	50		€ 0,497	G1	pag. 243
A21117.AZ.00	50	50		€ 0,497	G1	pag. 243
A21117.BA.00	50	50		€ 0,497	G1	pag. 243
A21117.BA.00	50	50		€ 0,497	G1	pag. 243
A21117.BA.00	50	50		€ 0,497	G1	pag. 243
A21117.BA.00	50	50		€ 0,497	G1	pag. 243
A21117.BA.00	50	50		€ 0,497	G1	pag. 243
A21117.BB.00	50	50		€ 0,497	G1	pag. 243
A21117.DF.00	50	50		€ 0,497	G1	pag. 243
A21117.DT.00	50	50		€ 0,497	G1	pag. 244
A21117.FA.00	50	50		€ 0,497	G1	pag. 244
A21117.FI.00	50	50		€ 0,497	G1	pag. 243
A21117.FR.00	50	50		€ 0,497	G1	pag. 243
A21117.GN.00	50	50		€ 0,497	G2	pag. 243
A21117.HC.00	50	50		€ 0,497	G1	pag. 244
A21117.HD.00	50	50		€ 0,497	G1	pag. 243
A21117.HE.00	50	50		€ 0,497	G1	pag. 243
A21117.HE.00	50	50		€ 0,497	G1	pag. 243
A21117.HF.00	50	50		€ 0,497	G1	pag. 243
A21117.HN.00	50	50		€ 0,497	G1	pag. 244
A21117.MR.01	50	50		€ 0,497	G1	pag. 244
A21117.MT.01	50	50		€ 0,497	G1	pag. 244
A30905.03.01	1	20		€ 61,451	F4	pag. 77
A30905.03.01	1	20		€ 61,451	F4	pag. 164
A30905.03.14	1	20		€ 50,311	F4	pag. 77
A30905.03.14	1	20		€ 50,311	F4	pag. 164
A30905.03.14	1	20		€ 50,311	F4	pag. 209
A30905.03.17	1	20		€ 43,798	F4	pag. 77
A30905.03.17	1	20		€ 43,798	F4	pag. 164
A30905.03.17	1	20		€ 43,798	F4	pag. 209
A30905.03.31	1	20		€ 50,311	F4	pag. 77
A30905.03.31	1	20		€ 50,311	F4	pag. 164
A30905.03.31	1	20		€ 50,311	F4	pag. 209
A30905.03.91	1	20		€ 43,798	F4	pag. 77
A30905.03.91	1	20		€ 43,798	F4	pag. 164
A30905.03.91	1	20		€ 43,798	F4	pag. 209
A30905.05.14	100	100		€ 5,420	F4	pag. 164
A30905.05.21	100	100		€ 4,862	F4	pag. 164
A30905.05.91	100	100		€ 3,579	F4	pag. 164
A37102.19.06	20	100		€ 2,194	F3	pag. 155
A37102.19.14	20	100		€ 2,194	F3	pag. 155
A37102.19.21	20	100		€ 2,194	F3	pag. 155
A37102.19.36	20	100		€ 2,194	F3	pag. 155
A37102.19.44	20	100		€ 1,056	F3	pag. 155
A37102.19.50	20	100		€ 2,194	F3	pag. 155
A37102.19.91	20	100		€ 1,056	F3	pag. 155
A37102.19.94	20	100		€ 1,056	F3	pag. 155
A37102.19.98	20	100		€ 2,194	F3	pag. 155
A39405.00.02	1	10		€ 32,935	F3	pag. 156
A39405.01.01	20	20		€ 5,810	F3	pag. 156
A39405.01.02	20	20		€ 0,244	F3	pag. 156
A39405.01.06	20	20		€ 10,071	F4	pag. 146
A39406.10.02	10	10		€ 4,130	F4	pag. 142
A39407.00.90	150	150		€ 4,186	F3	pag. 94
A39407.00.91	150	150		€ 4,186	F3	pag. 94
A39407.00.93	150	150		€ 4,186	F3	pag. 94
A39407.00.94	150	150		€ 4,186	F3	pag. 94
A39407.00.97	150	150		€ 4,186	F3	pag. 94
A40002.00.02	50	50		€ 24,237	F3	pag. 75
A40017.04.02	50	500		€ 0,760	F3	pag. 248
A40017.04.13	50	500		€ 1,876	F3	pag. 250
A40017.04.35	50	500		€ 1,415	F3	pag. 254
A40017.06.18	50	300		€ 4,496	F3	pag. 137
A40017.24.02	50	500		€ 0,871	F3	pag. 248
A40017.24.02	50	500		€ 0,871	F3	pag. 248
A40017.24.12	50	250		€ 1,906	G2	pag. 246
A40017.24.22	50	200		€ 2,424	G2	pag. 247
A40017.25.32	50	50		€ 0,989	F3	pag. 115
A40017.25.32	50	50		€ 0,989	F3	pag. 249
A40017.30.12	50	250		€ 1,906	G2	pag. 246
A40017.30.18	50	50		€ 4,573	F3	pag. 136

Code			€	DC	
A40017.35.18	50	50	€ 4,573	F3	pag. 136
A40017.67.05	50	250	€ 1,415	F3	pag. 140
A40017.67.18	50	50	€ 4,573	F3	pag. 136
A40017.AV.12	50	250	€ 1,906	G2	pag. 246
A40017.AV.12	50	250	€ 1,906	G2	pag. 246
A40017.AV.22	50	200	€ 2,424	G2	pag. 247
A40017.AV.22	50	200	€ 2,424	G2	pag. 247
A40017.AZ.18	50	50	€ 4,573	F3	pag. 136
A40017.BN.30	20	20	€ 4,357	G2	pag. 249
A40017.BN.31	20	20	€ 4,357	G2	pag. 249
A40017.HZ.18	50	50	€ 4,573	F3	pag. 136
A40036.25.01	20	20	€ 9,718	F3	pag. 256
A40036.25.02	20	20	€ 8,758	F3	pag. 256
A40061.19.01	20	180	€ 17,268	F3	pag. 255
A40061.19.02	20	180	€ 17,866	F3	pag. 255
A40064.19.01	20	120	€ 22,403	F3	pag. 255
A40064.19.02	20	20	€ 24,174	F3	pag. 255
A40158.00.03	20	20	€ 9,280	F3	pag. 87
A40403.00.01	50	1000	€ 0,297	F1	pag. 77
A40457.25.09	10	10	€ 55,141	G1	pag. 238
A40457.25.10	10	10	€ 55,141	G1	pag. 238
A40457.30.09	10	10	€ 55,141	G1	pag. 238
A40457.30.10	10	10	€ 55,141	G1	pag. 238
A40457.35.09	10	10	€ 55,141	G1	pag. 238
A40457.35.10	10	10	€ 55,141	G1	pag. 238
A40457.40.09	10	10	€ 55,141	G1	pag. 238
A40457.40.10	10	10	€ 55,141	G1	pag. 238
A40457.45.09	10	10	€ 55,141	G1	pag. 238
A40457.45.10	10	10	€ 55,141	G1	pag. 238
A40457.50.09	10	10	€ 55,141	G1	pag. 238
A40457.50.10	10	10	€ 55,141	G1	pag. 238
A40457.55.09	10	10	€ 55,141	G1	pag. 238
A40457.55.10	10	10	€ 55,141	G1	pag. 238
A40458.25.09	10	10	€ 56,980	G1	pag. 239
A40458.25.10	10	10	€ 56,980	G1	pag. 239
A40458.30.09	10	10	€ 56,980	G1	pag. 239
A40458.30.10	10	10	€ 56,980	G1	pag. 239
A40458.35.09	10	10	€ 56,980	G1	pag. 239
A40458.35.10	10	10	€ 56,980	G1	pag. 239
A40458.40.09	10	10	€ 56,980	G1	pag. 239
A40458.40.10	10	10	€ 56,980	G1	pag. 239
A40458.45.09	10	10	€ 56,980	G1	pag. 239
A40458.45.10	10	10	€ 56,980	G1	pag. 239
A40458.50.09	10	10	€ 56,980	G1	pag. 239
A40458.50.10	10	10	€ 56,980	G1	pag. 239
A40458.55.09	10	10	€ 56,980	G1	pag. 239
A40458.55.10	10	10	€ 56,980	G1	pag. 239
A40481.00.04	20	20	€ 3,731	G1	pag. 239
A40481.00.13	20	20	€ 4,590	G1	pag. 239
A40486.00.01	20	200	€ 2,023	F1	pag. 239
A40486.00.02	20	200	€ 2,023	F1	pag. 239
A40487.00.01	20	200	€ 2,023	F1	pag. 239
A40487.00.02	20	200	€ 2,023	F1	pag. 239
A41117.00.02	20	200	€ 2,942	G1	pag. 242
A41117.00.04	50	50	€ 1,233	G1	pag. 242
A41117.00.42	20	20	€ 6,191	G1	pag. 242
A41118.00.02	20	200	€ 2,942	G1	pag. 242
A41118.00.42	20	20	€ 6,191	G1	pag. 242
A41121.00.40	5	45	€ 7,042	G1	pag. 242
A41121.00.44	5	45	€ 6,018	G1	pag. 242
A41121.00.45	20	20	€ 6,018	G1	pag. 242
A41122.00.40	5	45	€ 7,042	G1	pag. 242
A41122.00.44	5	45	€ 6,018	G1	pag. 242
A42454.35.10	5	5	€ 58,204	G1	pag. 238
A42454.40.10	5	5	€ 58,204	G1	pag. 238
A42454.45.09	5	5	€ 58,204	G1	pag. 238
A42454.45.10	5	5	€ 58,204	G1	pag. 238
A42454.55.10	5	5	€ 58,204	G1	pag. 238
A44805.BN.00	20	20	€ 5,406	F3	pag. 104
A44805.CP.00	20	20	€ 5,406	F3	pag. 104
A44805.EB.00	20	20	€ 5,291	F3	pag. 104
A44805.FA.00	20	20	€ 5,406	F3	pag. 104
A44805.GB.00	20	20	€ 5,382	F3	pag. 104
A44805.GN.00	20	20	€ 5,382	F3	pag. 104
A44805.HZ.00	20	20	€ 5,382	F3	pag. 104
A44805.MR.00	20	20	€ 5,406	F3	pag. 104
A44805.MS.00	20	20	€ 5,316	F3	pag. 104
A44805.MU.00	20	20	€ 5,316	F3	pag. 104
A44805.ND.00	20	20	€ 5,382	F3	pag. 104
A44807.05.00	20	20	€ 5,291	F3	pag. 104
A44811.19.00	50	50	€ 2,337	F3	pag. 103
A44812.30.00	50	50	€ 1,208	F3	pag. 103
A44812.35.00	50	50	€ 1,208	F3	pag. 103
A44812.AZ.00	50	50	€ 1,208	F3	pag. 103
A44812.BB.00	50	50	€ 1,208	F3	pag. 103
A44812.BB.00	50	50	€ 1,208	F3	pag. 103
A44812.BF.00	50	50	€ 1,208	F3	pag. 103
A44812.BF.00	50	50	€ 1,208	F3	pag. 103
A44812.BF.00	50	50	€ 1,208	F3	pag. 103
A44812.BF.00	50	50	€ 1,208	F3	pag. 103
A44812.BF.00	50	50	€ 1,208	F3	pag. 103
A44812.BF.00	50	50	€ 1,208	F3	pag. 103

Code			€	DC	
A44812.BF.00	50	50	€ 1,208	F3	pag. 103
A44812.BF.00	50	50	€ 1,208	F3	pag. 103
A44812.BF.00	50	50	€ 1,208	F3	pag. 103
A44812.BF.00	50	50	€ 1,208	F3	pag. 103
A44812.BF.00	50	50	€ 1,208	F3	pag. 103
A44812.DF.00	50	50	€ 1,208	F3	pag. 103
A44812.DF.00	50	50	€ 1,208	F3	pag. 103
A44812.DF.00	50	50	€ 1,208	F3	pag. 103
A44812.DF.00	50	50	€ 1,208	F3	pag. 103
A48010.05.38	20	20	€ 2,072	F3	pag. 138
A48010.05.55	50	500	€ 1,558	F3	pag. 141
A48010.05.55	50	500	€ 1,558	F3	pag. 254
A48010.05.57	50	500	€ 1,531	F3	pag. 141
A48010.05.57	50	500	€ 1,531	F3	pag. 254
A48010.19.03	50	500	€ 0,760	F3	pag. 127
A48010.19.12	50	500	€ 3,763	G2	pag. 246
A48010.19.22	50	200	€ 3,304	G2	pag. 247
A48010.24.04	50	500	€ 1,697	F3	pag. 253
A48010.30.38	20	20	€ 4,295	F3	pag. 138
A48010.AZ.05	50	250	€ 1,415	F3	pag. 140
A48010.AZ.05	50	250	€ 1,415	F3	pag. 253
A48010.AZ.38	20	20	€ 4,295	F3	pag. 138
A48010.BA.05	50	50	€ 1,697	F3	pag. 140
A48010.BA.05	50	50	€ 1,697	F3	pag. 140
A48010.BA.05	50	50	€ 1,697	F3	pag. 140
A48010.BA.05	50	50	€ 1,697	F3	pag. 140
A48010.BA.05	50	50	€ 1,697	F3	pag. 140
A48010.BA.05	50	50	€ 1,697	F3	pag. 140
A48010.BA.05	50	50	€ 1,697	F3	pag. 140
A48010.BA.05	50	50	€ 1,697	F3	pag. 140
A48010.BA.05	50	50	€ 1,697	F3	pag. 253
A48010.BA.05	50	50	€ 1,697	F3	pag. 253
A48010.BA.12	50	50	€ 1,906	G2	pag. 246
A48010.BB.18	50	50	€ 4,573	F3	pag. 136
A48010.BB.18	50	50	€ 4,573	F3	pag. 136
A48010.BB.18	50	50	€ 4,573	F3	pag. 136
A48010.BB.18	50	50	€ 4,573	F3	pag. 136
A48010.BB.38	20	20	€ 4,295	F3	pag. 138
A48010.BB.38	20	20	€ 4,295	F3	pag. 138
A48010.BF.05	50	50	€ 1,415	F3	pag. 140
A48010.BF.05	50	50	€ 1,415	F3	pag. 140
A48010.BF.05	50	50	€ 1,415	F3	pag. 140
A48010.BF.05	50	50	€ 1,415	F3	pag. 140
A48010.BF.05	50	50	€ 1,415	F3	pag. 140
A48010.BF.05	50	50	€ 1,415	F3	pag. 140
A48010.BF.05	50	50	€ 1,415	F3	pag. 140
A48010.BF.05	50	50	€ 1,415	F3	pag. 140
A48010.BF.05	50	50	€ 1,415	F3	pag. 253
A48010.BF.05	50	50	€ 1,415	F3	pag. 253
A48010.BF.05	50	50	€ 1,415	F3	pag. 253
A48010.BF.05	50	50	€ 1,415	F3	pag. 253
A48010.BF.05	50	50	€ 1,415	F3	pag. 253
A48010.BF.05	50	50	€ 1,415	F3	pag. 253
A48010.BF.05	50	50	€ 1,415	F3	pag. 253
A48010.BF.05	50	50	€ 1,415	F3	pag. 253
A48010.BF.05	50	50	€ 1,415	F3	pag. 253
A48010.BF.05	50	50	€ 1,415	F3	pag. 253
A48010.BF.05	50	50	€ 1,415	F3	pag. 253
A48010.BF.05	50	50	€ 1,415	F3	pag. 253
A48010.BF.05	50	50	€ 1,415	F3	pag. 253
A48010.BF.05	50	50	€ 1,415	F3	pag. 253
A48010.BF.12	50	50	€ 1,906	G2	pag. 246
A48010.BF.12	50	50	€ 1,906	G2	pag. 246
A48010.BF.18	50	50	€ 4,573	F3	pag. 136
A48010.BF.18	50	50	€ 4,573	F3	pag. 136
A48010.BF.18	50	50	€ 4,573	F3	pag. 136
A48010.BF.18	50	50	€ 4,573	F3	pag. 136
A48010.BF.18	50	50	€ 4,573	F3	pag. 136
A48010.BF.18	50	50	€ 4,573	F3	pag. 136
A48010.BF.18	50	50	€ 4,573	F3	pag. 136
A48010.BF.18	50	50	€ 4,573	F3	pag. 136
A48010.BF.18	50	50	€ 4,573	F3	pag. 136
A48010.BF.22	50	50	€ 2,424	G2	pag. 247
A48010.BF.22	50	50	€ 2,424	G2	pag. 247
A48010.BF.38	20	20	€ 4,295	F3	pag. 138
A48010.BF.38	20	20	€ 4,295	F3	pag. 138
A48010.BF.38	20	20	€ 4,295	F3	pag. 138
A48010.BF.38	20	20	€ 4,295	F3	pag. 138
A48010.BF.38	20	20	€ 4,295	F3	pag. 138
A48010.BF.38	20	20	€ 4,295	F3	pag. 138
A48010.BF.38	20	20	€ 4,295	F3	pag. 138
A48010.BF.38	20	20	€ 4,295	F3	pag. 138
A48010.BF.38	20	20	€ 4,295	F3	pag. 138
A48010.BF.38	20	20	€ 4,295	F3	pag. 138
A48010.BN.03	50	500	€ 0,760	F3	pag. 127
A48010.BN.03	50	500	€ 0,760	F3	pag. 401
A48010.BN.38	20	20	€ 2,108	F3	pag. 139
A48010.BN.38	20	20	€ 2,108	F3	pag. 139
A48010.CD.05	50	50	€ 1,415	F3	pag. 140
A48010.CD.05	50	50	€ 1,415	F3	pag. 140

Code				€	DC	
A48010.CD.05	50	50		€ 1,415	F3	pag. 253
A48010.CD.05	50	50		€ 1,415	F3	pag. 253
A48010.CD.18	50	50		€ 4,573	F3	pag. 136
A48010.CD.18	50	50		€ 4,573	F3	pag. 136
A48010.CD.38	20	20		€ 4,295	F3	pag. 138
A48010.CD.38	20	20		€ 4,295	F3	pag. 138
A48010.CP.05	50	500		€ 1,558	F3	pag. 141
A48010.CP.05	50	500		€ 1,558	F3	pag. 254
A48010.CP.12	50	50		€ 1,906	G2	pag. 246
A48010.CP.18	50	50		€ 4,596	F3	pag. 137
A48010.CP.22	50	50		€ 2,424	G2	pag. 247
A48010.CR.03	50	500		€ 0,747	F3	pag. 126
A48010.CR.03	50	500		€ 0,747	F3	pag. 401
A48010.CR.16	20	20		€ 2,072	F3	pag. 138
A48010.CR.18	50	250		€ 4,496	F3	pag. 137
A48010.CR.54	50	500		€ 1,668	F3	pag. 141
A48010.CR.54	50	500		€ 1,668	F3	pag. 254
A48010.CR.57	50	500		€ 1,668	F3	pag. 141
A48010.CR.57	50	500		€ 1,668	F3	pag. 254
A48010.DF.05	50	50		€ 1,390	F3	pag. 140
A48010.DF.05	50	50		€ 1,390	F3	pag. 140
A48010.DF.05	50	50		€ 1,390	F3	pag. 253
A48010.DF.18	50	200		€ 4,573	F3	pag. 136
A48010.DF.18	50	200		€ 4,573	F3	pag. 136
A48010.DF.18	50	200		€ 4,573	F3	pag. 136
A48010.DF.38	20	20		€ 4,295	F3	pag. 138
A48010.DF.38	20	20		€ 4,295	F3	pag. 138
A48010.DF.38	20	20		€ 4,295	F3	pag. 138
A48010.DT.03	50	500		€ 0,760	F3	pag. 127
A48010.DT.03	50	500		€ 0,760	F3	pag. 127
A48010.DT.03	50	500		€ 0,760	F3	pag. 401
A48010.DT.03	50	500		€ 0,760	F3	pag. 401
A48010.DT.04	50	500		€ 1,558	F3	pag. 141
A48010.DT.04	50	500		€ 1,558	F3	pag. 254
A48010.DT.12	50	250		€ 1,906	G2	pag. 246
A48010.DT.18	50	250		€ 4,596	F3	pag. 137
A48010.DT.18	50	250		€ 4,596	F3	pag. 137
A48010.DT.22	50	200		€ 2,424	G2	pag. 247
A48010.FA.02	50	500		€ 1,006	F3	pag. 115
A48010.FA.02	50	500		€ 1,006	F3	pag. 249
A48010.FA.02	50	500		€ 1,006	F3	pag. 385
A48010.FA.02	50	500		€ 1,006	F3	pag. 400
A48010.FA.03	50	500		€ 2,059	F3	pag. 127
A48010.FA.03	50	500		€ 2,059	F3	pag. 401
A48010.FA.05	50	500		€ 1,558	F3	pag. 141
A48010.FA.05	50	500		€ 1,558	F3	pag. 254
A48010.FA.12	50	250		€ 1,906	G2	pag. 246
A48010.FA.18	50	50		€ 4,596	F3	pag. 137
A48010.FA.22	50	200		€ 2,424	G2	pag. 247
A48010.FA.38	20	20		€ 2,108	F3	pag. 139
A48010.FR.18	50	50		€ 4,573	F3	pag. 136
A48010.FR.38	20	20		€ 4,295	F3	pag. 138
A48010.GB.03	50	500		€ 0,871	F3	pag. 126
A48010.GB.05	50	50		€ 1,415	F3	pag. 140
A48010.GB.18	50	50		€ 4,573	F3	pag. 136
A48010.GB.38	20	20		€ 4,295	F3	pag. 138
A48010.GN.38	20	20		€ 4,295	F3	pag. 138
A48010.HZ.05	50	50		€ 1,558	F3	pag. 140
A48010.HZ.38	20	20		€ 4,295	F3	pag. 138
A48010.MR.04	50	500		€ 1,558	F3	pag. 141
A48010.MR.04	50	500		€ 1,558	F3	pag. 254
A48010.MS.05	50	500		€ 1,558	F3	pag. 141
A48010.MS.05	50	500		€ 1,558	F3	pag. 254
A48010.MS.18	50	50		€ 4,573	F3	pag. 137
A48010.MS.38	20	20		€ 4,222	F3	pag. 139
A48010.MU.04	50	500		€ 1,558	F3	pag. 141
A48010.MU.04	50	500		€ 1,558	F3	pag. 254
A48010.MU.18	50	50		€ 4,573	F3	pag. 137
A48010.MU.38	20	20		€ 4,222	F3	pag. 139
A48010.ND.04	50	500		€ 1,593	F2	pag. 141
A48010.ND.18	50	50		€ 4,697	F2	pag. 137
A48010.ND.38	20	20		€ 4,295	F3	pag. 138
A48013.05.22	50	250		€ 2,353	F3	pag. 250
A48013.19.22	50	250		€ 2,942	F3	pag. 251
A48013.30.22	50	500		€ 2,942	F3	pag. 250
A48013.AZ.22	50	500		€ 2,942	F3	pag. 250
A48013.AZ.22	50	500		€ 2,942	F3	pag. 250
A48013.BA.22	50	500		€ 2,942	F3	pag. 250
A48013.BA.22	50	500		€ 2,942	F3	pag. 250
A48013.BA.22	50	500		€ 2,942	F3	pag. 250
A48013.BA.22	50	500		€ 2,942	F3	pag. 250
A48013.BF.22	50	250		€ 2,942	F3	pag. 250
A48013.BF.22	50	250		€ 2,942	F3	pag. 250
A48013.BF.22	50	250		€ 2,942	F3	pag. 250
A48013.CD.22	50	250		€ 2,942	F3	pag. 250
A48013.CD.22	50	250		€ 2,942	F3	pag. 250
A48013.CD.22	50	250		€ 2,942	F3	pag. 250
A48013.CD.22	50	250		€ 2,942	F3	pag. 250
A48013.CP.22	50	250		€ 2,942	F3	pag. 118
A48013.CP.22	50	250		€ 2,942	F3	pag. 251
A48013.CP.22	50	250		€ 2,942	F3	pag. 386
A48013.CP.22	50	250		€ 2,942	F3	pag. 400

Code				€	DC	
A48013.DF.22	50	500		€ 2,942	F3	pag. 250
A48013.DT.22	50	250		€ 2,942	F3	pag. 251
A48013.FA.22	50	250		€ 2,942	F3	pag. 251
A48013.GB.22	50	250		€ 2,794	F3	pag. 116
A48013.GB.22	50	250		€ 2,794	F3	pag. 250
A48901.BN.08	50	500		€ 3,052	F2	pag. 111
A48901.BN.08	50	500		€ 3,052	F2	pag. 206
A48902.19.01	50	1000		€ 0,625	F3	pag. 137
A48902.19.01	50	1000		€ 0,625	F3	pag. 143
A49601.00.05	10	10		€ 5,626	F4	pag. 110
A49601.00.05	10	10		€ 5,626	F4	pag. 205
A49601.14.00	20	20		€ 4,641	F4	pag. 110
A49601.14.00	20	20		€ 4,641	F4	pag. 111
A49601.14.00	20	20		€ 4,641	F4	pag. 205
A49601.14.00	20	20		€ 4,641	F4	pag. 206
A49601.14.01	20	20		€ 2,600	F4	pag. 110
A49601.14.01	20	20		€ 2,600	F4	pag. 110
A49601.14.01	20	20		€ 2,600	F4	pag. 111
A49601.14.01	20	20		€ 2,600	F4	pag. 111
A49601.14.01	20	20		€ 2,600	F4	pag. 205
A49601.14.01	20	20		€ 2,600	F4	pag. 205
A49601.14.01	20	20		€ 2,600	F4	pag. 206
A49601.14.01	20	20		€ 2,600	F4	pag. 206
A49601.14.02	20	20		€ 2,600	F4	pag. 110
A49601.14.02	20	20		€ 2,600	F4	pag. 110
A49601.14.02	20	20		€ 2,600	F4	pag. 111
A49601.14.02	20	20		€ 2,600	F4	pag. 111
A49601.14.02	20	20		€ 2,600	F4	pag. 205
A49601.14.02	20	20		€ 2,600	F4	pag. 205
A49601.14.02	20	20		€ 2,600	F4	pag. 206
A49601.14.02	20	20		€ 2,600	F4	pag. 206
A49601.14.03	20	20		€ 2,600	F4	pag. 110
A49601.14.03	20	20		€ 2,600	F4	pag. 110
A49601.14.03	20	20		€ 2,600	F4	pag. 110
A49601.14.03	20	20		€ 2,600	F4	pag. 111
A49601.14.03	20	20		€ 2,600	F4	pag. 205
A49601.14.03	20	20		€ 2,600	F4	pag. 205
A49601.14.03	20	20		€ 2,600	F4	pag. 206
A49601.14.03	20	20		€ 2,600	F4	pag. 206
A49601.14.04	20	20		€ 2,600	F4	pag. 110
A49601.14.04	20	20		€ 2,600	F4	pag. 110
A49601.14.04	20	20		€ 2,600	F4	pag. 110
A49601.14.04	20	20		€ 2,600	F4	pag. 111
A49601.14.04	20	20		€ 2,600	F4	pag. 205
A49601.14.04	20	20		€ 2,600	F4	pag. 205
A49601.14.04	20	20		€ 2,600	F4	pag. 206
A49601.14.04	20	20		€ 2,600	F4	pag. 206
A49601.14.05	20	20		€ 4,330	F4	pag. 110
A49601.14.05	20	20		€ 4,330	F4	pag. 110
A49601.14.05	20	20		€ 4,330	F4	pag. 110
A49601.14.05	20	20		€ 4,330	F4	pag. 205
A49601.14.05	20	20		€ 4,330	F4	pag. 205
A49601.14.05	20	20		€ 4,330	F4	pag. 205
A49601.14.06	20	20		€ 4,330	F4	pag. 110
A49601.14.06	20	20		€ 4,330	F4	pag. 110
A49601.14.06	20	20		€ 4,330	F4	pag. 110
A49601.14.06	20	20		€ 4,330	F4	pag. 205
A49601.14.06	20	20		€ 4,330	F4	pag. 205
A49601.14.06	20	20		€ 4,330	F4	pag. 205
A49601.14.07	20	20		€ 4,330	F4	pag. 110
A49601.14.07	20	20		€ 4,330	F4	pag. 110
A49601.14.07	20	20		€ 4,330	F4	pag. 205
A49601.14.07	20	20		€ 4,330	F4	pag. 205
A49601.14.08	20	20		€ 4,330	F4	pag. 110
A49601.14.08	20	20		€ 4,330	F4	pag. 110
A49601.14.08	20	20		€ 4,330	F4	pag. 205
A49601.14.08	20	20		€ 4,330	F4	pag. 205
A49601.14.11	20	20		€ 4,330	F4	pag. 110
A49601.14.11	20	20		€ 4,330	F4	pag. 110
A49601.14.11	20	20		€ 4,330	F4	pag. 110
A49601.14.11	20	20		€ 4,330	F4	pag. 111
A49601.14.11	20	20		€ 4,330	F4	pag. 205
A49601.14.11	20	20		€ 4,330	F4	pag. 205
A49601.14.11	20	20		€ 4,330	F4	pag. 206
A49601.14.11	20	20		€ 4,330	F4	pag. 206
A49601.14.12	20	20		€ 4,330	F4	pag. 110
A49601.14.12	20	20		€ 4,330	F4	pag. 110
A49601.14.12	20	20		€ 4,330	F4	pag. 110
A49601.14.12	20	20		€ 4,330	F4	pag. 111
A49601.14.12	20	20		€ 4,330	F4	pag. 205
A49601.14.12	20	20		€ 4,330	F4	pag. 205
A49601.14.12	20	20		€ 4,330	F4	pag. 206
A49601.14.12	20	20		€ 4,330	F4	pag. 206
A49601.14.13	20	20		€ 4,330	F4	pag. 110
A49601.14.13	20	20		€ 4,330	F4	pag. 205
A49601.14.14	20	20		€ 4,330	F4	pag. 110
A49601.14.14	20	20		€ 4,330	F4	pag. 205
A49601.14.15	20	20		€ 4,330	F4	pag. 110
A49601.14.15	20	20		€ 4,330	F4	pag. 110
A49601.14.15	20	20		€ 4,330	F4	pag. 206
A49601.14.15	20	20		€ 4,330	F4	pag. 206
A49601.14.16	20	20		€ 4,330	F4	pag. 110

Code				€	DC	
A49601.14.16	20	20		€ 4,330	F4	pag. 110
A49601.14.16	20	20		€ 4,330	F4	pag. 206
A49601.14.16	20	20		€ 4,330	F4	pag. 206
A49601.14.17	20	20		€ 5,952	F4	pag. 111
A49601.14.17	20	20		€ 5,952	F4	pag. 206
A49601.14.18	20	20		€ 5,952	F4	pag. 111
A49601.14.18	20	20		€ 5,952	F4	pag. 206
A50104.00.08	10	10		€ 12,751	F3	pag. 70
A50104.00.08	10	10		€ 12,751	F3	pag. 345
A50104.00.08	10	10		€ 12,751	F3	pag. 350
A50104.00.08	10	10		€ 12,751	F3	pag. 363
A50104.00.08	10	10		€ 12,751	F3	pag. 368
A50104.00.08	10	10		€ 12,751	F3	pag. 379
A50104.00.08	10	10		€ 12,751	F3	pag. 383
A50104.00.08	10	10		€ 12,751	F3	pag. 395
A50104.00.08	10	10		€ 12,751	F3	pag. 398
A50104.00.09	10	10		€ 14,454	F3	pag. 70
A50104.00.09	10	10		€ 14,454	F3	pag. 345
A50104.00.09	10	10		€ 14,454	F3	pag. 350
A50104.00.09	10	10		€ 14,454	F3	pag. 363
A50104.00.09	10	10		€ 14,454	F3	pag. 368
A50104.00.09	10	10		€ 14,454	F3	pag. 379
A50104.00.09	10	10		€ 14,454	F3	pag. 383
A50104.00.09	10	10		€ 14,454	F3	pag. 395
A50104.00.09	10	10		€ 14,454	F3	pag. 398
A50104.00.10	10	10		€ 16,163	F3	pag. 70
A50104.00.10	10	10		€ 16,163	F3	pag. 345
A50104.00.10	10	10		€ 16,163	F3	pag. 350
A50104.00.10	10	10		€ 16,163	F3	pag. 363
A50104.00.10	10	10		€ 16,163	F3	pag. 368
A50104.00.10	10	10		€ 16,163	F3	pag. 379
A50104.00.10	10	10		€ 16,163	F3	pag. 383
A50104.00.10	10	10		€ 16,163	F3	pag. 395
A50104.00.10	10	10		€ 16,163	F3	pag. 398
A50104.00.17	10	10		€ 11,408	F3	pag. 70
A50104.00.17	10	10		€ 11,408	F3	pag. 345
A50104.00.17	10	10		€ 11,408	F3	pag. 363
A50104.00.17	10	10		€ 11,408	F3	pag. 379
A50104.00.17	10	10		€ 11,408	F3	pag. 395
A50104.40.08	5	5		€ 62,805	F3	pag. 70
A50104.40.08	5	5		€ 62,805	F3	pag. 395
A50104.40.09	5	5		€ 64,541	F3	pag. 70
A50104.40.09	5	5		€ 64,541	F3	pag. 395
A50104.40.10	5	5		€ 66,888	F3	pag. 70
A50104.40.10	5	5		€ 66,888	F3	pag. 395
A50104.40.17	5	5		€ 61,322	F3	pag. 70
A50104.40.17	5	5		€ 61,322	F3	pag. 395
A50107.00.08	10	10		€ 12,751	F3	pag. 71
A50107.00.08	10	10		€ 12,751	F3	pag. 345
A50107.00.08	10	10		€ 12,751	F3	pag. 363
A50107.00.08	10	10		€ 12,751	F3	pag. 379
A50107.00.08	10	10		€ 12,751	F3	pag. 395
A50107.00.09	10	10		€ 14,454	F3	pag. 71
A50107.00.09	10	10		€ 14,454	F3	pag. 345
A50107.00.09	10	10		€ 14,454	F3	pag. 363
A50107.00.09	10	10		€ 14,454	F3	pag. 379
A50107.00.09	10	10		€ 14,454	F3	pag. 395
A50107.00.10	10	10		€ 16,163	F3	pag. 71
A50107.00.10	10	10		€ 16,163	F3	pag. 345
A50107.00.10	10	10		€ 16,163	F3	pag. 363
A50107.00.10	10	10		€ 16,163	F3	pag. 379
A50107.00.10	10	10		€ 16,163	F3	pag. 395
A50107.00.17	10	10		€ 11,408	F3	pag. 71
A50107.00.17	10	10		€ 11,408	F3	pag. 345
A50107.00.17	10	10		€ 11,408	F3	pag. 363
A50107.00.17	10	10		€ 11,408	F3	pag. 379
A50107.00.17	10	10		€ 11,408	F3	pag. 395
A50107.40.08	5	5		€ 63,998	F3	pag. 71
A50107.40.08	5	5		€ 63,998	F3	pag. 395
A50107.40.09	5	5		€ 65,767	F3	pag. 71
A50107.40.09	5	5		€ 65,767	F3	pag. 395
A50107.40.10	5	5		€ 68,159	F3	pag. 71
A50107.40.10	5	5		€ 68,159	F3	pag. 395
A50107.40.17	5	5		€ 62,488	F3	pag. 71
A50107.40.17	5	5		€ 62,488	F3	pag. 395
A50111.00.11	10	10	v	€ 2,603	F3	pag. 70
A50111.00.11	10	10	v	€ 2,603	F3	pag. 344
A50111.00.11	10	10	v	€ 2,603	F3	pag. 348
A50111.00.11	10	10	v	€ 2,603	F3	pag. 350
A50111.00.11	10	10	v	€ 2,603	F3	pag. 362
A50111.00.11	10	10	v	€ 2,603	F3	pag. 366
A50111.00.11	10	10	v	€ 2,603	F3	pag. 368
A50111.00.11	10	10	v	€ 2,603	F3	pag. 368
A50111.00.11	10	10	v	€ 2,603	F3	pag. 378
A50111.00.11	10	10	v	€ 2,603	F3	pag. 382
A50111.00.11	10	10	v	€ 2,603	F3	pag. 383
A50111.00.12	10	10	v	€ 2,882	F3	pag. 70
A50111.00.12	10	10	v	€ 2,882	F3	pag. 344
A50111.00.12	10	10	v	€ 2,882	F3	pag. 350
A50111.00.12	10	10	v	€ 2,882	F3	pag. 362
A50111.00.12	10	10	v	€ 2,882	F3	pag. 368
A50111.00.12	10	10	v	€ 2,882	F3	pag. 378

Code				€	DC	
A50111.00.12	10	10	v	€ 2,882	F3	pag. 383
A50111.00.12	10	10	v	€ 2,882	F3	pag. 394
A50111.00.12	10	10	v	€ 2,882	F3	pag. 398
A50111.00.13	10	10	v	€ 3,174	F3	pag. 70
A50111.00.13	10	10	v	€ 3,174	F3	pag. 344
A50111.00.13	10	10	v	€ 3,174	F3	pag. 350
A50111.00.13	10	10	v	€ 3,174	F3	pag. 362
A50111.00.13	10	10	v	€ 3,174	F3	pag. 368
A50111.00.13	10	10	v	€ 3,174	F3	pag. 378
A50111.00.13	10	10	v	€ 3,174	F3	pag. 383
A50111.00.13	10	10	v	€ 3,174	F3	pag. 394
A50111.00.13	10	10	v	€ 3,174	F3	pag. 398
A50111.00.14	10	10	v	€ 4,598	F3	pag. 70
A50111.00.14	10	10	v	€ 4,598	F3	pag. 344
A50111.00.14	10	10	v	€ 4,598	F3	pag. 350
A50111.00.14	10	10	v	€ 4,598	F3	pag. 362
A50111.00.14	10	10	v	€ 4,598	F3	pag. 368
A50111.00.14	10	10	v	€ 4,598	F3	pag. 378
A50111.00.14	10	10	v	€ 4,598	F3	pag. 383
A50111.00.14	10	10	v	€ 4,598	F3	pag. 394
A50111.00.14	10	10	v	€ 4,598	F3	pag. 398
A50111.08.11	20	20		€ 14,317	F3	pag. 70
A50111.08.11	20	20		€ 14,317	F3	pag. 344
A50111.08.11	20	20		€ 14,317	F3	pag. 362
A50111.08.11	20	20		€ 14,317	F3	pag. 378
A50111.08.12	20	20		€ 14,317	F3	pag. 70
A50111.08.12	20	20		€ 14,317	F3	pag. 344
A50111.08.12	20	20		€ 14,317	F3	pag. 362
A50111.08.12	20	20		€ 14,317	F3	pag. 378
A50111.08.12	20	20		€ 14,317	F3	pag. 394
A50111.08.13	20	20		€ 14,888	F3	pag. 70
A50111.08.13	20	20		€ 14,888	F3	pag. 344
A50111.08.13	20	20		€ 14,888	F3	pag. 362
A50111.08.13	20	20		€ 14,888	F3	pag. 378
A50111.08.13	20	20		€ 14,888	F3	pag. 394
A50111.08.14	20	20		€ 16,312	F3	pag. 70
A50111.08.14	20	20		€ 16,312	F3	pag. 344
A50111.08.14	20	20		€ 16,312	F3	pag. 362
A50111.08.14	20	20		€ 16,312	F3	pag. 378
A50111.08.14	20	20		€ 16,312	F3	pag. 394
A50111.08.15	10	10		€ 19,049	F3	pag. 70
A50111.08.15	10	10		€ 19,049	F3	pag. 344
A50111.08.15	10	10		€ 19,049	F3	pag. 362
A50111.08.15	10	10		€ 19,049	F3	pag. 378
A50111.08.15	10	10		€ 19,049	F3	pag. 394
A50111.08.16	10	10		€ 22,524	F3	pag. 70
A50111.08.16	10	10		€ 22,524	F3	pag. 344
A50111.08.16	10	10		€ 22,524	F3	pag. 362
A50111.08.16	10	10		€ 22,524	F3	pag. 378
A50111.08.16	10	10		€ 22,524	F3	pag. 394
A50111.15.10	20	20		€ 7,023	F3	pag. 70
A50111.15.11	20	20		€ 7,498	F3	pag. 70
A50111.15.11	20	20		€ 7,498	F3	pag. 344
A50111.15.11	20	20		€ 7,498	F3	pag. 348
A50111.15.11	20	20		€ 7,498	F3	pag. 362
A50111.15.11	20	20		€ 7,498	F3	pag. 366
A50111.15.11	20	20		€ 7,498	F3	pag. 378
A50111.15.11	20	20		€ 7,498	F3	pag. 382
A50111.15.12	20	20		€ 7,498	F3	pag. 70
A50111.15.12	20	20		€ 7,498	F3	pag. 344
A50111.15.12	20	20		€ 7,498	F3	pag. 362
A50111.15.12	20	20		€ 7,498	F3	pag. 378
A50111.15.12	20	20		€ 7,498	F3	pag. 394
A50111.15.13	20	20		€ 8,057	F3	pag. 70
A50111.15.13	20	20		€ 8,057	F3	pag. 344
A50111.15.13	20	20		€ 8,057	F3	pag. 362
A50111.15.13	20	20		€ 8,057	F3	pag. 378
A50111.15.13	20	20		€ 8,057	F3	pag. 394
A50111.15.14	20	20		€ 9,455	F3	pag. 70
A50111.15.14	20	20		€ 9,455	F3	pag. 344
A50111.15.14	20	20		€ 9,455	F3	pag. 362
A50111.15.14	20	20		€ 9,455	F3	pag. 378
A50111.15.14	20	20		€ 9,455	F3	pag. 394
A50111.15.15	20	20		€ 12,139	F3	pag. 70
A50111.15.15	20	20		€ 12,139	F3	pag. 344
A50111.15.15	20	20		€ 12,139	F3	pag. 362
A50111.15.15	20	20		€ 12,139	F3	pag. 378
A50111.15.15	20	20		€ 12,139	F3	pag. 394
A50111.15.16	10	10		€ 15,552	F3	pag. 70
A50111.15.16	10	10		€ 15,552	F3	pag. 344
A50111.15.16	10	10		€ 15,552	F3	pag. 362
A50111.15.16	10	10		€ 15,552	F3	pag. 378
A50111.15.16	10	10		€ 15,552	F3	pag. 394
A50114.00.15	20	20		€ 9,005	F3	pag. 71
A50114.00.15	20	20		€ 9,005	F3	pag. 346
A50114.00.15	20	20		€ 9,005	F3	pag. 350
A50114.00.15	20	20		€ 9,005	F3	pag. 364
A50114.00.15	20	20		€ 9,005	F3	pag. 368
A50114.00.15	20	20		€ 9,005	F3	pag. 380
A50114.00.15	20	20		€ 9,005	F3	pag. 383
A50114.00.15	20	20		€ 9,005	F3	pag. 396
A50114.00.15	20	20		€ 9,005	F3	pag. 398
A50114.00.16	10	10		€ 12,417	F3	pag. 71
A50114.00.16	10	10		€ 12,417	F3	pag. 346
A50114.00.16	10	10		€ 12,417	F3	pag. 350
A50114.00.16	10	10		€ 12,417	F3	pag. 364
A50114.00.16	10	10		€ 12,417	F3	pag. 368
A50114.00.16	10	10		€ 12,417	F3	pag. 380
A50114.00.16	10	10		€ 12,417	F3	pag. 383
A50114.00.16	10	10		€ 12,417	F3	pag. 396
A50114.00.16	10	10		€ 12,417	F3	pag. 398
A50114.40.15	5	5		€ 59,061	F3	pag. 71
A50114.40.15	5	5		€ 59,061	F3	pag. 346
A50114.40.15	5	5		€ 59,061	F3	pag. 364
A50114.40.15	5	5		€ 59,061	F3	pag. 380
A50114.40.15	5	5		€ 59,061	F3	pag. 396
A50114.40.16	5	5		€ 67,762	F3	pag. 71
A50114.40.16	5	5		€ 67,762	F3	pag. 346
A50114.40.16	5	5		€ 67,762	F3	pag. 364
A50114.40.16	5	5		€ 67,762	F3	pag. 380
A50114.40.16	5	5		€ 67,762	F3	pag. 396
A50115.00.15	20	20		€ 9,005	F3	pag. 72
A50115.00.15	20	20		€ 9,005	F3	pag. 346
A50115.00.15	20	20		€ 9,005	F3	pag. 364
A50115.00.15	20	20		€ 9,005	F3	pag. 380
A50115.00.15	20	20		€ 9,005	F3	pag. 396
A50115.00.16	10	10		€ 12,417	F3	pag. 72
A50115.00.16	10	10		€ 12,417	F3	pag. 346
A50115.00.16	10	10		€ 12,417	F3	pag. 364
A50115.00.16	10	10		€ 12,417	F3	pag. 380
A50115.00.16	10	10		€ 12,417	F3	pag. 396
A50115.40.15	5	5		€ 60,184	F3	pag. 72
A50115.40.15	5	5		€ 60,184	F3	pag. 346
A50115.40.15	5	5		€ 60,184	F3	pag. 364
A50115.40.15	5	5		€ 60,184	F3	pag. 380
A50115.40.15	5	5		€ 60,184	F3	pag. 396
A50115.40.16	5	5		€ 69,051	F3	pag. 72
A50115.40.16	5	5		€ 69,051	F3	pag. 346
A50115.40.16	5	5		€ 69,051	F3	pag. 364
A50115.40.16	5	5		€ 69,051	F3	pag. 380
A50115.40.16	5	5		€ 69,051	F3	pag. 396
A50122.00.02	10	10	v	€ 6,418	F3	pag. 68
A50122.00.02	10	10	v	€ 6,418	F3	pag. 344
A50122.00.02	10	10	v	€ 6,418	F3	pag. 347
A50122.00.02	10	10	v	€ 6,418	F3	pag. 350
A50122.00.02	10	10	v	€ 6,418	F3	pag. 362
A50122.00.02	10	10	v	€ 6,418	F3	pag. 365
A50122.00.02	10	10	v	€ 6,418	F3	pag. 368
A50122.00.02	10	10	v	€ 6,418	F3	pag. 378
A50122.00.02	10	10	v	€ 6,418	F3	pag. 381
A50122.00.02	10	10	v	€ 6,418	F3	pag. 383
A50122.00.02	10	10	v	€ 6,418	F3	pag. 394
A50122.00.02	10	10	v	€ 6,418	F3	pag. 398
A50122.00.03	10	10	v	€ 6,634	F3	pag. 68
A50122.00.03	10	10	v	€ 6,634	F3	pag. 344
A50122.00.03	10	10	v	€ 6,634	F3	pag. 350
A50122.00.03	10	10	v	€ 6,634	F3	pag. 362
A50122.00.03	10	10	v	€ 6,634	F3	pag. 368
A50122.00.03	10	10	v	€ 6,634	F3	pag. 378
A50122.00.03	10	10	v	€ 6,634	F3	pag. 383
A50122.00.03	10	10	v	€ 6,634	F3	pag. 394
A50122.00.03	10	10	v	€ 6,634	F3	pag. 398
A50122.00.04	10	10	v	€ 6,990	F3	pag. 68
A50122.00.04	10	10	v	€ 6,990	F3	pag. 344
A50122.00.04	10	10	v	€ 6,990	F3	pag. 350
A50122.00.04	10	10	v	€ 6,990	F3	pag. 362
A50122.00.04	10	10	v	€ 6,990	F3	pag. 368
A50122.00.04	10	10	v	€ 6,990	F3	pag. 378
A50122.00.04	10	10	v	€ 6,990	F3	pag. 383
A50122.00.04	10	10	v	€ 6,990	F3	pag. 394
A50122.00.04	10	10	v	€ 6,990	F3	pag. 398
A50122.00.05	10	10	v	€ 7,705	F3	pag. 68
A50122.00.05	10	10	v	€ 7,705	F3	pag. 344
A50122.00.05	10	10	v	€ 7,705	F3	pag. 350
A50122.00.05	10	10	v	€ 7,705	F3	pag. 362
A50122.00.05	10	10	v	€ 7,705	F3	pag. 368
A50122.00.05	10	10	v	€ 7,705	F3	pag. 378
A50122.00.05	10	10	v	€ 7,705	F3	pag. 383
A50122.00.05	10	10	v	€ 7,705	F3	pag. 394
A50122.00.05	10	10	v	€ 7,705	F3	pag. 398
A50122.00.06	10	10	v	€ 8,413	F3	pag. 68
A50122.00.06	10	10	v	€ 8,413	F3	pag. 344
A50122.00.06	10	10	v	€ 8,413	F3	pag. 350
A50122.00.06	10	10	v	€ 8,413	F3	pag. 362
A50122.00.06	10	10	v	€ 8,413	F3	pag. 368
A50122.00.06	10	10	v	€ 8,413	F3	pag. 378
A50122.00.06	10	10	v	€ 8,413	F3	pag. 383
A50122.00.06	10	10	v	€ 8,413	F3	pag. 394
A50122.00.06	10	10	v	€ 8,413	F3	pag. 398
A50122.00.07	10	10	v	€ 9,781	F3	pag. 68
A50122.00.07	10	10	v	€ 9,781	F3	pag. 344
A50122.00.07	10	10	v	€ 9,781	F3	pag. 350
A50122.00.07	10	10	v	€ 9,781	F3	pag. 362
A50122.00.07	10	10	v	€ 9,781	F3	pag. 368
A50122.00.07	10	10	v	€ 9,781	F3	pag. 378
A50122.00.07	10	10	v	€ 9,781	F3	pag. 383
A50122.00.07	10	10	v	€ 9,781	F3	pag. 394
A50122.00.07	10	10	v	€ 9,781	F3	pag. 398
A50122.08.01	20	20		€ 27,270	F3	pag. 69
A50122.08.02	10	10		€ 15,513	F3	pag. 68
A50122.08.02	10	10		€ 15,513	F3	pag. 394
A50122.08.03	10	10		€ 15,691	F3	pag. 68
A50122.08.03	10	10		€ 15,691	F3	pag. 394
A50122.08.04	10	10		€ 16,290	F3	pag. 68
A50122.08.04	10	10		€ 16,290	F3	pag. 394
A50122.08.05	10	10		€ 17,379	F3	pag. 68
A50122.08.05	10	10		€ 17,379	F3	pag. 394
A50122.08.06	10	10		€ 18,084	F3	pag. 68
A50122.08.06	10	10		€ 18,084	F3	pag. 394
A50122.08.07	10	10		€ 20,076	F3	pag. 68
A50122.08.07	10	10		€ 20,076	F3	pag. 394
A50122.08.08	10	10		€ 21,762	F3	pag. 68
A50122.08.08	10	10		€ 21,762	F3	pag. 394
A50122.08.09	10	10		€ 24,563	F3	pag. 68
A50122.08.09	10	10		€ 24,563	F3	pag. 394
A50122.08.10	10	10		€ 26,270	F3	pag. 68
A50122.08.10	10	10		€ 26,270	F3	pag. 394
A50122.08.17	10	10		€ 20,076	F3	pag. 68
A50122.08.17	10	10		€ 20,076	F3	pag. 394
A50122.08.21	20	20		€ 28,827	F3	pag. 69
A50122.08.31	20	20		€ 26,139	F3	pag. 69
A50122.08.41	20	20		€ 27,524	F3	pag. 69
A50122.15.01	20	20		€ 20,529	F3	pag. 69
A50122.15.02	10	10		€ 11,242	F3	pag. 68
A50122.15.02	10	10		€ 11,242	F3	pag. 394
A50122.15.03	10	10		€ 11,454	F3	pag. 68
A50122.15.03	10	10		€ 11,454	F3	pag. 394
A50122.15.04	10	10		€ 11,802	F3	pag. 68
A50122.15.04	10	10		€ 11,802	F3	pag. 394
A50122.15.05	10	10		€ 12,504	F3	pag. 68
A50122.15.05	10	10		€ 12,504	F3	pag. 394
A50122.15.06	10	10		€ 13,200	F3	pag. 68
A50122.15.06	10	10		€ 13,200	F3	pag. 394
A50122.15.07	10	10		€ 14,543	F3	pag. 68
A50122.15.07	10	10		€ 14,543	F3	pag. 394
A50122.15.08	10	10		€ 15,886	F3	pag. 68
A50122.15.08	10	10		€ 15,886	F3	pag. 394
A50122.15.09	10	10		€ 17,589	F3	pag. 68
A50122.15.09	10	10		€ 17,589	F3	pag. 394
A50122.15.10	10	10		€ 19,296	F3	pag. 68
A50122.15.10	10	10		€ 19,296	F3	pag. 394
A50122.15.17	10	10		€ 14,543	F3	pag. 68
A50122.15.17	10	10		€ 14,543	F3	pag. 394
A50122.15.21	20	20		€ 21,812	F3	pag. 69
A50122.15.31	20	20		€ 19,838	F3	pag. 69
A50122.15.41	20	20		€ 21,052	F3	pag. 69
A50125.08.02	10	10		€ 11,789	F3	pag. 68
A50125.08.02	10	10		€ 11,789	F3	pag. 344
A50125.08.02	10	10		€ 11,789	F3	pag. 362
A50125.08.02	10	10		€ 11,789	F3	pag. 378
A50125.08.03	10	10		€ 11,455	F3	pag. 68
A50125.08.03	10	10		€ 11,455	F3	pag. 344
A50125.08.03	10	10		€ 11,455	F3	pag. 362
A50125.08.03	10	10		€ 11,455	F3	pag. 378
A50125.08.04	10	10		€ 12,544	F3	pag. 68
A50125.08.04	10	10		€ 12,544	F3	pag. 344
A50125.08.04	10	10		€ 12,544	F3	pag. 362
A50125.08.04	10	10		€ 12,544	F3	pag. 378
A50125.08.05	10	10		€ 13,635	F3	pag. 68
A50125.08.05	10	10		€ 13,635	F3	pag. 344
A50125.08.05	10	10		€ 13,635	F3	pag. 362
A50125.08.05	10	10		€ 13,635	F3	pag. 378
A50125.08.06	10	10		€ 14,339	F3	pag. 68
A50125.08.06	10	10		€ 14,339	F3	pag. 344
A50125.08.06	10	10		€ 14,339	F3	pag. 362
A50125.08.06	10	10		€ 14,339	F3	pag. 378
A50125.08.07	10	10		€ 16,330	F3	pag. 68
A50125.08.07	10	10		€ 16,330	F3	pag. 344
A50125.08.07	10	10		€ 16,330	F3	pag. 362
A50125.08.07	10	10		€ 16,330	F3	pag. 378
A50125.08.08	10	10		€ 18,016	F3	pag. 68
A50125.08.08	10	10		€ 18,016	F3	pag. 344
A50125.08.08	10	10		€ 18,016	F3	pag. 362
A50125.08.08	10	10		€ 18,016	F3	pag. 378
A50125.08.09	10	10		€ 20,817	F3	pag. 68
A50125.08.09	10	10		€ 20,817	F3	pag. 344
A50125.08.09	10	10		€ 20,817	F3	pag. 362
A50125.08.09	10	10		€ 20,817	F3	pag. 378
A50125.08.10	10	10		€ 22,524	F3	pag. 68
A50125.08.10	10	10		€ 22,524	F3	pag. 344
A50125.08.10	10	10		€ 22,524	F3	pag. 362
A50125.08.10	10	10		€ 22,524	F3	pag. 378
A50125.08.17	10	10		€ 16,330	F3	pag. 68
A50125.08.17	10	10		€ 16,330	F3	pag. 344
A50125.08.17	10	10		€ 16,330	F3	pag. 362
A50125.08.17	10	10		€ 16,330	F3	pag. 378

Code				€	DC	
A50125.15.02	10	10		€ 7,496	F3	pag. 68
A50125.15.02	10	10		€ 7,496	F3	pag. 344
A50125.15.02	10	10		€ 7,496	F3	pag. 362
A50125.15.02	10	10		€ 7,496	F3	pag. 378
A50125.15.03	10	10		€ 7,709	F3	pag. 68
A50125.15.03	10	10		€ 7,709	F3	pag. 344
A50125.15.03	10	10		€ 7,709	F3	pag. 362
A50125.15.03	10	10		€ 7,709	F3	pag. 378
A50125.15.04	10	10		€ 8,056	F3	pag. 68
A50125.15.04	10	10		€ 8,056	F3	pag. 344
A50125.15.04	10	10		€ 8,056	F3	pag. 362
A50125.15.04	10	10		€ 8,056	F3	pag. 378
A50125.15.05	10	10		€ 8,758	F3	pag. 68
A50125.15.05	10	10		€ 8,758	F3	pag. 344
A50125.15.05	10	10		€ 8,758	F3	pag. 362
A50125.15.05	10	10		€ 8,758	F3	pag. 378
A50125.15.06	10	10		€ 9,456	F3	pag. 68
A50125.15.06	10	10		€ 9,456	F3	pag. 344
A50125.15.06	10	10		€ 9,456	F3	pag. 362
A50125.15.06	10	10		€ 9,456	F3	pag. 378
A50125.15.07	10	10		€ 10,800	F3	pag. 68
A50125.15.07	10	10		€ 10,800	F3	pag. 344
A50125.15.07	10	10		€ 10,800	F3	pag. 362
A50125.15.07	10	10		€ 10,800	F3	pag. 378
A50125.15.08	10	10		€ 12,141	F3	pag. 68
A50125.15.08	10	10		€ 12,141	F3	pag. 344
A50125.15.08	10	10		€ 12,141	F3	pag. 362
A50125.15.08	10	10		€ 12,141	F3	pag. 378
A50125.15.09	10	10		€ 13,844	F3	pag. 68
A50125.15.09	10	10		€ 13,844	F3	pag. 344
A50125.15.09	10	10		€ 13,844	F3	pag. 362
A50125.15.09	10	10		€ 13,844	F3	pag. 378
A50125.15.10	10	10		€ 15,552	F3	pag. 68
A50125.15.10	10	10		€ 15,552	F3	pag. 344
A50125.15.10	10	10		€ 15,552	F3	pag. 362
A50125.15.10	10	10		€ 15,552	F3	pag. 378
A50125.15.17	10	10		€ 10,797	F3	pag. 68
A50125.15.17	10	10		€ 10,797	F3	pag. 344
A50125.15.17	10	10		€ 10,797	F3	pag. 362
A50125.15.17	10	10		€ 10,797	F3	pag. 378
A50126.40.08	5	5		€ 59,059	F3	pag. 70
A50126.40.08	5	5		€ 59,059	F3	pag. 345
A50126.40.08	5	5		€ 59,059	F3	pag. 363
A50126.40.08	5	5		€ 59,059	F3	pag. 379
A50126.40.09	5	5		€ 60,795	F3	pag. 70
A50126.40.09	5	5		€ 60,795	F3	pag. 345
A50126.40.09	5	5		€ 60,795	F3	pag. 363
A50126.40.09	5	5		€ 60,795	F3	pag. 379
A50126.40.10	5	5		€ 63,143	F3	pag. 70
A50126.40.10	5	5		€ 63,143	F3	pag. 345
A50126.40.10	5	5		€ 63,143	F3	pag. 363
A50126.40.10	5	5		€ 63,143	F3	pag. 379
A50126.40.17	5	5		€ 57,577	F3	pag. 70
A50126.40.17	5	5		€ 57,577	F3	pag. 345
A50126.40.17	5	5		€ 57,577	F3	pag. 363
A50126.40.17	5	5		€ 57,577	F3	pag. 379
A50127.40.08	5	5		€ 60,253	F3	pag. 71
A50127.40.08	5	5		€ 60,253	F3	pag. 345
A50127.40.08	5	5		€ 60,253	F3	pag. 363
A50127.40.08	5	5		€ 60,253	F3	pag. 379
A50127.40.09	5	5		€ 62,022	F3	pag. 71
A50127.40.09	5	5		€ 62,022	F3	pag. 345
A50127.40.09	5	5		€ 62,022	F3	pag. 363
A50127.40.09	5	5		€ 62,022	F3	pag. 379
A50127.40.10	5	5		€ 64,415	F3	pag. 71
A50127.40.10	5	5		€ 64,415	F3	pag. 345
A50127.40.10	5	5		€ 64,415	F3	pag. 363
A50127.40.10	5	5		€ 64,415	F3	pag. 379
A50127.40.17	5	5		€ 58,743	F3	pag. 71
A50127.40.17	5	5		€ 58,743	F3	pag. 345
A50127.40.17	5	5		€ 58,743	F3	pag. 363
A50127.40.17	5	5		€ 58,743	F3	pag. 379
A50184.05.00	50	50		€ 0,807	F3	pag. 76
A50184.10.00	50	50		€ 0,807	F3	pag. 76
A50185.00.00	50	50		€ 29,958	F3	pag. 75
A50185.00.00	50	50		€ 29,958	F3	pag. 75
A50185.00.00	50	50		€ 29,958	F3	pag. 75
A50185.00.00	50	50		€ 29,958	F3	pag. 75
A50185.00.00	50	50		€ 29,958	F3	pag. 75
A50185.00.00	50	50		€ 29,958	F3	pag. 75
A50185.00.00	50	50		€ 29,958	F3	pag. 75
A50185.00.00	50	50		€ 29,958	F3	pag. 75
A50185.00.00	50	50		€ 29,958	F3	pag. 75
A50185.01.00	50	50		€ 32,733	F3	pag. 75
A50185.02.00	50	50		€ 29,958	F3	pag. 75
A50185.02.00	50	50		€ 29,958	F3	pag. 75
A50185.02.00	50	50		€ 29,958	F3	pag. 75
A50189.43.00	20	20		€ 5,090	F3	pag. 201
A50190.00.00	50	300		€ 3,746	F3	pag. 75
A50190.00.00	50	300		€ 3,746	F3	pag. 367
A50190.00.00	50	300		€ 3,746	F3	pag. 397
A50191.15.00	20	20		€ 5,929	F3	pag. 75
A50191.15.00	20	20		€ 5,929	F3	pag. 349

Code				€	DC	
A50191.15.00	20	20		€ 5,929	F3	pag. 367
A50191.15.00	20	20		€ 5,929	F3	pag. 397
A50191.25.00	20	20		€ 8,427	F3	pag. 75
A50191.25.00	20	20		€ 8,427	F3	pag. 349
A50191.25.00	20	20		€ 8,427	F3	pag. 367
A50191.25.00	20	20		€ 8,427	F3	pag. 397
A50191.30.00	20	20		€ 10,000	F3	pag. 75
A50191.30.00	20	20		€ 10,000	F3	pag. 349
A50191.30.00	20	20		€ 10,000	F3	pag. 367
A50191.30.00	20	20		€ 10,000	F3	pag. 397
A50191.35.00	20	20		€ 10,770	F3	pag. 75
A50191.35.00	20	20		€ 10,770	F3	pag. 349
A50191.35.00	20	20		€ 10,770	F3	pag. 367
A50191.35.00	20	20		€ 10,770	F3	pag. 397
A50191.40.00	20	20		€ 11,221	F3	pag. 75
A50191.40.00	20	20		€ 11,221	F3	pag. 349
A50191.40.00	20	20		€ 11,221	F3	pag. 367
A50191.40.00	20	20		€ 11,221	F3	pag. 397
A50191.45.00	20	20		€ 13,807	F3	pag. 75
A50191.45.00	20	20		€ 13,807	F3	pag. 349
A50191.45.00	20	20		€ 13,807	F3	pag. 367
A50191.45.00	20	20		€ 13,807	F3	pag. 397
A50191.50.00	20	20		€ 15,876	F3	pag. 75
A50191.50.00	20	20		€ 15,876	F3	pag. 349
A50191.50.00	20	20		€ 15,876	F3	pag. 367
A50191.50.00	20	20		€ 15,876	F3	pag. 397
A50192.30.00	20	20		€ 35,390	F3	pag. 75
A50192.30.00	20	20		€ 35,390	F3	pag. 349
A50192.30.00	20	20		€ 35,390	F3	pag. 367
A50192.30.00	20	20		€ 35,390	F3	pag. 397
A50192.35.00	20	20		€ 36,576	F3	pag. 75
A50192.35.00	20	20		€ 36,576	F3	pag. 349
A50192.35.00	20	20		€ 36,576	F3	pag. 367
A50192.35.00	20	20		€ 36,576	F3	pag. 397
A50192.40.00	20	20		€ 36,679	F3	pag. 75
A50192.40.00	20	20		€ 36,679	F3	pag. 349
A50192.40.00	20	20		€ 36,679	F3	pag. 367
A50192.40.00	20	20		€ 36,679	F3	pag. 397
A50192.50.00	20	20		€ 38,629	F3	pag. 75
A50192.50.00	20	20		€ 38,629	F3	pag. 349
A50192.50.00	20	20		€ 38,629	F3	pag. 367
A50192.50.00	20	20		€ 38,629	F3	pag. 397
A50193.00.00	20	20		€ 3,402	F3	pag. 76
A50193.00.02	20	20		€ 3,965	F3	pag. 76
A50193.00.02	20	20		€ 3,965	F3	pag. 91
A50193.00.03	20	20		€ 2,880	F3	pag. 76
A50193.02.DX	20	20		€ 2,928	F3	pag. 76
A50193.02.SX	20	20		€ 2,928	F3	pag. 76
A50193.21.01	10	10		€ 18,730	F3	pag. 95
A50193.21.02	10	10		€ 21,337	F3	pag. 95
A50194.00.01	10	100		€ 2,878	F3	pag. 77
A50194.00.01	10	100		€ 2,878	F3	pag. 349
A50194.00.01	10	100		€ 2,878	F3	pag. 367
A50194.00.01	10	100		€ 2,878	F3	pag. 397
A50194.01.00	100	100		€ 0,523	F3	pag. 76
A50194.01.00	100	100		€ 0,523	F3	pag. 349
A50194.01.00	100	100		€ 0,523	F3	pag. 367
A50194.01.00	100	100		€ 0,523	F3	pag. 397
A50194.02.00	100	100		€ 0,527	F3	pag. 76
A50194.02.00	100	100		€ 0,527	F3	pag. 349
A50194.02.00	100	100		€ 0,527	F3	pag. 367
A50194.02.00	100	100		€ 0,527	F3	pag. 397
A50195.01.11	20	20		€ 8,760	F3	pag. 76
A50195.01.15	20	20		€ 8,760	F3	pag. 76
A50196.00.18	100	100		€ 0,668	F3	pag. 81
A50197.09.00	50	500		€ 1,519	F3	pag. 105
A50197.09.00	50	500		€ 1,519	F3	pag. 105
A50197.09.00	50	500		€ 1,519	F3	pag. 107
A50197.09.00	50	500		€ 1,519	F3	pag. 107
A50197.09.00	50	500		€ 1,519	F3	pag. 131
A50197.09.00	50	500		€ 1,519	F3	pag. 131
A50197.13.00	50	500		€ 1,519	F3	pag. 105
A50197.13.00	50	500		€ 1,519	F3	pag. 105
A50197.13.00	50	500		€ 1,519	F3	pag. 107
A50197.13.00	50	500		€ 1,519	F3	pag. 107
A50197.13.00	50	500		€ 1,519	F3	pag. 131
A50197.13.00	50	500		€ 1,519	F3	pag. 131
A50197.14.00	50	500		€ 1,519	F3	pag. 105
A50197.14.00	50	500		€ 1,519	F3	pag. 107
A50197.14.00	50	500		€ 1,519	F3	pag. 131
A50198.20.00	10	10		€ 6,331	F3	pag. 94
A50199.00.21	1	1		€ 55,874	F4	pag. 77
A50199.00.21	1	1		€ 55,874	F4	pag. 164
A50199.00.21	1	1		€ 55,874	F4	pag. 209
A50200.15.01	20	20		€ 7,332	F3	pag. 72
A50200.15.02	20	20		€ 7,677	F3	pag. 72
A50200.15.03	20	20		€ 8,126	F3	pag. 72
A50200.15.04	20	20		€ 9,053	F3	pag. 72
A50200.15.05	20	20		€ 9,687	F3	pag. 72
A50200.15.06	20	20		€ 10,529	F3	pag. 72
A50200.15.07	20	20		€ 12,102	F3	pag. 72
A50200.15.08	10	10		€ 14,313	F3	pag. 72

Code				€	DC	
A50200.15.09	10	10		€ 16,108	F3	pag. 72
A50200.15.10	10	10		€ 17,427	F3	pag. 72
A50200.15.17	20	20		€ 12,102	F3	pag. 72
A50300.00.05	50	50		€ 23,160	F3	pag. 78
A50302.01.01	50	50		€ 7,548	F3	pag. 78
A50302.01.02	50	50		€ 6,040	F3	pag. 78
A50302.01.02	50	50		€ 6,040	F3	pag. 351
A50302.01.02	50	50		€ 6,040	F3	pag. 369
A50302.01.02	50	50		€ 6,040	F3	pag. 384
A50302.01.02	50	50		€ 6,040	F3	pag. 399
A50302.01.03	50	50		€ 9,828	F3	pag. 78
A50302.02.02	50	50		€ 8,825	F3	pag. 78
A50302.02.02	50	50		€ 8,825	F3	pag. 351
A50302.02.02	50	50		€ 8,825	F3	pag. 369
A50302.02.02	50	50		€ 8,825	F3	pag. 384
A50302.02.02	50	50		€ 8,825	F3	pag. 399
A50302.02.04	50	50		€ 14,968	F3	pag. 78
A50302.03.02	50	50		€ 10,389	F3	pag. 78
A50302.04.02	50	50		€ 10,389	F3	pag. 78
A50304.01.01	50	50		€ 14,923	F3	pag. 80
A50308.02.02	50	50		€ 15,127	F3	pag. 142
A50309.01.02	50	50		€ 9,859	F3	pag. 79
A50309.01.03	50	50		€ 10,088	F3	pag. 79
A50309.02.02	50	50		€ 13,445	F3	pag. 79
A50320.00.01	50	50		€ 13,652	F3	pag. 80
A50320.00.01	50	50		€ 13,652	F3	pag. 100
A50320.01.00	50	50		€ 8,936	F3	pag. 78
A50320.02.00	50	50		€ 9,975	F3	pag. 79
A50320.02.01	50	50		€ 6,871	F3	pag. 79
A50321.02.01	50	50		€ 9,451	F3	pag. 79
A50322.01.01	50	50		€ 9,859	F3	pag. 79
A50323.01.01	50	50		€ 13,445	F3	pag. 79
A50330.00.00	50	50		€ 4,851	F3	pag. 90
A50330.01.00	50	50		€ 5,238	F3	pag. 90
A50330.02.00	50	50		€ 8,299	F3	pag. 201
A50342.00.00	50	50		€ 9,097	F3	pag. 200
A50342.00.01	50	50		€ 9,451	F3	pag. 200
A50390.00.00	50	1250		€ 0,571	F3	pag. 81
A50390.00.01	50	1250		€ 0,571	F3	pag. 81
A50390.00.03	50	50		€ 1,158	F3	pag. 81
A50390.00.04	50	50		€ 1,158	F3	pag. 81
A50390.00.05	50	50		€ 1,158	F3	pag. 81
A50390.00.06	50	50		€ 1,158	F3	pag. 81
A50390.00.07	100	500		€ 0,686	F3	pag. 94
A50401.00.01	20	20		€ 2,880	F3	pag. 91
A50401.00.02	20	20		€ 3,396	F3	pag. 91
A50401.00.03	20	20		€ 3,565	F3	pag. 91
A50401.00.04	20	20		€ 4,456	F3	pag. 91
A50404.00.01	20	20		€ 5,528	F3	pag. 90
A50404.00.01	20	20		€ 5,528	F3	pag. 142
A50405.00.02	20	20		€ 7,784	F3	pag. 92
A50405.00.03	20	20		€ 7,953	F3	pag. 92
A50408.00.01	20	20		€ 8,798	F3	pag. 90
A50408.00.01	20	20		€ 8,798	F3	pag. 142
A50411.00.02	20	20		€ 4,263	F3	pag. 91
A50411.00.03	20	20		€ 4,438	F3	pag. 91
A50412.00.02	20	20		€ 7,964	F3	pag. 92
A50412.00.03	20	20		€ 7,964	F3	pag. 92
A50415.00.01	5	5	v	€ 28,181	F3	pag. 93
A50415.01.00	5	5	v	€ 31,385	F3	pag. 93
A50415.02.00	5	5	v	€ 31,385	F3	pag. 93
A50416.01.00	5	5	v	€ 28,181	F3	pag. 93
A50417.01.00	5	5	v	€ 29,492	F3	pag. 95
A50420.00.01	20	20	v	€ 10,158	F3	pag. 96
A50423.00.01	20	20		€ 9,002	F3	pag. 96
A50423.00.02	20	20		€ 9,290	F3	pag. 96
A50423.00.03	10	10		€ 11,028	F3	pag. 96
A50423.25.00	15	15	v	€ 4,644	F3	pag. 93
A50510.00.01	20	20		€ 6,111	F3	pag. 82
A50510.00.02	20	20		€ 6,201	F3	pag. 82
A50510.00.03	20	20		€ 6,839	F3	pag. 82
A50510.00.04	20	20		€ 7,871	F3	pag. 82
A50510.00.05	20	20		€ 9,184	F3	pag. 82
A50540.24.01	10	10		€ 35,206	F3	pag. 86
A50540.26.01	10	10		€ 35,206	F3	pag. 86
A50540.28.01	10	10		€ 41,496	F3	pag. 86
A50540.34.01	10	10		€ 35,206	F3	pag. 86
A50540.36.01	10	10		€ 35,206	F3	pag. 86
A50540.38.01	10	10		€ 41,496	F3	pag. 86
A50540.46.01	10	10		€ 35,206	F3	pag. 86
A50542.20.00	20	20		€ 21,931	F3	pag. 87
A50543.25.00	20	20		€ 12,144	F3	pag. 86
A50543.30.00	20	20		€ 1,080	F3	pag. 88
A50543.AZ.00	20	20		€ 1,080	F3	pag. 88
A50543.BB.00	20	20		€ 1,080	F3	pag. 88
A50543.BB.00	20	20		€ 1,080	F3	pag. 88
A50543.BF.00	20	20		€ 1,080	F3	pag. 88
A50543.BF.00	20	20		€ 1,080	F3	pag. 88
A50543.BF.00	20	20		€ 1,080	F3	pag. 88
A50543.BF.00	20	20		€ 1,080	F3	pag. 88
A50543.BF.00	20	20		€ 1,080	F3	pag. 88
A50543.BF.00	20	20		€ 1,080	F3	pag. 88

Code			€	DC		
A50543.BF.00	20	20	€	1,080	F3	pag. 88
A50543.BF.00	20	20	€	1,080	F3	pag. 88
A50543.BF.00	20	20	€	1,080	F3	pag. 88
A50543.CD.00	20	20	€	1,080	F3	pag. 88
A50543.CD.00	20	20	€	1,080	F3	pag. 88
A50543.CD.00	20	20	€	1,080	F3	pag. 88
A50543.CR.00	50	50	€	1,003	F3	pag. 88
A50543.DF.00	20	20	€	1,080	F3	pag. 88
A50543.DF.00	20	20	€	1,080	F3	pag. 88
A50543.DF.00	20	20	€	1,080	F3	pag. 88
A50543.FR.00	20	20	€	1,080	F3	pag. 88
A50543.GB.00	20	20	€	1,080	F3	pag. 88
A50543.HZ.00	20	20	€	1,953	F3	pag. 88
A50545.00.00	20	20	€	8,155	F3	pag. 87
A50546.00.00	100	100	€	2,247	F3	pag. 86
A50547.CP.00	50	50	€	5,754	F3	pag. 89
A50547.DT.00	50	50	€	5,754	F3	pag. 89
A50547.MR.00	50	50	€	5,754	F3	pag. 89
A50547.MS.00	50	50	€	5,754	F3	pag. 89
A50547.MU.00	50	50	€	5,754	F3	pag. 89
A50547.ND.00	50	50	€	5,754	F3	pag. 88
A50600.15.01	20	20	€	7,699	F3	pag. 73
A50600.15.02	20	20	€	8,147	F3	pag. 73
A50600.15.04	20	20	€	10,818	F3	pag. 73
A50600.15.05	20	20	€	13,279	F3	pag. 73
A50600.15.06	10	10	€	15,951	F3	pag. 73
A50600.15.3B	20	20	€	9,370	F3	pag. 73
A50711.00.00	50	50	€	2,110	F3	pag. 97
A50711.00.01	10	100	€	5,726	F3	pag. 97
A50712.00.00	50	50	€	2,110	F3	pag. 97
A50713.00.00	50	50	€	2,170	F3	pag. 97
A50718.07.00	50	50	€	2,596	F3	pag. 97
A50720.07.00	50	50	€	2,596	F3	pag. 97
A50790.00.00	50	50	€	0,315	F3	pag. 97
A50811.07.00	50	50	€	3,173	F3	pag. 98
A50812.07.00	50	50	€	3,173	F3	pag. 98
A50814.07.00	50	50	€	3,979	F3	pag. 98
A50815.07.00	50	50	€	3,576	F3	pag. 98
A50818.07.01	50	50	€	5,704	F3	pag. 98
A50818.07.02	50	50	€	5,704	F3	pag. 98
A50820.07.01	50	50	€	5,704	F3	pag. 98
A50820.07.02	50	50	€	5,704	F3	pag. 98
A50911.24.01	50	50	€	7,442	F3	pag. 99
A50911.24.02	50	50	€	7,442	F3	pag. 99
A50911.26.01	50	50	€	7,442	F3	pag. 99
A50911.26.02	50	50	€	7,442	F3	pag. 99
A50911.28.01	50	50	€	7,442	F3	pag. 99
A50911.28.02	50	50	€	7,442	F3	pag. 99
A50911.34.01	50	50	€	7,442	F3	pag. 99
A50911.34.02	50	50	€	7,442	F3	pag. 99
A50911.36.01	50	50	€	7,442	F3	pag. 99
A50911.36.02	50	50	€	7,442	F3	pag. 99
A50911.38.01	50	50	€	7,442	F3	pag. 99
A50911.38.02	50	50	€	7,442	F3	pag. 99
A50911.46.01	50	50	€	7,442	F3	pag. 99
A50911.46.02	50	50	€	7,442	F3	pag. 99
A50915.24.01	50	50	€	7,442	F3	pag. 99
A50915.24.02	50	50	€	7,442	F3	pag. 99
A50915.26.01	50	50	€	7,442	F3	pag. 99
A50915.26.02	50	50	€	7,442	F3	pag. 99
A50915.28.01	50	50	€	7,442	F3	pag. 99
A50915.28.02	50	50	€	7,442	F3	pag. 99
A50915.34.01	50	50	€	7,442	F3	pag. 99
A50915.34.02	50	50	€	7,442	F3	pag. 99
A50915.36.01	50	50	€	7,442	F3	pag. 99
A50915.36.02	50	50	€	7,442	F3	pag. 99
A50915.38.01	50	50	€	7,442	F3	pag. 99
A50915.38.02	50	50	€	7,442	F3	pag. 99
A50915.46.01	50	50	€	7,442	F3	pag. 99
A50915.46.02	50	50	€	7,442	F3	pag. 99
A50922.07.00	50	50	€	3,304	F3	pag. 98
A50997.00.78	100	100	€	0,213	F3	pag. 153
A51007.24.01	50	50	€	7,229	F3	pag. 101
A51007.24.02	50	50	€	7,229	F3	pag. 101
A51007.26.01	50	50	€	7,229	F3	pag. 101
A51007.26.02	50	50	€	7,229	F3	pag. 101
A51007.28.01	50	50	€	7,229	F3	pag. 101
A51007.28.02	50	50	€	7,229	F3	pag. 101
A51007.34.01	50	50	€	7,229	F3	pag. 101
A51007.34.02	50	50	€	7,229	F3	pag. 101
A51007.36.01	50	50	€	7,229	F3	pag. 101
A51007.36.02	50	50	€	7,229	F3	pag. 101
A51007.38.01	50	50	€	7,229	F3	pag. 101
A51007.38.02	50	50	€	7,229	F3	pag. 101
A51007.46.01	50	50	€	7,229	F3	pag. 101
A51007.46.02	50	50	€	7,229	F3	pag. 101
A51050.16.12	50	50	€	1,862	F3	pag. 101
A51051.16.12	50	50	€	1,556	F3	pag. 101
A51111.24.02	25	25	€	8,810	F3	pag. 102
A51111.26.02	25	25	€	8,810	F3	pag. 102
A51111.28.02	25	25	€	8,810	F3	pag. 102
A51111.34.02	25	25	€	8,810	F3	pag. 102

Code			€	DC		
A51111.36.02	25	25	€	8,810	F3	pag. 102
A51111.38.02	25	25	€	8,810	F3	pag. 102
A51111.46.02	25	25	€	8,810	F3	pag. 102
A51113.24.02	25	25	€	11,456	F3	pag. 102
A51113.26.02	25	25	€	11,456	F3	pag. 102
A51113.28.02	25	25	€	11,456	F3	pag. 102
A51113.34.02	25	25	€	11,456	F3	pag. 102
A51113.36.02	25	25	€	11,456	F3	pag. 102
A51113.38.02	25	25	€	11,456	F3	pag. 102
A51113.46.02	25	25	€	11,456	F3	pag. 102
A51302.01.06	20	20	€	4,826	F3	pag. 154
A51302.01.14	20	20	€	4,826	F3	pag. 154
A51302.01.21	20	20	€	4,826	F3	pag. 154
A51302.01.23	20	20	€	4,826	F3	pag. 154
A51302.01.36	20	20	€	4,826	F3	pag. 154
A51302.01.44	20	20	€	2,809	F3	pag. 154
A51302.01.50	20	20	€	4,826	F3	pag. 154
A51302.01.91	20	20	€	2,809	F3	pag. 154
A51302.01.94	20	20	€	2,809	F3	pag. 154
A51302.01.98	20	20	€	4,826	F3	pag. 154
A51302.02.06	20	20	€	4,826	F3	pag. 154
A51302.02.14	20	20	€	4,826	F3	pag. 154
A51302.02.21	20	20	€	4,826	F3	pag. 154
A51302.02.23	20	20	€	4,826	F3	pag. 154
A51302.02.36	20	20	€	4,826	F3	pag. 154
A51302.02.44	20	20	€	2,809	F3	pag. 154
A51302.02.50	20	20	€	4,826	F3	pag. 154
A51302.02.91	20	20	€	2,809	F3	pag. 154
A51302.02.94	20	20	€	2,809	F3	pag. 154
A51302.02.98	20	20	€	4,826	F3	pag. 154
A51303.00.14	20	20	€	4,374	F3	pag. 155
A51303.00.21	20	20	€	4,374	F3	pag. 155
A51303.00.23	20	20	€	4,374	F3	pag. 155
A51303.00.50	20	20	€	4,374	F3	pag. 155
A51303.00.84	20	20	€	4,374	F3	pag. 155
A51303.00.91	20	20	€	4,374	F3	pag. 155
A51303.00.94	20	20	€	4,374	F3	pag. 155
A51303.00.98	20	20	€	4,374	F3	pag. 155
A51324.01.06	50	500	€	1,304	F3	pag. 152
A51324.01.14	50	500	€	1,304	F3	pag. 152
A51324.01.21	50	500	€	1,304	F3	pag. 152
A51324.01.23	50	500	€	1,330	F3	pag. 152
A51324.01.36	50	500	€	1,304	F3	pag. 152
A51324.01.44	50	500	€	0,619	F3	pag. 152
A51324.01.50	50	500	€	1,304	F3	pag. 152
A51324.01.84	50	500	€	1,304	F3	pag. 152
A51324.01.91	50	500	€	0,619	F3	pag. 152
A51324.01.94	50	500	€	0,619	F3	pag. 152
A51324.01.98	50	500	€	1,304	F3	pag. 152
A51324.02.06	50	500	€	1,304	F3	pag. 152
A51324.02.14	50	500	€	1,304	F3	pag. 152
A51324.02.21	50	500	€	1,304	F3	pag. 152
A51324.02.23	50	500	€	1,330	F3	pag. 152
A51324.02.36	50	500	€	1,304	F3	pag. 152
A51324.02.44	50	500	€	0,619	F3	pag. 152
A51324.02.50	50	500	€	1,304	F3	pag. 152
A51324.02.84	50	500	€	1,304	F3	pag. 152
A51324.02.91	50	500	€	0,619	F3	pag. 152
A51324.02.94	50	500	€	0,619	F3	pag. 152
A51324.02.98	50	500	€	1,304	F3	pag. 152
A51326.01.06	50	500	€	1,304	F3	pag. 153
A51326.01.14	50	500	€	1,304	F3	pag. 153
A51326.01.21	50	500	€	1,304	F3	pag. 153
A51326.01.23	50	500	€	1,304	F3	pag. 153
A51326.01.36	50	500	€	1,304	F3	pag. 153
A51326.01.44	50	500	€	0,619	F3	pag. 153
A51326.01.50	50	500	€	1,304	F3	pag. 153
A51326.01.84	50	500	€	1,304	F3	pag. 153
A51326.01.91	50	500	€	0,619	F3	pag. 153
A51326.01.94	50	500	€	0,619	F3	pag. 153
A51326.01.98	50	500	€	1,304	F3	pag. 153
A51326.02.06	50	500	€	1,304	F3	pag. 153
A51326.02.14	50	500	€	1,304	F3	pag. 153
A51326.02.21	50	500	€	1,304	F3	pag. 153
A51326.02.23	50	500	€	1,304	F3	pag. 153
A51326.02.36	50	500	€	1,304	F3	pag. 153
A51326.02.44	50	500	€	0,619	F3	pag. 153
A51326.02.50	50	500	€	1,304	F3	pag. 153
A51326.02.84	50	500	€	1,304	F3	pag. 153
A51326.02.91	50	500	€	0,619	F3	pag. 153
A51326.02.94	50	500	€	0,619	F3	pag. 153
A51326.02.98	50	500	€	1,304	F3	pag. 153
A51327.01.06	100	100	€	1,304	F3	pag. 153
A51327.01.14	100	100	€	1,304	F3	pag. 153
A51327.01.21	100	100	€	1,304	F3	pag. 153
A51327.01.23	100	100	€	1,304	F3	pag. 153
A51327.01.36	100	100	€	1,304	F3	pag. 153
A51327.01.44	100	100	€	0,619	F3	pag. 153
A51327.01.50	100	100	€	1,304	F3	pag. 153
A51327.01.91	100	100	€	0,619	F3	pag. 153
A51327.01.94	100	100	€	0,619	F3	pag. 153
A51327.01.98	100	100	€	1,304	F3	pag. 153

Code			€	DC		
A51328.00.06	100	100	€	1,024	F3	pag. 154
A51328.00.14	100	100	€	1,024	F3	pag. 154
A51328.00.21	100	100	€	1,024	F3	pag. 154
A51328.00.23	100	100	€	1,044	F3	pag. 154
A51328.00.36	100	100	€	1,024	F3	pag. 154
A51328.00.44	100	100	€	0,494	F3	pag. 154
A51328.00.50	100	100	€	1,024	F3	pag. 154
A51328.00.84	100	100	€	1,023	F3	pag. 154
A51328.00.91	100	100	€	0,495	F3	pag. 154
A51328.00.94	100	100	€	0,495	F3	pag. 154
A51328.00.98	100	100	€	1,024	F3	pag. 154
A51330.00.06	100	100	€	1,024	F3	pag. 154
A51330.00.14	100	100	€	1,024	F3	pag. 154
A51330.00.21	100	100	€	1,024	F3	pag. 154
A51330.00.23	100	100	€	1,044	F3	pag. 154
A51330.00.36	100	100	€	1,239	F3	pag. 154
A51330.00.44	100	100	€	0,495	F3	pag. 154
A51330.00.50	100	100	€	1,024	F3	pag. 154
A51330.00.84	100	100	€	1,023	F3	pag. 154
A51330.00.91	100	100	€	0,495	F3	pag. 154
A51330.00.94	100	100	€	0,495	F3	pag. 154
A51330.00.98	100	100	€	1,024	F3	pag. 154
A51331.00.06	100	100	€	1,024	F3	pag. 152
A51331.00.14	100	100	€	1,024	F3	pag. 152
A51331.00.21	100	100	€	1,024	F3	pag. 152
A51331.00.23	100	100	€	1,024	F3	pag. 152
A51331.00.36	100	100	€	1,023	F3	pag. 152
A51331.00.44	100	100	€	0,495	F3	pag. 152
A51331.00.50	100	100	€	1,024	F3	pag. 152
A51331.00.91	100	100	€	0,495	F3	pag. 152
A51331.00.94	100	100	€	0,495	F3	pag. 152
A51331.00.98	100	100	€	1,024	F3	pag. 152
A51332.00.06	100	100	€	1,024	F3	pag. 152
A51332.00.14	100	100	€	1,024	F3	pag. 152
A51332.00.21	100	100	€	1,024	F3	pag. 152
A51332.00.23	100	100	€	1,024	F3	pag. 152
A51332.00.36	100	100	€	1,023	F3	pag. 152
A51332.00.44	100	100	€	0,495	F3	pag. 152
A51332.00.50	100	100	€	1,024	F3	pag. 152
A51332.00.91	100	100	€	0,495	F3	pag. 152
A51332.00.94	100	100	€	0,495	F3	pag. 152
A51332.00.98	100	100	€	1,024	F3	pag. 152
A51400.05.03	50	50	€	0,722	F3	pag. 126
A51400.05.03	50	50	€	0,722	F3	pag. 401
A51400.05.05	50	250	€	5,134	F3	pag. 134
A51400.05.24	50	500	€	3,718	F3	pag. 128
A51400.19.05	50	250	€	5,134	F3	pag. 105
A51400.19.05	50	250	€	5,134	F3	pag. 105
A51400.19.05	50	250	€	5,134	F3	pag. 107
A51400.19.05	50	250	€	5,134	F3	pag. 107
A51400.19.05	50	250	€	5,134	F3	pag. 134
A51400.19.05	50	250	€	5,134	F3	pag. 135
A51400.20.05	50	250	€	5,134	F3	pag. 105
A51400.20.05	50	250	€	5,134	F3	pag. 105
A51400.20.05	50	250	€	5,134	F3	pag. 107
A51400.20.05	50	250	€	5,134	F3	pag. 107
A51400.20.05	50	250	€	5,134	F3	pag. 134
A51400.20.05	50	250	€	5,134	F3	pag. 135
A51400.BF.24	50	500	€	4,239	F3	pag. 128
A51400.BF.24	50	500	€	4,239	F3	pag. 128
A51400.BF.24	50	500	€	4,239	F3	pag. 128
A51400.BF.24	50	500	€	4,239	F3	pag. 128
A51400.BF.24	50	500	€	4,239	F3	pag. 128
A51400.BF.24	50	500	€	4,239	F3	pag. 128
A51400.BF.24	50	500	€	4,239	F3	pag. 128
A51400.BF.24	50	500	€	4,239	F3	pag. 128
A51400.BF.24	50	500	€	4,239	F3	pag. 128
A51400.BF.24	50	500	€	4,239	F3	pag. 128
A51400.BF.24	50	500	€	4,239	F3	pag. 128
A51400.BF.24	50	500	€	4,239	F3	pag. 128
A51400.BF.24	50	500	€	4,239	F3	pag. 128
A51400.BF.24	50	500	€	4,239	F3	pag. 128
A51400.BF.24	50	500	€	4,239	F3	pag. 128
A51400.BF.24	50	500	€	4,239	F3	pag. 128
A51400.BF.24	50	500	€	4,239	F3	pag. 128
A51400.BF.24	50	500	€	4,239	F3	pag. 128
A51400.CD.24	50	500	€	4,239	F3	pag. 128
A51400.CD.24	50	500	€	4,239	F3	pag. 128
A51400.CR.05	50	250	€	5,134	F3	pag. 134
A51400.CR.24	50	500	€	3,718	F3	pag. 128
A51400.CR.75	15	75	€	6,842	F3	pag. 120
A51400.DF.24	50	500	€	4,239	F3	pag. 128
A51400.GB.24	50	500	€	4,239	F3	pag. 128
A51400.GN.24	50	500	€	4,239	F3	pag. 128
A51400.HZ.24	50	500	€	3,718	F3	pag. 128
A51401.05.02	50	500	€	0,722	F3	pag. 115
A51401.05.02	50	500	€	0,722	F3	pag. 248
A51401.05.02	50	500	€	0,722	F3	pag. 385
A51401.05.02	50	500	€	0,722	F3	pag. 400
A51401.EB.02	50	500	€	0,722	F3	pag. 115
A51401.EB.02	50	500	€	0,722	F3	pag. 248
A51401.EB.02	50	500	€	0,722	F3	pag. 385

Code			€	DC	
A51401.EB.02	50	500	€ 0,722	F3	pag. 400
A514DX.05.58	50	300	€ 7,616	F3	pag. 125
A514DX.05.65	50	250	€ 2,742	F3	pag. 122
A514DX.05.65	50	250	€ 2,742	F3	pag. 387
A514DX.05.65	50	250	€ 2,742	F3	pag. 401
A514DX.05.68	50	300	€ 2,742	F3	pag. 118
A514DX.05.68	50	300	€ 2,742	F3	pag. 386
A514DX.05.68	50	300	€ 2,742	F3	pag. 400
A514DX.CR.58	50	50	€ 7,616	F3	pag. 125
A514DX.CR.65	50	300	€ 2,742	F3	pag. 122
A514DX.CR.65	50	300	€ 2,742	F3	pag. 387
A514DX.CR.65	50	300	€ 2,742	F3	pag. 401
A514DX.CR.68	50	300	€ 2,742	F3	pag. 118
A514DX.CR.68	50	300	€ 2,742	F3	pag. 386
A514DX.CR.68	50	300	€ 2,742	F3	pag. 400
A514DX.FM.65	50	50	€ 14,824	F3	pag. 121
A514SX.05.58	50	300	€ 7,616	F3	pag. 125
A514SX.05.65	50	250	€ 2,742	F3	pag. 122
A514SX.05.65	50	250	€ 2,742	F3	pag. 387
A514SX.05.65	50	250	€ 2,742	F3	pag. 401
A514SX.05.68	50	300	€ 2,742	F3	pag. 118
A514SX.05.68	50	300	€ 2,742	F3	pag. 386
A514SX.05.68	50	300	€ 2,742	F3	pag. 400
A514SX.CR.58	50	50	€ 7,616	F3	pag. 125
A514SX.CR.65	50	300	€ 2,742	F3	pag. 122
A514SX.CR.65	50	300	€ 2,742	F3	pag. 387
A514SX.CR.65	50	300	€ 2,742	F3	pag. 401
A514SX.CR.68	50	300	€ 2,742	F3	pag. 118
A514SX.CR.68	50	300	€ 2,742	F3	pag. 386
A514SX.CR.68	50	300	€ 2,742	F3	pag. 400
A514SX.FM.65	50	50	€ 14,824	F3	pag. 121
A51504.19.02	20	20	€ 14,863	F3	pag. 105
A51504.19.02	20	20	€ 14,863	F3	pag. 201
A51504.19.03	20	20	€ 18,429	F3	pag. 105
A51504.19.03	20	20	€ 18,429	F3	pag. 201
A51504.19.04	20	20	€ 19,917	F3	pag. 105
A51504.19.04	20	20	€ 19,917	F3	pag. 201
A51504.19.05	20	20	€ 21,662	F3	pag. 105
A51504.19.05	20	20	€ 21,662	F3	pag. 201
A51504.19.06	20	20	€ 23,258	F3	pag. 105
A51504.19.06	20	20	€ 23,258	F3	pag. 201
A51504.19.07	10	10	€ 24,670	F3	pag. 105
A51504.19.07	10	10	€ 24,670	F3	pag. 201
A51504.19.08	10	10	€ 28,950	F3	pag. 105
A51504.19.08	10	10	€ 28,950	F3	pag. 201
A51504.19.09	10	10	€ 31,421	F3	pag. 105
A51504.19.09	10	10	€ 31,421	F3	pag. 201
A51504.19.10	10	10	€ 33,005	F3	pag. 105
A51504.19.10	10	10	€ 33,005	F3	pag. 201
A51504.19.13	20	20	€ 18,216	F3	pag. 105
A51504.19.17	10	10	€ 24,670	F3	pag. 105
A51504.19.17	10	10	€ 24,670	F3	pag. 201
A51509.19.15	10	10	€ 30,667	F3	pag. 107
A51509.19.16	10	10	€ 34,633	F3	pag. 107
A51513.29.01	25	125	€ 6,092	F3	pag. 108
A51515.19.11	20	20	€ 7,900	F3	pag. 106
A51515.19.12	20	20	€ 10,331	F3	pag. 106
A51515.19.13	20	20	€ 12,562	F3	pag. 106
A51515.19.14	20	20	€ 15,094	F3	pag. 106
A51571.19.00	50	50	€ 12,265	F3	pag. 80
A51571.19.00	50	50	€ 12,265	F3	pag. 108
A51572.19.00	50	50	€ 12,265	F3	pag. 80
A51572.19.00	50	50	€ 12,265	F3	pag. 108
A51573.19.00	50	50	€ 13,555	F3	pag. 106
A51573.19.01	50	50	€ 14,420	F3	pag. 106
A51574.19.00	50	50	€ 16,653	F3	pag. 80
A51574.19.00	50	50	€ 16,653	F3	pag. 108
A51575.19.02	50	50	€ 18,475	F3	pag. 80
A51575.19.02	50	50	€ 18,475	F3	pag. 108
A51579.19.00	50	50	€ 16,312	F3	pag. 80
A51581.19.00	20	20	€ 12,477	F3	pag. 94
A51581.19.01	20	20	€ 12,033	F3	pag. 94
A51599.00.02	100	100	€ 0,986	F3	pag. 105
A51599.00.02	100	100	€ 0,986	F3	pag. 106
A51599.00.02	100	100	€ 0,986	F3	pag. 107
A51701.19.01	50	50	€ 11,848	F3	pag. 79
A51701.19.01	50	50	€ 11,848	F3	pag. 108
A51701.19.02	50	50	€ 12,265	F3	pag. 79
A51701.19.02	50	50	€ 12,265	F3	pag. 108
A51701.19.03	50	50	€ 14,127	F3	pag. 80
A51701.19.03	50	50	€ 14,127	F3	pag. 108
A51704.19.02	50	50	€ 18,475	F3	pag. 79
A51704.19.02	50	50	€ 18,475	F3	pag. 108
A51801.00.01	20	20	€ 3,593	F3	pag. 90
A51801.01.11	20	20	€ 3,901	F3	pag. 90
A51803.00.01	20	20	€ 3,724	F3	pag. 90
A51803.00.02	20	20	€ 4,090	F3	pag. 90
A51803.00.03	20	20	€ 4,374	F3	pag. 90
A51803.00.04	20	20	€ 5,264	F3	pag. 90
A51804.00.01	20	20	€ 6,328	F3	pag. 90
A51804.00.01	20	20	€ 6,328	F3	pag. 142
A51805.00.01	20	20	€ 5,886	F3	pag. 91

Code			€	DC	
A51805.00.02	20	20	€ 6,253	F3	pag. 91
A51805.00.03	20	20	€ 6,536	F3	pag. 91
A51806.50.00	10	100	€ 11,393	F3	pag. 91
A51808.00.02	20	20	€ 10,025	F3	pag. 90
A51808.00.02	20	20	€ 10,025	F3	pag. 142
A51921.24.01	10	10	€ 5,394	F3	pag. 83
A51921.24.02	10	10	€ 5,472	F3	pag. 83
A51921.24.03	10	10	€ 6,036	F3	pag. 83
A51921.24.04	10	10	€ 6,949	F3	pag. 83
A51921.26.01	10	10	€ 5,394	F3	pag. 83
A51921.26.02	10	10	€ 5,472	F3	pag. 83
A51921.26.03	10	10	€ 6,036	F3	pag. 83
A51921.26.04	10	10	€ 6,949	F3	pag. 83
A51921.28.01	10	10	€ 5,394	F3	pag. 84
A51921.28.02	10	10	€ 5,472	F3	pag. 84
A51921.28.03	10	10	€ 6,036	F3	pag. 84
A51921.28.04	10	10	€ 6,949	F3	pag. 84
A51921.34.01	10	10	€ 5,394	F3	pag. 83
A51921.34.02	10	10	€ 5,472	F3	pag. 83
A51921.34.03	10	10	€ 6,036	F3	pag. 83
A51921.34.04	10	10	€ 6,949	F3	pag. 83
A51921.36.01	10	10	€ 5,394	F3	pag. 83
A51921.36.02	10	10	€ 5,472	F3	pag. 83
A51921.36.03	10	10	€ 6,036	F3	pag. 83
A51921.36.04	10	10	€ 6,949	F3	pag. 83
A51921.38.01	10	10	€ 5,394	F3	pag. 84
A51921.38.02	10	10	€ 5,472	F3	pag. 84
A51921.38.03	10	10	€ 6,036	F3	pag. 84
A51921.38.04	10	10	€ 6,949	F3	pag. 84
A51921.46.01	10	10	€ 5,394	F3	pag. 83
A51921.46.02	10	10	€ 5,472	F3	pag. 83
A51921.46.03	10	10	€ 6,036	F3	pag. 83
A51921.46.04	10	10	€ 6,949	F3	pag. 83
A51922.24.01	10	10	€ 5,394	F3	pag. 83
A51922.24.02	10	10	€ 5,472	F3	pag. 83
A51922.24.03	10	10	€ 6,036	F3	pag. 83
A51922.24.04	10	10	€ 6,949	F3	pag. 83
A51922.26.01	10	10	€ 5,394	F3	pag. 83
A51922.26.02	10	10	€ 5,472	F3	pag. 83
A51922.26.03	10	10	€ 6,036	F3	pag. 83
A51922.26.04	10	10	€ 6,949	F3	pag. 83
A51922.28.01	10	10	€ 5,394	F3	pag. 84
A51922.28.02	10	10	€ 5,472	F3	pag. 84
A51922.28.03	10	10	€ 6,036	F3	pag. 84
A51922.28.04	10	10	€ 6,949	F3	pag. 84
A51922.34.01	10	10	€ 5,394	F3	pag. 83
A51922.34.02	10	10	€ 5,472	F3	pag. 83
A51922.34.03	10	10	€ 6,036	F3	pag. 83
A51922.34.04	10	10	€ 6,949	F3	pag. 83
A51922.36.01	10	10	€ 5,394	F3	pag. 83
A51922.36.02	10	10	€ 5,472	F3	pag. 83
A51922.36.03	10	10	€ 6,036	F3	pag. 83
A51922.36.04	10	10	€ 6,949	F3	pag. 83
A51922.38.01	10	10	€ 5,394	F3	pag. 84
A51922.38.02	10	10	€ 5,472	F3	pag. 84
A51922.38.03	10	10	€ 6,036	F3	pag. 84
A51922.38.04	10	10	€ 6,949	F3	pag. 84
A51922.46.01	10	10	€ 5,394	F3	pag. 83
A51922.46.02	10	10	€ 5,472	F3	pag. 83
A51922.46.03	10	10	€ 6,036	F3	pag. 83
A51922.46.04	10	10	€ 6,949	F3	pag. 83
A51923.24.01	10	10	€ 26,903	F3	pag. 85
A51923.24.02	10	10	€ 28,284	F3	pag. 85
A51923.24.03	10	10	€ 30,092	F3	pag. 85
A51923.24.04	10	10	€ 35,854	F3	pag. 85
A51923.26.01	10	10	€ 26,903	F3	pag. 85
A51923.26.02	10	10	€ 28,284	F3	pag. 85
A51923.26.03	10	10	€ 30,092	F3	pag. 85
A51923.26.04	10	10	€ 35,854	F3	pag. 85
A51923.28.01	10	10	€ 26,903	F3	pag. 86
A51923.28.02	10	10	€ 28,284	F3	pag. 86
A51923.28.03	10	10	€ 30,092	F3	pag. 86
A51923.28.04	10	10	€ 35,854	F3	pag. 86
A51923.34.01	10	10	€ 26,903	F3	pag. 85
A51923.34.02	10	10	€ 28,284	F3	pag. 85
A51923.34.03	10	10	€ 30,092	F3	pag. 85
A51923.34.04	10	10	€ 35,854	F3	pag. 85
A51923.36.01	10	10	€ 26,903	F3	pag. 85
A51923.36.02	10	10	€ 28,284	F3	pag. 85
A51923.36.03	10	10	€ 30,092	F3	pag. 85
A51923.36.04	10	10	€ 35,854	F3	pag. 85
A51923.38.01	10	10	€ 26,903	F3	pag. 86
A51923.38.02	10	10	€ 28,284	F3	pag. 86
A51923.38.03	10	10	€ 30,092	F3	pag. 86
A51923.38.04	10	10	€ 35,854	F3	pag. 86
A51923.46.01	10	10	€ 26,903	F3	pag. 85
A51923.46.02	10	10	€ 28,284	F3	pag. 85
A51923.46.03	10	10	€ 30,092	F3	pag. 85
A51923.46.04	10	10	€ 35,854	F3	pag. 85
A51924.24.01	10	10	€ 26,903	F3	pag. 85
A51924.24.02	10	10	€ 28,284	F3	pag. 85
A51924.24.03	10	10	€ 30,092	F3	pag. 85

Code			€	DC	
A51924.24.04	10	10	€ 35,854	F3	pag. 85
A51924.26.01	10	10	€ 26,903	F3	pag. 85
A51924.26.02	10	10	€ 28,284	F3	pag. 85
A51924.26.03	10	10	€ 30,092	F3	pag. 85
A51924.26.04	10	10	€ 35,854	F3	pag. 85
A51924.28.01	10	10	€ 26,903	F3	pag. 86
A51924.28.02	10	10	€ 28,284	F3	pag. 86
A51924.28.03	10	10	€ 30,092	F3	pag. 86
A51924.28.04	10	10	€ 35,854	F3	pag. 86
A51924.34.01	10	10	€ 26,903	F3	pag. 85
A51924.34.02	10	10	€ 28,284	F3	pag. 85
A51924.34.03	10	10	€ 30,092	F3	pag. 85
A51924.34.04	10	10	€ 35,854	F3	pag. 85
A51924.36.01	10	10	€ 26,903	F3	pag. 85
A51924.36.02	10	10	€ 28,284	F3	pag. 85
A51924.36.03	10	10	€ 30,092	F3	pag. 85
A51924.36.04	10	10	€ 35,854	F3	pag. 85
A51924.38.01	10	10	€ 26,903	F3	pag. 86
A51924.38.02	10	10	€ 28,284	F3	pag. 86
A51924.38.03	10	10	€ 30,092	F3	pag. 86
A51924.38.04	10	10	€ 35,854	F3	pag. 86
A51924.46.01	10	10	€ 26,903	F3	pag. 85
A51924.46.02	10	10	€ 28,284	F3	pag. 85
A51924.46.03	10	10	€ 30,092	F3	pag. 85
A51924.46.04	10	10	€ 35,854	F3	pag. 85
A51941.24.01	10	10	€ 11,189	F3	pag. 84
A51941.24.02	10	10	€ 11,268	F3	pag. 84
A51941.24.03	10	10	€ 11,530	F3	pag. 84
A51941.24.04	10	10	€ 12,747	F3	pag. 84
A51941.26.01	10	10	€ 11,189	F3	pag. 84
A51941.26.02	10	10	€ 11,268	F3	pag. 84
A51941.26.03	10	10	€ 11,530	F3	pag. 84
A51941.26.04	10	10	€ 12,747	F3	pag. 84
A51941.36.01	10	10	€ 11,189	F3	pag. 84
A51941.36.02	10	10	€ 11,268	F3	pag. 84
A51941.36.03	10	10	€ 11,530	F3	pag. 84
A51941.36.04	10	10	€ 12,747	F3	pag. 84
A51942.24.01	10	10	€ 11,189	F3	pag. 84
A51942.24.02	10	10	€ 11,268	F3	pag. 84
A51942.24.03	10	10	€ 11,530	F3	pag. 84
A51942.24.04	10	10	€ 12,747	F3	pag. 84
A51942.26.01	10	10	€ 11,189	F3	pag. 84
A51942.26.02	10	10	€ 11,268	F3	pag. 84
A51942.26.03	10	10	€ 11,530	F3	pag. 84
A51942.26.04	10	10	€ 12,747	F3	pag. 84
A51942.36.01	10	10	€ 11,189	F3	pag. 84
A51942.36.02	10	10	€ 11,268	F3	pag. 84
A51942.36.03	10	10	€ 11,530	F3	pag. 84
A51942.36.04	10	10	€ 12,747	F3	pag. 84
A52098.00.01	1	1	€ 24,547	F3	pag. 158
A52098.05.00	1	1	€ 20,222	F3	pag. 160
A52098.12.00	1	1	€ 14,707	F3	pag. 145
A52099.00.01	1	1	€ 33,466	F3	pag. 158
A52099.00.02	1	1	€ 33,466	F3	pag. 158
A52099.01.01	1	1	€ 40,393	F3	pag. 158
A52099.01.02	1	1	€ 6,733	F3	pag. 158
A52099.01.03	1	1	€ 6,733	F3	pag. 158
A52099.03.01	1	1	€ 42,982	F3	pag. 160
A52099.03.01	1	1	€ 42,982	F3	pag. 355
A52099.04.01	1	1	€ 44,956	F3	pag. 160
A52099.05.01	1	1	€101,658	F3	pag. 160
A52099.06.01	1	1	€ 52,876	F3	pag. 160
A52099.06.01	1	1	€ 52,876	F3	pag. 355
A52099.06.02	1	1	€ 51,869	F3	pag. 160
A52099.07.00	1	1	€ 49,158	F3	pag. 159
A52099.07.01	1	1	€155,635	F3	pag. 159
A52099.07.02	1	1	€167,347	F3	pag. 159
A52099.08.00	1	1	€ 52,876	F3	pag. 160
A52099.09.00	1	1	€ 56,487	F3	pag. 159
A52099.09.01	1	1	€182,817	F3	pag. 159
A52099.09.02	1	1	€173,019	F3	pag. 159
A52099.12.00	1	1	€ 54,303	F3	pag. 161
A52099.12.01	1	1	€160,945	F3	pag. 161
A52099.12.02	1	1	€171,245	F3	pag. 161
A52099.14.01	1	1	€ 48,878	F3	pag. 162
A52099.15.01	1	1	€158,120	F3	pag. 163
A52099.16.01	1	1	€ 67,624	F3	pag. 162
A52099.17.00	1	1	€102,240	F3	pag. 162
A52099.18.99	1	1	€151,348	F3	pag. 159
A52099.19.99	1	1	€155,846	F3	pag. 161
A52099.20.00	1	1	€ 68,831	F3	pag. 162
A52099.24.00	1	1	€130,267	F3	pag. 159
A52099.24.01	1	1	€ 70,647	F3	pag. 159
A52099.24.02	1	1	€301,282	F3	pag. 159
A52101.CP.05	50	50	€ 1,646	F3	pag. 129
A52101.CP.07	50	50	€ 2,307	F3	pag. 134
A52101.DT.05	50	50	€ 1,646	F3	pag. 129
A52101.DT.07	50	50	€ 2,307	F3	pag. 134
A52101.MR.05	50	50	€ 1,646	F3	pag. 129
A52101.MR.07	50	50	€ 2,307	F3	pag. 134
A52101.MU.05	50	50	€ 1,646	F3	pag. 129
A52101.MU.07	50	50	€ 2,307	F3	pag. 134

Code			€	DC	
A52101.ND.05	50	50	€ 1,646	F3	pag. 129
A52101.ND.07	50	50	€ 2,307	F3	pag. 134
A52102.02.44	50	1500	€ 0,339	F3	pag. 123
A52102.02.44	50	1500	€ 0,339	F3	pag. 125
A52102.02.87	50	1500	€ 0,339	F3	pag. 123
A52102.02.87	50	1500	€ 0,339	F3	pag. 125
A52102.03.44	50	1500	€ 0,367	F3	pag. 117
A52102.03.44	50	1500	€ 0,367	F3	pag. 352
A52102.03.44	50	1500	€ 0,367	F3	pag. 370
A52102.04.44			€ r.		pag. 117
A52103.01.44	50	500	€ 0,863	F3	pag. 125
A52103.01.87	50	500	€ 0,863	F3	pag. 125
A52300.19.00	50	250	€ 5,134	F3	pag. 105
A52300.19.00	50	250	€ 5,134	F3	pag. 107
A52300.19.00	50	250	€ 5,134	F3	pag. 133
A52300.30.22	50	250	€ 2,186	F3	pag. 116
A52300.30.58	50	50	€ 7,616	F3	pag. 124
A52300.30.75	10	10	€ 7,116	F3	pag. 119
A52300.35.76	50	50	€ 1,528	F3	pag. 117
A52300.35.76	50	50	€ 1,528	F3	pag. 117
A52300.AZ.02	50	500	€ 0,826	F3	pag. 114
A52300.AZ.02	50	500	€ 0,826	F3	pag. 248
A52300.AZ.03	50	500	€ 0,826	F3	pag. 126
A52300.AZ.22	50	250	€ 2,186	F3	pag. 116
A52300.AZ.58	50	50	€ 7,616	F3	pag. 124
A52300.AZ.75	10	10	€ 7,116	F3	pag. 119
A52300.BA.02	50	500	€ 0,826	F3	pag. 114
A52300.BA.02	50	500	€ 0,826	F3	pag. 114
A52300.BA.02	50	500	€ 0,826	F3	pag. 114
A52300.BA.02	50	500	€ 0,826	F3	pag. 114
A52300.BA.02	50	500	€ 0,826	F3	pag. 114
A52300.BA.22	50	250	€ 2,186	F3	pag. 116
A52300.BA.22	50	250	€ 2,186	F3	pag. 116
A52300.BA.22	50	250	€ 2,186	F3	pag. 116
A52300.BA.22	50	250	€ 2,186	F3	pag. 116
A52300.BA.22	50	250	€ 2,186	F3	pag. 116
A52300.BA.58	50	50	€ 7,616	F3	pag. 124
A52300.BA.58	50	50	€ 7,616	F3	pag. 124
A52300.BA.58	50	50	€ 7,616	F3	pag. 124
A52300.BA.58	50	50	€ 7,616	F3	pag. 124
A52300.BA.58	50	50	€ 7,616	F3	pag. 124
A52300.BA.76	50	50	€ 1,528	F3	pag. 117
A52300.BA.76	50	50	€ 1,528	F3	pag. 117
A52300.BA.76	50	50	€ 1,528	F3	pag. 117
A52300.BA.76	50	50	€ 1,528	F3	pag. 117
A52300.BA.76	50	50	€ 1,528	F3	pag. 117
A52300.BB.02	50	500	€ 0,826	F3	pag. 114
A52300.BB.03	50	50	€ 0,826	F3	pag. 126
A52300.BB.03	50	50	€ 0,826	F3	pag. 126
A52300.BB.22	50	250	€ 2,186	F3	pag. 116
A52300.BB.22	50	250	€ 2,186	F3	pag. 116
A52300.BB.22	50	250	€ 2,186	F3	pag. 116
A52300.BB.22	50	250	€ 2,186	F3	pag. 250
A52300.BB.22	50	250	€ 2,186	F3	pag. 250
A52300.BB.58	50	50	€ 7,616	F3	pag. 124
A52300.BB.58	50	50	€ 7,616	F3	pag. 124
A52300.BB.58	50	50	€ 7,616	F3	pag. 124
A52300.BF.02	50	500	€ 0,826	F3	pag. 114
A52300.BF.02	50	500	€ 0,826	F3	pag. 114
A52300.BF.02	50	500	€ 0,826	F3	pag. 114
A52300.BF.02	50	500	€ 0,826	F3	pag. 114
A52300.BF.02	50	500	€ 0,826	F3	pag. 248
A52300.BF.02	50	500	€ 0,826	F3	pag. 248
A52300.BF.02	50	500	€ 0,826	F3	pag. 248
A52300.BF.02	50	500	€ 0,826	F3	pag. 248
A52300.BF.03	50	50	€ 0,826	F3	pag. 126

Code			€	DC	
A52600.DT.65			€ r.		pag. 123
A52600.DT.76			€ r.		pag. 117
A52600.GY.02	50	500	€ 0,826	F3	pag. 115
A52600.GY.02	50	500	€ 0,826	F3	pag. 249
A52600.GY.02	50	500	€ 0,826	F3	pag. 385
A52600.GY.02	50	500	€ 0,826	F3	pag. 400
A52600.MS.02	50	500	€ 0,955	F3	pag. 115
A52600.MS.02	50	500	€ 0,955	F3	pag. 249
A52600.MS.02	50	500	€ 0,955	F3	pag. 385
A52600.MS.02	50	500	€ 0,955	F3	pag. 400
A52600.MS.03	50	500	€ 0,955	F3	pag. 127
A52600.MS.03	50	500	€ 0,955	F3	pag. 401
A52600.MS.05	50	250	€ 5,134	F3	pag. 134
A52600.MS.24	50	500	€ 0,955	F3	pag. 129
A52600.MU.02	50	500	€ 0,955	F3	pag. 115
A52600.MU.02	50	500	€ 0,955	F3	pag. 249
A52600.MU.02	50	500	€ 0,955	F3	pag. 385
A52600.MU.02	50	500	€ 0,955	F3	pag. 400
A52600.MU.03	50	500	€ 0,747	F3	pag. 127
A52600.MU.03	50	500	€ 0,747	F3	pag. 401
A52600.ND.02	50	500	€ 0,955	F3	pag. 115
A52600.ND.03	50	500	€ 0,747	F3	pag. 126
A526DX.CP.58	50	50	€ 7,616	F3	pag. 125
A526DX.CP.65	50	50	€ 3,050	F3	pag. 122
A526DX.CP.65	50	50	€ 3,050	F3	pag. 386
A526DX.CP.65	50	50	€ 3,050	F3	pag. 401
A526DX.CP.68	50	50	€ 3,050	F3	pag. 118
A526DX.CP.68	50	50	€ 3,050	F3	pag. 386
A526DX.CP.68	50	50	€ 3,050	F3	pag. 400
A526DX.DT.58	50	50	€ 7,616	F3	pag. 125
A526DX.DT.65	50	50	€ 3,050	F3	pag. 122
A526DX.DT.65	50	50	€ 3,050	F3	pag. 122
A526DX.DT.65	50	50	€ 3,050	F3	pag. 386
A526DX.DT.65	50	50	€ 3,050	F3	pag. 386
A526DX.DT.65	50	50	€ 3,050	F3	pag. 401
A526DX.DT.65	50	50	€ 3,050	F3	pag. 401
A526DX.DT.68	50	300	€ 3,050	F3	pag. 118
A526DX.DT.68	50	300	€ 3,050	F3	pag. 118
A526DX.DT.68	50	300	€ 3,050	F3	pag. 386
A526DX.DT.68	50	300	€ 3,050	F3	pag. 386
A526DX.DT.68	50	300	€ 3,050	F3	pag. 400
A526DX.DT.68	50	300	€ 3,050	F3	pag. 400
A526DX.FA.65	50	50	€ 3,050	F3	pag. 122
A526DX.FA.65	50	50	€ 3,050	F3	pag. 386
A526DX.FA.65	50	50	€ 3,050	F3	pag. 401
A526DX.FA.68	50	300	€ 3,050	F3	pag. 118
A526DX.FA.68	50	300	€ 3,050	F3	pag. 386
A526DX.FA.68	50	300	€ 3,050	F3	pag. 400
A526DX.MR.58	50	50	€ 7,616	F3	pag. 125
A526DX.MS.58	50	50	€ 7,616	F3	pag. 125
A526DX.MS.65	50	50	€ 3,050	F3	pag. 122
A526DX.MS.65	50	50	€ 3,050	F3	pag. 386
A526DX.MS.65	50	50	€ 3,050	F3	pag. 401
A526DX.MS.68	50	300	€ 3,050	F3	pag. 118
A526DX.MS.68	50	300	€ 3,050	F3	pag. 386
A526DX.MS.68	50	300	€ 3,050	F3	pag. 400
A526DX.MU.58	50	50	€ 7,616	F3	pag. 125
A526DX.MU.65	50	50	€ 3,050	F3	pag. 122
A526DX.MU.65	50	50	€ 3,050	F3	pag. 386
A526DX.MU.65	50	50	€ 3,050	F3	pag. 401
A526DX.MU.68	50	300	€ 3,050	F3	pag. 118
A526DX.MU.68	50	300	€ 3,050	F3	pag. 386
A526DX.MU.68	50	300	€ 3,050	F3	pag. 400
A526DX.ND.58	50	50	€ 7,616	F3	pag. 125
A526DX.ND.65	50	50	€ 3,050	F3	pag. 122
A526DX.ND.68	50	50	€ 3,050	F3	pag. 118
A526SX.CP.58	50	50	€ 7,616	F3	pag. 125
A526SX.CP.65	50	50	€ 3,050	F3	pag. 122
A526SX.CP.65	50	50	€ 3,050	F3	pag. 386
A526SX.CP.65	50	50	€ 3,050	F3	pag. 401
A526SX.CP.68	50	50	€ 3,050	F3	pag. 118
A526SX.CP.68	50	50	€ 3,050	F3	pag. 386
A526SX.CP.68	50	50	€ 3,050	F3	pag. 400
A526SX.DT.58	50	50	€ 7,616	F3	pag. 125
A526SX.DT.65	50	50	€ 3,050	F3	pag. 122
A526SX.DT.65	50	50	€ 3,050	F3	pag. 122
A526SX.DT.65	50	50	€ 3,050	F3	pag. 386
A526SX.DT.65	50	50	€ 3,050	F3	pag. 386
A526SX.DT.65	50	50	€ 3,050	F3	pag. 401
A526SX.DT.65	50	50	€ 3,050	F3	pag. 401
A526SX.DT.68	50	300	€ 3,050	F3	pag. 118
A526SX.DT.68	50	300	€ 3,050	F3	pag. 118
A526SX.DT.68	50	300	€ 3,050	F3	pag. 386
A526SX.DT.68	50	300	€ 3,050	F3	pag. 386
A526SX.DT.68	50	300	€ 3,050	F3	pag. 400
A526SX.DT.68	50	300	€ 3,050	F3	pag. 400
A526SX.FA.65	50	50	€ 3,050	F3	pag. 122
A526SX.FA.65	50	50	€ 3,050	F3	pag. 386
A526SX.FA.65	50	50	€ 3,050	F3	pag. 401
A526SX.FA.68	50	300	€ 3,050	F3	pag. 118
A526SX.FA.68	50	300	€ 3,050	F3	pag. 386
A526SX.FA.68	50	300	€ 3,050	F3	pag. 400

Code			€	DC	
A526SX.MR.58	50	50	€ 7,616	F3	pag. 125
A526SX.MS.58	50	50	€ 7,616	F3	pag. 125
A526SX.MS.65	50	50	€ 3,050	F3	pag. 122
A526SX.MS.65	50	50	€ 3,050	F3	pag. 386
A526SX.MS.65	50	50	€ 3,050	F3	pag. 401
A526SX.MS.68	50	300	€ 3,050	F3	pag. 118
A526SX.MS.68	50	300	€ 3,050	F3	pag. 386
A526SX.MS.68	50	300	€ 3,050	F3	pag. 400
A526SX.MU.58	50	50	€ 7,616	F3	pag. 125
A526SX.MU.65	50	50	€ 3,050	F3	pag. 122
A526SX.MU.65	50	50	€ 3,050	F3	pag. 386
A526SX.MU.65	50	50	€ 3,050	F3	pag. 401
A526SX.MU.68	50	300	€ 3,050	F3	pag. 118
A526SX.MU.68	50	300	€ 3,050	F3	pag. 386
A526SX.MU.68	50	300	€ 3,050	F3	pag. 400
A526SX.ND.58	50	50	€ 7,616	F3	pag. 125
A526SX.ND.65	50	50	€ 3,050	F3	pag. 122
A526SX.ND.68	50	50	€ 3,050	F3	pag. 118
A52900.01.01	20	20	€ 13,395	F3	pag. 196
A52900.01.01	20	20	€ 13,395	F3	pag. 199
A52900.01.02	20	20	€ 13,395	F3	pag. 196
A52900.01.02	20	20	€ 13,395	F3	pag. 199
A52900.02.01	20	20	€ 13,395	F3	pag. 196
A52900.02.01	20	20	€ 13,395	F3	pag. 199
A52900.02.02	20	20	€ 13,395	F3	pag. 196
A52900.02.02	20	20	€ 13,395	F3	pag. 199
A52901.01.01	20	20	€ 18,085	F3	pag. 196
A52901.01.02	20	20	€ 18,085	F3	pag. 196
A52901.02.01	20	20	€ 18,085	F3	pag. 196
A52901.02.02	20	20	€ 18,085	F3	pag. 196
A52901.03.01	20	20	€ 18,085	F3	pag. 196
A52901.03.02	20	20	€ 18,085	F3	pag. 196
A52901.10.01	20	20	€ 18,085	F3	pag. 196
A52901.10.02	20	20	€ 18,085	F3	pag. 196
A52901.20.01	20	20	€ 18,085	F3	pag. 196
A52901.20.02	20	20	€ 18,085	F3	pag. 196
A52901.31.01	20	20	€ 22,063	F3	pag. 199
A52901.31.02	20	20	€ 22,063	F3	pag. 199
A52901.32.01	20	20	€ 22,063	F3	pag. 199
A52901.32.02	20	20	€ 22,063	F3	pag. 199
A52901.33.01	10	10	€ 22,063	F3	pag. 199
A52901.33.02	10	10	€ 22,063	F3	pag. 199
A52901.DT.00	50	50	€ 4,309	F3	pag. 204
A52901.HN.00	50	50	€ 4,309	F3	pag. 204
A52901.MR.00	50	50	€ 4,309	F3	pag. 204
A52901.MS.00	50	50	€ 4,309	F3	pag. 204
A52901.MU.00	50	50	€ 4,309	F3	pag. 204
A52903.02.PA	1	20	€ 20,290	F3	pag. 112
A52903.02.PA	1	20	€ 20,290	F3	pag. 207
A52903.02.PT	1	20	€ 30,751	F3	pag. 113
A52903.02.PT	1	20	€ 30,751	F3	pag. 208
A52903.05.00	1	20	€ 33,188	F3	pag. 113
A52903.05.00	1	20	€ 33,188	F3	pag. 208
A52903.AZ.01	1	10	€ 34,557	F3	pag. 113
A52903.AZ.01	1	10	€ 34,557	F3	pag. 113
A52903.AZ.01	1	10	€ 34,557	F3	pag. 208
A52903.AZ.01	1	10	€ 34,557	F3	pag. 208
A52903.AZ.02	1	10	€ 34,557	F3	pag. 113
A52903.AZ.02	1	10	€ 34,557	F3	pag. 113
A52903.AZ.02	1	10	€ 34,557	F3	pag. 208
A52903.AZ.02	1	10	€ 34,557	F3	pag. 208
A52903.BB.01	1	10	€ 34,557	F3	pag. 112
A52903.BB.01	1	10	€ 34,557	F3	pag. 112
A52903.BB.01	1	10	€ 34,557	F3	pag. 207
A52903.BB.01	1	10	€ 34,557	F3	pag. 207
A52903.BB.02	1	10	€ 34,557	F3	pag. 112
A52903.BB.02	1	10	€ 34,557	F3	pag. 112
A52903.BB.02	1	10	€ 34,557	F3	pag. 207
A52903.BB.02	1	10	€ 34,557	F3	pag. 207
A52903.BF.01	1	10	€ 34,557	F3	pag. 112
A52903.BF.01	1	10	€ 34,557	F3	pag. 112
A52903.BF.01	1	10	€ 34,557	F3	pag. 112
A52903.BF.01	1	10	€ 34,557	F3	pag. 112
A52903.BF.01	1	10	€ 34,557	F3	pag. 113
A52903.BF.01	1	10	€ 34,557	F3	pag. 113
A52903.BF.01	1	10	€ 34,557	F3	pag. 113
A52903.BF.01	1	10	€ 34,557	F3	pag. 113
A52903.BF.01	1	10	€ 34,557	F3	pag. 207
A52903.BF.01	1	10	€ 34,557	F3	pag. 207
A52903.BF.01	1	10	€ 34,557	F3	pag. 207
A52903.BF.01	1	10	€ 34,557	F3	pag. 207
A52903.BF.01	1	10	€ 34,557	F3	pag. 208
A52903.BF.01	1	10	€ 34,557	F3	pag. 208
A52903.BF.01	1	10	€ 34,557	F3	pag. 208
A52903.BF.01	1	10	€ 34,557	F3	pag. 208
A52903.BF.02	1	10	€ 34,557	F3	pag. 112
A52903.BF.02	1	10	€ 34,557	F3	pag. 112
A52903.BF.02	1	10	€ 34,557	F3	pag. 112
A52903.BF.02	1	10	€ 34,557	F3	pag. 112
A52903.BF.02	1	10	€ 34,557	F3	pag. 113
A52903.BF.02	1	10	€ 34,557	F3	pag. 113
A52903.BF.02	1	10	€ 34,557	F3	pag. 113

Code			€	DC	
A52903.BF.02	1	10	€ 34,557	F3	pag. 113
A52903.BF.02	1	10	€ 34,557	F3	pag. 207
A52903.BF.02	1	10	€ 34,557	F3	pag. 207
A52903.BF.02	1	10	€ 34,557	F3	pag. 207
A52903.BF.02	1	10	€ 34,557	F3	pag. 207
A52903.BF.02	1	10	€ 34,557	F3	pag. 208
A52903.BF.02	1	10	€ 34,557	F3	pag. 208
A52903.BF.02	1	10	€ 34,557	F3	pag. 208
A52903.BF.02	1	10	€ 34,557	F3	pag. 208
A52903.CD.01	1	10	€ r.	F3	pag. 112
A52903.CD.01	1	10	€ r.	F3	pag. 207
A52903.CD.02	1	10	€ r.	F3	pag. 112
A52903.CD.02	1	10	€ r.	F3	pag. 207
A52903.DF.01	1	10	€ 34,557	F3	pag. 112
A52903.DF.01	1	10	€ 34,557	F3	pag. 112
A52903.DF.01	1	10	€ 34,557	F3	pag. 112
A52903.DF.01	1	10	€ 34,557	F3	pag. 113
A52903.DF.01	1	10	€ 34,557	F3	pag. 207
A52903.DF.01	1	10	€ 34,557	F3	pag. 207
A52903.DF.01	1	10	€ 34,557	F3	pag. 207
A52903.DF.01	1	10	€ 34,557	F3	pag. 208
A52903.DF.02	1	10	€ 34,557	F3	pag. 112
A52903.DF.02	1	10	€ 34,557	F3	pag. 112
A52903.DF.02	1	10	€ 34,557	F3	pag. 112
A52903.DF.02	1	10	€ 34,557	F3	pag. 113
A52903.DF.02	1	10	€ 34,557	F3	pag. 207
A52903.DF.02	1	10	€ 34,557	F3	pag. 207
A52903.DF.02	1	10	€ 34,557	F3	pag. 207
A52903.DF.02	1	10	€ 34,557	F3	pag. 208
A52903.FH.01	1	10	€ 34,557	F3	pag. 113
A52903.FH.01	1	10	€ 34,557	F3	pag. 113
A52903.FH.01	1	10	€ 34,557	F3	pag. 208
A52903.FH.01	1	10	€ 34,557	F3	pag. 208
A52903.FH.02	1	10	€ 34,557	F3	pag. 113
A52903.FH.02	1	10	€ 34,557	F3	pag. 113
A52903.FH.02	1	10	€ 34,557	F3	pag. 208
A52903.FH.02	1	10	€ 34,557	F3	pag. 208
A52903.FR.01	1	10	€ 34,557	F3	pag. 113
A52903.FR.01	1	10	€ 34,557	F3	pag. 208
A52903.FR.02	1	10	€ 34,557	F3	pag. 113
A52903.FR.02	1	10	€ 34,557	F3	pag. 208
A52903.GN.01	1	10	€ 34,557	F3	pag. 112
A52903.GN.01	1	10	€ 34,557	F3	pag. 207
A52903.GN.02	1	10	€ 34,557	F3	pag. 112
A52903.GN.02	1	10	€ 34,557	F3	pag. 207
A52903.HZ.01	1	10	€ 34,557	F3	pag. 112
A52903.HZ.01	1	10	€ 34,557	F3	pag. 207
A52903.HZ.02	1	10	€ 34,557	F3	pag. 112
A52903.HZ.02	1	10	€ 34,557	F3	pag. 207
A52910.02.01	20	20	€ 7,812	F3	pag. 194
A52910.02.01	20	20	€ 7,812	F3	pag. 195
A52910.02.02	20	20	€ 9,664	F3	pag. 194
A52910.02.02	20	20	€ 9,664	F3	pag. 195
A52910.02.03	20	20	€ 11,575	F3	pag. 194
A52910.02.03	20	20	€ 11,575	F3	pag. 195
A52910.02.04	20	20	€ 14,088	F3	pag. 194
A52910.02.04	20	20	€ 14,088	F3	pag. 195
A52910.03.01	20	20	€ 7,916	F3	pag. 198
A52910.03.01	20	20	€ 7,916	F3	pag. 202
A52910.03.02	20	20	€ 9,769	F3	pag. 198
A52910.03.02	20	20	€ 9,769	F3	pag. 202
A52910.03.03	20	20	€ 11,725	F3	pag. 198
A52910.03.03	20	20	€ 11,725	F3	pag. 202
A52910.03.04	20	20	€ 14,356	F3	pag. 198
A52910.03.04	20	20	€ 14,356	F3	pag. 202
A52911.01.01	10	10	€ 29,535	F3	pag. 194
A52911.01.01	10	10	€ 29,535	F3	pag. 198
A52911.01.02	10	10	€ 30,676	F3	pag. 194
A52911.01.02	10	10	€ 30,676	F3	pag. 198
A52911.01.11	10	10	€ 29,535	F3	pag. 194
A52911.01.11	10	10	€ 29,535	F3	pag. 198
A52911.01.12	10	10	€ 30,676	F3	pag. 194
A52911.01.12	10	10	€ 30,676	F3	pag. 198
A52911.02.01	10	10	€ 29,535	F3	pag. 194
A52911.02.01	10	10	€ 29,535	F3	pag. 198
A52911.02.02	10	10	€ 30,676	F3	pag. 194
A52911.02.02	10	10	€ 30,676	F3	pag. 198
A52911.02.11	10	10	€ 29,535	F3	pag. 194
A52911.02.11	10	10	€ 29,535	F3	pag. 198
A52911.02.12	10	10	€ 30,676	F3	pag. 194
A52911.02.12	10	10	€ 30,676	F3	pag. 198
A52911.03.01	10	10	€ 33,064	F3	pag. 195
A52911.03.02	10	10	€ 34,204	F3	pag. 195
A52911.03.11	10	10	€ 33,064	F3	pag. 195
A52911.03.12	10	10	€ 34,204	F3	pag. 195
A52911.04.01	10	10	€ 33,064	F3	pag. 195
A52911.04.02	10	10	€ 34,204	F3	pag. 195
A52911.04.11	10	10	€ 33,064	F3	pag. 195
A52911.04.12	10	10	€ 34,204	F3	pag. 195
A52911.05.01	10	10	€ 29,535	F3	pag. 202
A52911.05.02	10	10	€ 30,676	F3	pag. 202
A52911.05.11	10	10	€ 29,535	F3	pag. 202

Code				€	DC		
A52911.05.12	10	10		€ 30,676	F3		pag. 202
A52911.06.01	10	10		€ 29,535	F3		pag. 202
A52911.06.02	10	10		€ 30,676	F3		pag. 202
A52911.06.11	10	10		€ 29,535	F3		pag. 202
A52911.06.12	10	10		€ 30,676	F3		pag. 202
A52911.07.01	10	10		€ 38,358	F3		pag. 202
A52911.07.02	10	10		€ 39,838	F3		pag. 202
A52911.07.11	10	10		€ 38,358	F3		pag. 202
A52911.07.12	10	10		€ 39,838	F3		pag. 202
A52911.10.01	10	10		€ 38,358	F3		pag. 194
A52911.10.01	10	10		€ 38,358	F3		pag. 198
A52911.10.02	10	10		€ 39,838	F3		pag. 194
A52911.10.02	10	10		€ 39,838	F3		pag. 198
A52911.10.11	10	10		€ 38,358	F3		pag. 194
A52911.10.11	10	10		€ 38,358	F3		pag. 198
A52911.10.12	10	10		€ 39,838	F3		pag. 194
A52911.10.12	10	10		€ 39,838	F3		pag. 198
A52911.11.01	10	10		€ 42,939	F3		pag. 195
A52911.11.02	10	10		€ 44,421	F3		pag. 195
A52911.11.11	10	10		€ 42,939	F3		pag. 195
A52911.11.12	10	10		€ 44,421	F3		pag. 195
A52911.20.01	10	10		€ 29,535	F3		pag. 194
A52911.20.01	10	10		€ 29,535	F3		pag. 198
A52911.20.02	10	10		€ 30,676	F3		pag. 194
A52911.20.02	10	10		€ 30,676	F3		pag. 198
A52911.20.11	10	10		€ 29,535	F3		pag. 194
A52911.20.11	10	10		€ 29,535	F3		pag. 198
A52911.20.12	10	10		€ 30,676	F3		pag. 194
A52911.20.12	10	10		€ 30,676	F3		pag. 198
A52911.21.01	10	10		€ 33,064	F3		pag. 195
A52911.21.02	10	10		€ 34,204	F3		pag. 195
A52911.21.11	10	10		€ 33,064	F3		pag. 195
A52911.21.12	10	10		€ 34,204	F3		pag. 195
A52920.02.00	10	10		€ 11,597	F3		pag. 197
A52920.02.00	10	10		€ 11,597	F3		pag. 199
A52921.01.01	10	10		€ 31,742	F3		pag. 197
A52921.01.02	10	10		€ 31,742	F3		pag. 197
A52921.02.01	10	10		€ 31,742	F3		pag. 197
A52921.02.02	10	10		€ 31,742	F3		pag. 197
A52921.10.01	10	10		€ 39,677	F3		pag. 197
A52921.10.02	10	10		€ 39,677	F3		pag. 197
A52921.20.01	10	10		€ 31,742	F3		pag. 197
A52921.20.02	10	10		€ 31,742	F3		pag. 197
A52921.31.01	10	10		€ 35,513	F3		pag. 199
A52921.31.02	10	10		€ 35,513	F3		pag. 199
A52921.32.01	10	10		€ 35,513	F3		pag. 199
A52921.32.02	10	10		€ 35,513	F3		pag. 199
A52921.33.01	10	10		€ 44,391	F3		pag. 199
A52921.33.02	10	10		€ 44,391	F3		pag. 199
A52940.BF.00	50	50		€ 2,372	F3		pag. 203
A52940.BF.00	50	50		€ 2,372	F3		pag. 203
A52940.BF.00	50	50		€ 2,372	F3		pag. 203
A52940.BF.00	50	50		€ 2,372	F3		pag. 203
A52940.BF.00	50	50		€ 2,372	F3		pag. 203
A52940.BF.00	50	50		€ 2,372	F3		pag. 203
A52940.BF.00	50	50		€ 2,372	F3		pag. 203
A52940.BF.00	50	50		€ 2,372	F3		pag. 203
A52940.BF.00	50	50		€ 2,372	F3		pag. 203
A52940.BF.01	50	50		€ 2,372	F3		pag. 203
A52940.BF.01	50	50		€ 2,372	F3		pag. 203
A52940.BF.01	50	50		€ 2,372	F3		pag. 203
A52940.BF.01	50	50		€ 2,372	F3		pag. 203
A52940.BF.01	50	50		€ 2,372	F3		pag. 203
A52940.BF.01	50	50		€ 2,372	F3		pag. 203
A52940.BF.01	50	50		€ 2,372	F3		pag. 203
A52940.BF.01	50	50		€ 2,372	F3		pag. 203
A52940.CN.00	50	50		€ 2,372	F3		pag. 203
A52940.CN.00	50	50		€ 2,372	F3		pag. 203
A52940.CN.00	50	50		€ 2,372	F3		pag. 203
A52940.CN.01	50	50		€ 2,372	F3		pag. 203
A52940.CN.01	50	50		€ 2,372	F3		pag. 203
A52940.CN.01	50	50		€ 2,372	F3		pag. 203
A52940.DF.00	50	50		€ 2,372	F3		pag. 203
A52940.DF.01	50	50		€ 2,372	F3		pag. 203
A52940.FH.00	50	50		€ 2,372	F3		pag. 203
A52940.FH.00	50	50		€ 2,372	F3		pag. 203
A52940.FH.01	50	50		€ 2,372	F3		pag. 203
A52940.FH.01	50	50		€ 2,372	F3		pag. 203
A52940.FI.00	50	50		€ 2,372	F3		pag. 203
A52940.FI.01	50	50		€ 2,372	F3		pag. 203
A52940.GN.00	50	50		€ 2,372	F3		pag. 203
A52940.GN.01	50	50		€ 2,372	F3		pag. 203
A52940.NB.00	50	50		€ 2,372	F3		pag. 203
A52940.NB.01	50	50		€ 2,372	F3		pag. 203
A52941.BF.01	50	50		€ 4,978	F3		pag. 204
A52941.BF.02	50	50		€ 4,978	F3		pag. 204
A52943.00.00	50	50		€ 1,643	F3		pag. 196
A52944.DT.00	50	50		€ 4,309	F3		pag. 113
A52944.DT.00	50	50		€ 4,309	F3		pag. 208
A52944.HN.00	50	50		€ 4,309	F3		pag. 113
A52944.HN.00	50	50		€ 4,309	F3		pag. 208
A52944.MR.00	50	50		€ 4,309	F3		pag. 113
A52944.MR.00	50	50		€ 4,309	F3		pag. 208

Code				€	DC		
A52944.MS.00	50	50		€ 4,309	F3		pag. 113
A52944.MS.00	50	50		€ 4,309	F3		pag. 208
A52944.MU.00	50	50		€ 4,309	F3		pag. 113
A52944.MU.00	50	50		€ 4,309	F3		pag. 208
A52945.00.01	20	20		€ 16,471	F3		pag. 111
A52945.00.01	20	20		€ 16,471	F3		pag. 206
A52950.01.00	1	1		€123,085	F3		pag. 209
A52950.02.00	1	1		€ 59,271	F3		pag. 209
A52950.10.00	1	1		€123,085	F3		pag. 209
A52952.01.00	100	100		€ 0,144	F3		pag. 204
A53202.19.01	50	1000		€ 1,026	F3		pag. 143
• A53202.BF.78	50	50		€ 1,900	F4		pag. 144
• A53202.BF.91	50	50		€ 1,900	F4		pag. 144
• A53202.BF.94	50	50		€ 1,900	F4		pag. 144
• A53202.DT.78	50	50		€ 2,095	F4		pag. 144
• A53202.DT.91	50	50		€ 2,095	F4		pag. 144
• A53202.DT.94	50	50		€ 2,095	F4		pag. 144
A53203.02.00	10	10		€ 3,502	F4		pag. 142
• A53204.01.44	10	10		€ 8,854	F4		pag. 144
A53204.01.91	10	10		€ 8,854	F4		pag. 144
A53204.01.94	10	10		€ 8,854	F4		pag. 144
A53204.02.91	5	50		€ 25,519	F4		pag. 144
A53204.02.94	5	50		€ 25,519	F4		pag. 144
A53204.03.06	10	10		€ 10,149	F4		pag. 145
A53204.05.91	10	50	v	€ 20,409	F4		pag. 144
A53204.05.94	10	50	v	€ 19,969	F3		pag. 144
A53204.06.91	10	10		€ 9,870	F3		pag. 145
A58811.15.01	20	20		€ 9,166	F3		pag. 74
A58811.15.02	20	20		€ 9,473	F3		pag. 74
A58811.15.03	20	20		€ 10,026	F3		pag. 74
A58811.15.04	20	20		€ 10,373	F3		pag. 74
A58811.15.05	20	20		€ 11,064	F3		pag. 74
A58811.15.06	20	20		€ 11,894	F3		pag. 74
A58811.15.07	20	20		€ 12,791	F3		pag. 74
A58811.15.08	10	10		€ 14,533	F3		pag. 74
A58811.15.09	10	10		€ 17,558	F3		pag. 74
A58811.15.10	10	10		€ 17,639	F3		pag. 74
A58811.15.17	20	20		€ 12,791	F3		pag. 74
C00640.00.03	100	1400		€ 0,478	B2		pag. 430
C00640.00.06	100	1400		€ 0,478	B2		pag. 430
C00640.00.99	100	1400		€ 0,977	B2		pag. 430
C00641.00.01	100	1400		€ 0,630	B2		pag. 430
C00641.00.06	100	1400		€ 0,944	B2		pag. 430
C00641.00.10	100	1400		€ 2,234	B2		pag. 430
C00641.00.34	100	1400		€ 2,320	B2		pag. 430
C27516.10.35	1	5		€ 82,597	B4		pag. 432
C27516.10.40	1	5		€ 84,471	B4		pag. 432
C27516.10.45	1	5		€ 86,341	B4		pag. 432
C27516.10.50	1	5		€ 88,212	B4		pag. 432
C27516.10.55	1	5		€ 90,084	B4		pag. 432
C27516.10.60	1	5		€ 91,957	B4		pag. 432
C27516.10.65	1	5		€ 93,821	B4		pag. 432
C27516.10.70	1	5		€100,376	B4		pag. 432
C27516.10.75	1	5		€106,934	B4		pag. 432
C34306.26.06	1	10		€ 13,688	B6		pag. 312
C54300.26.06	1	10		€ 13,148	B3		pag. 312
C64521.00.00	1	25		€ 3,421	E1		pag. 434
C64593.00.00	1	50		€ 3,421	E1		pag. 434
C67501.10.35	1	35		€ 24,761	B2		pag. 434
C67501.10.40	1	35		€ 26,303	B2		pag. 434
C67501.10.45	1	35		€ 27,843	B2		pag. 434
C67501.10.50	1	35		€ 29,386	B2		pag. 434
C67501.10.55	1	35		€ 30,929	B2		pag. 434
C67501.10.60	1	35		€ 32,468	B2		pag. 434
C67501.10.65	1	35		€ 34,011	B2		pag. 434
C67501.10.70	1	35		€ 40,565	B2		pag. 434
C67501.10.75	1	35		€ 47,122	B2		pag. 434
C67501.21.35	1	35		€ 24,761	B2		pag. 434
C67501.21.40	1	35		€ 26,303	B2		pag. 434
C67501.21.45	1	35		€ 27,843	B2		pag. 434
C67501.21.50	1	35		€ 29,386	B2		pag. 434
C67501.21.55	1	35		€ 30,929	B2		pag. 434
C67501.21.60	1	35		€ 32,468	B2		pag. 434
C67501.21.65	1	35		€ 34,011	B2		pag. 434
C67501.21.70	1	35		€ 40,565	B2		pag. 434
C67501.21.75	1	35		€ 47,122	B2		pag. 434
C67601.10.05	1	1		€ 17,600	B2		pag. 432
C67601.21.05	1	1		€ 17,600	B2		pag. 432
C94700.10.35	1	10		€ 46,671	B5		pag. 431
C94700.16.32	1	10		€ 45,266	B5		pag. 431
C94700.16.35	1	10		€ 46,671	B5		pag. 431
C94700.18.32	1	10		€ 45,266	B5		pag. 431
C94700.18.35	1	10		€ 46,671	B5		pag. 431
C97516.10.35	1	5		€ 61,186	B1		pag. 432
C97516.10.40	1	5		€ 62,571	B1		pag. 432
C97516.10.45	1	5		€ 63,960	B1		pag. 432
C97516.10.50	1	5		€ 65,345	B1		pag. 432
C97516.10.55	1	5		€ 66,729	B1		pag. 432
C97516.10.60	1	5		€ 68,117	B1		pag. 432
C97516.10.65	1	5		€ 69,498	B1		pag. 432
C97516.10.70	1	5		€ 76,052	B1		pag. 432
C97516.10.75	1	5		€ 82,608	B1		pag. 432

Code				€	DC		
C97516.21.35	1	5		€ 61,186	B1		pag. 432
C97516.21.40	1	5		€ 62,571	B1		pag. 432
C97516.21.45	1	5		€ 63,960	B1		pag. 432
C97516.21.50	1	5		€ 65,345	B1		pag. 432
C97516.21.55	1	5		€ 66,729	B1		pag. 432
C97516.21.60	1	5		€ 68,117	B1		pag. 432
C97516.21.65	1	5		€ 69,498	B1		pag. 432
C97516.21.70	1	5		€ 76,052	B1		pag. 432
C97516.21.75	1	5		€ 82,608	B1		pag. 432
CA7516.10.35	1	10		€ 35,379	B3		pag. 433
CA7516.10.40	1	10		€ 37,282	B3		pag. 433
CA7516.10.45	1	10		€ 39,180	B3		pag. 433
CA7516.10.50	1	10		€ 41,091	B3		pag. 433
CA7516.10.55	1	10		€ 42,997	B3		pag. 433
CA7516.10.60	1	10		€ 44,900	B3		pag. 433
CA7516.10.65	1	10		€ 46,874	B3		pag. 433
CA7516.10.70	1	10		€ 53,432	B3		pag. 433
CA7516.10.75	1	10		€ 59,987	B3		pag. 433
CA7516.10.80	1	10		€ 66,545	B3		pag. 433
CA7516.10.85	1	10		€ 73,099	B3		pag. 433
CA7516.21.35	1	10		€ 35,379	B3		pag. 433
CA7516.21.40	1	10		€ 37,282	B3		pag. 433
CA7516.21.45	1	10		€ 39,180	B3		pag. 433
CA7516.21.50	1	10		€ 41,091	B3		pag. 433
CA7516.21.55	1	10		€ 42,997	B3		pag. 433
CA7516.21.60	1	10		€ 44,900	B3		pag. 433
CA7516.21.65	1	10		€ 46,874	B3		pag. 433
CA7516.21.70	1	10		€ 53,432	B3		pag. 433
CA7516.21.75	1	10		€ 59,987	B3		pag. 433
CA7516.21.80	1	10		€ 66,545	B3		pag. 433
CA7516.21.85	1	10		€ 73,099	B3		pag. 433
CE7516.10.35	1	10		€ 51,578	B6		pag. 433
CE7516.10.40	1	10		€ 52,771	B6		pag. 433
CE7516.10.45	1	10		€ 53,963	B6		pag. 433
CE7516.10.50	1	10		€ 55,158	B6		pag. 433
CE7516.10.55	1	10		€ 56,355	B6		pag. 433
CE7516.10.60	1	10		€ 57,547	B6		pag. 433
CE7516.10.65	1	10		€ 58,741	B6		pag. 433
CE7516.10.70	1	10		€ 65,298	B6		pag. 433
CE7516.10.75	1	10		€ 71,853	B6		pag. 433
CE7516.10.80	1	10		€ 78,409	B6		pag. 433
CE7516.10.85	1	10		€ 84,964	B6		pag. 433
CE7516.10.90	1	10		€ 91,520	B6		pag. 433
CE7516.21.35	1	10		€ 51,578	B6		pag. 433
CE7516.21.40	1	10		€ 52,771	B6		pag. 433
CE7516.21.45	1	10		€ 53,963	B6		pag. 433
CE7516.21.50	1	10		€ 55,158	B6		pag. 433
CE7516.21.55	1	10		€ 56,355	B6		pag. 433
CE7516.21.60	1	10		€ 57,547	B6		pag. 433
CE7516.21.65	1	10		€ 58,741	B6		pag. 433
CE7516.21.70	1	10		€ 65,298	B6		pag. 433
CE7516.21.75	1	10		€ 71,853	B6		pag. 433
CE7516.21.80	1	10		€ 78,409	B6		pag. 433
CE7516.21.85	1	10		€ 84,964	B6		pag. 433
CE7516.21.90	1	10		€ 91,520	B6		pag. 433
E00155.16.04	12	48		€ 18,899	C3		pag. 481
E00164.08.01	12	12		€ 29,675	C3		pag. 483
E00164.08.02	12	12		€ 29,675	C3		pag. 483
E00164.10.01	12	12		€ 29,675	C3		pag. 483
E00164.10.02	12	12		€ 29,675	C3		pag. 483
E00164.40.01	12	12		€ 29,675	C3		pag. 483
E00164.40.02	12	12		€ 29,675	C3		pag. 483
E00200.14.01	10	10		€ 1,757	C2		pag. 488
E00200.17.01	10	70		€ 2,405	C2		pag. 488
E00200.20.01	10	60		€ 3,096	C2		pag. 488
E00201.14.01	10	100		€ 2,088	C2		pag. 488
E00201.17.01	10	70		€ 2,748	C2		pag. 488
E00201.20.01	10	60		€ 3,442	C2		pag. 488
E00202.14.01	10	100		€ 1,674	C2		pag. 488
E00202.17.01	10	70		€ 2,611	C2		pag. 488
E00202.20.01	10	60		€ 3,190	C2		pag. 488
E00203.06.01	12	240		€ 1,225	C2		pag. 489
E00203.08.01	12	168		€ 1,424	C2		pag. 489
E00203.10.01	12	120		€ 1,594	C2		pag. 489
E00203.12.01	12	120		€ 1,827	C2		pag. 489
E00203.14.01	12	60		€ 2,302	C2		pag. 489
E00203.17.01	12	72		€ 4,582	C2		pag. 489
E00203.20.01	12	60		€ 5,318	C2		pag. 489
E00204.06.01	12	240		€ 1,225	C2		pag. 489
E00204.08.01	12	168		€ 1,424	C2		pag. 489
E00204.10.01	12	120		€ 1,594	C2		pag. 489
E00204.12.01	12	120		€ 1,827	C2		pag. 489
E00204.14.01	12	60		€ 2,302	C2		pag. 489
E00204.17.01	12	72		€ 4,582	C2		pag. 489
E00204.20.01	12	60		€ 5,318	C2		pag. 489
E00205.08.01	20	320		€ 0,922	C2		pag. 488
E00205.10.01	20	240		€ 1,063	C2		pag. 488
E00205.12.01	20	160		€ 1,339	C2		pag. 488
E00205.14.01	20	120		€ 1,729	C2		pag. 488
E00206.06.01	20	160		€ 0,528	C2		pag. 489
E00206.08.01	20	320		€ 0,686	C2		pag. 489
E00206.10.01	20	240		€ 0,824	C2		pag. 489

Code				€	DC	
E00206.12.01	20	160		€ 1,087	C2	pag. 489
E00206.14.01	20	120		€ 1,472	C2	pag. 489
E00207.06.01	20	320		€ 0,909	C2	pag. 488
E00207.08.01	20	320		€ 0,977	C2	pag. 488
E00207.10.01	20	240		€ 1,060	C2	pag. 488
E00207.12.01	20	160		€ 1,297	C2	pag. 488
E00207.14.01	20	120		€ 1,462	C2	pag. 488
E00208.10.01	12	72		€ 4,512	C2	pag. 489
E00209.10.01	12	72		€ 5,963	C2	pag. 489
E00210.19.01	6	36		€ 6,725	C2	pag. 489
E00211.19.01	6	36		€ 8,300	C2	pag. 490
E00212.19.01	6	36		€ 7,709	C2	pag. 490
E00213.19.01	6	36		€ 10,824	C2	pag. 490
E00214.19.01	6	36		€ 8,002	C2	pag. 490
E00215.19.01	6	36		€ 11,061	C2	pag. 491
E00500.00.14	50	50		€ 2,094	C3	pag. 484
E00500.00.21	50	50		€ 2,094	C3	pag. 484
E00500.00.50	50	50		€ 1,871	C3	pag. 484
E00500.00.91	50	50		€ 0,675	C3	pag. 484
E00500.00.93	50	50		€ 0,675	C3	pag. 484
E00500.00.94	50	50		€ 0,675	C3	pag. 484
E00500.00.98	50	50		€ 2,094	C3	pag. 484
E00500.13.03	50	200		€ 1,207	C3	pag. 481
E00500.13.04	50	200		€ 0,968	C3	pag. 481
E00500.13.91	50	200		€ 1,446	C3	pag. 481
E00500.13.94	50	200		€ 1,446	C3	pag. 481
E00500.15.03	50	200		€ 1,512	C3	pag. 481
E00500.15.04	50	200		€ 1,376	C3	pag. 481
E00500.15.05	50	200		€ 1,376	C3	pag. 481
E00500.15.91	50	200		€ 1,895	C3	pag. 481
E00500.15.94	50	200		€ 1,895	C3	pag. 481
E00501.13.91	50	200		€ 1,446	C3	pag. 481
E00501.13.94	50	200		€ 1,446	C3	pag. 481
E00501.15.04	50	200		€ 1,376	C3	pag. 481
E00501.15.05	50	200		€ 1,376	C3	pag. 481
E00501.15.09	50	200		€ 1,815	C3	pag. 481
E00501.15.91	50	200		€ 1,895	C3	pag. 481
E00501.15.94	50	200		€ 1,895	C3	pag. 481
E00502.15.04	50	200		€ 1,512	C3	pag. 482
E00502.15.05	50	200		€ 1,512	C3	pag. 482
E00502.15.91	50	200		€ 1,996	C3	pag. 482
E00502.15.93	50	200		€ 1,996	C3	pag. 482
E00502.15.94	50	200		€ 1,996	C3	pag. 482
E00510.14.91	50	200		€ 2,951	C3	pag. 482
E00510.14.94	50	200		€ 2,951	C3	pag. 482
E00512.13.91	50	200		€ 2,719	C3	pag. 482
E00512.13.94	50	200		€ 2,719	C3	pag. 482
E00513.13.91	50	200		€ 2,719	C3	pag. 482
E00513.13.94	50	200		€ 2,719	C3	pag. 482
E00514.14.91	50	200		€ 2,951	C3	pag. 482
E00514.14.94	50	200		€ 2,951	C3	pag. 482
E01155.16.14	12	120		€ 4,823	C3	pag. 484
E01155.16.21	12	120		€ 4,823	C3	pag. 484
E01155.16.50	12	120		€ 4,823	C3	pag. 484
E01155.16.91	12	120		€ 2,691	C3	pag. 484
E01155.16.94	12	120		€ 2,691	C3	pag. 484
E01155.16.98	12	120		€ 4,823	C3	pag. 484
E01158.15.91	12	48		€ 0,547	C3	pag. 485
E01158.50.91	12	48		€ 0,547	C3	pag. 485
E01164.01.14	12	120		€ 4,160	C3	pag. 484
E01164.01.21	12	120		€ 4,160	C3	pag. 484
E01164.01.23	12	120		€ 3,698	C3	pag. 484
E01164.01.36	12	120		€ 3,698	C3	pag. 484
E01164.01.50	12	120		€ 3,698	C3	pag. 484
E01164.01.91	12	120		€ 2,076	C3	pag. 484
E01164.01.94	12	120		€ 2,076	C3	pag. 484
E01164.02.14	12	120		€ 4,160	C3	pag. 484
E01164.02.21	12	120		€ 4,160	C3	pag. 484
E01164.02.23	12	120		€ 3,698	C3	pag. 484
E01164.02.36	12	120		€ 3,698	C3	pag. 484
E01164.02.50	12	120		€ 3,698	C3	pag. 484
E01164.02.91	12	120		€ 2,076	C3	pag. 484
E01164.02.94	12	120		€ 2,076	C3	pag. 484
E01500.00.01	1	1		€ 56,427	C3	pag. 486
E01500.00.02	1	1		€ 29,561	C3	pag. 486
E01500.00.03	1	1		€ 29,561	C3	pag. 486
E01500.00.04	1	1		€ 62,181	C3	pag. 486
E01500.00.05	1	1		€264,829	C3	pag. 485
E01500.00.06	1	1		€ 77,532	C3	pag. 485
E01500.00.06	1	1		€ 77,532	C3	pag. 485
E01500.00.07	1	1		€ 44,913	C3	pag. 485
E01500.00.08	1	1		€ 62,181	C3	pag. 486
E01500.00.09	1	1		€ 56,427	C3	pag. 486
E01500.00.10	1	1		€264,829	C3	pag. 485
E01500.00.11	1	1		€ 44,913	C3	pag. 485
E05101.01.75	1	20		€ 50,968	C4	pag. 478
E05101.01.88	1	20		€ 50,968	C4	pag. 478
E05101.01.91	1	20		€ 48,166	C4	pag. 478
E05101.01.93	1	20		€ 50,968	C4	pag. 478
E05101.01.F3	1	20		€ 48,166	C4	pag. 478
E05101.04.75	1	20		€ 50,018	C4	pag. 478
E05101.04.88	1	20		€ 50,018	C4	pag. 478

Code				€	DC	
E05101.04.91	1	20		€ 47,267	C4	pag. 478
E05101.04.93	1	20		€ 50,018	C4	pag. 478
E05101.04.F3	1	20		€ 47,267	C4	pag. 478
E05101.05.75	1	20		€ 50,018	C4	pag. 478
E05101.05.88	1	20		€ 50,018	C4	pag. 478
E05101.05.91	1	20		€ 47,267	C4	pag. 478
E05101.05.93	1	20		€ 50,018	C4	pag. 478
E05101.05.F3	1	20		€ 47,267	C4	pag. 478
E05102.02.75	1	20		€ 41,124	C4	pag. 479
E05102.02.88	1	20		€ 41,124	C4	pag. 479
E05102.02.91	1	20		€ 38,167	C4	pag. 479
E05102.02.93	1	20		€ 41,124	C4	pag. 479
E05102.02.F3	1	20		€ 38,167	C4	pag. 479
E05102.03.75	1	20		€ 41,124	C4	pag. 479
E05102.03.88	1	20		€ 41,124	C4	pag. 479
E05102.03.91	1	20		€ 38,167	C4	pag. 479
E05102.03.93	1	20		€ 41,124	C4	pag. 479
E05102.03.F3	1	20		€ 38,167	C4	pag. 479
E05103.02.75	1	25		€ 51,540	C4	pag. 479
E05103.02.88	1	25		€ 51,540	C4	pag. 479
E05103.02.91	1	25		€ 48,587	C4	pag. 479
E05103.02.93	1	25		€ 51,540	C4	pag. 479
E05103.02.F3	1	25		€ 48,587	C4	pag. 479
E05103.03.75	1	20		€ 51,540	C4	pag. 479
E05103.03.88	1	20		€ 51,540	C4	pag. 479
E05103.03.91	1	20		€ 48,587	C4	pag. 479
E05103.03.93	1	20		€ 51,540	C4	pag. 479
E05103.03.F3	1	20		€ 48,587	C4	pag. 479
E05201.00.00	1	1		€129,366	C4	pag. 479
E05202.00.00	1	1		€102,427	C4	pag. 479
E05301.00.00	1	1		€233,288	C4	pag. 479
E05302.00.00	1	1		€150,959	C4	pag. 480
E05303.00.00	1	1		€187,711	C4	pag. 480
E05304.00.00	1	1		€187,711	C4	pag. 480
E11162.14.06	24	480		€ 1,234	C3	pag. 484
E11162.14.14	24	480		€ 1,234	C3	pag. 484
E11162.14.21	24	480		€ 1,234	C3	pag. 484
E11162.14.23	24	480		€ 1,234	C3	pag. 484
E11162.14.36	24	480		€ 1,160	C3	pag. 484
E11162.14.50	24	480		€ 1,160	C3	pag. 484
E11162.14.91	24	480		€ 0,736	C3	pag. 484
E11162.14.94	24	480		€ 0,736	C3	pag. 484
E11162.14.98	24	480		€ 1,234	C3	pag. 484
E40164.08.01	12	12		€ 29,675	C3	pag. 483
E40164.08.02	12	12		€ 29,675	C3	pag. 483
E40164.10.01	12	12		€ 29,675	C3	pag. 483
E40164.10.02	12	12		€ 29,675	C3	pag. 483
E41159.08.01	12	48		€ 10,505	C3	pag. 483
E41159.08.02	12	48		€ 10,505	C3	pag. 483
E41159.08.03	12	48		€ 10,505	C3	pag. 483
E41159.08.04	12	48		€ 10,505	C3	pag. 483
E41159.10.01	12	48		€ 10,505	C3	pag. 483
E41159.10.02	12	48		€ 10,505	C3	pag. 483
E41159.10.03	12	48		€ 10,505	C3	pag. 483
E41159.10.04	12	48		€ 10,505	C3	pag. 483
E41160.08.01	12	48		€ 10,505	C3	pag. 483
E41160.08.02	12	48		€ 10,505	C3	pag. 483
E41160.08.03	12	48		€ 10,505	C3	pag. 483
E41160.08.04	12	48		€ 10,505	C3	pag. 483
E41160.10.01	12	48		€ 10,505	C3	pag. 483
E41160.10.02	12	48		€ 10,505	C3	pag. 483
E41160.10.03	12	48		€ 10,505	C3	pag. 483
E41160.10.04	12	48		€ 10,505	C3	pag. 483
F01696.00.93	50	500		€ 3,068	G2	pag. 255
F01696.00.93	50	500		€ 3,068	G2	pag. 420
F01696.00.93	50	500		€ 3,068	G2	pag. 439
F85005.04.15	50	500		€ 1,593	G2	pag. 254
F850CR.03.15	20	200		€ 10,389	G2	pag. 249
F850CR.05.15	20	20		€ 4,599	G2	pag. 254
F850CR.28.15	20	20		€ 9,514	G2	pag. 252
F850MR.04.15	50	500		€ 4,599	G2	pag. 254
F85119.11.15	20	20	v	€ 43,081	G2	pag. 245
F85120.11.15	20	20	v	€ 43,081	G2	pag. 245
F85122.11.15	20	20	v	€ 43,081	G2	pag. 245
F85124.11.15	20	20	v	€ 43,081	G2	pag. 245
F851CP.11.15	20	20	v	€ 43,081	G2	pag. 245
F851DT.11.15	20	20	v	€ 43,081	G2	pag. 245
F85219.11.15	20	20	v	€ 43,081	G2	pag. 245
F85220.11.15	20	20	v	€ 43,081	G2	pag. 245
F85222.11.15	20	20	v	€ 43,081	G2	pag. 245
F85224.11.15	20	20	v	€ 43,081	G2	pag. 245
F852CP.11.15	20	20	v	€ 43,081	G2	pag. 245
F852DT.11.15	20	20	v	€ 43,081	G2	pag. 245
F860BF.00.15	50	50		€ 17,690	G2	pag. 253
F860BF.00.93	50	50		€ 17,690	G2	pag. 253
F860BF.04.15	50	50		€ 17,690	G2	pag. 254
F860BF.04.93	50	50		€ 17,690	G2	pag. 254
F860FH.00.15	50	50		€ 17,690	G2	pag. 253
F860FH.00.15	50	50		€ 17,690	G2	pag. 253
F860FM.04.15	50	50		€ 1,735	G2	pag. 254
F860GD.04.15	50	50		€ 17,690	G2	pag. 254
F860GP.04.15	50	50		€ 1,735	G2	pag. 254

Code				€	DC	
F860ME.04.15	50	50		€ 1,724	G2	pag. 254
F860MH.04.15	50	50		€ 17,690	G2	pag. 254
FT8930.05.15	20	20		€ 10,931	G2	pag. 257
FT8930.CR.15	20	20		€ 10,931	G2	pag. 257
FX0100.00.00	10	10		€ 0,900	G4	pag. 142
G00204.00.86	1	1		€ 4,962	H1	pag. 308
G00204.00.91	1	1		€ 4,962	H1	pag. 308
G00204.00.93	1	1		€ 4,962	H1	pag. 308
G00204.AL.86	1	1		€ 4,962	H1	pag. 308
G00204.AL.91	1	1		€ 4,962	H1	pag. 308
G00204.AL.93	1	1		€ 4,962	H1	pag. 308
G00206.00.86	1	1		€ 13,712	H1	pag. 308
G00206.00.93	1	1		€ 13,712	H1	pag. 308
G00207.00.93	1	1		€ 9,765	H1	pag. 308
G0020B.DX.86	1	1		€ 53,765	H1	pag. 305
G0020B.SX.86	1	1		€ 53,765	H1	pag. 305
G0020F.00.86	1	1		€ 68,117	H1	pag. 305
G002BA.10.86	1	1		€ 51,616	H1	pag. 303
G002BA.10.86	1	1		€ 51,616	H1	pag. 303
G002BA.12.86	1	1		€ 90,750	H1	pag. 303
G002BA.12.86	1	1		€ 90,750	H1	pag. 303
G002DV.10.86	1	1		€ 76,260	H1	pag. 303
G002DV.12.86	1	1		€138,660	H1	pag. 303
G002EM.10.86	1	1		€ 27,617	H1	pag. 304
G002EM.12.86	1	1		€ 41,818	H1	pag. 304
G002ER.10.86	1	1		€ 30,067	H1	pag. 304
G002ER.10.86	1	1		€ 30,067	H1	pag. 304
G002ER.12.86	1	1		€ 46,717	H1	pag. 304
G002ER.12.86	1	1		€ 46,717	H1	pag. 304
G002GE.10.86	1	1		€ 82,995	H1	pag. 303
G002GE.12.86	1	1		€151,756	H1	pag. 303
G002GF.10.86	1	1		€ 36,395	H1	pag. 303
G002GF.10.86	1	1		€ 36,395	H1	pag. 304
G002GF.10.86	1	1		€ 36,395	H1	pag. 304
G002GF.10.86	1	1		€ 36,395	H1	pag. 304
G002GF.10.86	1	1		€ 36,395	H1	pag. 304
G002GF.10.86	1	1		€ 36,395	H1	pag. 304
G002GF.12.86	1	1		€ 60,716	H1	pag. 303
G002GF.12.86	1	1		€ 60,716	H1	pag. 304
G002GF.12.86	1	1		€ 60,716	H1	pag. 304
G002GF.12.86	1	1		€ 60,716	H1	pag. 304
G002GF.12.86	1	1		€ 60,716	H1	pag. 304
G002GF.12.86	1	1		€ 60,716	H1	pag. 304
G002GR.10.86	1	1		€ 29,538	H1	pag. 304
G002GR.12.86	1	1		€ 46,717	H1	pag. 304
G002HP.10.86	1	1		€ 27,617	H1	pag. 303
G002HP.12.86	1	1		€ 41,818	H1	pag. 303
G002HP.20.86	1	1		€ 29,472	H1	pag. 303
G002HP.22.86	1	1		€ 43,262	H1	pag. 303
G002HU.10.86	1	1		€ 36,395	H1	pag. 303
G002HU.12.86	1	1		€ 60,716	H1	pag. 303
G002NA.20.86	1	1		€ 37,092	H1	pag. 305
G002NA.21.86	1	1		€ 37,092	H1	pag. 305
G002NA.22.86	1	1		€ 73,218	H1	pag. 305
G00728.00.07	500	500	v	€ 1,679	H1	pag. 308
G00728.00.35	200	200	v	€ 1,693	H1	pag. 308
G00728.00.86	500	500	v	€ 2,464	H1	pag. 308
G00728.01.31	25	25		€ 1,302	H1	pag. 307
G00728.10.15	20	200	v	€ 4,822	H1	pag. 290
G00728.10.15	20	200	v	€ 4,822	H1	pag. 290
G00733.06.00	20	20		€ 0,717	H1	pag. 307
G00738.01.01	2	2	v	€ 26,095	H1	pag. 307
G00738.01.02	2	2	v	€ 26,972	H1	pag. 307
G00738.02.01	2	2	v	€ 33,649	H1	pag. 307
G00738.02.02	2	2	v	€ 35,397	H1	pag. 307
G00738.03.01	2	2	v	€ 49,754	H1	pag. 307
G00738.03.02	2	2	v	€ 52,377	H1	pag. 307
G00751.00.16	20	200		€ 13,069	H1	pag. 466
G00751.00.18	20	200		€ 15,021	H1	pag. 466
G00752.00.01	10	10	v	€ 21,292	H1	pag. 312
G00752.00.02	10	10	v	€ 23,787	H1	pag. 312
G00753.00.10	5	5	v	€ 27,283	H1	pag. 312
G00758.02.DX	2	2		€ 56,990	H1	pag. 293
G00759.04.15	1	1		€ 7,008	H1	pag. 290
G00811.47.00	1	1		€ 1,919	H1	pag. 305
G00811.57.00	1	1		€ 1,919	H1	pag. 305
G00901.BA.15	1	20		€ 6,195	H1	pag. 290
G00901.EC.15	1	20		€ 6,412	H1	pag. 290
G00903.CT.15	1	20		€ 9,115	H1	pag. 290
G00903.EC.15	1	20		€ 7,656	H1	pag. 290
G00913.00.00	20	200	v	€ 4,045	H1	pag. 284
G00913.01.00	20	200	v	€ 4,045	H1	pag. 284
G00913.02.00	20	200	v	€ 4,045	H1	pag. 284
G00913.03.00	20	200	v	€ 4,045	H1	pag. 284
G00913.04.00	20	200	v	€ 4,045	H1	pag. 284
G00913.05.00	20	200	v	€ 4,045	H1	pag. 284
G00913.06.00	20	200	v	€ 4,045	H1	pag. 284
G00913.07.00	20	200	v	€ 4,045	H1	pag. 284
G00913.08.00	20	200	v	€ 4,045	H1	pag. 284
G00913.09.00	20	200	v	€ 4,045	H1	pag. 284
G00913.10.00	20	200	v	€ 4,045	H1	pag. 284
G00913.11.00	20	200	v	€ 4,045	H1	pag. 284

	Code				€	DC	
	G00913.12.00	20	200	v	€ 4,045	H1	pag. 284
	G00915.00.00	20	200	v	€ 17,542	H1	pag. 284
	G00915.01.00	20	200	v	€ 17,542	H1	pag. 284
	G00915.02.00	20	200	v	€ 17,542	H1	pag. 284
	G00915.03.00	20	200	v	€ 17,542	H1	pag. 284
	G00915.04.00	20	200	v	€ 17,542	H1	pag. 284
	G00915.05.00	20	200	v	€ 17,542	H1	pag. 284
	G00915.06.00	20	200	v	€ 17,542	H1	pag. 284
	G00915.07.00	20	200	v	€ 17,542	H1	pag. 284
	G00915.08.00	20	200	v	€ 17,542	H1	pag. 284
	G00915.09.00	20	200	v	€ 17,542	H1	pag. 284
	G00915.10.00	20	200	v	€ 17,542	H1	pag. 284
	G00915.11.00	20	200	v	€ 17,542	H1	pag. 284
	G00915.12.00	20	200	v	€ 17,542	H1	pag. 284
	G00916.00.00	50	50		€ 1,504	H1	pag. 284
	G00917.00.00	1	20		€ 6,154	H1	pag. 284
	G01212.01.00	1	1		€ 97,388	H1	pag. 297
	G01212.02.00	1	1		€125,389	H1	pag. 297
	G01212.03.00	1	1		€154,324	H1	pag. 297
	G01212.04.00	1	1		€200,105	H1	pag. 297
	G01212.14.00	1	1		€228,365	H1	pag. 297
	G01300.01.86	1	1		€ 85,485	H1	pag. 298
	G01300.13.86	1	1		€ 71,979	H1	pag. 298
	G01300.21.86	1	1		€ 50,438	H1	pag. 298
	G01300.22.86	1	1		€ 61,355	H1	pag. 298
	G01301.01.86	1	1		€ 45,204	H1	pag. 297
	G01301.01.86	1	1		€ 45,204	H1	pag. 298
	G01301.13.86	1	1		€ 37,511	H1	pag. 297
	G01301.13.86	1	1		€ 37,511	H1	pag. 298
	G01301.21.86	1	1		€ 27,458	H1	pag. 297
	G01301.21.86	1	1		€ 27,458	H1	pag. 298
	G01301.22.86	1	1		€ 32,627	H1	pag. 297
	G01301.22.86	1	1		€ 32,627	H1	pag. 298
	G01310.02.86	1	1		€ 27,343	H1	pag. 300
	G01310.04.86	1	1		€ 38,057	H1	pag. 300
	G01311.02.86	1	1		€ 29,778	H1	pag. 300
	G01311.04.86	1	1		€ 41,268	H1	pag. 300
	G01330.01.01	1	1		€ 18,268	H1	pag. 297
	G01330.01.01	1	1		€ 18,268	H1	pag. 299
	G01330.02.01	1	1		€ 23,887	H1	pag. 299
	G01330.03.01	1	1		€ 29,388	H1	pag. 299
	G01330.04.01	1	1		€ 34,952	H1	pag. 299
	G01330.11.01	1	1		€ 15,434	H1	pag. 297
	G01330.11.01	1	1		€ 15,434	H1	pag. 299
	G01330.21.01	1	1		€ 9,592	H1	pag. 297
	G01330.21.01	1	1		€ 9,592	H1	pag. 299
	G01330.22.01	1	1		€ 12,544	H1	pag. 297
	G01330.22.01	1	1		€ 12,544	H1	pag. 299
	G01336.01.01	1	1		€ 51,057	H1	pag. 298
	G01336.02.01	1	1		€ 59,973	H1	pag. 298
	G01336.04.01	1	1		€ 79,267	H1	pag. 298
	G01336.11.01	1	1		€ 42,194	H1	pag. 298
	G01336.13.01	1	1		€ 69,328	H1	pag. 298
	G01336.21.01	1	1		€ 24,399	H1	pag. 298
	G01336.22.01	1	1		€ 33,185	H1	pag. 298
	G01351.01.86	1	1		€ 29,786	H1	pag. 299
	G01351.02.86	1	1		€ 35,650	H1	pag. 299
	G01351.03.86	1	1		€ 41,622	H1	pag. 299
	G01351.04.86	1	1		€ 47,701	H1	pag. 299
	G01352.01.86	1	1		€ 58,019	H1	pag. 299
	G01352.02.86	1	1		€ 70,238	H1	pag. 299
	G01352.03.86	1	1		€ 81,749	H1	pag. 299
	G01352.04.86	1	1		€ 93,962	H1	pag. 299
	G01365.02.86	1	1		€ 34,251	H1	pag. 300
	G01365.04.86	1	1		€ 44,964	H1	pag. 300
	G01367.02.86	1	1		€ 34,251	H1	pag. 300
	G01367.04.86	1	1		€ 44,964	H1	pag. 300
	G01368.01.01	1	1		€ 48,320	H1	pag. 293
	G01368.02.01	1	1		€ 61,751	H1	pag. 293
	G01368.03.01	1	1		€ 73,423	H1	pag. 293
	G01368.04.01	1	1		€ 86,474	H1	pag. 293
	G01368.05.01	1	1		€102,777	H1	pag. 293
	G01370.02.86	1	1		€ 28,517	H1	pag. 300
	G01370.04.86	1	1		€ 39,735	H1	pag. 300
	G01371.02.86	1	1		€ 34,260	H1	pag. 300
	G01371.04.86	1	1		€ 44,964	H1	pag. 300
	G01413.12.0B	110	110	v	€ 16,163	H1	pag. 305
	G01413.12.GE	4	132		€ 17,780	H1	pag. 305
	G01413.12.GF	187	187	v	€ 12,325	H1	pag. 305
	G01413.12.HU	132	132	v	€ 16,163	H1	pag. 305
	G01413.12.MY	1	1		€ 16,967	H1	pag. 305
	G01413.12.NA	1	1		€ 16,163	H1	pag. 305
	G01413.12.SE	1	1		€ 16,163	H1	pag. 305
	G01437.00.86	20	200	v	€ 3,159	H1	pag. 280
	G01437.DN.86	20	200	v	€ 3,159	H1	pag. 280
●	G01489.04.01	2	2		€ 40,345	H1	pag. 301
●	G01490.01.86	20	20		€ 8,071	H1	pag. 301
●	G01490.02.86	20	20		€ 8,071	H1	pag. 301
●	G01490.02.86	20	20		€ 8,071	H1	pag. 301
●	G01490.03.86	20	20		€ 8,071	H1	pag. 301
●	G01490.07.86	20	20		€ 5,186	H1	pag. 301
●	G01490.08.86	20	20		€ 5,186	H1	pag. 301

	Code				€	DC	
●	G01491.51.86	20	20		€ 8,071	H1	pag. 301
●	G01491.51.86	20	20		€ 8,071	H1	pag. 301
●	G01491.52.86	20	20		€ 8,071	H1	pag. 301
●	G01491.53.86	20	20		€ 8,071	H1	pag. 301
●	G01491.53.86	20	20		€ 8,071	H1	pag. 301
●	G01491.53.86	20	20		€ 8,071	H1	pag. 301
●	G01491.53.86	20	20		€ 8,071	H1	pag. 301
●	G01491.54.86	20	20		€ 5,186	H1	pag. 301
●	G01491.54.86	20	20		€ 5,186	H1	pag. 301
●	G01491.55.86	20	20		€ 5,186	H1	pag. 301
●	G01491.55.86	20	20		€ 5,186	H1	pag. 301
●	G01491.55.86	20	20		€ 5,186	H1	pag. 301
●	G01491.58.86	20	20		€ 5,186	H1	pag. 301
●	G01491.59.86	20	20		€ 5,186	H1	pag. 301
	G01496.MC.01	20	20		€ 4,269	H1	pag. 293
	G014AZ.11.86	1	1		€ 68,746	H1	pag. 296
	G014BA.11.86	1	1		€ 68,746	H1	pag. 296
	G014DV.10.86	1	1		€ 38,240	H1	pag. 296
	G014EH.11.86	1	1		€ 68,746	H1	pag. 296
	G014EM.11.86	1	1		€ 68,746	H1	pag. 296
	G014ER.10.86	1	1		€ 38,240	H1	pag. 296
	G014GE.11.86	1	1		€ 68,746	H1	pag. 296
	G014GF.10.86	1	1		€ 38,240	H1	pag. 296
	G014GR.10.86	1	1		€ 38,240	H1	pag. 296
	G014HP.11.86	1	1		€ 68,746	H1	pag. 296
	G014HU.11.86	1	1		€ 68,746	H1	pag. 296
	G014MB.11.86	1	1		€ 68,746	H1	pag. 296
	G014MC.11.86	1	1		€ 68,746	H1	pag. 296
	G014MY.11.86	1	1		€ 68,746	H1	pag. 296
●	G014NA.10.86	1	1		€ 38,240	H1	pag. 296
	G01611.00.00	10	100	v	€ 7,130	H1	pag. 291
	G01611.00.00	10	100	v	€ 7,130	H1	pag. 292
	G01622.10.01	1	10		€ 71,432	H1	pag. 309
	G01728.00.27	1	1		€ 13,866	H1	pag. 307
	G01734.01.01	2	2	v	€ 38,752	H1	pag. 293
	G01734.01.02	2	2	v	€ 40,836	H1	pag. 293
	G01734.02.01	2	2	v	€ 51,004	H1	pag. 293
	G01734.02.02	2	2	v	€ 53,842	H1	pag. 293
	G01734.03.01	2	2	v	€ 63,739	H1	pag. 293
	G01734.03.02	2	2	v	€ 67,270	H1	pag. 293
	G01734.04.01	2	2	v	€ 75,922	H1	pag. 293
	G01734.04.02	2	2	v	€ 80,156	H1	pag. 293
	G01739.01.01	2	2	v	€ 33,185	H1	pag. 293
	G01739.01.02	2	2	v	€ 34,920	H1	pag. 293
	G01739.02.01	2	2	v	€ 43,593	H1	pag. 293
	G01739.02.02	2	2	v	€ 45,902	H1	pag. 293
	G01739.03.01	2	2	v	€ 54,275	H1	pag. 293
	G01739.03.02	2	2	v	€ 57,167	H1	pag. 293
	G01739.04.01	2	2	v	€ 64,847	H1	pag. 293
	G01739.04.02	2	2	v	€ 68,257	H1	pag. 293
	G01741.01.01	1	1		€131,745	H1	pag. 306
	G01741.01.01	1	1		€131,745	H1	pag. 316
	G01741.01.02	1	1		€138,162	H1	pag. 306
	G01741.01.02	1	1		€138,162	H1	pag. 316
	G01741.02.01	1	1		€175,131	H1	pag. 306
	G01741.02.01	1	1		€175,131	H1	pag. 316
	G01741.02.02	1	1		€183,747	H1	pag. 306
	G01741.02.02	1	1		€183,747	H1	pag. 316
	G01741.03.01	1	1		€218,519	H1	pag. 306
	G01741.03.01	1	1		€218,519	H1	pag. 316
	G01741.03.02	1	1		€229,273	H1	pag. 306
	G01741.03.02	1	1		€229,273	H1	pag. 316
	G01741.04.01	1	1		€261,906	H1	pag. 306
	G01741.04.01	1	1		€261,906	H1	pag. 316
	G01741.04.02	1	1		€274,799	H1	pag. 306
	G01741.04.02	1	1		€274,799	H1	pag. 316
	G01743.01.01	2	2	v	€ 70,675	H1	pag. 306
	G01743.01.01	2	2	v	€ 70,675	H1	pag. 316
	G01743.01.02	2	2	v	€ 72,625	H1	pag. 306
	G01743.01.02	2	2	v	€ 72,625	H1	pag. 316
	G01743.02.01	2	2	v	€ 93,648	H1	pag. 306
	G01743.02.01	2	2	v	€ 93,648	H1	pag. 316
	G01743.02.02	2	2	v	€ 96,311	H1	pag. 306
	G01743.02.02	2	2	v	€ 96,311	H1	pag. 316
	G01743.03.01	2	2	v	€116,695	H1	pag. 306
	G01743.03.01	2	2	v	€116,695	H1	pag. 316
	G01743.03.02	2	2	v	€119,988	H1	pag. 306
	G01743.03.02	2	2	v	€119,988	H1	pag. 316
	G01743.04.01	2	2	v	€139,682	H1	pag. 306
	G01743.04.01	2	2	v	€139,682	H1	pag. 316
	G01743.04.02	2	2	v	€143,672	H1	pag. 306
	G01743.04.02	2	2	v	€143,672	H1	pag. 316
	G01809.10.00	50	300		€ 0,235	F3	pag. 75
	G01809.10.00	50	300		€ 0,235	F3	pag. 367
	G01809.10.00	50	300		€ 0,235	F3	pag. 397
●	G01811.20.02	1	1		€ 10,136	H1	pag. 302
●	G01811.21.02	1	1		€ 12,171	H1	pag. 302
	G02002.16.00	5	5		€ 1,895	H1	pag. 279
	G020NA.00.87	1	1		€ 0,788	H1	pag. 305
	G02103.EU.00	100	100		€ 1,588	H1	pag. 315
	G02103.FY.00	100	100		€ 0,867	H1	pag. 315
	G02103.GH.00	100	100		€ 0,867	H1	pag. 315

	Code				€	DC	
	G02111.AZ.01	20	20		€ 28,023	H1	pag. 291
	G02111.AZ.01	20	20		€ 28,023	H1	pag. 291
	G02111.AZ.01	20	20		€ 28,023	H1	pag. 292
	G02111.AZ.01	20	20		€ 28,023	H1	pag. 292
	G02111.AZ.01	20	20		€ 28,023	H1	pag. 292
	G02111.BA.01	20	20		€ 28,023	H1	pag. 291
	G02111.BA.01	20	20		€ 28,023	H1	pag. 292
	G02111.BA.01	20	20		€ 28,023	H1	pag. 292
	G02111.BA.01	20	20		€ 28,023	H1	pag. 292
	G02111.BA.01	20	20		€ 28,023	H1	pag. 292
	G02111.BA.01	20	20		€ 28,023	H1	pag. 292
	G02111.EH.02	20	20		€ 28,023	H1	pag. 291
	G02111.EM.01	20	20		€ 28,023	H1	pag. 291
	G02111.EM.01	20	20		€ 28,023	H1	pag. 292
	G02111.ER.02	20	20		€ 28,023	H1	pag. 291
	G02111.ER.02	20	20		€ 28,023	H1	pag. 291
	G02111.ER.02	20	20		€ 28,023	H1	pag. 291
	G02111.ER.02	20	20		€ 28,023	H1	pag. 292
	G02111.ER.02	20	20		€ 28,023	H1	pag. 292
	G02111.ER.02	20	20		€ 28,023	H1	pag. 292
	G02111.ER.02	20	20		€ 28,023	H1	pag. 292
	G02111.ET.01	20	20		€ 28,023	H1	pag. 291
	G02111.ET.01	20	20		€ 28,023	H1	pag. 291
	G02111.ET.01	20	20		€ 28,023	H1	pag. 292
	G02111.ET.01	20	20		€ 28,023	H1	pag. 292
	G02111.HP.01	20	20		€ 28,023	H1	pag. 291
	G02111.HP.02	20	20		€ 28,023	H1	pag. 292
	G02111.HU.01	20	20		€ 28,023	H1	pag. 291
	G02111.HU.01	20	20		€ 28,023	H1	pag. 291
	G02111.HU.01	20	20		€ 28,023	H1	pag. 291
	G02111.HU.01	20	20		€ 28,023	H1	pag. 291
	G02111.HU.01	20	20		€ 28,023	H1	pag. 292
	G02111.MB.01	20	20		€ 28,023	H1	pag. 291
	G02111.MC.02	1	1		€ 28,022	H1	pag. 291
	G02111.MC.02	1	1		€ 28,022	H1	pag. 291
	G02111.MC.02	1	1		€ 28,022	H1	pag. 292
	G02111.MC.02	1	1		€ 28,022	H1	pag. 292
	G02111.MC.02	1	1		€ 28,022	H1	pag. 292
	G02111.MC.02	1	1		€ 28,022	H1	pag. 292
	G02111.NA.01	20	20		€ 28,023	H1	pag. 291
	G02111.NA.01	20	20		€ 28,023	H1	pag. 292
	G02121.05.93	20	20		€ 8,123	H1	pag. 283
	G02121.07.93	20	20		€ 8,123	H1	pag. 283
	G02121.08.93	20	20		€ 8,123	H1	pag. 283
	G02121.10.93	20	20		€ 8,123	H1	pag. 283
	G02121.11.93	20	20		€ 8,123	H1	pag. 283
	G02121.12.93	20	20		€ 8,123	H1	pag. 283
	G02121.13.93	20	20		€ 8,123	H1	pag. 283
	G02121.14.93	20	20		€ 8,123	H1	pag. 283
	G02121.15.93	20	20		€ 8,123	H1	pag. 283
	G02121.16.93	20	20		€ 8,123	H1	pag. 283
●	G02121.17.93	20	20		€ 8,122	H1	pag. 283
	G02121.18.93	20	20		€ 8,123	H1	pag. 283
	G02121.19.93	20	20		€ 8,123	H1	pag. 283
	G02121.20.93	20	20		€ 8,123	H1	pag. 283
	G02121.21.93	20	20		€ 8,123	H1	pag. 283
	G02121.22.93	20	20		€ 8,123	H1	pag. 283
	G02121.23.93	20	20		€ 8,123	H1	pag. 283
	G02121.25.93	20	20		€ 8,123	H1	pag. 283
	G02121.30.93	20	20		€ 8,123	H1	pag. 283
	G02121.32.93	20	20		€ 8,123	H1	pag. 283
	G02123.06.93	10	10		€ 8,123	H1	pag. 283
	G02123.08.93	10	10		€ 8,123	H1	pag. 283
	G02123.10.93	10	10		€ 8,123	H1	pag. 283
	G02123.11.93	10	10		€ 8,123	H1	pag. 283
	G02123.12.93	10	10		€ 8,123	H1	pag. 283
	G02123.13.93	10	10		€ 8,123	H1	pag. 283
	G02123.16.93	10	10		€ 8,123	H1	pag. 283
	G02123.18.93	10	10		€ 8,123	H1	pag. 283
	G02123.20.93	10	10		€ 8,123	H1	pag. 283
	G02123.21.93	10	10		€ 8,123	H1	pag. 283
	G02123.25.93	10	10		€ 8,123	H1	pag. 283
	G02135.24.93	10	10		€ 8,123	H1	pag. 283
	G02135.27.93	10	10		€ 8,123	H1	pag. 283
	G02135.29.93	10	10		€ 8,123	H1	pag. 283
	G02135.31.93	10	10		€ 8,123	H1	pag. 283
	G02135.32.93	10	10		€ 8,123	H1	pag. 283
	G02135.35.93	10	10		€ 8,123	H1	pag. 283
	G02142.00.86	20	200	v	€ 2,651	H1	pag. 280
	G021AZ.00.93	1	1		€110,225	H1	pag. 281
	G021AZ.00.93	1	1		€110,225	H1	pag. 282
	G021AZ.01.93	1	1		€128,682	H1	pag. 282
	G021AZ.03.93	1	1		€ 61,817	H1	pag. 282
	G021BA.00.93	1	1		€ 93,432	H1	pag. 281
	G021BA.00.93	1	1		€ 93,432	H1	pag. 281
	G021BA.01.93	1	1		€108,403	H1	pag. 281
	G021BA.01.93	1	1		€108,403	H1	pag. 281
	G021BA.02.93	1	1		€108,501	H1	pag. 281
	G021BA.03.93	1	1		€102,292	H1	pag. 281
	G021BA.03.93	1	1		€102,292	H1	pag. 281
	G021CT.00.93	1	1		€ 69,012	H1	pag. 282
	G021DV.01.93	1	1		€ 71,346	H1	pag. 281

	Code				€	DC	
	G021DV.03.93	1	1		€ 50,961	H1	pag. 281
	G021DX.00.93	1	1		€ 50,961	H1	pag. 281
	G021DX.00.93	1	1		€ 50,961	H1	pag. 282
	G021ED.00.93	1	1		€ 34,717	H1	pag. 282
	G021EM.00.93	1	1		€126,469	H1	pag. 281
	G021EM.01.93	1	1		€128,682	H1	pag. 281
	G021ER.00.93	1	1		€ 34,717	H1	pag. 281
	G021ER.00.93	1	1		€ 34,717	H1	pag. 281
	G021ER.00.93	1	1		€ 34,717	H1	pag. 282
	G021ER.00.93	1	1		€ 34,717	H1	pag. 282
	G021ER.01.93	1	1		€ 57,153	H1	pag. 282
	G021ER.04.93	1	1		€149,692	H1	pag. 309
	G021ET.01.93	1	1		€128,682	H1	pag. 281
	G021ET.03.93	1	1		€123,619	H1	pag. 281
	G021GE.00.93	1	1		€ 91,704	H1	pag. 281
	G021GE.03.93	1	1		€107,948	H1	pag. 281
	G021GF.00.93	1	1		€ 10,353	H1	pag. 281
	G021GF.03.93	1	1		€ 26,596	H1	pag. 281
	G021HB.00.93	1	1		€ 72,569	H1	pag. 282
	G021HP.00.93	1	1		€ 10,353	H1	pag. 281
	G021HP.03.93	1	1		€ 26,596	H1	pag. 281
	G021HU.00.93	1	1		€ 54,093	H1	pag. 281
	G021MB.03.93	1	1		€140,524	H1	pag. 281
	G021MC.00.93	1	1		€ 14,948	H1	pag. 281
	G021MC.03.93	1	1		€ 24,367	H1	pag. 281
	G021MY.00.93	1	1		€ 24,367	H1	pag. 282
	G021MY.03.93	1	1		€ 24,369	H1	pag. 282
	G021NA.03.93	1	1		€ 41,870	H1	pag. 282
•	G021NH.00.93	1	1		€ 16,246	H1	pag. 281
•	G021NM.00.93	1	1		€ r.	H1	pag. 282
	G02210.01.00	1	1		€115,548	H1	pag. 297
	G02215.01.86	1	1		€280,765	H1	pag. 294
	G02215.02.86	1	1		€352,896	H1	pag. 294
	G02215.04.86	1	1		€505,355	H1	pag. 294
	G02215.13.86	1	1		€427,240	H1	pag. 294
	G02217.03.86	1	1		€138,867	H1	pag. 298
	G02217.11.86	1	1		€ 96,152	H1	pag. 298
	G02217.12.86	1	1		€117,857	H1	pag. 298
	G02217.14.86	1	1		€165,632	H1	pag. 298
	G02222.01.86	1	1		€285,753	H1	pag. 294
	G02222.02.86	1	1		€359,974	H1	pag. 294
	G02222.03.86	1	1		€434,486	H1	pag. 294
	G02222.04.86	1	1		€519,020	H1	pag. 294
	G02224.01.86	1	1		€314,351	H1	pag. 294
	G02224.02.86	1	1		€393,483	H1	pag. 294
	G02224.03.86	1	1		€466,109	H1	pag. 294
	G02224.04.86	1	1		€550,436	H1	pag. 294
	G02226.01.86	1	1		€285,753	H1	pag. 294
	G02226.02.86	1	1		€359,974	H1	pag. 294
	G02226.03.86	1	1		€434,486	H1	pag. 294
	G02226.04.86	1	1		€519,020	H1	pag. 294
	G02228.01.86	1	1		€329,720	H1	pag. 295
	G02228.02.86	1	1		€413,379	H1	pag. 295
	G02228.03.86	1	1		€488,502	H1	pag. 295
	G02228.04.86	1	1		€582,153	H1	pag. 295
	G02268.01.86	1	1		€249,147	H1	pag. 294
	G02268.02.86	1	1		€314,252	H1	pag. 294
	G02268.03.86	1	1		€369,832	H1	pag. 294
	G02268.04.86	1	1		€431,076	H1	pag. 294
	G02278.01.86	1	1		€275,057	H1	pag. 294
	G02278.02.86	1	1		€347,186	H1	pag. 294
	G02278.03.86	1	1		€421,531	H1	pag. 294
	G02278.04.86	1	1		€499,644	H1	pag. 294
	G02303.00.00	1	1		€ 4,825	H1	pag. 313
	G02308.ET.00	1	1		€ 23,963	H1	pag. 313
	G02401.15.01	1	1		€ 32,804	H1	pag. 309
	G02401.20.01	1	1		€ 39,189	H1	pag. 309
	G02401.30.01	1	1		€ 65,660	H1	pag. 309
	G02739.01.01	2	2	v	€ 18,268	H1	pag. 307
	G02739.01.01	2	2	v	€ 18,268	H1	pag. 316
	G02739.01.02	2	2	v	€ 20,003	H1	pag. 307
	G02739.01.02	2	2	v	€ 20,003	H1	pag. 316
	G02739.02.01	2	2	v	€ 23,887	H1	pag. 307
	G02739.02.01	2	2	v	€ 23,887	H1	pag. 316
	G02739.02.02	2	2	v	€ 26,198	H1	pag. 307
	G02739.02.02	2	2	v	€ 26,198	H1	pag. 316
	G02739.03.01	2	2	v	€ 29,388	H1	pag. 307
	G02739.03.01	2	2	v	€ 29,388	H1	pag. 316
	G02739.03.02	2	2	v	€ 32,281	H1	pag. 307
	G02739.03.02	2	2	v	€ 32,281	H1	pag. 316
	G02739.04.01	2	2	v	€ 34,952	H1	pag. 307
	G02739.04.01	2	2	v	€ 34,952	H1	pag. 316
	G02739.04.02	2	2	v	€ 38,424	H1	pag. 307
	G02739.04.02	2	2	v	€ 38,424	H1	pag. 316
	G03927.03.01	1	1		€159,048	H1	pag. 286
	G03927.03.02	1	1		€163,433	H1	pag. 286
	G03927.04.01	1	1		€163,511	H1	pag. 286
	G03927.04.02	1	1		€167,576	H1	pag. 286
	G03927.05.01	1	1		€168,446	H1	pag. 286
	G03927.05.02	1	1		€172,620	H1	pag. 286
	G03937.03.01	1	1		€159,801	H1	pag. 286
	G03937.03.02	1	1		€164,538	H1	pag. 286

	Code				€	DC	
	G03937.04.01	1	1		€164,575	H1	pag. 286
	G03937.04.02	1	1		€168,805	H1	pag. 286
	G03937.05.01	1	1		€168,846	H1	pag. 286
	G03937.05.02	1	1		€173,583	H1	pag. 286
	G04027.01.01	1	1		€ 72,565	H1	pag. 285
	G04027.01.02	1	1		€ 74,749	H1	pag. 285
	G04027.02.01	1	1		€ 83,656	H1	pag. 285
	G04027.02.02	1	1		€ 87,304	H1	pag. 285
	G04027.03.01	1	1		€ 92,876	H1	pag. 285
	G04027.03.02	1	1		€ 96,909	H1	pag. 285
	G04027.04.01	1	1		€ 97,357	H1	pag. 285
	G04027.04.02	1	1		€101,329	H1	pag. 285
	G04027.05.01	1	1		€102,008	H1	pag. 285
	G04027.05.02	1	1		€105,981	H1	pag. 285
	G04037.01.01	1	1		€ 73,406	H1	pag. 285
	G04037.01.02	1	1		€ 75,584	H1	pag. 285
	G04037.02.01	1	1		€ 84,547	H1	pag. 285
	G04037.02.02	1	1		€ 88,201	H1	pag. 285
	G04037.03.01	1	1		€ 93,836	H1	pag. 285
	G04037.03.02	1	1		€ 97,805	H1	pag. 285
	G04037.04.01	1	1		€ 98,252	H1	pag. 285
	G04037.04.02	1	1		€102,225	H1	pag. 285
	G04037.05.01	1	1		€102,905	H1	pag. 285
	G04037.05.02	1	1		€106,876	H1	pag. 285
	G04104.00.00	1	1		€138,828	H1	pag. 278
	G04104.DN.00	1	1		€151,013	H1	pag. 278
	G04104.HP.00	1	1		€159,249	H1	pag. 278
	G04108.00.00	1	1		€125,702	H1	pag. 278
	G04108.DN.00	1	1		€139,152	H1	pag. 278
	G04108.HP.00	1	1		€146,126	H1	pag. 278
	G04109.00.00	1	1		€135,751	H1	pag. 279
	G04109.DN.00	1	1		€150,259	H1	pag. 279
	G04109.MX.00	1	1		€152,034	H1	pag. 279
	G04110.00.00	1	1		€134,091	H1	pag. 279
	G04110.DN.00	1	1		€149,014	H1	pag. 279
	G04110.MX.00	1	1		€151,108	H1	pag. 279
	G04114.00.00	1	1		€164,793	H1	pag. 278
	G04114.DN.00	1	1		€178,864	H1	pag. 278
	G04114.HP.00	1	1		€184,359	H1	pag. 278
	G04115.00.00	1	1		€161,718	H1	pag. 279
	G04115.DN.00	1	1		€161,718	H1	pag. 279
	G04401.01.01	1	1		€ 31,366	H1	pag. 288
	G04401.01.02	1	1		€ 32,318	H1	pag. 288
	G04401.02.01	1	1		€ 24,268	H1	pag. 288
	G04401.02.02	1	1		€ 25,755	H1	pag. 288
	G04600.01.01	1	1		€ 72,039	H1	pag. 288
	G04600.01.02	1	1		€ 74,920	H1	pag. 288
	G04601.00.01	10	10		€ 2,814	H1	pag. 280
	G04601.00.02	10	10		€ 3,642	H1	pag. 280
	G04601.00.03	10	10		€ 4,390	H1	pag. 280
	G04601.00.04	10	10		€ 6,614	H1	pag. 280
	G05003.01.00	1	1		€ 8,387	H1	pag. 289
	G05004.00.00	1	1		€ 6,357	H1	pag. 289
	G05006.00.86	1	1		€ 28,549	H1	pag. 289
•	G05006.01.86	1	1		€ 51,920	H1	pag. 289
	G05008.00.00	1	1		€ 39,566	H1	pag. 287
	G05009.00.00	48	48	v	€ 5,288	H1	pag. 312
	G05010.00.00	1	1		€ 49,510	H1	pag. 287
	G05103.00.93	20	20		€ 8,891	H1	pag. 280
	G05105.00.93	20	20		€ 8,891	H1	pag. 280
	G0510S.01.01	1	1		€ r.	H4	pag. 269
	G0510S.02.01	1	1		€ r.	H4	pag. 269
	G0510S.03.01	1	1		€ r.	H4	pag. 269
	G0510X.01.01	1	1		€ r.	H4	pag. 269
	G0510X.02.01	1	1		€ r.	H4	pag. 269
	G051MS.01.01	1	1		€ r.	H4	pag. 269
	G051MS.02.01	1	1		€ r.	H4	pag. 269
	G051MX.01.01	1	1		€ r.	H4	pag. 269
	G051MX.02.01	1	1		€ r.	H4	pag. 269
	G051MX.03.01	1	1		€ r.	H4	pag. 269
	G05311.01.01	1	1		€ 78,099	H1	pag. 311
	G05311.01.76	1	1		€ 78,099	H1	pag. 311
	G05311.01.94	1	1		€ 78,099	H1	pag. 311
	G05313.01.01	1	1		€ 78,099	H1	pag. 311
	G05313.01.76	1	1		€ 78,099	H1	pag. 311
	G05313.01.94	1	1		€ 78,099	H1	pag. 311
	G05314.01.01	1	1		€135,828	H1	pag. 311
	G05314.01.76	1	1		€135,828	H1	pag. 311
	G05314.01.94	1	1		€135,828	H1	pag. 311
	G05321.01.01	1	1		€ 85,560	H1	pag. 310
	G05321.01.70	1	1		€ 89,808	H1	pag. 310
	G05321.01.76	1	1		€ 85,560	H1	pag. 310
	G05321.01.93	1	1		€ 85,560	H1	pag. 310
	G05321.01.94	1	1		€ 85,560	H1	pag. 310
	G05323.01.01	1	1		€ 85,560	H1	pag. 310
	G05323.01.70	1	1		€ 89,808	H1	pag. 310
	G05323.01.76	1	1		€ 85,560	H1	pag. 310
	G05323.01.93	1	1		€ 85,560	H1	pag. 310
	G05323.01.94	1	1		€ 85,560	H1	pag. 310
	G05324.01.01	1	1		€141,840	H1	pag. 310
	G05324.01.70	1	1		€148,893	H1	pag. 310
	G05324.01.76	1	1		€141,840	H1	pag. 310

	Code				€	DC	
	G05324.01.93	1	1		€141,840	H1	pag. 310
	G05324.01.94	1	1		€141,840	H1	pag. 310
	G05371.M5.00	1	1		€ 3,988	H1	pag. 289
	G05371.M6.00	1	1		€ 4,312	H1	pag. 289
	G05390.00.00	1	1		€ 9,162	H1	pag. 312
	G05390.01.00	1	1		€ 10,928	H1	pag. 312
	G05400.00.00	50	50		€ 20,216	H1	pag. 315
	G05901.00.00	1	1		€ r.	H4	pag. 269
	G05901.01.00	1	1		€ r.	H4	pag. 269
	G05902.00.00	1	1		€ r.	H4	pag. 269
	G05902.01.00	1	1		€ r.	H4	pag. 269
	G05903.00.00	1	1		€ r.	H4	pag. 270
	G05904.00.00	1	1		€ r.	H4	pag. 270
	G05905.00.00	1	1		€ r.	H4	pag. 270
	G05911.00.00	1	1		€ r.	H4	pag. 270
	G06100.01.14	1	1		€ 56,805	H1	pag. 318
	G06100.01.41	1	1		€ 36,267	H1	pag. 318
	G06100.01.91	1	1		€ 36,267	H1	pag. 318
	G06201.00.01	1	1		€ 12,268	H1	pag. 288
	G06201.00.02	1	1		€ 14,150	H1	pag. 288
	G06201.01.01	1	1		€ 12,268	H1	pag. 288
	G06201.02.01	1	1		€ 12,268	H1	pag. 288
	G06201.03.01	1	1		€ 12,268	H1	pag. 288
	G06203.00.01	1	1		€113,733	H1	pag. 288
	G06203.00.02	1	1		€116,935	H1	pag. 288
	G07000.08.01	10	10		€ 8,741	H4	pag. 317
	G07000.08.02	10	10		€ 13,743	H4	pag. 317
	G07000.08.03	10	10		€ 16,177	H4	pag. 317
	G07000.08.04	10	10		€ 19,441	H4	pag. 317
	G07000.15.01	10	10		€ 8,736	H4	pag. 317
	G07000.15.02	10	10		€ 13,743	H4	pag. 317
	G07000.15.03	10	10		€ 16,073	H4	pag. 317
	G07000.15.04	10	10		€ 19,441	H4	pag. 317
	G07001.15.04	10	10		€ 30,884	H4	pag. 317
	G07001.15.05	10	10		€ 32,905	H4	pag. 317
	G07100.00.00	50	50		€ 2,165	H4	pag. 318
	G07100.01.00	50	50		€ 0,801	H4	pag. 318
	G07101.00.00	50	50		€ 1,382	H4	pag. 318
	G07101.01.00	50	50		€ 0,373	H4	pag. 318
	G07101.02.00	50	50		€ 0,373	H4	pag. 318
	G07101.03.00	50	50		€ 0,373	H4	pag. 318
	G07102.EU.00	50	50		€ 3,033	H1	pag. 318
	G07102.FY.00	50	50		€ 3,033	H1	pag. 318
	G07102.GH.00	50	50		€ 3,033	H1	pag. 318
	G07102.GX.00	50	50		€ 3,033	H1	pag. 318
	G07102.HG.00	50	50		€ 3,033	H1	pag. 318
	G07102.HH.00	50	50		€ 3,033	H1	pag. 318
	G07102.HM.00	50	50		€ 3,033	H1	pag. 318
	G07102.HV.00	50	50		€ 3,033	H1	pag. 318
	G07102.MA.00	50	50		€ 3,033	H1	pag. 318
	G07102.MF.00	50	50		€ 3,033	H1	pag. 318
•	GD4037.01.01	1	1		€110,813	H1	pag. 285
•	GD4037.02.01	1	1		€121,954	H1	pag. 285
•	GD4037.03.01	1	1		€131,243	H1	pag. 285
•	GD4037.04.01	1	1		€135,659	H1	pag. 285
•	GD4037.05.01	1	1		€140,312	H1	pag. 285
•	GD4401.02.01	1	1		€ 26,358	H1	pag. 288
	GM3927.03.01	1	1		€ r.	H4	pag. 268
	GM3927.03.02	1	1		€ r.	H4	pag. 268
	GM3927.04.01	1	1		€ r.	H4	pag. 268
	GM3927.04.02	1	1		€ r.	H4	pag. 268
	GM3927.05.01	1	1		€ r.	H4	pag. 268
	GM3927.05.02	1	1		€ r.	H4	pag. 268
	GM3937.03.01	1	1		€ r.	H4	pag. 268
	GM3937.03.02	1	1		€ r.	H4	pag. 268
	GM3937.04.01	1	1		€ r.	H4	pag. 268
	GM3937.04.02	1	1		€ r.	H4	pag. 268
	GM3937.05.01	1	1		€ r.	H4	pag. 268
	GM3937.05.02	1	1		€ r.	H4	pag. 268
	GM4027.03.01	1	1		€ r.	H4	pag. 268
	GM4027.03.02	1	1		€ r.	H4	pag. 268
	GM4027.04.01	1	1		€ r.	H4	pag. 268
	GM4027.04.02	1	1		€ r.	H4	pag. 268
	GM4027.05.01	1	1		€ r.	H4	pag. 268
	GM4027.05.02	1	1		€ r.	H4	pag. 268
	GM4037.03.01	1	1		€ r.	H4	pag. 268
	GM4037.03.02	1	1		€ r.	H4	pag. 268
	GM4037.04.01	1	1		€ r.	H4	pag. 268
	GM4037.04.02	1	1		€ r.	H4	pag. 268
	GM4037.05.01	1	1		€ r.	H4	pag. 268
	GM4037.05.02	1	1		€ r.	H4	pag. 268
	GMG702.04.00	1	1		€ 38,163	H1	pag. 288
	GMG704.04.00	1	1		€ 38,162	H1	pag. 288
	GR3927.03.01	1	1		€ 97,798	H1	pag. 287
	GR3927.04.01	1	1		€102,518	H1	pag. 287
	GR3927.05.01	1	1		€107,416	H1	pag. 287
	GR3937.03.01	1	1		€ 98,777	H1	pag. 287
	GR3937.04.01	1	1		€103,544	H1	pag. 287
	GR3937.05.01	1	1		€108,490	H1	pag. 287
	H00000.01.00	20	200		€ 0,769	E2	pag. 465
	H00000.02.00	20	200		€ 0,585	E2	pag. 466
	H00000.03.00	20	200		€ 0,657	E2	pag. 466

Code			€	DC	
H00003.01.21	20	80	€ 6,012	E1	pag. 409
H00003.01.93	20	80	€ 5,568	E1	pag. 409
H00003.01.CN	20	80	€ 5,346	E1	pag. 409
H00003.03.21	20	80	€ 7,311	E1	pag. 409
H00003.03.93	20	80	€ 6,848	E1	pag. 409
H00003.03.CN	20	80	€ 6,624	E1	pag. 409
H00003.04.21	20	80	€ 6,738	E1	pag. 408
H00003.04.93	20	80	€ 6,142	E1	pag. 408
H00003.04.CN	20	80	€ 6,003	E1	pag. 408
H00003.05.21	20	80	€ 6,976	E1	pag. 408
H00003.05.93	20	80	€ 6,381	E1	pag. 408
H00004.01.21	20	20	€ 9,756	E1	pag. 412
H00004.01.93	20	20	€ 9,035	E1	pag. 412
H00021.01.21	20	20	€ 2,751	E2	pag. 443
H00021.01.93	20	20	€ 2,548	E2	pag. 443
H00021.04.21	20	20	€ 3,111	E2	pag. 443
H00021.04.93	20	20	€ 2,883	E2	pag. 443
H00143.14.09	50	250	€ 1,643	E3	pag. 470
H00144.18.93	20	200	€ 3,731	E2	pag. 458
H00147.20.93	200	200	€ 1,437	E3	pag. 469
H00149.18.93	12	60	€ 11,154	E3	pag. 471
H00177.16.02	20	100	€ 2,195	E3	pag. 469
H00177.16.93	20	100	€ 3,215	E3	pag. 469
H00177.18.93	20	100	€ 4,166	E3	pag. 469
H00179.18.93	20	100	€ 3,117	E3	pag. 469
H00182.10.12	5	5	€ 10,803	E3	pag. 475
H00182.10.16	5	5	€ 10,803	E3	pag. 475
H00182.10.20	5	5	€ 10,803	E3	pag. 475
H00182.10.22	5	5	€ 10,803	E3	pag. 475
H00182.12.12	5	5	€ 10,803	E3	pag. 475
H00182.12.16	5	5	€ 10,803	E3	pag. 475
H00182.12.20	5	5	€ 10,803	E3	pag. 475
H00182.12.22	5	5	€ 10,803	E3	pag. 475
H00183.10.12	5	5	€ 10,803	E3	pag. 475
H00183.10.16	5	5	€ 10,803	E3	pag. 475
H00183.10.20	5	5	€ 10,803	E3	pag. 475
H00183.10.22	5	5	€ 10,803	E3	pag. 475
H00184.20.93	12	120	€ 1,505	E3	pag. 469
H00185.20.93	12	120	€ 1,531	E3	pag. 469
H00186.20.93	12	60	€ 2,200	E3	pag. 470
H00187.20.21	12	60	€ 2,392	E3	pag. 470
H00187.20.93	12	60	€ 2,218	E3	pag. 470
H00188.16.93	24	480	€ 2,444	E3	pag. 469
H00189.20.93	12	120	€ 3,077	E3	pag. 469
H00190.20.93	12	120	€ 3,012	E3	pag. 469
H00402.00.93	20	20	€ 11,338	E1	pag. 407
H00403.00.21	20	20	€ 12,557	E1	pag. 412
H00403.00.93	20	20	€ 11,475	E1	pag. 412
H00600.04.21	20	200	€ 1,717	E1	pag. 417
H00600.04.93	20	200	€ 1,589	E1	pag. 417
H00600.04.CN	20	200	€ 1,530	E1	pag. 417
H00600.05.21	50	500	€ 1,668	E1	pag. 418
H00600.05.93	50	500	€ 1,596	E1	pag. 418
H00600.05.CN	50	500	€ 1,570	E1	pag. 418
H00600.06.21	50	50	€ 2,636	E1	pag. 419
H00600.06.93	50	50	€ 2,464	E1	pag. 419
H00600.06.CN	50	50	€ 2,407	E1	pag. 419
H00600.07.21	50	50	€ 2,636	E1	pag. 419
H00600.07.93	50	50	€ 2,464	E1	pag. 419
H00600.07.CN	50	50	€ 2,407	E1	pag. 419
H00600.13.21	50	50	€ 2,502	E1	pag. 419
H00600.13.93	50	50	€ 2,319	E1	pag. 419
H00600.14.21	50	50	€ 2,502	E1	pag. 419
H00600.14.93	50	50	€ 2,502	E1	pag. 419
H00603.03.21	20	500	€ 0,840	E1	pag. 422
H00603.03.93	20	500	€ 0,778	E1	pag. 422
H00603.09.21	20	500	€ 1,896	E1	pag. 421
H00603.09.93	20	500	€ 1,757	E1	pag. 421
H00603.10.21	20	500	€ 1,896	E1	pag. 421
H00603.10.93	20	500	€ 1,757	E1	pag. 421
H00603.11.21	20	500	€ 1,896	E1	pag. 421
H00603.11.93	20	500	€ 1,757	E1	pag. 421
H00604.03.21	20	500	€ 0,995	E1	pag. 422
H00604.03.93	20	500	€ 0,924	E1	pag. 422
H00604.09.21	20	500	€ 2,264	E1	pag. 421
H00604.09.93	20	500	€ 2,091	E1	pag. 421
H00604.10.21	20	500	€ 2,264	E1	pag. 421
H00604.10.93	20	500	€ 2,091	E1	pag. 421
H00604.11.21	20	500	€ 2,264	E1	pag. 421
H00604.11.93	20	500	€ 2,091	E1	pag. 421
H00900.01.21	10	10	€ 2,811	E1	pag. 406
H00900.01.93	10	10	€ 2,607	E1	pag. 406
H00900.02.21	10	10	€ 3,176	E1	pag. 406
H00900.02.93	10	10	€ 2,942	E1	pag. 406
H00900.03.21	10	10	€ 3,640	E1	pag. 406
H00900.03.93	10	10	€ 3,372	E1	pag. 406
H00900.04.21	10	10	€ 3,989	E1	pag. 406
H00900.04.93	10	10	€ 3,695	E1	pag. 406
H00900.04.CN	10	10	€ 3,549	E1	pag. 406
H00900.05.21	10	10	€ 4,378	E1	pag. 406
H00900.05.93	10	10	€ 4,054	E1	pag. 406
H00900.06.21	10	10	€ 4,870	E1	pag. 406
H00900.06.93	10	10	€ 4,511	E1	pag. 406
H00900.07.21	10	10	€ 5,327	E1	pag. 406
H00900.07.93	10	10	€ 4,930	E1	pag. 406
H00900.08.21	10	10	€ 5,860	E1	pag. 406
H00900.08.93	10	10	€ 5,428	E1	pag. 406
H00900.08.CN	10	10	€ 5,212	E1	pag. 406
H00900.09.21	10	10	€ 6,370	E1	pag. 406
H00900.09.93	10	10	€ 5,897	E1	pag. 406
H00900.10.21	10	10	€ 9,208	E1	pag. 406
H00900.10.93	10	10	€ 8,526	E1	pag. 406
H00900.10.CN	10	10	€ 8,187	E1	pag. 406
H00901.04.21	20	80	€ 5,382	E1	pag. 408
H00901.04.93	20	80	€ 4,985	E1	pag. 408
H00901.04.CN	20	80	€ 4,787	E1	pag. 408
H00901.05.21	20	80	€ 5,095	E1	pag. 409
H00901.05.93	20	80	€ 4,718	E1	pag. 409
H00901.05.CN	20	80	€ 4,529	E1	pag. 409
H00901.06.21	20	80	€ 6,301	E1	pag. 409
H00901.06.93	20	80	€ 5,832	E1	pag. 409
H00901.07.21	20	200	€ 1,873	E1	pag. 417
H00901.07.93	20	200	€ 1,735	E1	pag. 417
H00901.07.CN	20	200	€ 1,665	E1	pag. 417
H00901.08.21	20	200	€ 1,601	E1	pag. 417
H00901.08.93	20	200	€ 1,484	E1	pag. 417
H00901.08.CN	20	200	€ 1,425	E1	pag. 417
H00901.09.21	50	50	€ 1,583	E1	pag. 419
H00901.09.93	50	50	€ 1,467	E1	pag. 419
H00901.09.CN	50	500	€ 1,408	E1	pag. 419
H00901.10.21	50	50	€ 1,583	E1	pag. 419
H00901.10.93	50	50	€ 1,467	E1	pag. 419
H00901.10.CN	50	500	€ 1,408	E1	pag. 419
H00901.11.21	50	500	€ 0,783	E1	pag. 413
H00901.11.93	50	500	€ 0,726	E1	pag. 413
H00901.11.CN	50	500	€ 0,697	E1	pag. 413
H00901.12.21	50	500	€ 0,995	E1	pag. 413
H00901.12.93	50	500	€ 0,924	E1	pag. 413
H00901.13.21	20	20	€ 1,873	E1	pag. 417
H00901.13.93	20	20	€ 1,735	E1	pag. 417
H00901.13.CN	20	200	€ 1,665	E1	pag. 417
H00901.14.93	20	100	€ 3,125	E1	pag. 415
H00901.15.21	50	500	€ 0,719	E1	pag. 418
H00901.15.93	50	500	€ 0,666	E1	pag. 418
H00901.15.CN	50	500	€ 0,639	E1	pag. 418
H00901.16.93	20	200	€ 1,832	E1	pag. 415
H00901.17.21	20	200	€ 1,165	E1	pag. 414
H00901.17.93	20	20	€ 1,079	E1	pag. 414
H00901.17.CN	20	20	€ 1,037	E1	pag. 414
H00901.18.21	20	200	€ 1,445	E1	pag. 418
H00901.18.93	20	200	€ 1,339	E1	pag. 418
H00901.18.CN	20	200	€ 1,285	E1	pag. 418
H00901.19.21	50	500	€ 0,928	E1	pag. 416
H00901.19.93	50	500	€ 0,861	E1	pag. 416
H00901.20.21	20	20	€ 8,738	E1	pag. 420
H00901.20.93	20	20	€ 8,091	E1	pag. 420
H00901.20.CN	20	20	€ 7,768	E1	pag. 420
H00901.21.21	20	20	€ 8,738	E1	pag. 420
H00901.21.93	20	20	€ 8,091	E1	pag. 420
H00901.21.CN	20	20	€ 7,768	E1	pag. 420
H00901.22.21	50	500	€ 0,949	E1	pag. 416
H00901.22.93	50	500	€ 0,879	E1	pag. 416
H00901.23.93	20	200	€ 2,528	E1	pag. 415
H00901.24.21	20	200	€ 1,975	E1	pag. 415
H00901.24.93	20	200	€ 1,832	E1	pag. 415
H00901.24.CN	20	200	€ 1,756	E1	pag. 415
H00901.25.93	20	100	€ 3,125	E1	pag. 415
H00901.26.21	20	200	€ 1,405	E1	pag. 413
H00901.26.93	20	200	€ 1,302	E1	pag. 413
H00901.26.CN	20	200	€ 1,251	E1	pag. 413
H00901.27.21	20	200	€ 3,005	E1	pag. 418
H00901.27.93	20	200	€ 2,783	E1	pag. 418
H00901.28.21	100	500	€ 0,769	E1	pag. 416
H00901.28.93	100	500	€ 0,714	E1	pag. 416
H00901.29.21	50	700	€ 0,777	E1	pag. 420
H00901.29.93	50	700	€ 0,720	E1	pag. 420
H00901.29.CN	50	700	€ 0,691	E1	pag. 420
H00901.30.21	50	700	€ 0,777	E1	pag. 420
H00901.30.93	50	700	€ 0,720	E1	pag. 420
H00901.30.CN	50	700	€ 0,691	E1	pag. 420
H00901.31.93	20	20	€ 4,094	E1	pag. 415
H00901.32.21	50	250	€ 2,528	E1	pag. 420
H00901.32.93	50	250	€ 2,341	E1	pag. 420
H00901.33.21	50	250	€ 2,528	E1	pag. 420
H00901.33.93	50	250	€ 2,341	E1	pag. 420
H00901.34.21	20	200	€ 1,133	E1	pag. 416
H00901.34.93	20	200	€ 1,052	E1	pag. 416
H00901.35.21	50	500	€ 1,389	E1	pag. 418
H00901.35.93	50	500	€ 1,286	E1	pag. 418
H00901.35.CN	50	500	€ 1,235	E1	pag. 418
H00901.36.21	20	500	€ 0,745	E1	pag. 421
H00901.36.93	20	500	€ 0,690	E1	pag. 421
H00901.37.21	20	500	€ 0,840	E1	pag. 422
H00901.37.93	20	500	€ 0,778	E1	pag. 422
H00901.38.21	50	1000	€ 0,520	E1	pag. 421
H00901.38.93	50	1000	€ 0,484	E1	pag. 421
H00901.39.21	20	400	€ 0,908	E1	pag. 420
H00901.39.93	20	400	€ 0,841	E1	pag. 420
H00901.40.21	50	250	€ 2,502	E1	pag. 419
H00901.40.93	50	50	€ 2,319	E1	pag. 419
H00901.41.21	50	50	€ 2,502	E1	pag. 419
H00901.41.93	50	50	€ 2,319	E1	pag. 419
H00901.42.21	20	500	€ 0,872	E1	pag. 421
H00901.42.93	20	500	€ 0,809	E1	pag. 421
H00901.43.21	20	500	€ 0,995	E1	pag. 422
H00901.43.93	20	500	€ 0,924	E1	pag. 422
H00901.44.21	50	1000	€ 0,585	E1	pag. 421
H00901.44.93	50	500	€ 0,543	E1	pag. 421
H00901.45.21	20	200	€ 2,745	E1	pag. 413
H00901.45.93	20	200	€ 2,543	E1	pag. 413
H00901.46.21	20	200	€ 2,014	E1	pag. 413
H00901.46.93	20	200	€ 1,866	E1	pag. 413
H00901.47.01	50	50	€ 1,432	E3	pag. 444
H00901.47.01	50	50	€ 1,432	E3	pag. 474
H00901.47.10	50	50	€ 0,142	E2	pag. 463
H00901.47.14	40	40	€ 0,749	E2	pag. 463
H00901.48.01	50	50	€ 1,706	E3	pag. 444
H00901.48.01	50	50	€ 1,706	E3	pag. 474
H00901.48.14	40	40	€ 0,979	E2	pag. 463
H00901.48.15	40	40	€ 1,196	E2	pag. 463
H00901.49.21	20	80	€ 5,095	E1	pag. 409
H00901.49.93	20	80	€ 4,718	E1	pag. 409
H00901.49.CN	20	80	€ 4,529	E1	pag. 409
H00901.53.21	50	50	€ 3,016	E1	pag. 415
H00901.53.93	50	50	€ 2,792	E1	pag. 415
H00901.53.CN	50	50	€ 2,683	E1	pag. 415
H00901.57.21	20	200	€ 1,873	E1	pag. 417
H00901.57.93	20	200	€ 1,735	E1	pag. 417
H00901.57.CN	20	200	€ 1,665	E1	pag. 417
H00901.59.93	1	20	€ 12,544	E2	pag. 465
H00901.60.93	1	20	€ 12,544	E2	pag. 465
H00901.63.21	20	500	€ 1,849	E1	pag. 421
H00901.63.93	20	500	€ 1,714	E1	pag. 421
H00901.64.21	20	500	€ 2,208	E1	pag. 421
H00901.64.93	20	500	€ 2,046	E1	pag. 421
H00901.69.21	25	250	€ 2,101	E1	pag. 419
H00901.69.93	25	250	€ 1,944	E1	pag. 419
H00901.70.21	25	250	€ 2,101	E1	pag. 419
H00901.70.93	25	250	€ 1,944	E1	pag. 419
H00901.71.21	20	100	€ 2,706	E1	pag. 417
H00901.71.93	20	100	€ 2,509	E1	pag. 417
H00901.72.21	20	100	€ 2,859	E1	pag. 417
H00901.72.93	20	100	€ 2,650	E1	pag. 417
H00901.73.21	20	80	€ 6,123	E1	pag. 408
H00901.73.93	20	80	€ 5,672	E1	pag. 408
H00901.74.21	20	80	€ 6,249	E1	pag. 408
H00901.74.93	20	80	€ 5,786	E1	pag. 408
H00901.75.21	50	250	€ 3,017	E1	pag. 419
H00901.75.93	50	250	€ 2,793	E1	pag. 419
H00901.76.21	50	250	€ 3,017	E1	pag. 419
H00901.76.93	50	250	€ 2,793	E1	pag. 419
H00901.77.21	25	250	€ 2,162	E1	pag. 419
H00901.77.93	25	250	€ 2,004	E1	pag. 419
H00901.78.21	25	250	€ 2,162	E1	pag. 419
H00901.78.93	25	250	€ 2,004	E1	pag. 419
H00901.79.21	50	250	€ 3,082	E1	pag. 419
H00901.79.93	50	250	€ 2,853	E1	pag. 419
H00901.80.21	50	250	€ 3,082	E1	pag. 419
H00901.80.93	50	250	€ 2,853	E1	pag. 419
H00901.81.93	50	500	€ 0,900	E1	pag. 413
H00901.82.93	50	500	€ 0,900	E1	pag. 413
H00901.83.21	50	500	€ 1,234	E1	pag. 418
H00901.83.93	50	500	€ 1,145	E1	pag. 418
H00901.84.21	50	500	€ 1,298	E1	pag. 418
H00901.84.93	50	500	€ 1,203	E1	pag. 418
H00901.85.21	50	500	€ 1,905	E1	pag. 418
H00901.85.93	50	500	€ 1,763	E1	pag. 418
H00901.86.21	50	500	€ 1,970	E1	pag. 418
H00901.86.93	50	500	€ 1,823	E1	pag. 418
H00901.88.21	20	80	€ 5,382	E1	pag. 408
H00901.88.93	20	80	€ 4,985	E1	pag. 408
H00901.89.21	20	80	€ 6,123	E1	pag. 408
H00901.89.93	20	80	€ 5,672	E1	pag. 408
H00901.90.21	20	80	€ 6,249	E1	pag. 408
H00901.90.93	20	80	€ 5,786	E1	pag. 408
H00901.91.21	20	80	€ 5,779	E1	pag. 409
H00901.91.93	20	80	€ 5,404	E1	pag. 409
H00901.91.CN	20	80	€ 5,215	E1	pag. 409
H00901.92.21	20	80	€ 5,896	E1	pag. 409
H00901.92.93	20	80	€ 5,519	E1	pag. 409
H00901.92.CN	20	80	€ 5,331	E1	pag. 409
H00901.93.93	1	20	€ 15,840	E1	pag. 465
H00901.94.93	1	20	€ 15,840	E1	pag. 465
H00902.27.21	12	12	€ 9,873	E1	pag. 414
H00902.27.93	12	12	€ 9,142	E1	pag. 414
H00902.28.93	20	200	€ 2,403	E1	pag. 414

Code			€	DC	
H00902.29.21	50	50	€ 3,016	E1	pag. 416
H00902.29.93	50	50	€ 2,792	E1	pag. 416
H00902.29.CN	50	50	€ 2,683	E1	pag. 416
H00903.06.93	20	20	€ 9,637	E1	pag. 410
H00903.07.93	20	20	€ 8,880	E1	pag. 410
H00903.08.93	20	20	€ 9,637	E1	pag. 411
H00903.09.93	20	20	€ 8,880	E1	pag. 411
H00903.10.93	20	20	€ 9,997	E1	pag. 412
H00903.11.93	20	20	€ 11,532	E1	pag. 412
H00903.12.93	20	20	€ 8,880	E1	pag. 410
H00903.13.93	20	20	€ 8,880	E1	pag. 411
H00903.15.21	20	20	€ 10,406	E1	pag. 407
H00903.15.93	20	20	€ 9,637	E1	pag. 407
H00903.16.21	20	20	€ 10,665	E1	pag. 411
H00903.16.93	20	20	€ 9,876	E1	pag. 411
H00903.17.21	20	20	€ 13,006	E1	pag. 407
H00903.17.93	20	20	€ 12,044	E1	pag. 407
H00903.18.21	20	20	€ 13,419	E1	pag. 407
H00903.18.93	20	20	€ 12,425	E1	pag. 407
H00903.19.93	20	20	€ 10,420	E1	pag. 412
H00903.20.21	20	20	€ 13,006	E1	pag. 407
H00903.20.93	20	20	€ 12,044	E1	pag. 407
H00903.21.21	20	20	€ 13,419	E1	pag. 407
H00903.21.93	20	20	€ 12,425	E1	pag. 407
H00903.22.21	20	20	€ 10,426	E1	pag. 407
H00903.22.93	20	20	€ 9,655	E1	pag. 407
H00904.14.15	20	20	€ 2,810	E2	pag. 464
H00911.00.21	20	20	€ 6,724	E2	pag. 440
H00911.00.93	20	20	€ 6,229	E2	pag. 440
H00911.00.CN	20	20	€ 5,978	E2	pag. 440
H00911.01.21	20	20	€ 7,379	E2	pag. 440
H00911.01.93	20	20	€ 6,834	E2	pag. 440
H00911.01.CN	20	20	€ 6,560	E2	pag. 440
H00911.02.21	20	20	€ 8,034	E2	pag. 440
H00911.02.93	20	20	€ 7,442	E2	pag. 440
H00911.02.CN	20	20	€ 7,146	E2	pag. 440
H00911.03.21	20	20	€ 8,689	E2	pag. 440
H00911.03.93	20	20	€ 8,047	E2	pag. 440
H00912.01.21	20	20	€ 8,134	E2	pag. 440
H00912.01.93	20	20	€ 7,532	E2	pag. 440
H00912.02.21	20	20	€ 8,591	E2	pag. 440
H00912.02.93	20	20	€ 7,956	E2	pag. 440
H00912.03.21	20	20	€ 9,116	E2	pag. 440
H00912.03.93	20	20	€ 8,442	E2	pag. 440
H00913.00.21	20	20	€ 13,312	E2	pag. 461
H00913.00.93	20	20	€ 12,327	E2	pag. 461
H00913.01.21	20	20	€ 13,312	E2	pag. 461
H00913.01.93	20	20	€ 12,327	E2	pag. 461
H00913.02.21	20	20	€ 13,648	E2	pag. 461
H00913.02.93	20	20	€ 12,639	E2	pag. 461
H00913.03.21	20	20	€ 13,648	E2	pag. 461
H00913.03.93	20	20	€ 12,639	E2	pag. 461
H00914.00.21	20	20	€ 10,276	E2	pag. 448
H00914.00.93	20	20	€ 9,515	E2	pag. 448
H00914.00.CN	20	20	€ 9,135	E2	pag. 448
H00914.01.21	20	20	€ 10,139	E2	pag. 448
H00914.01.93	20	20	€ 9,515	E2	pag. 448
H00914.01.CN	20	20	€ 9,134	E2	pag. 448
H00914.02.21	20	20	€ 11,873	E2	pag. 448
H00914.02.93	20	20	€ 10,996	E2	pag. 448
H00914.02.CN	20	20	€ 10,556	E2	pag. 448
H00914.03.21	20	20	€ 12,558	E2	pag. 448
H00914.03.93	20	20	€ 11,629	E2	pag. 448
H00915.01.21	20	20	€ 2,480	E2	pag. 448
H00915.01.93	20	20	€ 2,297	E2	pag. 448
H00915.01.CN	20	20	€ 2,205	E2	pag. 448
H00915.02.21	20	20	€ 2,300	E2	pag. 448
H00915.02.93	20	20	€ 2,129	E2	pag. 448
H00915.03.21	20	20	€ 1,674	E2	pag. 448
H00915.03.93	20	20	€ 1,551	E2	pag. 448
H00915.03.CN	20	20	€ 1,488	E2	pag. 448
H00915.04.21	20	20	€ 1,659	E2	pag. 448
H00915.04.93	20	20	€ 1,536	E2	pag. 448
H00916.00.93	100	1400	€ 0,675	E2	pag. 466
H00916.25.01	100	100	€ 0,736	E2	pag. 466
H00916.25.93	100	100	€ 0,736	E2	pag. 466
H00916.30.01	100	100	€ 0,736	E2	pag. 466
H00916.30.93	100	100	€ 0,736	E2	pag. 466
H00916.35.01	100	100	€ 0,736	E2	pag. 466
H00916.35.93	100	100	€ 0,736	E2	pag. 466
H00916.40.01	100	100	€ 0,736	E2	pag. 466
H00916.40.93	100	100	€ 0,736	E2	pag. 466
H00916.45.01	100	100	€ 0,736	E2	pag. 466
H00916.45.93	100	100	€ 0,736	E2	pag. 466
H00916.50.01	100	100	€ 0,736	E2	pag. 466
H00916.50.93	100	100	€ 0,736	E2	pag. 466
H00916.55.01	100	100	€ 0,736	E2	pag. 466
H00916.55.93	100	100	€ 0,736	E2	pag. 466
H00916.60.01	100	100	€ 0,736	E2	pag. 466
H00916.60.93	100	100	€ 0,736	E2	pag. 466
H00917.01.21	100	100	€ 1,052	E3	pag. 473
H00917.01.93	100	100	€ 0,974	E3	pag. 473

Code			€	DC	
H00917.02.93	100	100	€ 0,974	E3	pag. 473
H00918.01.21	20	20	€ 1,813	E2	pag. 459
H00918.01.93	20	20	€ 1,679	E2	pag. 459
H00918.01.CN	20	20	€ 1,613	E2	pag. 459
H00919.00.21	20	20	€ 5,056	E2	pag. 459
H00919.00.93	20	20	€ 4,681	E2	pag. 459
H00919.01.21	20	20	€ 5,056	E2	pag. 459
H00919.01.93	20	20	€ 4,681	E2	pag. 459
H00919.02.21	20	20	€ 5,056	E2	pag. 459
H00919.02.93	20	20	€ 4,681	E2	pag. 459
H00919.03.21	20	20	€ 5,056	E2	pag. 459
H00919.03.93	20	20	€ 4,681	E2	pag. 459
H00919.03.CN	20	20	€ 4,495	E2	pag. 459
H00919.04.21	20	20	€ 5,056	E2	pag. 459
H00919.04.93	20	20	€ 4,681	E2	pag. 459
H00919.04.CN	20	20	€ 4,495	E2	pag. 459
H00919.05.21	20	20	€ 5,056	E2	pag. 459
H00919.05.93	20	20	€ 4,681	E2	pag. 459
H00919.06.21	20	20	€ 5,056	E2	pag. 459
H00919.06.93	20	20	€ 4,681	E2	pag. 459
H00920.01.21	20	20	€ 2,706	E2	pag. 459
H00920.01.93	20	20	€ 2,509	E2	pag. 459
H00920.02.21	20	20	€ 3,410	E2	pag. 459
H00920.02.93	20	20	€ 3,157	E2	pag. 459
H00920.03.21	20	20	€ 3,972	E2	pag. 459
H00920.03.93	20	20	€ 3,682	E2	pag. 459
H00920.04.21	20	20	€ 4,562	E2	pag. 459
H00920.04.93	20	20	€ 4,222	E2	pag. 459
H00921.00.93	20	1000	€ 0,535	E2	pag. 449
H00922.00.93	20	20	€ 1,493	E2	pag. 465
H00922.01.93	20	1000	€ 0,675	E2	pag. 465
H00922.02.93	20	20	€ 2,919	E2	pag. 465
H00923.00.21	20	20	€ 5,769	E2	pag. 452
H00923.00.93	20	20	€ 5,343	E2	pag. 452
H00923.15.93	20	20	€ 5,182	E2	pag. 453
H00924.12.21	20	20	€ 5,130	E2	pag. 442
H00924.12.93	20	20	€ 4,754	E2	pag. 442
H00924.12.CN	20	20	€ 4,564	E2	pag. 442
H00924.15.21	20	20	€ 5,386	E2	pag. 442
H00924.15.93	20	20	€ 4,988	E2	pag. 442
H00924.15.CN	20	20	€ 4,790	E2	pag. 442
H00924.18.21	20	20	€ 6,625	E2	pag. 442
H00924.18.93	20	20	€ 6,135	E2	pag. 442
H00924.20.21	20	20	€ 6,692	E2	pag. 442
H00924.20.93	20	20	€ 6,198	E2	pag. 442
H00924.22.21	20	20	€ 6,758	E2	pag. 442
H00924.22.93	20	20	€ 6,257	E2	pag. 442
H00924.24.21	20	20	€ 6,758	E2	pag. 442
H00924.24.93	20	20	€ 6,257	E2	pag. 442
H00924.26.21	20	20	€ 6,823	E2	pag. 442
H00924.26.93	20	20	€ 6,318	E2	pag. 442
H00924.28.21	20	20	€ 6,823	E2	pag. 442
H00924.28.93	20	20	€ 6,318	E2	pag. 442
H00924.30.21	20	20	€ 6,890	E2	pag. 442
H00924.30.93	20	20	€ 6,379	E2	pag. 442
H00925.45.21	20	100	€ 7,643	E2	pag. 441
H00925.45.93	20	100	€ 7,078	E2	pag. 441
H00926.00.21	20	20	€ 8,591	E2	pag. 461
H00926.00.93	20	20	€ 7,956	E2	pag. 461
H00926.00.CN	20	20	€ 7,640	E2	pag. 461
H00926.01.21	20	20	€ 1,514	E2	pag. 461
H00926.01.93	20	20	€ 1,401	E2	pag. 461
H00926.02.21	20	20	€ 1,055	E2	pag. 461
H00926.02.93	20	20	€ 0,977	E2	pag. 461
H00926.03.21	20	20	€ 10,443	E2	pag. 463
H00926.03.93	20	20	€ 9,669	E2	pag. 463
H00926.04.21	20	20	€ 0,992	E2	pag. 462
H00926.04.93	20	20	€ 0,920	E2	pag. 462
H00927.00.21	20	20	€ 5,075	E2	pag. 451
H00927.00.93	20	20	€ 4,702	E2	pag. 451
H00927.00.CN	20	20	€ 4,514	E2	pag. 451
H00927.15.21	20	20	€ 5,068	E2	pag. 452
H00927.15.93	20	20	€ 4,695	E2	pag. 452
H00927.15.CN	20	20	€ 4,509	E2	pag. 452
H00928.01.21	20	20	€ 2,246	E2	pag. 443
H00928.01.93	20	20	€ 2,082	E2	pag. 443
H00928.02.21	20	20	€ 2,581	E2	pag. 443
H00928.02.93	20	20	€ 2,391	E2	pag. 443
H00928.03.21	20	20	€ 3,643	E2	pag. 443
H00928.03.93	20	20	€ 3,375	E2	pag. 443
H00928.04.21	20	20	€ 3,859	E2	pag. 443
H00928.04.93	20	20	€ 3,574	E2	pag. 443
H00930.00.01	1	1	€ 43,702	E2	pag. 467
H00930.00.02	1	1	€ 26,404	E2	pag. 467
H00930.01.01	1	1	€158,390	E2	pag. 467
H00930.02.01	1	1	€ 86,179	E2	pag. 467
H00930.03.01	1	1	€ 6,198	E2	pag. 467
H00930.03.02	1	1	€ 15,514	E2	pag. 468
H00930.03.03	1	1	€ 8,756	E2	pag. 468
H00930.03.07	1	1	€ 83,370	E2	pag. 468
H00930.05.01	1	1	€407,498	E2	pag. 468
H00931.01.93	20	20	€ 4,240	E2	pag. 454

Code			€	DC	
H00931.02.21	20	20	€ 4,478	E2	pag. 455
H00931.02.93	20	20	€ 4,145	E2	pag. 455
H00931.02.CN	20	20	€ 3,979	E2	pag. 455
H00931.03.21	20	20	€ 6,256	E2	pag. 455
H00931.03.93	20	20	€ 5,794	E2	pag. 455
H00931.04.93	20	20	€ 5,669	E2	pag. 455
H00931.05.21	20	20	€ 6,120	E2	pag. 456
H00931.05.93	20	20	€ 5,669	E2	pag. 456
H00931.06.93	20	20	€ 4,970	E2	pag. 456
H00931.08.21	20	20	€ 5,570	E2	pag. 456
H00931.08.93	20	20	€ 5,157	E2	pag. 456
H00931.09.21	20	20	€ 5,163	E2	pag. 456
H00931.09.93	20	20	€ 4,782	E2	pag. 456
H00931.10.93	20	20	€ 5,779	E2	pag. 456
H00931.11.93	20	20	€ 7,136	E2	pag. 455
H00932.08.21	20	20	€ 13,222	E2	pag. 449
H00932.08.93	20	20	€ 12,242	E2	pag. 449
H00933.08.93	20	20	€ 12,303	E2	pag. 449
H00934.08.93	20	20	€ 6,795	E2	pag. 454
H00935.08.93	20	20	€ 6,715	E2	pag. 454
H00936.08.93	20	20	€ 7,191	E2	pag. 454
H00937.08.93	20	20	€ 7,138	E2	pag. 454
H00938.08.21	20	20	€ 6,911	E2	pag. 453
H00938.08.93	20	20	€ 6,400	E2	pag. 453
H00939.08.93	20	20	€ 6,400	E2	pag. 454
H00940.08.93	20	20	€ 13,205	E2	pag. 449
H00941.08.93	20	20	€ 13,205	E2	pag. 450
H00942.08.93	20	20	€ 13,332	E2	pag. 449
H00943.08.93	20	20	€ 13,332	E2	pag. 450
H00944.08.21	20	20	€ 13,222	E2	pag. 449
H00944.08.93	20	20	€ 12,242	E2	pag. 449
H00945.08.93	20	20	€ 12,303	E2	pag. 449
H00946.40.93	20	20	€ 6,692	E2	pag. 450
H00947.40.21	20	20	€ 7,078	E2	pag. 450
H00947.40.93	20	20	€ 6,556	E2	pag. 450
H00948.25.21	20	20	€ 6,719	E2	pag. 451
H00948.25.93	20	20	€ 6,223	E2	pag. 451
H00949.01.93	20	20	€ 2,366	E2	pag. 448
H00949.02.93	20	20	€ 2,382	E2	pag. 448
H00949.03.93	20	20	€ 2,322	E2	pag. 448
H00949.04.93	20	20	€ 2,274	E2	pag. 448
H00950.25.21	20	200	€ 5,677	E2	pag. 457
H00950.25.93	20	200	€ 5,256	E2	pag. 457
H00951.25.93	20	100	€ 5,437	E2	pag. 457
H00952.01.93	20	20	€ 2,310	E2	pag. 460
H00952.02.93	20	20	€ 2,403	E2	pag. 460
H00952.03.93	20	20	€ 2,494	E2	pag. 460
H00952.04.93	20	20	€ 2,738	E2	pag. 460
H00952.05.93	20	20	€ 2,919	E2	pag. 460
H00952.06.93	20	20	€ 3,039	E2	pag. 460
H00952.07.93	20	20	€ 3,165	E2	pag. 460
H00952.08.93	20	20	€ 3,286	E2	pag. 460
H00952.09.93	20	20	€ 3,434	E2	pag. 460
H00952.10.93	20	20	€ 3,524	E2	pag. 460
H00960.25.21	5	5	€ 14,506	E2	pag. 438
H00960.25.93	5	5	€ 13,431	E2	pag. 438
H00960.40.21	5	5	€ 17,408	E2	pag. 438
H00960.40.93	5	5	€ 16,118	E2	pag. 438
H00960.50.21	5	5	€ 19,257	E2	pag. 438
H00960.50.93	5	5	€ 17,828	E2	pag. 438
H00960.60.21	5	5	€ 20,713	E2	pag. 438
H00960.60.93	5	5	€ 19,179	E2	pag. 438
H00961.29.21	5	5	€ 15,134	E2	pag. 438
H00961.29.93	5	5	€ 14,015	E2	pag. 438
H00961.44.21	5	5	€ 17,889	E2	pag. 438
H00961.44.93	5	5	€ 16,567	E2	pag. 438
H00961.54.21	5	5	€ 19,868	E2	pag. 438
H00961.54.93	5	5	€ 18,398	E2	pag. 438
H00961.64.21	5	5	€ 21,404	E2	pag. 438
H00961.64.93	5	5	€ 19,819	E2	pag. 438
H00962.22.21	5	5	€ 17,223	E2	pag. 438
H00962.22.93	5	5	€ 15,948	E2	pag. 438
H00962.30.21	5	5	€ 18,036	E2	pag. 438
H00962.30.93	5	5	€ 16,701	E2	pag. 438
H00962.40.21	5	5	€ 19,493	E2	pag. 438
H00962.40.93	5	5	€ 18,049	E2	pag. 438
H00962.50.21	5	5	€ 21,337	E2	pag. 438
H00962.50.93	5	5	€ 19,756	E2	pag. 438
H00963.00.21	5	5	€ 20,805	E2	pag. 438
H00963.00.93	5	5	€ 19,266	E2	pag. 438
H00963.23.21	5	5	€ 20,805	E2	pag. 438
H00963.23.93	5	5	€ 19,266	E2	pag. 438
H00964.00.09	50	50	€ 4,260	E2	pag. 439
H00964.00.21	50	50	€ 4,476	E2	pag. 439
H00964.01.21	20	20	€ 3,955	E2	pag. 439
H00964.01.93	20	20	€ 3,664	E2	pag. 429
H00964.01.93	20	20	€ 3,664	E2	pag. 439
H00964.02.21	10	10	€ 9,196	E2	pag. 439
H00964.02.93	10	10	€ 8,515	E2	pag. 439
H01143.13.93	20	20	€ 5,996	E2	pag. 458
H01144.18.93	20	120	€ 7,494	E2	pag. 458
H01145.18.93	20	120	€ 7,494	E2	pag. 458

Code				€	DC	
H01149.01.21	20	20		€ 6,724	E2	pag. 443
H01149.01.93	20	20		€ 6,229	E2	pag. 443
H01149.02.21	20	20		€ 7,009	E2	pag. 443
H01149.02.93	20	20		€ 6,491	E2	pag. 443
H01149.03.21	20	20		€ 9,643	E2	pag. 443
H01149.03.93	20	20		€ 8,928	E2	pag. 443
H01149.04.21	20	20		€ 10,232	E2	pag. 443
H01149.04.93	20	20		€ 9,475	E2	pag. 443
H01149.12.30	5	5		€ 62,448	E3	pag. 475
H01149.12.31	5	5		€ 62,448	E3	pag. 475
H01149.12.90	5	5		€ 62,448	E3	pag. 475
H01149.16.30	5	5		€ 62,448	E3	pag. 475
H01149.16.31	5	5		€ 62,448	E3	pag. 475
H01149.16.90	5	5		€ 62,448	E3	pag. 475
H01180.17.30	5	5		€ 62,448	E3	pag. 475
H01180.17.31	5	5		€ 62,448	E3	pag. 475
H01189.20.93	12	60		€ 1,910	E3	pag. 470
H01190.20.93	12	60		€ 1,991	E3	pag. 470
H01191.20.93	12	60		€ 1,693	E3	pag. 470
H01850.30.09	12	120		€ 0,602	E3	pag. 472
H01850.35.09	12	120		€ 0,634	E3	pag. 472
H01850.40.09	12	120		€ 0,680	E3	pag. 472
H01851.30.09	12	120		€ 0,507	E3	pag. 472
H01851.35.09	12	120		€ 0,531	E3	pag. 472
H01851.40.09	12	120		€ 0,550	E3	pag. 472
H01852.30.09	12	120		€ 0,484	E3	pag. 471
H01852.35.09	12	120		€ 0,520	E3	pag. 471
H01852.40.09	12	120		€ 0,555	E3	pag. 471
H01853.30.09	12	120		€ 0,384	E3	pag. 471
H01853.35.09	12	120		€ 0,411	E3	pag. 471
H01853.40.09	12	120		€ 0,433	E3	pag. 471
H01901.18.21	20	200		€ 4,528	E1	pag. 414
H01901.18.93	20	200		€ 4,194	E1	pag. 414
H01904.14.15	20	20		€ 3,558	E2	pag. 464
H01904.17.15	20	20		€ 4,382	E2	pag. 464
H01904.22.15	20	20		€ 5,978	E2	pag. 464
H01911.00.93	20	20		€ 13,266	E2	pag. 440
H01911.01.93	20	20		€ 13,965	E2	pag. 440
H01911.02.93	20	20		€ 14,691	E2	pag. 440
H01911.03.93	20	20		€ 15,419	E2	pag. 440
H01912.01.93	20	20		€ 14,814	E2	pag. 440
H01912.02.93	20	20		€ 15,301	E2	pag. 440
H01912.03.93	20	20		€ 15,905	E2	pag. 440
H01923.00.93	20	20		€ 5,064	E2	pag. 452
H01924.15.21	20	20		€ 5,387	E2	pag. 441
H01924.15.93	20	20		€ 4,989	E2	pag. 441
H01924.15.CN	20	20		€ 4,791	E2	pag. 441
H01924.18.93	20	20		€ 6,167	E2	pag. 441
H01924.20.93	20	20		€ 6,167	E2	pag. 441
H01924.22.93	20	20		€ 6,167	E2	pag. 441
H01924.24.21	20	20		€ 6,692	E2	pag. 441
H01924.24.93	20	20		€ 6,198	E2	pag. 441
H01924.26.93	20	20		€ 6,229	E2	pag. 441
H01924.28.93	20	20		€ 6,287	E2	pag. 441
H01924.30.93	20	20		€ 6,318	E2	pag. 441
H01925.45.21	20	100		€ 7,643	E2	pag. 441
H01925.45.93	20	100		€ 7,078	E2	pag. 441
H01926.00.21	20	20		€ 14,268	E2	pag. 462
H01926.00.93	20	20		€ 13,210	E2	pag. 462
H01926.01.21	20	20		€ 15,544	E2	pag. 463
H01926.01.93	20	20		€ 14,394	E2	pag. 463
H01926.04.93	20	20		€ 4,911	E2	pag. 462
H01926.05.93	20	20		€ 2,699	E2	pag. 463
H01926.38.00	20	500		€ 0,686	E2	pag. 462
H01926.54.00	20	500		€ 0,686	E2	pag. 462
H01927.00.93	20	20		€ 5,214	E2	pag. 452
H01927.15.93	20	20		€ 5,217	E2	pag. 452
H01928.01.21	20	20		€ 9,245	E2	pag. 443
H01928.01.93	20	20		€ 8,562	E2	pag. 443
H01928.02.21	20	20		€ 9,643	E2	pag. 443
H01928.02.93	20	20		€ 8,928	E2	pag. 443
H01928.03.21	20	20		€ 11,280	E2	pag. 443
H01928.03.93	20	20		€ 10,445	E2	pag. 443
H01928.04.21	20	20		€ 11,802	E2	pag. 443
H01928.04.93	20	20		€ 10,930	E2	pag. 443
H01932.08.21	20	20		€ 13,222	E2	pag. 449
H01932.08.93	20	20		€ 12,242	E2	pag. 449
H01933.08.93	20	20		€ 12,303	E2	pag. 449
H01940.08.93	20	20		€ 13,205	E2	pag. 449
H01941.08.93	20	20		€ 13,205	E2	pag. 450
H01942.08.93	20	20		€ 13,332	E2	pag. 449
H01943.08.93	20	20		€ 13,332	E2	pag. 450
H01944.08.21	20	20		€ 13,222	E2	pag. 449
H01944.08.93	20	20		€ 12,242	E2	pag. 449
H01945.08.93	20	20		€ 12,303	E2	pag. 449
H01946.40.93	20	20		€ 7,433	E2	pag. 450
H01947.40.93	20	20		€ 7,302	E2	pag. 451
H01948.25.93	20	20		€ 6,978	E2	pag. 451
H02143.13.93	20	20		€ 6,968	E2	pag. 458
H02901.18.21	20	20		€ 4,764	E1	pag. 414
H02901.18.93	20	20		€ 4,414	E1	pag. 414
H02901.18.CN	20	20		€ 4,237	E1	pag. 414

Code				€	DC	
H02924.12.93	20	20		€ 8,713	E2	pag. 442
H02924.15.93	20	20		€ 8,806	E2	pag. 442
H02924.18.93	20	20		€ 9,475	E2	pag. 442
H02924.20.93	20	20		€ 9,506	E2	pag. 442
H02924.22.93	20	20		€ 9,532	E2	pag. 442
H02924.24.93	20	20		€ 9,532	E2	pag. 442
H02924.26.93	20	20		€ 9,532	E2	pag. 442
H02924.28.93	20	20		€ 9,564	E2	pag. 442
H02924.30.93	20	20		€ 9,595	E2	pag. 442
H02925.45.93	20	100		€ 10,870	E2	pag. 441
H02926.01.93	20	20		€ 11,019	E2	pag. 463
H02926.02.93	20	20		€ 11,693	E2	pag. 463
H02926.03.93	20	20		€ 12,432	E2	pag. 463
H02926.04.93	20	20		€ 13,143	E2	pag. 463
H02926.98.00	20	20		€ 2,154	E2	pag. 463
H03901.18.21	20	200		€ 5,001	E1	pag. 414
H03901.18.93	20	200		€ 4,631	E1	pag. 414
H03924.22.93	20	20		€ 9,475	E2	pag. 442
H03924.24.93	20	20		€ 9,444	E2	pag. 442
H03924.26.93	20	20		€ 9,475	E2	pag. 442
H03924.28.93	20	20		€ 9,506	E2	pag. 442
H03924.30.93	20	20		€ 9,532	E2	pag. 442
H08018.18.93	12	60		€ 4,176	E3	pag. 471
H08019.18.93	12	60		€ 4,176	E3	pag. 471
H08028.18.21	20	20		€ 2,732	E3	pag. 444
H08028.18.93	20	20		€ 2,531	E3	pag. 444
H08029.18.21	20	20		€ 2,732	E3	pag. 444
H08029.18.93	20	20		€ 2,531	E3	pag. 444
H08128.18.93	20	20		€ 3,580	E3	pag. 473
H08129.18.93	20	20		€ 3,580	E3	pag. 473
H11820.18.93	12	120		€ 1,915	E3	pag. 471
H11820.20.93	12	120		€ 2,072	E3	pag. 471
H11830.18.93	12	120		€ 2,329	E3	pag. 472
H11830.20.93	12	120		€ 2,476	E3	pag. 472
H11831.18.93	12	120		€ 2,329	E3	pag. 472
H11831.20.93	12	120		€ 2,476	E3	pag. 472
H11834.04.93	12	120		€ 2,118	E3	pag. 472
H11834.05.93	12	120		€ 2,805	E3	pag. 472
H11834.06.93	12	120		€ 3,119	E3	pag. 472
H11834.20.93	12	120		€ 1,996	E3	pag. 472
H11835.03.93	12	120		€ 2,543	E3	pag. 473
H11835.04.93	12	120		€ 2,812	E3	pag. 473
H11835.06.93	12	120		€ 3,581	E3	pag. 473
H11850.30.09	12	120		€ 0,497	E3	pag. 473
H11850.35.09	12	120		€ 0,528	E3	pag. 473
H11850.40.09	12	120		€ 0,567	E3	pag. 473
H12035.25.93	12	12		€ 10,771	E3	pag. 473
H12035.26.93	12	12		€ 11,981	E3	pag. 473
H12035.29.93	12	12		€ 8,134	E3	pag. 473
H12053.12.93	12	120		€ 2,509	E3	pag. 472
H12053.14.93	12	120		€ 3,202	E3	pag. 472
H12053.17.93	12	120		€ 3,516	E3	pag. 472
H32200.00.21	20	200	v	€ 4,742	E1	pag. 428
H32200.00.99	20	200	v	€ 4,393	E1	pag. 428
H32211.02.01	10	10		€ 2,447	E1	pag. 429
H32302.00.21	1	10		€ 3,030	E1	pag. 430
H32302.00.99	1	10		€ 2,806	E1	pag. 430
H32302.80.15	1	1		€ 0,416	E2	pag. 431
H32305.00.99	20	20	v	€ 6,929	E1	pag. 430
H32306.00.99	20	160	v	€ 2,304	E1	pag. 430
H32307.03.99	30	300		€ 1,234	E1	pag. 431
H32307.03.99	30	300		€ 1,234	E1	pag. 431
H32308.00.21	1	25		€ 13,732	E1	pag. 431
H32308.00.99	1	25		€ 12,712	E1	pag. 431
H32310.02.99	20	20	v	€ 7,687	E1	pag. 430
H32310.03.99	20	20	v	€ 7,687	E1	pag. 430
H32310.04.99	20	20	v	€ 7,687	E1	pag. 430
H32311.02.99	20	20	v	€ 3,775	E1	pag. 430
H32311.03.99	20	20	v	€ 3,775	E1	pag. 430
H32311.04.99	20	200	v	€ 3,775	E1	pag. 430
H32312.00.93	50	50		€ 3,664	E2	pag. 429
H32313.03.99	30	300		€ 1,255	E1	pag. 431
H32313.03.99	30	300		€ 1,255	E1	pag. 431
H33001.01.21	1	20		€ 10,788	E1	pag. 427
H33001.01.99	1	20		€ 9,990	E1	pag. 427
H33001.05.99	1	20		€ 10,390	E1	pag. 428
H33001.07.21	1	20		€ 10,788	E1	pag. 427
H33001.07.99	1	20		€ 9,990	E1	pag. 427
H33003.00.21	1	20		€ 6,366	E1	pag. 427
H33003.00.99	1	20		€ 5,786	E1	pag. 427
H33004.00.99	1	20		€ 9,640	E1	pag. 427
H33004.01.99	1	20		€ 9,640	E1	pag. 427
H33101.00.99	1	20		€ 9,202	E1	pag. 426
H33101.02.99	1	20		€ 7,214	E1	pag. 426
H33201.00.99	1	20		€ 5,675	E1	pag. 426
H33301.08.99	25	300		€ 2,610	E1	pag. 429
H34101.00.21	1	1		€ 67,196	E1	pag. 423
H34101.00.99	1	1		€ 62,221	E1	pag. 423
H34201.00.21	1	1		€ 62,731	E1	pag. 423
H34201.00.99	1	1		€ 57,030	E1	pag. 423
H34400.00.01	1	10		€ 10,201	E1	pag. 428
H34400.00.93	1	10		€ 10,201	E1	pag. 428

Code				€	DC	
H34401.00.01	10	100	v	€ 6,294	E1	pag. 428
H34401.00.93	1	10		€ 6,294	E1	pag. 428
H34501.00.99	1	1		€ 5,605	E1	pag. 429
H34502.00.99	1	1		€ 24,403	E1	pag. 429
H35001.09.21	1	1		€ 70,067	E1	pag. 424
H35001.09.99	1	1		€ 64,876	E1	pag. 424
H35002.09.21	1	1		€ 70,067	E1	pag. 425
H35002.09.99	1	1		€ 64,876	E1	pag. 425
H35003.09.21	1	1		€ 70,067	E1	pag. 424
H35003.09.99	1	1		€ 64,876	E1	pag. 424
H35004.09.21	1	1		€ 70,067	E1	pag. 425
H35004.09.99	1	1		€ 64,876	E1	pag. 425
H35005.09.99	1	1		€ 63,437	E1	pag. 424
H35006.09.99	1	1		€ 63,437	E1	pag. 425
H35007.09.99	1	1		€ 63,437	E1	pag. 424
H35008.09.99	1	1		€ 63,437	E1	pag. 425
H50000.00.21	20	500		€ 1,572	E2	pag. 446
H50000.00.93	20	500		€ 1,456	E2	pag. 446
H50001.00.21	50	500		€ 0,646	E2	pag. 446
H50001.00.93	50	500		€ 0,599	E2	pag. 446
H50009.00.93	20	100		€ 1,520	E2	pag. 445
H50009.30.93	20	100		€ 1,489	E2	pag. 445
H50009.35.93	20	100		€ 1,504	E2	pag. 445
H50010.00.93	20	100		€ 1,642	E2	pag. 445
H50010.30.93	20	100		€ 1,607	E2	pag. 445
H50010.35.93	20	100		€ 1,622	E2	pag. 445
H50012.00.93	20	100		€ 1,734	E2	pag. 445
H50012.30.93	20	100		€ 1,698	E2	pag. 445
H50012.35.93	20	100		€ 1,716	E2	pag. 445
H52010.01.21	20	20		€ 9,598	E2	pag. 445
H52010.01.93	20	20		€ 8,888	E2	pag. 445
H52010.02.21	20	20		€ 9,986	E2	pag. 445
H52010.02.93	20	20		€ 9,246	E2	pag. 445
H52010.03.21	20	20		€ 11,595	E2	pag. 445
H52010.03.93	20	20		€ 10,735	E2	pag. 445
H52010.04.21	20	20		€ 12,107	E2	pag. 445
H52010.04.93	20	20		€ 11,214	E2	pag. 445
H52020.00.21	20	20		€ 16,592	E2	pag. 445
H52020.00.93	20	20		€ 15,363	E2	pag. 445
H52020.01.21	20	20		€ 17,332	E2	pag. 445
H52020.01.93	20	20		€ 16,049	E2	pag. 445
H52020.02.21	20	20		€ 18,101	E2	pag. 445
H52020.02.93	20	20		€ 16,763	E2	pag. 445
H52020.03.21	20	20		€ 18,873	E2	pag. 445
H52020.03.93	20	20		€ 17,477	E2	pag. 445
H52030.12.21	20	20		€ 11,118	E2	pag. 445
H52030.12.93	20	20		€ 10,296	E2	pag. 445
H52030.15.21	20	20		€ 11,826	E2	pag. 445
H52030.15.93	20	20		€ 10,950	E2	pag. 445
H52030.18.21	20	20		€ 11,858	E2	pag. 445
H52030.18.93	20	20		€ 10,980	E2	pag. 445
H52030.20.21	20	20		€ 11,887	E2	pag. 445
H52030.20.93	20	20		€ 11,007	E2	pag. 445
H52030.22.21	20	20		€ 12,103	E2	pag. 445
H52030.22.93	20	20		€ 11,209	E2	pag. 445
H52030.24.21	20	20		€ 12,383	E2	pag. 445
H52030.24.93	20	20		€ 11,466	E2	pag. 445
H52030.26.21	20	20		€ 12,522	E2	pag. 445
H52030.26.93	20	20		€ 11,595	E2	pag. 445
H52030.28.21	20	20		€ 12,661	E2	pag. 445
H52030.28.93	20	20		€ 11,724	E2	pag. 445
H52030.30.21	20	20		€ 12,941	E2	pag. 445
H52030.30.93	20	20		€ 11,982	E2	pag. 445
HA1851.17.93	20	20		€ 3,748	E2	pag. 473
HA1852.17.93	20	20		€ 3,748	E2	pag. 473
M00501.00.91	1	1		€ 77,698	H2	pag. 343
M00501.00.91	1	1		€ 77,698	H2	pag. 361
M00501.00.94	1	1		€ 78,791	H2	pag. 343
M00501.00.94	1	1		€ 78,791	H2	pag. 361
M00501.01.91	1	1		€ 93,855	H2	pag. 343
M00501.01.91	1	1		€ 93,855	H2	pag. 361
M00501.01.94	1	1		€ 95,187	H2	pag. 343
M00501.01.94	1	1		€ 95,187	H2	pag. 361
M00501.02.91	1	1		€ 110,009	H2	pag. 343
M00501.02.91	1	1		€ 110,009	H2	pag. 361
M00501.02.94	1	1		€ 111,574	H2	pag. 343
M00501.02.94	1	1		€ 111,574	H2	pag. 361
M00501.03.91	1	1		€ 124,363	H2	pag. 343
M00501.03.91	1	1		€ 124,363	H2	pag. 361
M00501.03.94	1	1		€ 126,130	H2	pag. 343
M00501.03.94	1	1		€ 126,130	H2	pag. 361
M00708.CP.00	50	500		€ 4,443	H3	pag. 385
M00708.DT.00	50	500		€ 4,443	H3	pag. 385
M00708.HN.00	50	50		€ 4,443	H3	pag. 385
M00708.MR.00	50	500		€ 4,443	H3	pag. 385
M00708.MS.00	50	50		€ 4,443	H3	pag. 385
M00708.MU.00	50	50		€ 4,443	H3	pag. 385
M01304.05.00	1	5		€ 79,415	H2	pag. 355
M01304.05.01	1	5		€ 116,914	H2	pag. 355
M01304.05.02	1	5		€ 119,767	H2	pag. 355
M01304.05.03	1	5		€ 124,362	H2	pag. 355
M01304.05.04	1	5		€ 144,871	H2	pag. 355

Code				€	DC	
M02014.01.02	1	1		€ 30,477	H2	pag. 330
M02014.01.34	1	1		€ 31,695	H2	pag. 330
M02014.01.91	1	1		€ 30,477	H2	pag. 330
M02014.02.02	1	1		€ 34,596	H2	pag. 330
M02014.02.34	1	1		€ 35,978	H2	pag. 330
M02014.02.91	1	1		€ 34,596	H2	pag. 330
M02014.03.02	1	1		€ 36,589	H2	pag. 330
M02014.03.34	1	1		€ 38,055	H2	pag. 330
M02014.03.91	1	1		€ 36,589	H2	pag. 330
M02014.04.02	1	1		€ 38,453	H2	pag. 330
M02014.04.34	1	1		€ 39,992	H2	pag. 330
M02014.04.91	1	1		€ 38,453	H2	pag. 330
M02015.00.34	1	1		€ 3,487	H2	pag. 331
M02015.00.91	1	1		€ 3,353	H2	pag. 331
M02015.00.93	1	1		€ 3,353	H2	pag. 331
M02020.01.01	1	1		€144,466	H2	pag. 325
M02020.01.91	1	1		€154,648	H2	pag. 325
M02020.01.94	1	1		€154,648	H2	pag. 325
M02020.02.01	1	1		€144,466	H2	pag. 325
M02020.02.91	1	1		€154,648	H2	pag. 325
M02020.02.94	1	1		€154,648	H2	pag. 325
M02020.03.01	1	1		€ 63,410	H2	pag. 329
M02020.03.10	1	1		€148,962	H2	pag. 329
M02020.03.91	1	1		€ 63,410	H2	pag. 329
M02020.04.01	1	1		€213,196	H2	pag. 330
M02020.04.91	1	1		€219,889	H2	pag. 330
M02020.05.01	1	1		€213,196	H2	pag. 330
M02020.05.91	1	1		€219,889	H2	pag. 330
M02020.11.91	1	1		€ 11,953	H2	pag. 331
M02020.12.01	10	10	v	€ 11,251	H2	pag. 331
M02020.12.02	10	10	v	€ 12,389	H2	pag. 331
M02020.12.31	10	10	v	€ 11,157	H2	pag. 331
M02020.12.91	10	10	v	€ 12,389	H2	pag. 331
M02020.14.14	1	1		€ 16,644	H2	pag. 331
M02022.00.34	1	1		€189,002	H2	pag. 343
M02022.00.34	1	1		€189,002	H2	pag. 361
M02022.00.91	1	1		€178,942	H2	pag. 343
M02022.00.91	1	1		€178,942	H2	pag. 361
M02022.00.94	1	1		€181,938	H2	pag. 343
M02022.00.94	1	1		€181,938	H2	pag. 361
M02022.01.34	1	1		€198,900	H2	pag. 325
M02022.01.34	1	1		€198,900	H2	pag. 343
M02022.01.34	1	1		€198,900	H2	pag. 361
M02022.01.91	1	1		€188,359	H2	pag. 325
M02022.01.91	1	1		€188,359	H2	pag. 343
M02022.01.91	1	1		€188,359	H2	pag. 361
M02022.01.94	1	1		€191,769	H2	pag. 325
M02022.01.94	1	1		€191,769	H2	pag. 343
M02022.01.94	1	1		€191,769	H2	pag. 361
M02022.02.34	1	1		€225,186	H2	pag. 325
M02022.02.34	1	1		€225,186	H2	pag. 343
M02022.02.34	1	1		€225,186	H2	pag. 361
M02022.02.91	1	1		€214,043	H2	pag. 325
M02022.02.91	1	1		€214,043	H2	pag. 343
M02022.02.91	1	1		€214,043	H2	pag. 361
M02022.02.94	1	1		€217,825	H2	pag. 325
M02022.02.94	1	1		€217,825	H2	pag. 343
M02022.02.94	1	1		€217,825	H2	pag. 361
M02022.03.34	1	1		€260,854	H2	pag. 325
M02022.03.34	1	1		€260,854	H2	pag. 343
M02022.03.34	1	1		€260,854	H2	pag. 361
M02022.03.91	1	1		€245,212	H2	pag. 325
M02022.03.91	1	1		€245,212	H2	pag. 343
M02022.03.91	1	1		€245,212	H2	pag. 361
M02022.03.94	1	1		€251,141	H2	pag. 325
M02022.03.94	1	1		€251,141	H2	pag. 343
M02022.03.94	1	1		€251,141	H2	pag. 361
M02022.04.34	1	1		€292,628	H2	pag. 325
M02022.04.34	1	1		€292,628	H2	pag. 343
M02022.04.34	1	1		€292,628	H2	pag. 361
M02022.04.91	1	1		€277,393	H2	pag. 325
M02022.04.91	1	1		€277,393	H2	pag. 343
M02022.04.91	1	1		€277,393	H2	pag. 361
M02022.04.94	1	1		€282,314	H2	pag. 325
M02022.04.94	1	1		€282,314	H2	pag. 343
M02022.04.94	1	1		€282,314	H2	pag. 361
M02030.00.01	1	1		€274,490	H2	pag. 336
M02030.00.02	1	1		€135,039	H2	pag. 336
M02030.00.02	1	1		€135,039	H2	pag. 354
M02030.00.02	1	1		€135,039	H2	pag. 371
M02030.00.03	1	1		€ 63,106	H2	pag. 336
M02030.00.03	1	1		€ 63,106	H2	pag. 354
M02030.00.03	1	1		€ 63,106	H2	pag. 371
M02030.00.04	1	1		€ 84,559	H2	pag. 336
M02030.00.04	1	1		€ 84,559	H2	pag. 354
M02030.00.04	1	1		€ 84,559	H2	pag. 371
M02030.00.05	1	1		€ 17,675	H2	pag. 336
M02030.00.05	1	1		€ 17,675	H2	pag. 354
M02030.00.05	1	1		€ 17,675	H2	pag. 371
M02120.01.10	1	1		€193,607	H2	pag. 325
M02120.02.10	1	1		€193,607	H2	pag. 325
M02400.00.DX	10	100	v	€ 3,296	H2	pag. 332

Code				€	DC	
M02400.00.SX	10	100	v	€ 3,296	H2	pag. 332
M40420.00.00	10	10	v	€ 13,439	H3	pag. 350
M40420.00.00	10	10	v	€ 13,439	H3	pag. 383
M40420.00.01	10	10	v	€ 14,137	H3	pag. 350
M40420.00.01	10	10	v	€ 14,137	H3	pag. 383
M40420.00.02	10	10	v	€ 15,690	H3	pag. 350
M40420.00.02	10	10	v	€ 15,690	H3	pag. 383
M40420.00.03	10	10	v	€ 16,633	H3	pag. 350
M40420.00.03	10	10	v	€ 16,633	H3	pag. 383
M40420.00.04	10	10	v	€ 19,791	H3	pag. 350
M40420.00.04	10	10	v	€ 19,791	H3	pag. 383
M40421.00.00	10	10	v	€ 8,641	H3	pag. 350
M40421.00.00	10	10	v	€ 8,641	H3	pag. 383
M40421.00.01	10	10	v	€ 9,332	H3	pag. 350
M40421.00.01	10	10	v	€ 9,332	H3	pag. 383
M40421.00.02	10	10	v	€ 10,985	H3	pag. 350
M40421.00.02	10	10	v	€ 10,985	H3	pag. 383
M40421.00.03	10	10	v	€ 11,810	H3	pag. 350
M40421.00.03	10	10	v	€ 11,810	H3	pag. 383
M40421.00.04	10	10	v	€ 15,043	H3	pag. 350
M40421.00.04	10	10	v	€ 15,043	H3	pag. 383
M40423.00.03	10	10	v	€ 13,046	H3	pag. 200
M40423.00.03	10	10	v	€ 13,046	H3	pag. 347
M40423.00.03	10	10	v	€ 13,046	H3	pag. 365
M40423.00.03	10	10	v	€ 13,046	H3	pag. 381
M40423.00.04	10	10	v	€ 13,999	H3	pag. 200
M40423.00.04	10	10	v	€ 13,999	H3	pag. 347
M40423.00.04	10	10	v	€ 13,999	H3	pag. 365
M40423.00.04	10	10	v	€ 13,999	H3	pag. 381
M40423.00.05	10	10	v	€ 14,822	H3	pag. 200
M40423.00.05	10	10	v	€ 14,822	H3	pag. 347
M40423.00.05	10	10	v	€ 14,822	H3	pag. 365
M40423.00.05	10	10	v	€ 14,822	H3	pag. 381
M40423.00.06	10	10	v	€ 10,580	H3	pag. 200
M40423.00.06	10	10	v	€ 10,580	H3	pag. 347
M40423.00.06	10	10	v	€ 10,580	H3	pag. 365
M40423.00.06	10	10	v	€ 10,580	H3	pag. 381
M40423.00.07	10	10	v	€ 12,003	H3	pag. 200
M40423.00.07	10	10	v	€ 12,003	H3	pag. 347
M40423.00.07	10	10	v	€ 12,003	H3	pag. 365
M40423.00.07	10	10	v	€ 12,003	H3	pag. 381
M40423.00.08	10	10	v	€ 15,088	H3	pag. 200
M40423.00.08	10	10	v	€ 15,088	H3	pag. 347
M40423.00.08	10	10	v	€ 15,088	H3	pag. 365
M40423.00.08	10	10	v	€ 15,088	H3	pag. 381
M40423.00.09	10	10	v	€ 16,859	H3	pag. 200
M40423.00.09	10	10	v	€ 16,859	H3	pag. 347
M40423.00.09	10	10	v	€ 16,859	H3	pag. 365
M40423.00.09	10	10	v	€ 16,859	H3	pag. 381
M40423.00.10	10	10	v	€ 18,635	H3	pag. 200
M40423.00.10	10	10	v	€ 18,635	H3	pag. 347
M40423.00.10	10	10	v	€ 18,635	H3	pag. 365
M40423.00.10	10	10	v	€ 18,635	H3	pag. 381
M40423.00.17	10	10	v	€ 12,003	H3	pag. 200
M40423.00.17	10	10	v	€ 12,003	H3	pag. 347
M40423.00.17	10	10	v	€ 12,003	H3	pag. 365
M40423.00.17	10	10	v	€ 12,003	H3	pag. 381
M40423.15.02	10	10		€ 7,794	H3	pag. 347
M40423.15.02	10	10		€ 7,794	H3	pag. 365
M40423.15.02	10	10		€ 7,794	H3	pag. 381
M40423.15.03	10	10		€ 7,801	H3	pag. 347
M40423.15.03	10	10		€ 7,801	H3	pag. 365
M40423.15.03	10	10		€ 7,801	H3	pag. 381
M40423.15.04	10	10		€ 8,163	H3	pag. 347
M40423.15.04	10	10		€ 8,163	H3	pag. 365
M40423.15.04	10	10		€ 8,163	H3	pag. 381
M40423.15.05	10	10		€ 8,892	H3	pag. 347
M40423.15.05	10	10		€ 8,892	H3	pag. 365
M40423.15.05	10	10		€ 8,892	H3	pag. 381
M40423.15.06	10	10		€ 9,615	H3	pag. 347
M40423.15.06	10	10		€ 9,615	H3	pag. 365
M40423.15.06	10	10		€ 9,615	H3	pag. 381
M40423.15.07	10	10		€ 11,012	H3	pag. 347
M40423.15.07	10	10		€ 11,012	H3	pag. 365
M40423.15.07	10	10		€ 11,012	H3	pag. 381
M40423.15.08	10	10		€ 12,408	H3	pag. 347
M40423.15.08	10	10		€ 12,408	H3	pag. 365
M40423.15.08	10	10		€ 12,408	H3	pag. 381
M40423.15.09	10	10		€ 14,178	H3	pag. 347
M40423.15.09	10	10		€ 14,178	H3	pag. 365
M40423.15.09	10	10		€ 14,178	H3	pag. 381
M40423.15.10	10	10		€ 15,953	H3	pag. 347
M40423.15.10	10	10		€ 15,953	H3	pag. 365
M40423.15.10	10	10		€ 15,953	H3	pag. 381
M40423.15.17	10	10		€ 11,012	H3	pag. 347
M40423.15.17	10	10		€ 11,012	H3	pag. 365
M40423.15.17	10	10		€ 11,012	H3	pag. 381
M40425.00.02	10	10	v	€ 11,579	H3	pag. 348
M40425.00.02	10	10	v	€ 11,579	H3	pag. 366
M40425.00.02	10	10	v	€ 11,579	H3	pag. 382
M40425.00.03	10	10	v	€ 13,597	H3	pag. 348
M40425.00.03	10	10	v	€ 13,597	H3	pag. 366

Code				€	DC	
M40425.00.03	10	10	v	€ 13,597	H3	pag. 382
M40425.00.04	10	10	v	€ 15,300	H3	pag. 348
M40425.00.04	10	10	v	€ 15,300	H3	pag. 366
M40425.00.04	10	10	v	€ 15,300	H3	pag. 382
M40425.00.05	10	10	v	€ 16,562	H3	pag. 348
M40425.00.05	10	10	v	€ 16,562	H3	pag. 366
M40425.00.05	10	10	v	€ 16,562	H3	pag. 382
M40425.00.06	10	10	v	€ 17,825	H3	pag. 348
M40425.00.06	10	10	v	€ 17,825	H3	pag. 366
M40425.00.06	10	10	v	€ 17,825	H3	pag. 382
M40425.15.02	20	20		€ 7,794	H3	pag. 348
M40425.15.02	20	20		€ 7,794	H3	pag. 366
M40425.15.02	20	20		€ 7,794	H3	pag. 382
M40425.15.03	20	20		€ 9,184	H3	pag. 348
M40425.15.03	20	20		€ 9,184	H3	pag. 366
M40425.15.03	20	20		€ 9,184	H3	pag. 382
M40425.15.04	20	20		€ 10,649	H3	pag. 348
M40425.15.04	20	20		€ 10,649	H3	pag. 366
M40425.15.04	20	20		€ 10,649	H3	pag. 382
M40425.15.05	20	20		€ 13,441	H3	pag. 348
M40425.15.05	20	20		€ 13,441	H3	pag. 366
M40425.15.05	20	20		€ 13,441	H3	pag. 382
M40425.15.06	10	10		€ 16,988	H3	pag. 348
M40425.15.06	10	10		€ 16,988	H3	pag. 366
M40425.15.06	10	10		€ 16,988	H3	pag. 382
M40707.12.00	20	200	v	€ 2,794	H2	pag. 385
M40707.BF.00	50	500		€ 2,794	H3	pag. 353
M40707.BF.00	50	500		€ 2,794	H3	pag. 353
M40707.BF.00	50	500		€ 2,794	H3	pag. 353
M40707.BF.00	50	500		€ 2,794	H3	pag. 353
M40707.BF.00	50	500		€ 2,794	H3	pag. 353
M40707.BF.00	50	500		€ 2,794	H3	pag. 353
M40707.BF.00	50	500		€ 2,794	H3	pag. 353
M40707.BF.00	50	500		€ 2,794	H3	pag. 353
M40707.BF.00	50	500		€ 2,794	H3	pag. 353
M40707.BF.00	50	500		€ 2,794	H3	pag. 353
M40707.BF.00	50	500		€ 2,794	H3	pag. 353
M40707.BF.00	50	500		€ 2,794	H3	pag. 353
M40707.BF.00	50	500		€ 2,794	H3	pag. 353
M40707.BF.00	50	500		€ 2,794	H3	pag. 353
M40707.BF.00	50	500		€ 2,794	H3	pag. 353
M40707.BF.00	50	500		€ 2,794	H3	pag. 353
M40707.BF.00	50	500		€ 2,794	H3	pag. 353
M40707.CD.00	50	500		€ 2,794	H3	pag. 353
M40707.DF.00	50	500		€ 2,794	H3	pag. 353
M41000.08.DX	1	1		€158,699	H2	pag. 325
M41000.08.SX	1	1		€158,700	H2	pag. 325
M41000.10.DX	1	1		€158,699	H2	pag. 325
M41000.10.SX	1	1		€158,699	H2	pag. 325
M41010.08.DX	1	1		€164,340	H2	pag. 326
M41010.08.SX	1	1		€164,340	H2	pag. 326
M41010.10.DX	1	1		€164,340	H2	pag. 326
M41010.10.SX	1	1		€164,340	H2	pag. 326
M41100.08.DX	1	1		€158,699	H2	pag. 325
M41100.08.SX	1	1		€158,699	H2	pag. 325
M41100.10.DX	1	1		€158,699	H2	pag. 325
M41100.10.SX	1	1		€158,699	H2	pag. 325
M41110.08.DX	1	1		€164,340	H2	pag. 326
M41110.08.SX	1	1		€164,340	H2	pag. 326
M41110.10.DX	1	1		€164,340	H2	pag. 326
M41110.10.SX	1	1		€164,340	H2	pag. 326
M42001.00.01	1	200		€ 3,100	H2	pag. 328
M42008.04.01	20	20		€ 7,168	H2	pag. 334
M42008.05.01	20	20		€ 7,168	H2	pag. 334
M42008.05.01	20	20		€ 7,168	H2	pag. 334
M42008.CR.01	20	20		€ 7,168	H2	pag. 334
M42009.04.01	20	20		€ 7,168	H2	pag. 334
M42009.05.01	20	20		€ 7,168	H2	pag. 334
M42009.05.01	20	20		€ 7,168	H2	pag. 334
M42009.CR.01	20	20		€ 7,168	H2	pag. 334
M42017.24.00	2	20		€ 0,828	H2	pag. 334
M42017.30.01	10	100	v	€ 10,157	H2	pag. 333
M42017.30.02	10	100	v	€ 10,157	H2	pag. 333
M42017.35.01	10	100	v	€ 10,157	H2	pag. 333
M42017.35.02	10	100	v	€ 10,157	H2	pag. 333
M42017.AZ.01	10	100	v	€ 10,157	H2	pag. 333
M42017.AZ.02	10	100	v	€ 10,157	H2	pag. 333
M42017.BB.01	10	100	v	€ 10,157	H2	pag. 333
M42017.BB.02	10	100	v	€ 10,157	H2	pag. 333
M42017.BF.01	10	100	v	€ 10,157	H2	pag. 333
M42017.BF.01	10	100	v	€ 10,157	H2	pag. 333
M42017.BF.01	10	100	v	€ 10,157	H2	pag. 333
M42017.BF.01	10	100	v	€ 10,157	H2	pag. 333
M42017.BF.01	10	100	v	€ 10,157	H2	pag. 333
M42017.BF.01	10	100	v	€ 10,157	H2	pag. 333
M42017.BF.01	10	100	v	€ 10,157	H2	pag. 333
M42017.BF.02	10	100	v	€ 10,157	H2	pag. 333
M42017.BF.02	10	100	v	€ 10,157	H2	pag. 333
M42017.BF.02	10	100	v	€ 10,157	H2	pag. 333
M42017.BF.02	10	100	v	€ 10,157	H2	pag. 333

Code				€	DC	
M42017.BF.02	10	100	v	€ 10,157	H2	pag. 333
M42017.BF.02	10	100	v	€ 10,157	H2	pag. 333
M42017.CD.01	10	100	v	€ 10,157	H2	pag. 333
M42017.CD.02	10	100	v	€ 10,157	H2	pag. 333
M42017.DF.01	10	100	v	€ 10,157	H2	pag. 333
M42017.DF.01	10	100	v	€ 10,157	H2	pag. 333
M42017.DF.01	10	100	v	€ 10,157	H2	pag. 333
M42017.DF.02	10	100	v	€ 10,157	H2	pag. 333
M42017.DF.02	10	100	v	€ 10,157	H2	pag. 333
M42017.DF.02	10	100	v	€ 10,157	H2	pag. 333
M42017.FH.01	10	100	v	€ 10,157	H2	pag. 333
M42017.FH.01	10	100	v	€ 10,157	H2	pag. 333
M42017.FH.02	10	100	v	€ 10,157	H2	pag. 333
M42017.FH.02	10	100	v	€ 10,157	H2	pag. 333
M42017.FI.01	10	100	v	€ 10,157	H2	pag. 333
M42017.FI.02	10	100	v	€ 10,157	H2	pag. 333
M42017.FR.01	10	100	v	€ 10,157	H2	pag. 333
M42017.FR.02	10	100	v	€ 10,157	H2	pag. 333
M42023.00.00	1	1		€ 23,607	H2	pag. 326
M42023.00.01	1	1		€ 26,886	H2	pag. 326
M42023.00.02	1	1		€ 31,366	H2	pag. 326
M42023.00.03	1	1		€ 34,962	H2	pag. 326
M42023.00.0B	1	1		€ 26,097	H2	pag. 326
M42023.01.01	1	1		€ 26,886	H2	pag. 327
M42023.01.02	1	1		€ 31,366	H2	pag. 327
M42023.01.03	1	1		€ 34,962	H2	pag. 327
M42023.01.0B	1	1		€ 26,097	H2	pag. 327
M42024.00.01	1	1		€ 27,961	H2	pag. 327
M42024.00.02	1	1		€ 33,069	H2	pag. 327
M42024.00.03	1	1		€ 36,666	H2	pag. 327
M42024.00.04	1	1		€ 39,697	H2	pag. 327
M42024.00.05	1	1		€ 42,095	H2	pag. 327
M42024.00.06	1	1		€ 44,304	H2	pag. 327
M42024.00.07	1	1		€ 47,328	H2	pag. 327
M42024.01.02	1	1		€ 33,069	H2	pag. 327
M42024.01.03	1	1		€ 36,666	H2	pag. 327
M42024.01.04	1	1		€ 39,697	H2	pag. 327
M42024.01.05	1	1		€ 42,095	H2	pag. 327
M42024.01.06	1	1		€ 44,304	H2	pag. 327
M42024.01.07	1	1		€ 47,328	H2	pag. 327
M42026.00.00	1	1		€ 22,977	H2	pag. 330
M42026.01.00	1	1		€ 22,977	H2	pag. 330
M42027.40.04	1	1		€158,919	H2	pag. 329
M42027.40.05	1	1		€163,820	H2	pag. 329
M42027.40.06	1	1		€166,884	H2	pag. 329
M42027.40.07	1	1		€172,766	H2	pag. 329
M42124.00.02	1	1		€ 33,069	H2	pag. 327
M42124.00.03	1	1		€ 36,666	H2	pag. 327
M42124.00.04	1	1		€ 39,697	H2	pag. 327
M42124.00.05	1	1		€ 42,095	H2	pag. 327
M42124.00.06	1	1		€ 44,304	H2	pag. 327
M42124.00.07	1	1		€ 47,328	H2	pag. 327
M42124.01.02	1	1		€ 33,069	H2	pag. 327
M42124.01.03	1	1		€ 36,666	H2	pag. 327
M42124.01.04	1	1		€ 39,697	H2	pag. 327
M42124.01.05	1	1		€ 42,095	H2	pag. 327
M42124.01.06	1	1		€ 44,304	H2	pag. 327
M42124.01.07	1	1		€ 47,328	H2	pag. 327
M42401.DX.00	1	1		€283,734	H2	pag. 326
M42401.DX.00	1	1		€283,734	H2	pag. 343
M42401.DX.00	1	1		€283,734	H2	pag. 361
M42401.SX.00	1	1		€283,734	H2	pag. 326
M42401.SX.00	1	1		€283,734	H2	pag. 343
M42401.SX.00	1	1		€283,734	H2	pag. 361
• M50005.01.00	1	1		€ 46,243	H4	pag. 377
• M50005.01.00	1	1		€ 46,243	H4	pag. 393
• M50005.02.00	1	1		€ 52,858	H4	pag. 377
• M50005.02.00	1	1		€ 52,858	H4	pag. 393
• M50005.03.00	1	1		€ 57,987	H4	pag. 377
• M50005.03.00	1	1		€ 57,987	H4	pag. 393
• M50005.0A.34	1	1		€ 96,419	H4	pag. 377
• M50005.0A.34	1	1		€ 96,419	H4	pag. 393
• M50005.0A.84	1	1		€ 96,419	H4	pag. 377
• M50005.0A.84	1	1		€ 96,419	H4	pag. 393
• M50005.0A.91	1	1		€ 96,419	H4	pag. 377
• M50005.0A.91	1	1		€ 96,419	H4	pag. 393
• M50005.0B.34	1	1		€154,498	H4	pag. 377
• M50005.0B.34	1	1		€154,498	H4	pag. 393
• M50005.0B.84	1	1		€154,498	H4	pag. 377
• M50005.0B.84	1	1		€154,498	H4	pag. 393
• M50005.0B.91	1	1		€154,498	H4	pag. 377
• M50005.0B.91	1	1		€154,498	H4	pag. 393
• M50005.13.34	1	1		€167,301	H4	pag. 377
• M50005.13.34	1	1		€167,301	H4	pag. 393
• M50005.13.84	1	1		€167,301	H4	pag. 377
• M50005.13.84	1	1		€167,301	H4	pag. 393
• M50005.13.91	1	1		€167,301	H4	pag. 377
• M50005.13.91	1	1		€167,301	H4	pag. 393
• M50005.14.34	1	1		€183,481	H4	pag. 377
• M50005.14.34	1	1		€183,481	H4	pag. 393
• M50005.14.84	1	1		€183,481	H4	pag. 377
• M50005.14.84	1	1		€183,481	H4	pag. 393

Code			€	DC	
• M50005.14.91	1	1	€183,481	H4	pag. 377
• M50005.14.91	1	1	€183,481	H4	pag. 393
• M50005.15.34	1	1	€206,622	H4	pag. 377
• M50005.15.34	1	1	€206,622	H4	pag. 393
• M50005.15.84	1	1	€206,622	H4	pag. 377
• M50005.15.84	1	1	€206,622	H4	pag. 393
• M50005.15.91	1	1	€206,622	H4	pag. 377
• M50005.15.91	1	1	€206,622	H4	pag. 393
• M50005.22.01	1	1	€157,341	H4	pag. 387
• M50005.22.01	1	1	€157,341	H4	pag. 402
• M50005.22.02	1	1	€235,175	H4	pag. 387
• M50005.22.02	1	1	€235,175	H4	pag. 402
• M50005.22.03	1	1	€ 41,767	H4	pag. 387
• M50005.22.03	1	1	€ 41,767	H4	pag. 402
• M50005.DX.00	1	1	€410,703	H4	pag. 377
• M50005.DX.00	1	1	€410,703	H4	pag. 393
• M50005.SX.00	1	1	€410,703	H4	pag. 377
• M50005.SX.00	1	1	€410,703	H4	pag. 393
W01685.35.10	5	5	€ 82,711	G2	pag. 235
W01685.40.10	5	5	€ 82,711	G2	pag. 235
W01685.45.10	5	5	€ 82,711	G2	pag. 235
W01685.50.10	5	5	€ 82,711	G2	pag. 235
W01685.55.10	5	5	€ 82,711	G2	pag. 235
W01685.60.10	5	5	€ 82,711	G2	pag. 235
W01685.70.10	5	5	€ 82,711	G2	pag. 235
W01685.xx.xx.2105		5	€ 26,475	G2	pag. 235
W01686.35.09	5	5	€ 87,610	G2	pag. 236
W01686.40.09	5	5	€ 87,610	G2	pag. 236
W01686.45.09	5	5	€ 87,610	G2	pag. 236
W01686.50.09	5	5	€ 87,610	G2	pag. 236
W01686.55.09	5	5	€ 87,610	G2	pag. 236
W01686.60.09	5	5	€ 87,610	G2	pag. 236
W01687.35.10	5	5	€ 87,610	G2	pag. 236
W01687.40.10	5	5	€ 87,610	G2	pag. 236
W01687.45.10	5	5	€ 87,610	G2	pag. 236
W01687.50.10	5	5	€ 87,610	G2	pag. 236
W01687.55.10	5	5	€ 87,610	G2	pag. 236
W01687.60.10	5	5	€ 87,610	G2	pag. 236
W01687.70.10	5	5	€ 87,610	G2	pag. 236
W01688.35.09	5	5	€123,145	G2	pag. 234
W01688.40.09	5	5	€123,145	G2	pag. 234
W01688.45.09	5	5	€123,145	G2	pag. 234
W01688.50.09	5	5	€123,145	G2	pag. 234
W01688.55.09	5	5	€123,145	G2	pag. 234
W01688.60.09	5	5	€123,145	G2	pag. 234
W01689.35.10	5	5	€123,145	G2	pag. 234
W01689.40.10	5	5	€123,145	G2	pag. 234
W01689.45.10	5	5	€123,145	G2	pag. 234
W01689.50.10	5	5	€123,145	G2	pag. 234
W01689.55.10	5	5	€123,145	G2	pag. 234
W01689.60.10	5	5	€123,145	G2	pag. 234
W01689.70.10	5	5	€123,145	G2	pag. 234
W0168x.xx.xx.2105		5	€ 26,475	G2	pag. 234
W0168x.xx.xx.2105		5	€ 26,475	G2	pag. 236
W01690.00.01	20	100	€ 10,988	G2	pag. 233
W01690.00.01	20	100	€ 10,988	G2	pag. 234
W01690.00.01	20	100	€ 10,988	G2	pag. 236
W01690.00.01	20	100	€ 10,988	G2	pag. 237
W01690.00.03	20	20	€ 13,954	G2	pag. 233
W01690.00.03	20	20	€ 13,954	G2	pag. 234
W01690.00.03	20	20	€ 13,954	G2	pag. 236
W01690.00.03	20	20	€ 13,954	G2	pag. 237
W01690.00.13	20	20	€ 5,434	G2	pag. 233
W01690.00.13	20	20	€ 5,434	G2	pag. 234
W01690.00.13	20	20	€ 5,434	G2	pag. 236
W01694.04.01	50	250	€ 2,915	G2	pag. 246
W01694.04.03	50	200	€ 2,424	G2	pag. 247
W01694.04.04	20	200	€ 4,357	G2	pag. 249
W01694.04.05	20	200	€ 4,357	G2	pag. 249
W01695.05.01	50	500	€ 2,765	G2	pag. 246
W01695.05.03	50	200	€ 2,424	G2	pag. 247
W01695.05.04	20	200	€ 4,357	G2	pag. 249
W01695.19.04	20	200	€ 4,357	G2	pag. 249
W01696.00.04	50	500	€ 2,828	G2	pag. 255
W01696.00.04	50	500	€ 2,828	G2	pag. 420
W01696.00.04	50	500	€ 2,828	G2	pag. 439
W01698.35.10	5	5	€ 85,773	G2	pag. 236
W01698.45.10	5	5	€ 85,773	G2	pag. 236
W01698.55.10	5	5	€ 85,773	G2	pag. 236
W01698.65.10	5	5	€ 85,773	G2	pag. 236
W02090.00.01	20	100	€ 11,870	G2	pag. 233
W02090.00.03	20	20	€ 15,085	G2	pag. 233
W11200.35.12	5	5	€121,304	G2	pag. 233
W11200.35.13	5	5	€121,304	G2	pag. 233
W11200.40.12	5	5	€121,304	G2	pag. 233
W11200.40.13	5	5	€121,304	G2	pag. 233
W11200.45.12	5	5	€121,304	G2	pag. 233
W11200.45.13	5	5	€121,304	G2	pag. 233
W11200.50.12	5	5	€121,304	G2	pag. 233
W11200.50.13	5	5	€121,304	G2	pag. 233
W11200.55.12	5	5	€121,304	G2	pag. 233
W11200.55.13	5	5	€121,304	G2	pag. 233

Code			€	DC	
W11200.60.12	5	5	€121,304	G2	pag. 233
W11200.60.13	5	5	€121,304	G2	pag. 233
W11200.70.12	5	5	€121,304	G2	pag. 233
W11200.70.13	5	5	€121,304	G2	pag. 233
W11220.35.13	5	5	€121,304	G2	pag. 233
W11220.40.13	5	5	€121,304	G2	pag. 233
W11220.45.13	5	5	€121,304	G2	pag. 233
W11220.50.13	5	5	€121,304	G2	pag. 233
W11220.55.13	5	5	€121,304	G2	pag. 233
W11220.65.13	5	5	€121,304	G2	pag. 233
W112xx.xx.xx.2105		5	€ 26,475	G2	pag. 233
W11400.35.12	5	5	€ 89,448	G2	pag. 237
W11400.35.13	5	5	€ 90,065	G2	pag. 237
W11400.40.12	5	5	€ 89,448	G2	pag. 237
W11400.40.13	5	5	€ 90,065	G2	pag. 237
W11400.45.12	5	5	€ 89,448	G2	pag. 237
W11400.45.13	5	5	€ 90,065	G2	pag. 237
W11400.50.12	5	5	€ 89,448	G2	pag. 237
W11400.50.13	5	5	€ 90,065	G2	pag. 237
W11400.55.12	5	5	€ 89,448	G2	pag. 237
W11400.55.13	5	5	€ 90,065	G2	pag. 237
W11400.60.12	5	5	€ 89,448	G2	pag. 237
W11400.60.13	5	5	€ 90,065	G2	pag. 237
W11400.70.12	5	5	€ 89,448	G2	pag. 237
W11400.70.13	5	5	€ 90,065	G2	pag. 237
W11400.xx.xx.2105		5	€ 26,475	G2	pag. 237
W20067.19.01	20	180	€ 17,954	G2	pag. 257
W20067.19.02	20	180	€ 18,571	G2	pag. 257
W20067.19.03	20	20	€ 19,182	G2	pag. 257
W20067.19.04	20	20	€ 21,018	G2	pag. 257
W20068.19.01	20	20	€ 23,286	G2	pag. 258
W20068.19.02	20	20	€ 25,126	G2	pag. 258
W99610.04.13	20	20	€ 5,643	G2	pag. 252
W99610.05.13	20	20	€ 5,643	G2	pag. 252
W99611.19.29	1	1	€ 71,652	G2	pag. 241
W99611.19.30	1	1	€ 71,652	G2	pag. 241
W99612.19.29	1	1	€ 71,652	G2	pag. 241
W99612.19.30	1	1	€ 71,652	G2	pag. 241
W99628.00.13	20	20	€ 10,249	G2	pag. 242
W99630.00.13	20	20	€ 5,643	G2	pag. 242
W99630.07.24	50	50	€ 1,233	G2	pag. 242
W99631.07.20	5	5	€ 68,618	G2	pag. 240
W99631.07.21	5	5	€ 71,071	G2	pag. 240
W99632.07.20	5	5	€ 68,618	G2	pag. 240
W99632.07.21	5	5	€ 71,071	G2	pag. 240
W99704.19.01	20	20	€ 16,531	G2	pag. 257
W99704.19.02	20	20	€ 23,143	G2	pag. 257
W99704.19.03	20	20	€ 33,304	G2	pag. 257
W99900.00.06	20	20	€ 6,048	G2	pag. 237
Z90867.09.99	1	1	€180,000	F9	pag. 25
Z90867.10.99	1	1	€100,000	F9	pag. 25
Z90867.11.99	1	1	€300,000	F9	pag. 25
Z90868.09.99	1	1	€280,000	F9	pag. 25
Z90868.10.99	1	1	€200,000	F9	pag. 25
Z90869.09.99	1	1	€480,000	F9	pag. 25
Z90870.09.99	1	1	€ 80,000	F9	pag. 25

Cod. Z90750.10.29 - Created by AGB

Alban Giacomo spa

Headquarters:
Via A. De Gasperi, 75
36060 Romano d'Ezzelino (VI) - Italy

Logistical and production plant:
Via Col Beretta, 4
36022 Cassola (VI) - Italy

Cylinders plant:
Via S. Bortolo, 44
36020 Pove del Grappa (VI) - Italy

Production plant:
Via S. Bortolo, 13
36020 Pove del Grappa (VI) - Italy

Tel. +39 0424 832832
www.agb.it - info@agb.it

MADE IN ITALY